



16.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	848.76	20.32	30	Pass	401
849	850	0.03	RMS	849	-21.23	-13	Pass	401
850	860	0.1	RMS	850.075	-50.29	-13	Pass	401




16.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
846	849	0.1	RMS	846.675	8.01	30	Pass	401
849	850	0.03	RMS	849	-28.91	-13	Pass	401
850	860	0.1	RMS	850.1	-39.17	-13	Pass	401




16.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-53.55	-13	Pass	401
823	824	0.051	RMS	824	-23.25	-13	Pass	401
824	829	0.1	RMS	824.338	20.99	30	Pass	401




16.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.78	-43.11	-13	Pass	401
823	824	0.051	RMS	823.998	-31.25	-13	Pass	401
824	829	0.1	RMS	825.7	6.91	30	Pass	401




16.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-54.23	-13	Pass	401
823	824	0.051	RMS	824	-24.68	-13	Pass	401
824	829	0.1	RMS	824.338	20.29	30	Pass	401




16.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.96	-42.2	-13	Pass	401
823	824	0.051	RMS	824	-32.23	-13	Pass	401
824	829	0.1	RMS	825.7	5.97	30	Pass	401




16.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	21.21	30	Pass	401
849	850	0.051	RMS	849	-23.2	-13	Pass	401
850	860	0.1	RMS	850	-53.63	-13	Pass	401




16.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.888	6.9	30	Pass	401
849	850	0.051	RMS	849.003	-30.83	-13	Pass	401
850	860	0.1	RMS	850.025	-37.84	-13	Pass	401




16.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.663	20.5	30	Pass	401
849	850	0.051	RMS	849	-23.28	-13	Pass	401
850	860	0.1	RMS	850	-50.75	-13	Pass	401




16.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	846.263	5.83	30	Pass	401
849	850	0.051	RMS	849	-32.12	-13	Pass	401
850	860	0.1	RMS	850.025	-39.86	-13	Pass	401




16.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-54.94	-13	Pass	401
823	824	0.1	RMS	824	-32.27	-13	Pass	401
824	834	0.1	RMS	824.6	21.2	30	Pass	401




16.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-43.24	-13	Pass	401
823	824	0.1	RMS	824	-34.88	-13	Pass	401
824	834	0.1	RMS	828.25	4.06	30	Pass	401




16.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	823	-55.45	-13	Pass	401
823	824	0.1	RMS	823.998	-34.52	-13	Pass	401
824	834	0.1	RMS	824.575	20.43	30	Pass	401




16.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.92	-44.08	-13	Pass	401
823	824	0.1	RMS	824	-36.43	-13	Pass	401
824	834	0.1	RMS	828	2.91	30	Pass	401




16.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	21.08	30	Pass	401
849	850	0.1	RMS	849	-32.57	-13	Pass	401
850	860	0.1	RMS	850	-54.65	-13	Pass	401




16.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.475	3.82	30	Pass	401
849	850	0.1	RMS	849.003	-34.11	-13	Pass	401
850	860	0.1	RMS	850.15	-39.31	-13	Pass	401




16.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	848.4	20.28	30	Pass	401
849	850	0.1	RMS	849	-33.59	-13	Pass	401
850	860	0.1	RMS	850	-52.62	-13	Pass	401




16.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
839	849	0.1	RMS	841.55	2.86	30	Pass	401
849	850	0.1	RMS	849.005	-35.63	-13	Pass	401
850	860	0.1	RMS	850.1	-39.96	-13	Pass	401




16.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.98	-45.95	-13	Pass	401
823	824	0.15	RMS	824	-30.24	-13	Pass	401
824	839	0.1	RMS	824.825	21.04	30	Pass	401




16.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	817.4	-46.44	-13	Pass	401
823	824	0.15	RMS	824	-35.62	-13	Pass	401
824	839	0.1	RMS	832.1	2.07	30	Pass	401




16.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	822.8	-49.81	-13	Pass	401
823	824	0.15	RMS	824	-31.18	-13	Pass	401
824	839	0.1	RMS	824.825	20.18	30	Pass	401




16.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
815	823	0.1	RMS	817.56	-47.1	-13	Pass	401
823	824	0.15	RMS	824	-38.19	-13	Pass	401
824	839	0.1	RMS	831.238	1.1	30	Pass	401




16.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	21.02	30	Pass	401
849	850	0.15	RMS	849	-31.5	-13	Pass	401
850	860	0.1	RMS	851.05	-50.07	-13	Pass	401




16.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	837.938	2.51	30	Pass	401
849	850	0.15	RMS	849.003	-35.82	-13	Pass	401
850	860	0.1	RMS	850.1	-41.05	-13	Pass	401




16.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.175	20.06	30	Pass	401
849	850	0.15	RMS	849	-32.28	-13	Pass	401
850	860	0.1	RMS	851.175	-50.82	-13	Pass	401



16.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.938	1.44	30	Pass	401
849	850	0.15	RMS	849.005	-35.98	-13	Pass	401
850	860	0.1	RMS	850.875	-41.35	-13	Pass	401



17. LTE_Band26(part90)


17.1. LTE Band Edge_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-34.04	-13	Pass	51
813.9625	814	0.002	RMS	813.995	-45.59	-20	Pass	401
814	819	0.1	RMS	814.25	21.16	30	Pass	401




17.2. LTE Band Edge_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-32.8	-13	Pass	401
813.9625	814	0.02	RMS	814	-39.63	-20	Pass	401
814	819	0.1	RMS	815.125	12.72	30	Pass	401




17.3. LTE Band Edge_Part90(NTNV)(Subtest:3, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-27.45	-13	Pass	51
813.9625	814	0.002	RMS	813.99	-41.74	-20	Pass	401
814	819	0.1	RMS	814.25	20.07	30	Pass	401




17.4. LTE Band Edge_Part90(NTNV)(Subtest:4, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-33.64	-13	Pass	401
813.9625	814	0.02	RMS	814	-41.37	-20	Pass	401
814	819	0.1	RMS	815.1	11.86	30	Pass	401




17.5. LTE Band Edge_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	21.1	30	Pass	401
824	824.0375	0.002	RMS	824.005	-44.19	-20	Pass	401
824.0875	829	0.1	RMS	824.088	-34.19	-13	Pass	51




17.6. LTE Band Edge_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.45	12.7	30	Pass	401
824	824.0375	0.02	RMS	824	-40.92	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-33.7	-13	Pass	401




17.7. LTE Band Edge_Part90(NTNV)(Subtest:7, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.75	20.2	30	Pass	401
824	824.0375	0.002	RMS	824.008	-46.34	-20	Pass	401
824.0875	829	0.1	RMS	824.088	-33.98	-13	Pass	401




17.8. LTE Band Edge_Part90(NTNV)(Subtest:8, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.963	11.78	30	Pass	401
824	824.0375	0.02	RMS	824.001	-41.16	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-34.42	-13	Pass	401




17.9. LTE Band Edge_Part90(NTNV)(Subtest:9, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.9	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-30.62	-20	Pass	20
814	819	0.1	RMS	814.238	21.26	30	Pass	401




17.10. LTE Band Edge_Part90(NTNV)(Subtest:10, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-23.68	-13	Pass	401
813.9625	814	0.03	RMS	814	-27.07	-20	Pass	401
814	819	0.1	RMS	815.825	9.09	30	Pass	401




17.11. LTE Band Edge_Part90(NTNV)(Subtest:11, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-18.82	-13	Pass	51
813.9625	814	0.002	RMS	814	-31.83	-20	Pass	20
814	819	0.1	RMS	814.238	20.35	30	Pass	401




17.12. LTE Band Edge_Part90(NTNV)(Subtest:12, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.54	-13	Pass	401
813.9625	814	0.03	RMS	814	-28.98	-20	Pass	401
814	819	0.1	RMS	816.4	8.09	30	Pass	401




17.13. LTE Band Edge_Part90(NTNV)(Subtest:13, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.8	21.1	30	Pass	51
824	824.0375	0.002	RMS	824.002	-31.19	-20	Pass	20
824.0875	829	0.1	RMS	824.088	-22.78	-13	Pass	401




17.14. LTE Band Edge_Part90(NTNV)(Subtest:14, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	822.088	9.06	30	Pass	401
824	824.0375	0.03	RMS	824	-28.71	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25.51	-13	Pass	401




17.15. LTE Band Edge_Part90(NTNV)(Subtest:15, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.763	20.36	30	Pass	401
824	824.0375	0.002	RMS	824.003	-31.73	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-18.14	-13	Pass	401




17.16. LTE Band Edge_Part90(NTNV)(Subtest:16, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.65	7.96	30	Pass	401
824	824.0375	0.03	RMS	824	-29	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-25.84	-13	Pass	401




17.17. LTE Band Edge_Part90(NTNV)(Subtest:17, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-24.91	-13	Pass	51
813.9625	814	0.002	RMS	813.999	-36.56	-20	Pass	401
814	819	0.1	RMS	814.338	21.07	30	Pass	401




17.18. LTE Band Edge_Part90(NTNV)(Subtest:18, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-30.44	-13	Pass	401
813.9625	814	0.051	RMS	814	-31.04	-20	Pass	401
814	819	0.1	RMS	815.7	6.82	30	Pass	401




17.19. LTE Band Edge_Part90(NTNV)(Subtest:19, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-25.01	-13	Pass	51
813.9625	814	0.002	RMS	813.998	-36.09	-20	Pass	401
814	819	0.1	RMS	814.338	20.37	30	Pass	401




17.20. LTE Band Edge_Part90(NTNV)(Subtest:20, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-31.55	-13	Pass	401
813.9625	814	0.051	RMS	814	-32.13	-20	Pass	401
814	819	0.1	RMS	817.338	5.85	30	Pass	401




17.21. LTE Band Edge_Part90(NTNV)(Subtest:21, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	20.8	30	Pass	51
824	824.0375	0.002	RMS	824.002	-35.95	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-23.12	-13	Pass	401




17.22. LTE Band Edge_Part90(NTNV)(Subtest:22, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.85	6.8	30	Pass	401
824	824.0375	0.051	RMS	824	-31.13	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-30.58	-13	Pass	401




17.23. LTE Band Edge_Part90(NTNV)(Subtest:23, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.7	20.32	30	Pass	51
824	824.0375	0.002	RMS	824	-37.89	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-24.35	-13	Pass	401




17.24. LTE Band Edge_Part90(NTNV)(Subtest:24, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	821.275	5.81	30	Pass	401
824	824.0375	0.051	RMS	824	-32.33	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-31.87	-13	Pass	401




17.25. LTE Band Edge_Part90(NTNV)(Subtest:25, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.01	-13	Pass	401
813.9625	814	0.02	RMS	814	-41.01	-20	Pass	401
814	819	0.1	RMS	814.6	21.18	30	Pass	401




17.26. LTE Band Edge_Part90(NTNV)(Subtest:26, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.11	-13	Pass	401
813.9625	814	0.1	RMS	814	-34.75	-20	Pass	401
814	819	0.1	RMS	818.238	3.98	30	Pass	401




17.27. LTE Band Edge_Part90(NTNV)(Subtest:27, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-36.91	-13	Pass	401
813.9625	814	0.02	RMS	814	-41.95	-20	Pass	401
814	819	0.1	RMS	814.588	20.44	30	Pass	401




17.28. LTE Band Edge_Part90(NTNV)(Subtest:28, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
809	813.9625	0.1	RMS	813.963	-37.64	-13	Pass	401
813.9625	814	0.1	RMS	813.999	-36.36	-20	Pass	401
814	819	0.1	RMS	819	2.97	30	Pass	401




17.29. LTE Band Edge_Part90(NTNV)(Subtest:29, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.413	21.28	30	Pass	401
824	824.0375	0.02	RMS	824	-41.1	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-36.38	-13	Pass	401




17.30. LTE Band Edge_Part90(NTNV)(Subtest:30, Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.55	3.9	30	Pass	401
824	824.0375	0.1	RMS	824.001	-34.74	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-36.02	-13	Pass	401




17.31. LTE Band Edge_Part90(NTNV)(Subtest:31, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	823.388	20.29	30	Pass	401
824	824.0375	0.02	RMS	824.005	-42.73	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-37.26	-13	Pass	401



17.32. LTE Band Edge_Part90(NTNV)(Subtest:32, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
819	824	0.1	RMS	820.6	3.05	30	Pass	401
824	824.0375	0.1	RMS	824.001	-35.72	-20	Pass	401
824.0375	829	0.1	RMS	824.038	-36.88	-13	Pass	401



18. LTE_Band41 full


18.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.588	-43.23	-25	Pass	401
2490	2495	1	RMS	2495	-30.87	-13	Pass	6
2495	2496	0.01	RMS	2495.998	-28.13	-13	Pass	401
2496	2501	0.1	RMS	2496.313	22.09	30	Pass	401




18.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.21	-25	Pass	16
2490	2495	1	RMS	2495	-25.23	-13	Pass	6
2495	2496	0.051	RMS	2496	-29.74	-13	Pass	401
2496	2501	0.1	RMS	2500.263	7.93	30	Pass	401




18.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487.9	-43.24	-25	Pass	401
2490	2495	1	RMS	2495	-31.76	-13	Pass	6
2495	2496	0.051	RMS	2496	-22.12	-13	Pass	401
2496	2501	0.1	RMS	2496.363	21.6	30	Pass	401




18.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-29.24	-25	Pass	401
2490	2495	1	RMS	2495	-22.57	-13	Pass	6
2495	2496	0.051	RMS	2496	-30.7	-13	Pass	401
2496	2501	0.1	RMS	2498.188	7	30	Pass	401




18.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	20.85	30	Pass	401
2690	2691	0.051	RMS	2690	-20.23	-10	Pass	401
2691	2695	1	RMS	2691	-33.76	-10	Pass	5
2695	2696	1	RMS	2695.023	-42.94	-13	Pass	401
2696	2715	1	RMS	2696.238	-44	-25	Pass	401




18.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2686.675	6.67	30	Pass	401
2690	2691	0.1	RMS	2690.003	-25.78	-10	Pass	401
2691	2695	1	RMS	2691	-26.96	-10	Pass	5
2695	2696	1	RMS	2695.123	-37.92	-13	Pass	401
2696	2715	1	RMS	2696.998	-37.9	-25	Pass	401




18.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.663	20.13	30	Pass	401
2690	2691	0.051	RMS	2690	-21.3	-10	Pass	401
2691	2695	1	RMS	2691	-33.58	-10	Pass	5
2695	2696	1	RMS	2695.008	-42.87	-13	Pass	401
2696	2715	1	RMS	2696.285	-43.98	-25	Pass	401




18.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2685	2690	0.1	RMS	2688.325	5.98	30	Pass	401
2690	2691	0.1	RMS	2690	-27.35	-10	Pass	401
2691	2695	1	RMS	2691	-29.87	-10	Pass	5
2695	2696	1	RMS	2695.29	-38.27	-13	Pass	401
2696	2715	1	RMS	2696.143	-38.54	-25	Pass	401




18.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.625	-42.52	-25	Pass	401
2490	2495	1	RMS	2495	-33.76	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-26.38	-13	Pass	401
2496	2506	0.1	RMS	2496.575	22.12	30	Pass	401




18.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.04	-25	Pass	16
2490	2495	1	RMS	2495	-27.45	-13	Pass	6
2495	2496	0.1	RMS	2495.998	-32.78	-13	Pass	401
2496	2506	0.1	RMS	2500.25	4.55	30	Pass	401




18.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.388	-42.88	-25	Pass	401
2490	2495	1	RMS	2495	-34.92	-13	Pass	6
2495	2496	0.1	RMS	2496	-27.36	-13	Pass	401
2496	2506	0.1	RMS	2496.575	20.82	30	Pass	401




18.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-27.27	-25	Pass	16
2490	2495	1	RMS	2495	-24.9	-13	Pass	6
2495	2496	0.1	RMS	2496	-32.57	-13	Pass	401
2496	2506	0.1	RMS	2503	3.29	30	Pass	401




18.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.425	21.4	30	Pass	401
2690	2691	0.2	RMS	2690	-23.31	-10	Pass	401
2691	2695	1	RMS	2691	-36.1	-10	Pass	5
2695	2700	1	RMS	2698.388	-40.72	-13	Pass	401
2700	2715	1	RMS	2700.638	-43.54	-25	Pass	401




18.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.775	4.26	30	Pass	401
2690	2691	0.2	RMS	2690.003	-30.16	-10	Pass	401
2691	2695	1	RMS	2691	-28.56	-10	Pass	5
2695	2700	1	RMS	2695.163	-33.91	-13	Pass	401
2700	2715	1	RMS	2700.075	-40.73	-25	Pass	401




18.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.4	19.72	30	Pass	401
2690	2691	0.2	RMS	2690.003	-24.29	-10	Pass	401
2691	2695	1	RMS	2691	-36.39	-10	Pass	5
2695	2700	1	RMS	2698.3	-41.08	-13	Pass	401
2700	2715	1	RMS	2700	-43.71	-25	Pass	401




18.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.275	2.78	30	Pass	401
2690	2691	0.2	RMS	2690.008	-31.75	-10	Pass	401
2691	2695	1	RMS	2691	-31.02	-10	Pass	5
2695	2700	1	RMS	2695.613	-36.28	-13	Pass	401
2700	2715	1	RMS	2701.388	-40.61	-25	Pass	401




18.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.05	-41.81	-25	Pass	401
2490	2495	1	RMS	2495	-34.68	-13	Pass	6
2495	2496	0.15	RMS	2496	-27.29	-13	Pass	401
2496	2511	0.1	RMS	2496.825	21.87	30	Pass	401




18.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2487	-30.35	-25	Pass	16
2490	2495	1	RMS	2495	-30.04	-13	Pass	6
2495	2496	0.15	RMS	2495.998	-34	-13	Pass	401
2496	2511	0.1	RMS	2505.975	3.31	30	Pass	401




18.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2488.65	-42.65	-25	Pass	401
2490	2495	1	RMS	2495	-35.2	-13	Pass	6
2495	2496	0.15	RMS	2495.995	-28.79	-13	Pass	401
2496	2511	0.1	RMS	2496.863	20.55	30	Pass	401




18.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.13	-25	Pass	16
2490	2495	1	RMS	2495	-27.06	-13	Pass	6
2495	2496	0.15	RMS	2495.99	-32.89	-13	Pass	401
2496	2511	0.1	RMS	2509.238	2.56	30	Pass	401




18.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	20.66	30	Pass	401
2690	2691	0.3	RMS	2690.003	-24.48	-10	Pass	401
2691	2695	1	RMS	2691	-37.12	-10	Pass	5
2695	2705	1	RMS	2695.9	-37.34	-13	Pass	401
2705	2715	1	RMS	2705.075	-44.5	-25	Pass	401




18.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2681.938	1.66	30	Pass	401
2690	2691	0.3	RMS	2690.003	-31.24	-10	Pass	401
2691	2695	1	RMS	2691	-29.15	-10	Pass	5
2695	2705	1	RMS	2695.325	-34	-13	Pass	401
2705	2715	1	RMS	2705.075	-40.15	-25	Pass	401




18.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.138	19.93	30	Pass	401
2690	2691	0.3	RMS	2690	-24.53	-10	Pass	401
2691	2695	1	RMS	2691	-37.39	-10	Pass	5
2695	2705	1	RMS	2695.85	-38.42	-13	Pass	401
2705	2715	1	RMS	2705.15	-44.67	-25	Pass	401




18.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.363	1.26	30	Pass	401
2690	2691	0.3	RMS	2690.008	-32.83	-10	Pass	401
2691	2695	1	RMS	2691	-31.15	-10	Pass	5
2695	2705	1	RMS	2695.525	-34.84	-13	Pass	401
2705	2715	1	RMS	2706.15	-40.35	-25	Pass	401




18.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.55	-42.64	-25	Pass	401
2490	2495	1	RMS	2495	-34.7	-13	Pass	6
2495	2496	0.2	RMS	2495.998	-28.83	-13	Pass	401
2496	2516	0.1	RMS	2497.1	21.42	30	Pass	401




18.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2482	-31.41	-25	Pass	16
2490	2495	1	RMS	2495	-29.54	-13	Pass	6
2495	2496	0.2	RMS	2495.99	-34.13	-13	Pass	401
2496	2516	0.1	RMS	2504.95	2.21	30	Pass	401




18.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2489.663	-42.57	-25	Pass	401
2490	2495	1	RMS	2495	-33.91	-13	Pass	6
2495	2496	0.2	RMS	2495.995	-28.12	-13	Pass	401
2496	2516	0.1	RMS	2497.1	20.54	30	Pass	401




18.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-28.95	-25	Pass	16
2490	2495	1	RMS	2494.988	-25.98	-13	Pass	401
2495	2496	0.2	RMS	2495.993	-32.86	-13	Pass	401
2496	2516	0.1	RMS	2505.25	1.44	30	Pass	401




18.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	20.62	30	Pass	401
2690	2691	0.51	RMS	2690	-21.67	-10	Pass	401
2691	2695	1	RMS	2691	-38.82	-10	Pass	5
2695	2710	1	RMS	2697.85	-38.31	-13	Pass	401
2710	2715	1	RMS	2710.738	-45.08	-25	Pass	401




18.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.3	1.51	30	Pass	401
2690	2691	0.51	RMS	2690.013	-31.84	-10	Pass	401
2691	2695	1	RMS	2691	-32.26	-10	Pass	5
2695	2710	1	RMS	2695.15	-35.5	-13	Pass	401
2710	2715	1	RMS	2710.113	-40.62	-25	Pass	401




18.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2688.9	19.6	30	Pass	401
2690	2691	0.51	RMS	2690.008	-21.87	-10	Pass	401
2691	2695	1	RMS	2691	-38.75	-10	Pass	5
2695	2710	1	RMS	2697.888	-37.93	-13	Pass	401
2710	2715	1	RMS	2710.038	-45.04	-25	Pass	401



18.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	0.1	RMS	2677.7	0.35	30	Pass	401
2690	2691	0.51	RMS	2690.005	-33	-10	Pass	401
2691	2695	1	RMS	2691	-34.16	-10	Pass	5
2695	2710	1	RMS	2695.075	-35.72	-13	Pass	401
2710	2715	1	RMS	2710.025	-40.3	-25	Pass	401



19. LTE_Band42 3450-3550


19.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-40.27	-13	Pass	401
3445	3449	0.51	RMS	3449	-35.26	-13	Pass	401
3449	3450	0.01	RMS	3449.998	-28.88	-13	Pass	401
3450	3455	0.1	RMS	3450.338	20.48	30	Pass	401




19.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42115, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.84	-34.31	-13	Pass	401
3445	3449	0.51	RMS	3448.96	-31.17	-13	Pass	401
3449	3450	0.1	RMS	3449.995	-27.36	-13	Pass	401
3450	3455	0.1	RMS	3451.688	6.84	30	Pass	401




19.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-40.2	-13	Pass	401
3445	3449	0.51	RMS	3449	-35.28	-13	Pass	401
3449	3450	0.01	RMS	3450	-30.16	-13	Pass	401
3450	3455	0.1	RMS	3450.35	20.15	30	Pass	401




19.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42115, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-34.72	-13	Pass	401
3445	3449	0.51	RMS	3448.86	-31.7	-13	Pass	401
3449	3450	0.1	RMS	3449.998	-28.65	-13	Pass	401
3450	3455	0.1	RMS	3453.3	6.32	30	Pass	401




19.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.663	20.99	30	Pass	401
3550	3551	0.01	RMS	3550.003	-30.13	-13	Pass	401
3551	3555	0.51	RMS	3551.03	-34.63	-13	Pass	401
3555	3571	1	RMS	3555.04	-39.96	-13	Pass	401




19.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43065, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3547.513	6.79	30	Pass	401
3550	3551	0.1	RMS	3550.003	-27.75	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-29.91	-13	Pass	401
3555	3571	1	RMS	3555	-35.97	-13	Pass	401




19.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3549.65	20.38	30	Pass	401
3550	3551	0.01	RMS	3550	-30.69	-13	Pass	401
3551	3555	0.51	RMS	3551.01	-34.85	-13	Pass	401
3555	3571	1	RMS	3555	-40.2	-13	Pass	401




19.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43065, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3545	3550	0.1	RMS	3548.975	5.8	30	Pass	401
3550	3551	0.1	RMS	3550.008	-28.47	-13	Pass	401
3551	3555	0.51	RMS	3551.13	-31.18	-13	Pass	401
3555	3571	1	RMS	3555.04	-35.41	-13	Pass	401




19.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3443.84	-40.93	-13	Pass	401
3445	3449	0.51	RMS	3448.95	-36.19	-13	Pass	401
3449	3450	0.01	RMS	3450	-37.76	-13	Pass	401
3450	3460	0.1	RMS	3450.575	21.47	30	Pass	401




19.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42140, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.64	-31.81	-13	Pass	401
3445	3449	0.51	RMS	3449	-31.23	-13	Pass	401
3449	3450	0.1	RMS	3450	-33.39	-13	Pass	401
3450	3460	0.1	RMS	3457.55	3.93	30	Pass	401




19.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.4	-39.87	-13	Pass	401
3445	3449	0.51	RMS	3447.15	-35.99	-13	Pass	401
3449	3450	0.01	RMS	3450	-38.38	-13	Pass	401
3450	3460	0.1	RMS	3450.6	20.44	30	Pass	401




19.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42140, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.96	-34.91	-13	Pass	401
3445	3449	0.51	RMS	3448.51	-35.33	-13	Pass	401
3449	3450	0.1	RMS	3450	-36.02	-13	Pass	401
3450	3460	0.1	RMS	3458.4	2.85	30	Pass	401




19.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.425	21.04	30	Pass	401
3550	3551	0.01	RMS	3550.005	-38.32	-13	Pass	401
3551	3555	0.51	RMS	3551.03	-36.43	-13	Pass	401
3555	3571	1	RMS	3555	-39.88	-13	Pass	401




19.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43040, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3547.55	3.65	30	Pass	401
3550	3551	0.1	RMS	3550	-32.78	-13	Pass	401
3551	3555	0.51	RMS	3551.03	-29.69	-13	Pass	401
3555	3571	1	RMS	3555.24	-30.55	-13	Pass	401




19.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3549.425	20.54	30	Pass	401
3550	3551	0.01	RMS	3550.008	-39.96	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-36.35	-13	Pass	401
3555	3571	1	RMS	3555.48	-39.9	-13	Pass	401




19.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43040, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3540	3550	0.1	RMS	3546.6	2.57	30	Pass	401
3550	3551	0.1	RMS	3550.003	-35.85	-13	Pass	401
3551	3555	0.51	RMS	3551.08	-32.75	-13	Pass	401
3555	3571	1	RMS	3555.04	-33.73	-13	Pass	401




**19.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42165,
Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-39.97	-13	Pass	401
3445	3449	0.51	RMS	3448.71	-36.3	-13	Pass	401
3449	3450	0.01	RMS	3449.998	-40.34	-13	Pass	401
3450	3465	0.1	RMS	3450.863	21.17	30	Pass	401




**19.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42165,
Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.76	-33.17	-13	Pass	401
3445	3449	0.51	RMS	3448.08	-31.98	-13	Pass	401
3449	3450	0.2	RMS	3450	-33.14	-13	Pass	401
3450	3465	0.1	RMS	3463.163	1.98	30	Pass	401




**19.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42165,
Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3442.24	-39.59	-13	Pass	401
3445	3449	0.51	RMS	3449	-36.14	-13	Pass	401
3449	3450	0.01	RMS	3449.995	-42.05	-13	Pass	401
3450	3465	0.1	RMS	3450.863	20.22	30	Pass	401




19.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42165, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-34.99	-13	Pass	401
3445	3449	0.51	RMS	3448.97	-35.44	-13	Pass	401
3449	3450	0.2	RMS	3449.998	-35.2	-13	Pass	401
3450	3465	0.1	RMS	3463.2	1.73	30	Pass	401




19.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.175	20.75	30	Pass	401
3550	3551	0.01	RMS	3550.005	-41.17	-13	Pass	401
3551	3555	0.51	RMS	3551.89	-33.98	-13	Pass	401
3555	3571	1	RMS	3555	-39.85	-13	Pass	401




19.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:43015, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3548.725	2.54	30	Pass	401
3550	3551	0.2	RMS	3550.003	-32.2	-13	Pass	401
3551	3555	0.51	RMS	3551.03	-30.4	-13	Pass	401
3555	3571	1	RMS	3555	-31.22	-13	Pass	401




19.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3549.138	20.21	30	Pass	401
3550	3551	0.01	RMS	3550.003	-42.32	-13	Pass	401
3551	3555	0.51	RMS	3551.31	-36.93	-13	Pass	401
3555	3571	1	RMS	3557.36	-40.39	-13	Pass	401




19.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:43015, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3535	3550	0.1	RMS	3548.05	1.24	30	Pass	401
3550	3551	0.2	RMS	3550.008	-33.95	-13	Pass	401
3551	3555	0.51	RMS	3551.1	-33.45	-13	Pass	401
3555	3571	1	RMS	3555.16	-33.66	-13	Pass	401




**19.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:42190,
Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.92	-39.59	-13	Pass	401
3445	3449	0.51	RMS	3448.96	-35.73	-13	Pass	401
3449	3450	0.01	RMS	3449.995	-43.89	-13	Pass	401
3450	3470	0.1	RMS	3451.1	21.07	30	Pass	401




**19.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:42190,
Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.8	-34.65	-13	Pass	401
3445	3449	0.51	RMS	3448.97	-35.1	-13	Pass	401
3449	3450	0.2	RMS	3449.993	-35.09	-13	Pass	401
3450	3470	0.1	RMS	3458.95	0.73	30	Pass	401




**19.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:42190,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3444.68	-39.87	-13	Pass	401
3445	3449	0.51	RMS	3448.98	-35.54	-13	Pass	401
3449	3450	0.01	RMS	3449.993	-42.31	-13	Pass	401
3450	3470	0.1	RMS	3451.05	20.26	30	Pass	401




**19.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:42190,
Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3429	3445	1	RMS	3445	-35.54	-13	Pass	401
3445	3449	0.51	RMS	3448.88	-36.39	-13	Pass	401
3449	3450	0.2	RMS	3450	-37.57	-13	Pass	401
3450	3470	0.1	RMS	3459.25	-0.13	30	Pass	401




**19.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:42990,
Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.95	20.41	30	Pass	401
3550	3551	0.01	RMS	3550.003	-44.23	-13	Pass	401
3551	3555	0.51	RMS	3551.02	-36	-13	Pass	401
3555	3571	1	RMS	3555.08	-39.79	-13	Pass	401




**19.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:42990,
Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3544.7	0.82	30	Pass	401
3550	3551	0.2	RMS	3550	-35.14	-13	Pass	401
3551	3555	0.51	RMS	3551.1	-32.42	-13	Pass	401
3555	3571	1	RMS	3555	-32.1	-13	Pass	401




**19.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:42990,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3548.95	19.76	30	Pass	401
3550	3551	0.01	RMS	3550	-44.18	-13	Pass	401
3551	3555	0.51	RMS	3551.05	-35.64	-13	Pass	401
3555	3571	1	RMS	3555.04	-40.06	-13	Pass	401



**19.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:42990,
Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
3530	3550	0.1	RMS	3542.9	0.1	30	Pass	401
3550	3551	0.2	RMS	3550	-36.68	-13	Pass	401
3551	3555	0.51	RMS	3551.37	-35.94	-13	Pass	401
3555	3571	1	RMS	3555.2	-34.17	-13	Pass	401



20 LTE_Band66


20.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.93	-13	Pass	401
1708	1709	1	RMS	1709	-36.16	-13	Pass	2
1709	1710	0.02	RMS	1710	-28.8	-13	Pass	401
1710	1712	0.1	RMS	1710.24	20.55	30	Pass	401




20.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-34.6	-13	Pass	401
1708	1709	1	RMS	1709	-28.14	-13	Pass	2
1709	1710	0.02	RMS	1709.993	-33.78	-13	Pass	401
1710	1712	0.1	RMS	1710.28	12.14	30	Pass	401




**20.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:131979,
Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-44.2	-13	Pass	401
1708	1709	1	RMS	1709	-36.8	-13	Pass	2
1709	1710	0.02	RMS	1710	-32.05	-13	Pass	401
1710	1712	0.1	RMS	1710.235	19.46	30	Pass	401




20.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-35.62	-13	Pass	401
1708	1709	1	RMS	1709	-31.95	-13	Pass	2
1709	1710	0.02	RMS	1710	-36.84	-13	Pass	401
1710	1712	0.1	RMS	1711.11	11.09	30	Pass	401




20.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.755	20.59	30	Pass	401
1780	1781	0.02	RMS	1780.003	-36.07	-13	Pass	401
1781	1782	1	RMS	1781	-34.71	-13	Pass	2
1782	1790	1	RMS	1782	-43.65	-13	Pass	401




20.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.69	12.15	30	Pass	401
1780	1781	0.02	RMS	1780.015	-40.75	-13	Pass	401
1781	1782	1	RMS	1781	-32	-13	Pass	2
1782	1790	1	RMS	1782.04	-34.71	-13	Pass	401




20.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.75	19.67	30	Pass	401
1780	1781	0.02	RMS	1780.005	-36.17	-13	Pass	401
1781	1782	1	RMS	1781	-35.7	-13	Pass	2
1782	1790	1	RMS	1782.02	-44.5	-13	Pass	401




20.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 6, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1778	1780	0.1	RMS	1779.325	11.19	30	Pass	401
1780	1781	0.02	RMS	1780.015	-40.6	-13	Pass	401
1781	1782	1	RMS	1781	-29.86	-13	Pass	2
1782	1790	1	RMS	1782	-33.15	-13	Pass	401




**20.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:131987,
Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-43.25	-13	Pass	401
1708	1709	1	RMS	1709	-36.09	-13	Pass	2
1709	1710	0.03	RMS	1710	-18.75	-13	Pass	401
1710	1713	0.1	RMS	1710.24	20.54	30	Pass	401




20.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-29.66	-13	Pass	401
1708	1709	1	RMS	1709	-25.73	-13	Pass	2
1709	1710	0.03	RMS	1709.998	-26	-13	Pass	401
1710	1713	0.1	RMS	1711.793	8.37	30	Pass	401




20.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-43.07	-13	Pass	401
1708	1709	1	RMS	1709	-36.03	-13	Pass	2
1709	1710	0.03	RMS	1710	-19.79	-13	Pass	401
1710	1713	0.1	RMS	1710.248	19.73	30	Pass	401




20.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-33.56	-13	Pass	401
1708	1709	1	RMS	1709	-28.38	-13	Pass	2
1709	1710	0.03	RMS	1710	-27.77	-13	Pass	401
1710	1713	0.1	RMS	1711.193	7.43	30	Pass	401




20.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.76	20.72	30	Pass	401
1780	1781	0.03	RMS	1780	-18.19	-13	Pass	401
1781	1782	1	RMS	1781	-34.18	-13	Pass	2
1782	1790	1	RMS	1782.02	-41.43	-13	Pass	401




20.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1778.89	8.53	30	Pass	401
1780	1781	0.03	RMS	1780	-26.98	-13	Pass	401
1781	1782	1	RMS	1781	-22.66	-13	Pass	2
1782	1790	1	RMS	1782	-24.61	-13	Pass	401




20.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.753	19.75	30	Pass	401
1780	1781	0.03	RMS	1780	-20.07	-13	Pass	401
1781	1782	1	RMS	1781	-35.29	-13	Pass	2
1782	1790	1	RMS	1782	-41.95	-13	Pass	401




20.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 15, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1777	1780	0.1	RMS	1779.228	7.46	30	Pass	401
1780	1781	0.03	RMS	1780	-27.19	-13	Pass	401
1781	1782	1	RMS	1781	-21.72	-13	Pass	2
1782	1790	1	RMS	1782	-24.79	-13	Pass	401




20.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-42.16	-13	Pass	401
1708	1709	1	RMS	1709	-37.54	-13	Pass	2
1709	1710	0.01	RMS	1710	-29.73	-13	Pass	401
1710	1715	0.1	RMS	1710.338	20.33	30	Pass	401




20.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-27.6	-13	Pass	401
1708	1709	1	RMS	1709	-25.49	-13	Pass	2
1709	1710	0.051	RMS	1709.998	-29.93	-13	Pass	401
1710	1715	0.1	RMS	1711.675	6.26	30	Pass	401




20.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-43.1	-13	Pass	401
1708	1709	1	RMS	1709	-38.24	-13	Pass	2
1709	1710	0.01	RMS	1710	-30.84	-13	Pass	401
1710	1715	0.1	RMS	1710.35	19.63	30	Pass	401




20.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.88	-29.97	-13	Pass	401
1708	1709	1	RMS	1709	-27.72	-13	Pass	2
1709	1710	0.051	RMS	1710	-30.96	-13	Pass	401
1710	1715	0.1	RMS	1711.7	5.25	30	Pass	401




20.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.65	20.61	30	Pass	401
1780	1781	0.01	RMS	1780	-29.55	-13	Pass	401
1781	1782	1	RMS	1781	-36.82	-13	Pass	2
1782	1790	1	RMS	1782.02	-40.57	-13	Pass	401




20.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.425	6.25	30	Pass	401
1780	1781	0.051	RMS	1780	-30.57	-13	Pass	401
1781	1782	1	RMS	1782	-27.98	-13	Pass	2
1782	1790	1	RMS	1782.3	-26.75	-13	Pass	401




20.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.663	19.81	30	Pass	401
1780	1781	0.01	RMS	1780	-30.59	-13	Pass	401
1781	1782	1	RMS	1781	-37.93	-13	Pass	2
1782	1790	1	RMS	1782	-41.24	-13	Pass	401




20.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	0.1	RMS	1779.238	5.42	30	Pass	401
1780	1781	0.051	RMS	1780	-31.16	-13	Pass	401
1781	1782	1	RMS	1782	-27.44	-13	Pass	2
1782	1790	1	RMS	1782.22	-26.67	-13	Pass	401




20.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.12	-41.54	-13	Pass	401
1708	1709	1	RMS	1709	-41.07	-13	Pass	2
1709	1710	0.1	RMS	1710	-33.58	-13	Pass	11
1710	1720	0.1	RMS	1710.575	20.52	30	Pass	401



20.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-26.57	-13	Pass	401
1708	1709	1	RMS	1709	-25.19	-13	Pass	2
1709	1710	0.1	RMS	1709.995	-32.58	-13	Pass	401
1710	1720	0.1	RMS	1714.3	3.23	30	Pass	401



20.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.24	-41.8	-13	Pass	401
1708	1709	1	RMS	1709	-40.12	-13	Pass	2
1709	1710	0.1	RMS	1710	-34.19	-13	Pass	11
1710	1720	0.1	RMS	1710.6	19.79	30	Pass	401

