



20.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-28.46	-13	Pass	401
1708	1709	1	RMS	1709	-27.2	-13	Pass	2
1709	1710	0.1	RMS	1709.998	-33.81	-13	Pass	401
1710	1720	0.1	RMS	1716.6	2.23	30	Pass	401




20.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	20.44	30	Pass	401
1780	1781	0.1	RMS	1780	-33.15	-13	Pass	11
1781	1782	1	RMS	1781	-40.48	-13	Pass	2
1782	1790	1	RMS	1783.76	-38.89	-13	Pass	401




20.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1777.575	3.51	30	Pass	401
1780	1781	0.1	RMS	1780.008	-31.91	-13	Pass	401
1781	1782	1	RMS	1781	-25.31	-13	Pass	2
1782	1790	1	RMS	1784.3	-25.64	-13	Pass	401




20.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1779.4	19.73	30	Pass	401
1780	1781	0.1	RMS	1780	-35.05	-13	Pass	11
1781	1782	1	RMS	1781	-41.35	-13	Pass	2
1782	1790	1	RMS	1783.84	-41.09	-13	Pass	401




20.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1770	1780	0.1	RMS	1778.6	2.38	30	Pass	401
1780	1781	0.1	RMS	1780	-32.6	-13	Pass	401
1781	1782	1	RMS	1781	-25.31	-13	Pass	2
1782	1790	1	RMS	1782.2	-25.44	-13	Pass	401




20.33. LTE Band Edge_Part22-24-27(NTNV)(Subtest:33, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.5	-39.79	-13	Pass	401
1708	1709	1	RMS	1709	-42.05	-13	Pass	2
1709	1710	0.15	RMS	1710	-32.07	-13	Pass	8
1710	1725	0.1	RMS	1710.825	20.54	30	Pass	401




20.34. LTE Band Edge_Part22-24-27(NTNV)(Subtest:34, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.94	-25.65	-13	Pass	401
1708	1709	1	RMS	1709	-25.55	-13	Pass	2
1709	1710	0.15	RMS	1709.993	-32.48	-13	Pass	401
1710	1725	0.1	RMS	1724.1	1.83	30	Pass	401




20.35. LTE Band Edge_Part22-24-27(NTNV)(Subtest:35, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.84	-38.77	-13	Pass	401
1708	1709	1	RMS	1709	-41.37	-13	Pass	2
1709	1710	0.15	RMS	1710	-30.93	-13	Pass	401
1710	1725	0.1	RMS	1710.825	19.72	30	Pass	401




20.36. LTE Band Edge_Part22-24-27(NTNV)(Subtest:36, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.96	-29.41	-13	Pass	401
1708	1709	1	RMS	1709	-28.54	-13	Pass	2
1709	1710	0.15	RMS	1709.998	-35.02	-13	Pass	401
1710	1725	0.1	RMS	1723.2	0.8	30	Pass	401




20.37. LTE Band Edge_Part22-24-27(NTNV)(Subtest:37, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	20.6	30	Pass	401
1780	1781	0.15	RMS	1780.003	-30.9	-13	Pass	401
1781	1782	1	RMS	1781	-41.03	-13	Pass	2
1782	1790	1	RMS	1782.02	-43.82	-13	Pass	401




20.38. LTE Band Edge_Part22-24-27(NTNV)(Subtest:38, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1768.338	1.64	30	Pass	401
1780	1781	0.15	RMS	1780.003	-27.41	-13	Pass	401
1781	1782	1	RMS	1781	-21.51	-13	Pass	2
1782	1790	1	RMS	1782.06	-21.96	-13	Pass	401




20.39. LTE Band Edge_Part22-24-27(NTNV)(Subtest:39, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1779.175	19.56	30	Pass	401
1780	1781	0.15	RMS	1780.005	-31.15	-13	Pass	401
1781	1782	1	RMS	1781	-42.15	-13	Pass	2
1782	1790	1	RMS	1784.88	-43.26	-13	Pass	401




20.40. LTE Band Edge_Part22-24-27(NTNV)(Subtest:40, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1765	1780	0.1	RMS	1765.938	0.86	30	Pass	401
1780	1781	0.15	RMS	1780	-28.95	-13	Pass	401
1781	1782	1	RMS	1781	-22.84	-13	Pass	2
1782	1790	1	RMS	1782.06	-23.1	-13	Pass	401




20.41. LTE Band Edge_Part22-24-27(NTNV)(Subtest:41, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1706.68	-42.47	-13	Pass	401
1708	1709	1	RMS	1709	-42.39	-13	Pass	2
1709	1710	0.2	RMS	1710	-31.5	-13	Pass	401
1710	1730	0.1	RMS	1711.1	20.48	30	Pass	401




20.42. LTE Band Edge_Part22-24-27(NTNV)(Subtest:42, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1707.98	-29.73	-13	Pass	401
1708	1709	1	RMS	1709	-28.9	-13	Pass	2
1709	1710	0.2	RMS	1709.98	-34.35	-13	Pass	401
1710	1730	0.1	RMS	1725.25	0.56	30	Pass	401




20.43. LTE Band Edge_Part22-24-27(NTNV)(Subtest:43, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1702.34	-42.77	-13	Pass	401
1708	1709	1	RMS	1709	-42.4	-13	Pass	2
1709	1710	0.2	RMS	1709.945	-31.32	-13	Pass	401
1710	1730	0.1	RMS	1711.1	19.85	30	Pass	401




20.44. LTE Band Edge_Part22-24-27(NTNV)(Subtest:44, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708	1	RMS	1708	-31.54	-13	Pass	401
1708	1709	1	RMS	1709	-30.43	-13	Pass	2
1709	1710	0.2	RMS	1709.993	-35.91	-13	Pass	401
1710	1730	0.1	RMS	1723	-0.37	30	Pass	401




20.45. LTE Band Edge_Part22-24-27(NTNV)(Subtest:45, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	20.56	30	Pass	401
1780	1781	0.2	RMS	1780.003	-31.61	-13	Pass	401
1781	1782	1	RMS	1781	-42.89	-13	Pass	2
1782	1790	1	RMS	1782.06	-44.37	-13	Pass	401




20.46. LTE Band Edge_Part22-24-27(NTNV)(Subtest:46, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1762.85	0.68	30	Pass	401
1780	1781	0.2	RMS	1780.358	-27.26	-13	Pass	401
1781	1782	1	RMS	1781	-21.05	-13	Pass	2
1782	1790	1	RMS	1782.08	-21.91	-13	Pass	401




20.47. LTE Band Edge_Part22-24-27(NTNV)(Subtest:47, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1778.9	19.6	30	Pass	401
1780	1781	0.2	RMS	1780	-32.2	-13	Pass	401
1781	1782	1	RMS	1781	-42.93	-13	Pass	2
1782	1790	1	RMS	1782	-44.99	-13	Pass	401



20.48. LTE Band Edge_Part22-24-27(NTNV)(Subtest:48, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	0.1	RMS	1764.65	-0.27	30	Pass	401
1780	1781	0.2	RMS	1780.338	-28.14	-13	Pass	401
1781	1782	1	RMS	1781	-22.01	-13	Pass	2
1782	1790	1	RMS	1782.04	-23.93	-13	Pass	401



21. LTE_Band71


21.1. LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-28.06	-13	Pass	401
662.9	663	0.03	RMS	663	-25.71	-13	Pass	401
663	668	0.1	RMS	663.338	21.22	30	Pass	401




21.2. LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-33.21	-13	Pass	401
662.9	663	0.03	RMS	663	-32.91	-13	Pass	401
663	668	0.1	RMS	664.663	6.96	30	Pass	401




21.3. LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-29.56	-13	Pass	401
662.9	663	0.03	RMS	663	-26.69	-13	Pass	401
663	668	0.1	RMS	663.35	20.56	30	Pass	401




21.4. LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-34.27	-13	Pass	401
662.9	663	0.03	RMS	663	-33.72	-13	Pass	401
663	668	0.1	RMS	664.688	5.97	30	Pass	401



**21.5. LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:133447,
Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	697.663	21.18	30	Pass	401
698	698.1	0.03	RMS	698.001	-25.36	-13	Pass	401
698.1	710	0.1	RMS	698.1	-27.84	-13	Pass	401




21.6. LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	694.863	7	30	Pass	401
698	698.1	0.03	RMS	698.001	-33.42	-13	Pass	401
698.1	710	0.1	RMS	698.1	-33.74	-13	Pass	401



**21.7. LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:133447,
Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	697.65	20.33	30	Pass	401
698	698.1	0.03	RMS	698.001	-25.99	-13	Pass	401
698.1	710	0.1	RMS	698.1	-28.37	-13	Pass	401




**21.8. LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:133447,
Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
693	698	0.1	RMS	695.138	6	30	Pass	401
698	698.1	0.03	RMS	698.001	-34.17	-13	Pass	401
698.1	710	0.1	RMS	698.1	-34	-13	Pass	401




**21.9. LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:133172,
Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-37.07	-13	Pass	401
662.9	663	0.03	RMS	663	-36.8	-13	Pass	401
663	673	0.1	RMS	663.6	21.31	30	Pass	401




21.10. LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-33.08	-13	Pass	401
662.9	663	0.03	RMS	663	-36.8	-13	Pass	401
663	673	0.1	RMS	671.025	3.95	30	Pass	401




21.11. LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-37.28	-13	Pass	401
662.9	663	0.03	RMS	662.999	-37.88	-13	Pass	401
663	673	0.1	RMS	663.575	20.44	30	Pass	401




21.12. LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-35	-13	Pass	401
662.9	663	0.03	RMS	662.993	-39.16	-13	Pass	401
663	673	0.1	RMS	669.575	3.08	30	Pass	401




21.13. LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	697.425	21.05	30	Pass	401
698	698.1	0.03	RMS	698	-36.67	-13	Pass	401
698.1	710	0.1	RMS	698.1	-35.86	-13	Pass	401




21.14. LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	691.825	4.13	30	Pass	401
698	698.1	0.03	RMS	698.005	-36.79	-13	Pass	401
698.1	710	0.1	RMS	698.1	-32.83	-13	Pass	401




21.15. LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	697.425	20.2	30	Pass	401
698	698.1	0.03	RMS	698	-36.71	-13	Pass	401
698.1	710	0.1	RMS	698.1	-36.22	-13	Pass	401




21.16. LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
688	698	0.1	RMS	690.55	3.1	30	Pass	401
698	698.1	0.03	RMS	698	-38.28	-13	Pass	401
698.1	710	0.1	RMS	698.1	-34.44	-13	Pass	401




21.17. LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-38.92	-13	Pass	401
662.9	663	0.03	RMS	662.919	-38.36	-13	Pass	401
663	678	0.1	RMS	663.825	21.37	30	Pass	401




21.18. LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.803	-34.92	-13	Pass	401
662.9	663	0.03	RMS	662.995	-38.29	-13	Pass	401
663	678	0.1	RMS	676.163	2.51	30	Pass	401




21.19. LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-38.92	-13	Pass	401
662.9	663	0.03	RMS	663	-38.77	-13	Pass	401
663	678	0.1	RMS	663.825	20.43	30	Pass	401




21.20. LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.771	-36.88	-13	Pass	401
662.9	663	0.03	RMS	662.996	-40.86	-13	Pass	401
663	678	0.1	RMS	675.675	1.53	30	Pass	401




21.21. LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.175	21.13	30	Pass	401
698	698.1	0.03	RMS	698.019	-38.73	-13	Pass	401
698.1	710	0.1	RMS	698.1	-39.77	-13	Pass	401




21.22. LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	690.013	2.46	30	Pass	401
698	698.1	0.03	RMS	698.001	-39.58	-13	Pass	401
698.1	710	0.1	RMS	698.1	-35.92	-13	Pass	401




21.23. LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	697.175	20.18	30	Pass	401
698	698.1	0.03	RMS	698.001	-38.56	-13	Pass	401
698.1	710	0.1	RMS	698.1	-38.34	-13	Pass	401




21.24. LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
683	698	0.1	RMS	690.238	1.34	30	Pass	401
698	698.1	0.03	RMS	698.009	-41.17	-13	Pass	401
698.1	710	0.1	RMS	698.636	-36.97	-13	Pass	401




21.25. LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-38.71	-13	Pass	401
662.9	663	0.03	RMS	662.999	-40.07	-13	Pass	401
663	683	0.1	RMS	664.1	21.25	30	Pass	401




21.26. LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-31.39	-13	Pass	401
662.9	663	0.03	RMS	662.959	-36.05	-13	Pass	401
663	683	0.1	RMS	676.05	1.46	30	Pass	401




21.27. LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.9	-38.45	-13	Pass	401
662.9	663	0.03	RMS	662.999	-39.73	-13	Pass	401
663	683	0.1	RMS	664.1	20.48	30	Pass	401




21.28. LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
650	662.9	0.1	RMS	662.868	-34.65	-13	Pass	401
662.9	663	0.03	RMS	662.995	-39.2	-13	Pass	401
663	683	0.1	RMS	675.95	0.57	30	Pass	401




21.29. LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	21.03	30	Pass	401
698	698.1	0.03	RMS	698.005	-38.63	-13	Pass	401
698.1	710	0.1	RMS	698.1	-38.71	-13	Pass	401




21.30. LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	689.45	1.32	30	Pass	401
698	698.1	0.03	RMS	698.036	-36.81	-13	Pass	401
698.1	710	0.1	RMS	698.814	-31.87	-13	Pass	401




21.31. LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	696.9	20.24	30	Pass	401
698	698.1	0.03	RMS	698.002	-39.27	-13	Pass	401
698.1	710	0.1	RMS	698.1	-37.73	-13	Pass	401



21.32. LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
678	698	0.1	RMS	691	0.29	30	Pass	401
698	698.1	0.03	RMS	698.01	-40.3	-13	Pass	401
698.1	710	0.1	RMS	698.279	-35.24	-13	Pass	401



22. n2 15kHz


22.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1849	1	RMS	1848	-38.3	-13	Pass	10
1849	1850	0.05	RMS	1850	-20.23	-13	Pass	21
1850	1855	1	RMS	1850.313	18.02	30	Pass	401




22.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1849	1	RMS	1849	-17.07	-13	Pass	401
1849	1850	0.051	RMS	1850	-32.08	-13	Pass	401
1850	1855	1	RMS	1853.563	11.81	30	Pass	401




22.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	1	RMS	1909.663	17.53	30	Pass	401
1910	1911	0.051	RMS	1910	-22.8	-13	Pass	401
1911	1920	1	RMS	1912	-38.51	-13	Pass	10




22.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1905	1910	1	RMS	1906.413	11.37	30	Pass	401
1910	1911	0.051	RMS	1910	-32.8	-13	Pass	401
1911	1920	1	RMS	1911	-18.75	-13	Pass	401




22.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-38.28	-13	Pass	20
1849	1850	0.15	RMS	1850	-19.99	-13	Pass	8
1850	1865	1	RMS	1850.45	17.96	30	Pass	401




22.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1830	1849	1	RMS	1849	-25.28	-13	Pass	401
1849	1850	0.15	RMS	1849.998	-32.45	-13	Pass	401
1850	1865	1	RMS	1854.5	7.06	30	Pass	401




22.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	1	RMS	1909.513	17.58	30	Pass	401
1910	1911	0.15	RMS	1910	-20.55	-13	Pass	401
1911	1930	1	RMS	1911	-39.33	-13	Pass	20




22.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1910	1	RMS	1898.188	6.61	30	Pass	401
1910	1911	0.15	RMS	1910	-34.34	-13	Pass	401
1911	1930	1	RMS	1911	-26.66	-13	Pass	401




22.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-39.79	-13	Pass	25
1849	1850	0.2	RMS	1850	-20.6	-13	Pass	401
1850	1870	1	RMS	1850.55	17.98	30	Pass	401




22.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-26.81	-13	Pass	401
1849	1850	0.2	RMS	1850	-32.95	-13	Pass	401
1850	1870	1	RMS	1856.85	5.89	30	Pass	401




22.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1909.35	17.51	30	Pass	401
1910	1911	0.2	RMS	1910	-22.1	-13	Pass	401
1911	1935	1	RMS	1919	-37.97	-13	Pass	25



22.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1890	1910	1	RMS	1901.55	5.36	30	Pass	401
1910	1911	0.2	RMS	1910	-34.26	-13	Pass	401
1911	1935	1	RMS	1911	-28.46	-13	Pass	401



23. n5


23.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	822.168	-44.59	-13	Pass	401
823	824	0.051	RMS	824	-18.17	-13	Pass	401
824	829	0.1	RMS	824.313	16.91	30	Pass	401




23.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
814	823	0.1	RMS	822.933	-43.18	-13	Pass	401
823	824	0.051	RMS	824	-30.82	-13	Pass	401
824	829	0.1	RMS	824.75	3.35	30	Pass	401



23.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	848.638	16.91	30	Pass	401
849	850	0.051	RMS	849	-19.4	-13	Pass	401
850	859	0.1	RMS	850.81	-46.29	-13	Pass	401




23.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
844	849	0.1	RMS	845.05	3.46	30	Pass	401
849	850	0.051	RMS	849	-33.43	-13	Pass	401
850	859	0.1	RMS	850	-35.74	-13	Pass	401




23.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	823	0.1	RMS	817.443	-44.56	-13	Pass	401
823	824	0.15	RMS	824	-17.65	-13	Pass	401
824	839	0.1	RMS	824.488	16.91	30	Pass	401




23.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
804	823	0.1	RMS	822.858	-38.43	-13	Pass	401
823	824	0.15	RMS	823.998	-31.14	-13	Pass	401
824	839	0.1	RMS	833.45	-1.44	30	Pass	401




23.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	848.513	16.98	30	Pass	401
849	850	0.15	RMS	849	-19.69	-13	Pass	401
850	869	0.1	RMS	850.048	-52.6	-13	Pass	401




23.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
834	849	0.1	RMS	834.75	-1.06	30	Pass	401
849	850	0.15	RMS	849.005	-33.28	-13	Pass	401
850	869	0.1	RMS	850	-38.27	-13	Pass	401




23.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	815.08	-44.29	-13	Pass	401
823	824	0.2	RMS	824	-19.02	-13	Pass	401
824	844	0.1	RMS	824.55	16.76	30	Pass	401




23.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	823	0.1	RMS	823	-37.16	-13	Pass	401
823	824	0.2	RMS	823.998	-31.65	-13	Pass	401
824	844	0.1	RMS	835.55	-2.2	30	Pass	401




23.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	848.45	16.82	30	Pass	401
849	850	0.2	RMS	849	-20.69	-13	Pass	401
850	874	0.1	RMS	850.66	-44.43	-13	Pass	401



23.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
829	849	0.1	RMS	836.45	-2.26	30	Pass	401
849	850	0.2	RMS	849.065	-32.7	-13	Pass	401
850	874	0.1	RMS	850	-37.27	-13	Pass	401



24. n7


24.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.366	-47.24	-25	Pass	401
2490.5	2496	1	RMS	2495.959	-45.53	-13	Pass	401
2496	2499	1	RMS	2499	-35.51	-10	Pass	4
2499	2500	0.051	RMS	2499.998	-19.63	-10	Pass	401
2500	2505	1	RMS	2500.363	18.67	30	Pass	401




24.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2490	2490.5	1	RMS	2490.498	-42.5	-25	Pass	401
2490.5	2496	1	RMS	2496	-36.67	-13	Pass	401
2496	2499	1	RMS	2499	-33.74	-10	Pass	4
2499	2500	0.1	RMS	2500	-28.87	-10	Pass	401
2500	2505	1	RMS	2503.388	12.49	30	Pass	401




24.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	1	RMS	2569.638	19.12	30	Pass	401
2570	2571	0.051	RMS	2570	-19.61	-10	Pass	401
2571	2575	1	RMS	2571	-36.55	-10	Pass	5
2575	2576	1	RMS	2575.01	-45.23	-13	Pass	401
2576	2580	1	RMS	2576.32	-46.19	-25	Pass	401




24.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2565	2570	1	RMS	2568.463	12.94	30	Pass	401
2570	2571	0.1	RMS	2570	-28.4	-10	Pass	401
2571	2575	1	RMS	2571	-30.95	-10	Pass	5
2575	2576	1	RMS	2575.063	-35.12	-13	Pass	401
2576	2580	1	RMS	2576.02	-36.33	-25	Pass	401




24.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2470	2490.5	1	RMS	2490.5	-47.14	-25	Pass	401
2490.5	2496	1	RMS	2495.12	-44.35	-13	Pass	401
2496	2499	1	RMS	2499	-38.91	-10	Pass	4
2499	2500	0.051	RMS	2500	-32.12	-10	Pass	401
2500	2525	1	RMS	2500.688	18.76	30	Pass	401




24.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2470	2490.5	1	RMS	2490.449	-39.26	-25	Pass	401
2490.5	2496	1	RMS	2495.945	-35.2	-13	Pass	401
2496	2499	1	RMS	2499	-30.19	-10	Pass	4
2499	2500	0.51	RMS	2500	-19.29	-10	Pass	401
2500	2525	1	RMS	2513.5	5.65	30	Pass	401




24.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2570	1	RMS	2569.375	19.22	30	Pass	401
2570	2571	0.051	RMS	2570.003	-32.76	-10	Pass	401
2571	2575	1	RMS	2571	-38.33	-10	Pass	5
2575	2595	1	RMS	2575	-44.41	-13	Pass	401
2595	2600	1	RMS	2599.013	-48.26	-25	Pass	401




24.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2545	2570	1	RMS	2554.438	5.74	30	Pass	401
2570	2571	0.51	RMS	2570	-20.19	-10	Pass	401
2571	2575	1	RMS	2571	-29.5	-10	Pass	5
2575	2595	1	RMS	2575.05	-36.32	-13	Pass	401
2595	2600	1	RMS	2595.013	-46.73	-25	Pass	401




24.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2455	2490.5	1	RMS	2490.234	-47.48	-25	Pass	401
2490.5	2496	1	RMS	2495.478	-44.77	-13	Pass	401
2496	2499	1	RMS	2499	-39.25	-10	Pass	4
2499	2500	0.051	RMS	2500	-33.31	-10	Pass	401
2500	2540	1	RMS	2500.6	18.72	30	Pass	401




24.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2455	2490.5	1	RMS	2490.5	-36.45	-25	Pass	401
2490.5	2496	1	RMS	2492.191	-36.59	-13	Pass	401
2496	2499	1	RMS	2499	-35.89	-10	Pass	4
2499	2499.6	0.8	RMS	2499.6	-36.37	-10	Pass	2
2500	2540	1	RMS	2519.2	3.86	30	Pass	401




24.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	1	RMS	2569.4	19.25	30	Pass	401
2570	2571	0.051	RMS	2570.005	-34.33	-10	Pass	401
2571	2575	1	RMS	2571	-37.79	-10	Pass	5
2575	2610	1	RMS	2575.088	-44.12	-13	Pass	401
2610	2615	1	RMS	2614.725	-47.99	-25	Pass	401



24.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2530	2570	1	RMS	2549.9	3.82	30	Pass	401
2570.4	2571	0.8	RMS	2570.4	-36.02	-10	Pass	2
2571	2575	1	RMS	2571	-35.98	-10	Pass	5
2575	2610	1	RMS	2576.75	-36.28	-13	Pass	401
2610	2615	1	RMS	2614.725	-48.04	-25	Pass	401



25. n12 15kHz


25.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-20.96	-13	Pass	401
698.9	699	0.03	RMS	698.999	-20.17	-13	Pass	401
699	704	0.1	RMS	699.338	17.75	30	Pass	401




25.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
689	698.9	0.1	RMS	698.9	-32.32	-13	Pass	401
698.9	699	0.03	RMS	699	-32.39	-13	Pass	401
699	704	0.1	RMS	699.8	4.18	30	Pass	401



25.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	715.65	17.44	30	Pass	401
716	716.1	0.03	RMS	716.003	-21.68	-13	Pass	401
716.1	726	0.1	RMS	716.1	-22.58	-13	Pass	401




25.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
711	716	0.1	RMS	711.625	4.05	30	Pass	401
716	716.1	0.03	RMS	716.006	-34.38	-13	Pass	401
716.1	726	0.1	RMS	716.1	-33.26	-13	Pass	401




25.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-21.75	-13	Pass	401
698.9	699	0.03	RMS	698.999	-22	-13	Pass	401
699	709	0.1	RMS	699.4	17.61	30	Pass	401




25.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
684	698.9	0.1	RMS	698.9	-30.88	-13	Pass	401
698.9	699	0.03	RMS	698.995	-35.01	-13	Pass	401
699	709	0.1	RMS	704.575	1.09	30	Pass	401




25.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	715.6	17.35	30	Pass	401
716	716.1	0.03	RMS	716.001	-23.77	-13	Pass	401
716.1	731	0.1	RMS	716.1	-23.5	-13	Pass	401




25.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
706	716	0.1	RMS	708.75	1.07	30	Pass	401
716	716.1	0.03	RMS	716.002	-34.13	-13	Pass	401
716.1	731	0.1	RMS	716.1	-31.39	-13	Pass	401




25.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-25.27	-13	Pass	401
698.9	699	0.03	RMS	699	-25.38	-13	Pass	401
699	714	0.1	RMS	699.45	17.83	30	Pass	401




25.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
679	698.9	0.1	RMS	698.9	-33.97	-13	Pass	401
698.9	699	0.03	RMS	698.998	-37.77	-13	Pass	401
699	714	0.1	RMS	708.225	-0.76	30	Pass	401




25.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
701	716	0.1	RMS	715.513	17.32	30	Pass	401
716	716.1	0.03	RMS	716.001	-26.35	-13	Pass	401
716.1	736	0.1	RMS	716.1	-26.26	-13	Pass	401



25.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
701	716	0.1	RMS	710.375	-0.72	30	Pass	401
716	716.1	0.03	RMS	716.046	-38.12	-13	Pass	401
716.1	736	0.1	RMS	716.1	-34.58	-13	Pass	401



26. n14 15kHz


26.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-21.91	-13	Pass	401
787.9	788	0.051	RMS	788	-19.02	-13	Pass	401
788	793	0.1	RMS	788.325	17.18	30	Pass	401




26.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
778	787.9	0.1	RMS	787.9	-33.06	-13	Pass	401
787.9	788	0.051	RMS	787.999	-31.13	-13	Pass	401
788	793	0.1	RMS	788.9	3.44	30	Pass	401




26.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
793	798	0.1	RMS	797.65	17.08	30	Pass	401
798	798.1	0.051	RMS	798	-19.13	-13	Pass	401
798.1	808	0.1	RMS	798.1	-22.3	-13	Pass	401




26.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
793	798	0.1	RMS	793.525	3.53	30	Pass	401
798	798.1	0.051	RMS	798.002	-31.49	-13	Pass	401
798.1	808	0.1	RMS	798.1	-32.57	-13	Pass	401




26.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:5, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	769.422	-73.87	-35	Pass	968




26.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:6, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	773.753	-73.93	-35	Pass	968




26.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:7, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	806	0.0062	RMS	799.012	-64.75	-35	Pass	1130




26.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:8, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	806	0.0062	RMS	799.583	-51.86	-35	Pass	1130




26.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-22.93	-13	Pass	401
787.9	788	0.1	RMS	787.999	-17.57	-13	Pass*	401
788	798	0.1	RMS	788.4	17.14	30	Pass	401




26.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
773	787.9	0.1	RMS	787.9	-31.89	-13	Pass	401
787.9	788	0.1	RMS	788	-30.51	-13	Pass	401
788	798	0.1	RMS	790.875	0.52	30	Pass	401




26.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	797.575	16.99	30	Pass	401
798	798.1	0.1	RMS	798.001	-17.92	-13	Pass*	401
798.1	813	0.1	RMS	798.1	-22.89	-13	Pass	401




26.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
788	798	0.1	RMS	790.9	0.53	30	Pass	401
798	798.1	0.1	RMS	798.001	-29.91	-13	Pass	401
798.1	813	0.1	RMS	798.1	-31.78	-13	Pass	401




26.13. Band Edge for SA_Part22-24-27(NTNV)(Subtest:5, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	773.219	-74.04	-35	Pass	968




26.14. Band Edge for SA_Part22-24-27(NTNV)(Subtest:6, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
769	775	0.0062	RMS	773.995	-73.4	-35	Pass	968




26.15. Band Edge for SA_Part22-24-27(NTNV)(Subtest:7, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	806	0.0062	RMS	799.112	-62.6	-35	Pass	1130



26.16. Band Edge for SA_Part22-24-27(NTNV)(Subtest:8, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
799	806	0.0062	RMS	799.031	-44.91	-35	Pass	1130



27. n25 15kHz

27.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1849	1	RMS	1849	-38.02	-13	Pass	10
1849	1850	0.051	RMS	1850	-19.24	-13	Pass	401
1850	1855	1	RMS	1850.338	18.18	30	Pass	401




27.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1840	1849	1	RMS	1849	-16.73	-13	Pass	401
1849	1850	0.051	RMS	1850	-31.77	-13	Pass	401
1850	1855	1	RMS	1853.7	12.12	30	Pass	401




27.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	1	RMS	1914.663	17.8	30	Pass	401
1915	1916	0.051	RMS	1915	-21.33	-13	Pass	401
1916	1925	1	RMS	1916	-38.9	-13	Pass	10




27.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1910	1915	1	RMS	1911.4	11.61	30	Pass	401
1915	1916	0.051	RMS	1915	-32.65	-13	Pass	401
1916	1925	1	RMS	1916	-18.48	-13	Pass	401




27.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-39.03	-13	Pass	25
1849	1850	0.2	RMS	1850	-20.05	-13	Pass	401
1850	1870	1	RMS	1850.5	18.3	30	Pass	401




27.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1825	1849	1	RMS	1849	-26.71	-13	Pass	401
1849	1850	0.2	RMS	1849.998	-32.73	-13	Pass	401
1850	1870	1	RMS	1857.35	6.25	30	Pass	401




27.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	1	RMS	1914.45	17.63	30	Pass	401
1915	1916	0.2	RMS	1915	-22.56	-13	Pass	401
1916	1940	1	RMS	1916	-40.55	-13	Pass	25




27.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1895	1915	1	RMS	1904.8	5.73	30	Pass	401
1915	1916	0.2	RMS	1915.008	-33.86	-13	Pass	401
1916	1940	1	RMS	1916	-28.06	-13	Pass	401




27.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-40.75	-13	Pass	45
1849	1849.8	0.39	RMS	1849.8	-26.57	-13	Pass	401
1850	1890	1	RMS	1850.6	18.25	30	Pass	401




27.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1805	1849	1	RMS	1849	-34.32	-13	Pass	401
1849	1850	0.39	RMS	1850	-33.94	-13	Pass	401
1850	1890	1	RMS	1858.2	3.09	30	Pass	401




27.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1914.4	17.79	30	Pass	401
1915.2	1916	0.39	RMS	1915.202	-28.31	-13	Pass	401
1916	1960	1	RMS	1916	-40.02	-13	Pass	45



27.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:379000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1875	1915	1	RMS	1887.3	3.26	30	Pass	401
1915	1916	0.39	RMS	1915	-35.65	-13	Pass	401
1916	1960	1	RMS	1916	-34.31	-13	Pass	401



28. n41


28.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2490.5	1	RMS	2488.014	-40.53	-25	Pass	401
2490.5	2495	1	RMS	2495	-25.49	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-25.61	-13	Pass	401
2496	2516	1	RMS	2497	21.92	30	Pass	401




28.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2471	2490.5	1	RMS	2489.623	-31.33	-25	Pass	401
2490.5	2495	1	RMS	2494.955	-24.35	-13	Pass	401
2495	2496	0.39	RMS	2495.955	-25.56	-13	Pass	401
2496	2516	1	RMS	2505.8	10.48	30	Pass	401




28.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	1	RMS	2689.05	21.08	30	Pass	401
2690	2691	0.051	RMS	2690.008	-27.35	-10	Pass	401
2691	2695	1	RMS	2691.01	-27.02	-10	Pass	401
2695	2710	1	RMS	2697.775	-41.7	-13	Pass	401
2710	2715	1	RMS	2711.725	-47.19	-25	Pass	401




28.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2670	2690	1	RMS	2678.65	9.76	30	Pass	401
2690	2691	0.39	RMS	2690.043	-26.85	-10	Pass	401
2691	2695	1	RMS	2691.03	-24.79	-10	Pass	401
2695	2710	1	RMS	2695.375	-31.48	-13	Pass	401
2710	2715	1	RMS	2710.2	-35.27	-25	Pass	401




28.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2431	2490.5	1	RMS	2490.5	-39.92	-25	Pass	401
2490.5	2495	1	RMS	2494.989	-26.25	-13	Pass	401
2495	2496	0.051	RMS	2496	-24.62	-13	Pass	401
2496	2556	1	RMS	2496.9	21.46	30	Pass	401




28.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2431	2490.5	1	RMS	2484.55	-28.09	-25	Pass	61
2490.5	2495	1	RMS	2490.579	-27.9	-13	Pass	401
2495	2495.4	1.2	RMS	2495.399	-21.08	-13	Pass	401
2496	2556	1	RMS	2526.75	5.23	30	Pass	401



28.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2630	2690	1	RMS	2688.95	21.03	30	Pass	401
2690	2691	0.051	RMS	2690.005	-28.32	-10	Pass	401
2691	2695	1	RMS	2691	-27.94	-10	Pass	401
2695	2750	1	RMS	2696.65	-38.55	-13	Pass	401
2750	2755	1	RMS	2754.75	-47.74	-25	Pass	401




28.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2630	2690	1	RMS	2650.55	5.01	30	Pass	401
2690.6	2691	1.2	RMS	2690.601	-24.24	-10	Pass	401
2691	2695	1	RMS	2694.02	-31.04	-10	Pass	401
2695	2750	1	RMS	2699.813	-32.16	-13	Pass	401
2750	2755	1	RMS	2754.225	-47.81	-25	Pass	401




28.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-45.48	-25	Pass	401
2490.5	2495	1	RMS	2495	-28.12	-13	Pass	401
2495	2496	0.051	RMS	2495.998	-27.54	-13	Pass	401
2496	2596	1	RMS	2497	20.74	30	Pass	401




28.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2391	2490.5	1	RMS	2490.5	-28.94	-25	Pass	401
2490.5	2495	1	RMS	2494.989	-27.49	-13	Pass	401
2495	2496	1	RMS	2496	-26.9	-13	Pass	2
2496	2596	1	RMS	2541	2.85	30	Pass	401




28.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2689	20.47	30	Pass	401
2690	2691	0.051	RMS	2690.008	-28.59	-10	Pass	401
2691	2695	1	RMS	2691.01	-28.99	-10	Pass	401
2695	2790	1	RMS	2695.475	-44.21	-13	Pass	401
2790	2795	1	RMS	2790.613	-47.56	-25	Pass	401



28.12. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
2590	2690	1	RMS	2620.5	3.01	30	Pass	401
2690	2691	1	RMS	2690	-16.53	-10	Pass	401
2691	2695	1	RMS	2692.49	-24.29	-10	Pass	401
2695	2790	1	RMS	2695	-24.92	-13	Pass	401
2790	2795	1	RMS	2794.288	-47.53	-25	Pass	401



29. n66 15kHz


29.1. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.5	-28.35	-13	Pass	401
1709	1710	0.051	RMS	1710	-19.25	-13	Pass	401
1710	1715	1	RMS	1710.313	18.54	30	Pass	401




29.2. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1700	1708.5	1	RMS	1708.458	-33.2	-13	Pass	401
1709	1710	0.051	RMS	1710	-31.97	-13	Pass	401
1710	1715	1	RMS	1713.463	12.37	30	Pass	401




29.3. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	1	RMS	1779.638	18.36	30	Pass	401
1780	1781	0.051	RMS	1780	-20.91	-13	Pass	401
1781.5	1790	1	RMS	1781.5	-30.36	-13	Pass	401




29.4. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1775	1780	1	RMS	1778.288	12.31	30	Pass	401
1780	1781	0.051	RMS	1780.003	-32.01	-13	Pass	401
1781	1790	1	RMS	1781	-17.92	-13	Pass	401




29.5. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-41.15	-13	Pass	401
1709	1710	0.2	RMS	1710	-20.6	-13	Pass	401
1710	1730	1	RMS	1710.45	18.61	30	Pass	401




29.6. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1685	1708.5	1	RMS	1708.5	-28.59	-13	Pass	401
1709	1710	0.2	RMS	1710	-32.04	-13	Pass	401
1710	1730	1	RMS	1727.75	6.76	30	Pass	401




29.7. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1779.5	18.47	30	Pass	401
1780	1781	0.2	RMS	1780.003	-21.61	-13	Pass	401
1781.5	1805	1	RMS	1781.5	-40.71	-13	Pass	401




29.8. Band Edge for SA_Part22-24-27(NTNV)(Subtest:4, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1760	1780	1	RMS	1763.85	7.15	30	Pass	401
1780	1781	0.2	RMS	1780.005	-32.31	-13	Pass	401
1781.5	1805	1	RMS	1781.5	-27.37	-13	Pass	401




29.9. Band Edge for SA_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1708.5	1	RMS	1708.5	-42.82	-13	Pass	401
1709	1709.8	0.39	RMS	1709.8	-26.1	-13	Pass	401
1710	1750	1	RMS	1710.6	18.69	30	Pass	401



29.10. Band Edge for SA_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1665	1709	1	RMS	1709	-32.49	-13	Pass	401
1709	1710	0.39	RMS	1710	-33.14	-13	Pass	401
1710	1750	1	RMS	1730.4	4.25	30	Pass	401



29.11. Band Edge for SA_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
1740	1780	1	RMS	1779.3	18.74	30	Pass	401
1780.2	1781	0.39	RMS	1780.2	-27.54	-13	Pass	401
1781	1825	1	RMS	1781	-18.45	-13	Pass	401

