

Appendix Test Data for LTE_band_5

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B5_1.4MHz_ERP

Band: 5 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.30	1.69	22.84	<=38.45	Pass
			2	23.55	1.69	23.09	<=38.45	Pass
			5	23.31	1.69	22.85	<=38.45	Pass
		3	0	23.34	1.69	22.88	<=38.45	Pass
			2	23.38	1.69	22.92	<=38.45	Pass
			3	23.39	1.69	22.93	<=38.45	Pass
		6	0	22.28	1.69	21.82	<=38.45	Pass
	836.5	1	0	23.33	1.69	22.87	<=38.45	Pass
			2	23.49	1.69	23.03	<=38.45	Pass
			5	23.29	1.69	22.83	<=38.45	Pass
		3	0	23.39	1.69	22.93	<=38.45	Pass
			2	23.36	1.69	22.90	<=38.45	Pass
			3	23.37	1.69	22.91	<=38.45	Pass
		6	0	22.34	1.69	21.88	<=38.45	Pass
	848.3	1	0	23.18	1.69	22.72	<=38.45	Pass
			2	23.38	1.69	22.92	<=38.45	Pass
			5	23.11	1.69	22.65	<=38.45	Pass
		3	0	23.30	1.69	22.84	<=38.45	Pass
			2	23.35	1.69	22.89	<=38.45	Pass
			3	23.31	1.69	22.85	<=38.45	Pass
		6	0	22.24	1.69	21.78	<=38.45	Pass
16QAM	824.7	1	0	22.20	1.69	21.74	<=38.45	Pass
			2	22.41	1.69	21.95	<=38.45	Pass
			5	22.24	1.69	21.78	<=38.45	Pass
		3	0	22.22	1.69	21.76	<=38.45	Pass
			2	22.24	1.69	21.78	<=38.45	Pass
			3	22.28	1.69	21.82	<=38.45	Pass
		6	0	21.41	1.69	20.95	<=38.45	Pass
	836.5	1	0	22.22	1.69	21.76	<=38.45	Pass
			2	22.38	1.69	21.92	<=38.45	Pass
			5	22.17	1.69	21.71	<=38.45	Pass
		3	0	22.23	1.69	21.77	<=38.45	Pass
			2	22.22	1.69	21.76	<=38.45	Pass
			3	22.25	1.69	21.79	<=38.45	Pass
		6	0	21.43	1.69	20.97	<=38.45	Pass
	848.3	1	0	22.21	1.69	21.75	<=38.45	Pass
			2	22.39	1.69	21.93	<=38.45	Pass
			5	22.16	1.69	21.70	<=38.45	Pass
		3	0	22.38	1.69	21.92	<=38.45	Pass
			2	22.34	1.69	21.88	<=38.45	Pass
			3	22.38	1.69	21.92	<=38.45	Pass
		6	0	21.39	1.69	20.93	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B5_3MHz_ERP

Band: 5 / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.35	1.69	22.89	<=38.45	Pass
			7	23.29	1.69	22.83	<=38.45	Pass
			14	23.36	1.69	22.90	<=38.45	Pass
		8	0	22.35	1.69	21.89	<=38.45	Pass
			4	23.22	1.69	22.76	<=38.45	Pass
			7	23.12	1.69	22.66	<=38.45	Pass
		15	0	23.13	1.69	22.67	<=38.45	Pass
			0	23.30	1.69	22.84	<=38.45	Pass
			7	23.15	1.69	22.69	<=38.45	Pass
	836.5	1	14	23.25	1.69	22.79	<=38.45	Pass
			0	22.31	1.69	21.85	<=38.45	Pass
			4	22.34	1.69	21.88	<=38.45	Pass
		8	7	22.28	1.69	21.82	<=38.45	Pass
			0	22.28	1.69	21.82	<=38.45	Pass
			0	23.33	1.69	22.87	<=38.45	Pass
		15	7	23.17	1.69	22.71	<=38.45	Pass
			14	23.27	1.69	22.81	<=38.45	Pass
			0	22.26	1.69	21.80	<=38.45	Pass
16QAM	825.5	1	4	22.27	1.69	21.81	<=38.45	Pass
			7	22.24	1.69	21.78	<=38.45	Pass
			0	22.20	1.69	21.74	<=38.45	Pass
		8	0	22.10	1.69	21.64	<=38.45	Pass
			7	22.11	1.69	21.65	<=38.45	Pass
			14	22.15	1.69	21.69	<=38.45	Pass
		15	0	22.17	1.69	21.71	<=38.45	Pass
			4	22.25	1.69	21.79	<=38.45	Pass
			7	22.12	1.69	21.66	<=38.45	Pass
	836.5	1	0	22.22	1.69	21.76	<=38.45	Pass
			0	22.34	1.69	21.88	<=38.45	Pass
			7	22.21	1.69	21.75	<=38.45	Pass
		8	14	22.34	1.69	21.88	<=38.45	Pass
			0	21.40	1.69	20.94	<=38.45	Pass
			4	21.42	1.69	20.96	<=38.45	Pass
		15	7	21.34	1.69	20.88	<=38.45	Pass
			0	21.32	1.69	20.86	<=38.45	Pass
			0	22.62	1.69	22.16	<=38.45	Pass
	847.5	1	7	22.48	1.69	22.02	<=38.45	Pass
			14	22.64	1.69	22.18	<=38.45	Pass
			0	21.37	1.69	20.91	<=38.45	Pass
		8	4	21.41	1.69	20.95	<=38.45	Pass
			7	21.33	1.69	20.87	<=38.45	Pass
			0	21.32	1.69	20.86	<=38.45	Pass
		15	0	21.32	1.69	20.86	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.3 B5_5MHz_ERP

Band: 5 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	23.16	1.69	22.70	<=38.45	Pass
			13	23.32	1.69	22.86	<=38.45	Pass
			24	23.25	1.69	22.79	<=38.45	Pass
		12	0	22.31	1.69	21.85	<=38.45	Pass
			6	22.31	1.69	21.85	<=38.45	Pass
			13	22.29	1.69	21.83	<=38.45	Pass
		25	0	22.32	1.69	21.86	<=38.45	Pass
	836.5	1	0	23.20	1.69	22.74	<=38.45	Pass
			13	23.33	1.69	22.87	<=38.45	Pass
			24	23.17	1.69	22.71	<=38.45	Pass
		12	0	22.20	1.69	21.74	<=38.45	Pass
			6	22.34	1.69	21.88	<=38.45	Pass
			13	22.23	1.69	21.77	<=38.45	Pass
		25	0	22.26	1.69	21.80	<=38.45	Pass
	846.5	1	0	23.13	1.69	22.67	<=38.45	Pass
			13	23.24	1.69	22.78	<=38.45	Pass
			24	23.09	1.69	22.63	<=38.45	Pass
		12	0	22.12	1.69	21.66	<=38.45	Pass
			6	22.30	1.69	21.84	<=38.45	Pass
			13	22.29	1.69	21.83	<=38.45	Pass
		25	0	22.25	1.69	21.79	<=38.45	Pass
16QAM	826.5	1	0	22.12	1.69	21.66	<=38.45	Pass
			13	22.25	1.69	21.79	<=38.45	Pass
			24	22.18	1.69	21.72	<=38.45	Pass
		12	0	21.42	1.69	20.96	<=38.45	Pass
			6	21.40	1.69	20.94	<=38.45	Pass
			13	21.40	1.69	20.94	<=38.45	Pass
		25	0	21.46	1.69	21.00	<=38.45	Pass
	836.5	1	0	22.61	1.69	22.15	<=38.45	Pass
			13	22.73	1.69	22.27	<=38.45	Pass
			24	22.62	1.69	22.16	<=38.45	Pass
		12	0	21.26	1.69	20.80	<=38.45	Pass
			6	21.45	1.69	20.99	<=38.45	Pass
			13	21.27	1.69	20.81	<=38.45	Pass
		25	0	21.28	1.69	20.82	<=38.45	Pass
	846.5	1	0	22.17	1.69	21.71	<=38.45	Pass
			13	22.34	1.69	21.88	<=38.45	Pass
			24	22.21	1.69	21.75	<=38.45	Pass
		12	0	21.15	1.69	20.69	<=38.45	Pass
			6	21.34	1.69	20.88	<=38.45	Pass
			13	21.30	1.69	20.84	<=38.45	Pass
		25	0	21.25	1.69	20.79	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B5_10MHz_ERP

Band: 5 / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.26	1.69	22.80	<=38.45	Pass
			25	23.40	1.69	22.94	<=38.45	Pass
			49	23.40	1.69	22.94	<=38.45	Pass
		25	0	22.34	1.69	21.88	<=38.45	Pass
			13	22.32	1.69	21.86	<=38.45	Pass
			25	22.48	1.69	22.02	<=38.45	Pass
		50	0	22.35	1.69	21.89	<=38.45	Pass
			0	23.34	1.69	22.88	<=38.45	Pass
			25	23.42	1.69	22.96	<=38.45	Pass
	836.5	1	49	23.34	1.69	22.88	<=38.45	Pass
			0	22.27	1.69	21.81	<=38.45	Pass
			13	22.29	1.69	21.83	<=38.45	Pass
		25	25	22.19	1.69	21.73	<=38.45	Pass
			0	22.16	1.69	21.70	<=38.45	Pass
			0	23.20	1.69	22.74	<=38.45	Pass
		50	25	23.25	1.69	22.79	<=38.45	Pass
			49	23.19	1.69	22.73	<=38.45	Pass
			0	22.34	1.69	21.88	<=38.45	Pass
	844	25	13	22.28	1.69	21.82	<=38.45	Pass
			25	22.50	1.69	22.04	<=38.45	Pass
			0	22.39	1.69	21.93	<=38.45	Pass
16QAM	829	1	0	22.60	1.69	22.14	<=38.45	Pass
			25	22.73	1.69	22.27	<=38.45	Pass
			49	22.70	1.69	22.24	<=38.45	Pass
		12	0	22.29	1.69	21.83	<=38.45	Pass
			19	22.29	1.69	21.83	<=38.45	Pass
			38	22.33	1.69	21.87	<=38.45	Pass
		27	0	21.43	1.69	20.97	<=38.45	Pass
			0	22.26	1.69	21.80	<=38.45	Pass
			25	22.24	1.69	21.78	<=38.45	Pass
	836.5	1	49	22.19	1.69	21.73	<=38.45	Pass
			0	22.28	1.69	21.82	<=38.45	Pass
			19	22.32	1.69	21.86	<=38.45	Pass
		12	38	22.20	1.69	21.74	<=38.45	Pass
			0	21.32	1.69	20.86	<=38.45	Pass
			0	22.24	1.69	21.78	<=38.45	Pass
		27	25	22.23	1.69	21.77	<=38.45	Pass
			49	22.20	1.69	21.74	<=38.45	Pass
			0	22.25	1.69	21.79	<=38.45	Pass
	844	12	19	22.18	1.69	21.72	<=38.45	Pass
			38	22.23	1.69	21.77	<=38.45	Pass
			23	21.53	1.69	21.07	<=38.45	Pass

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	824.7	6	0	20	3.15	-9.184	-0.0111	-2.5 to 2.5	Pass
					3.70	-8.855	-0.0107	-2.5 to 2.5	Pass
					4.26	-7.095	-0.0086	-2.5 to 2.5	Pass
				-30	3.70	-6.008	-0.0073	-2.5 to 2.5	Pass
				-20	3.70	-7.982	-0.0097	-2.5 to 2.5	Pass
				-10	3.70	-4.721	-0.0057	-2.5 to 2.5	Pass
				0	3.70	-6.094	-0.0074	-2.5 to 2.5	Pass
				10	3.70	-6.509	-0.0079	-2.5 to 2.5	Pass
				30	3.70	-5.307	-0.0064	-2.5 to 2.5	Pass
				40	3.70	-7.439	-0.0090	-2.5 to 2.5	Pass
				50	3.70	-7.911	-0.0096	-2.5 to 2.5	Pass
	836.5	6	0	20	3.15	-6.266	-0.0075	-2.5 to 2.5	Pass
					3.70	-6.680	-0.0080	-2.5 to 2.5	Pass
					4.26	-5.021	-0.0060	-2.5 to 2.5	Pass
				-30	3.70	-6.666	-0.0080	-2.5 to 2.5	Pass
				-20	3.70	-3.390	-0.0041	-2.5 to 2.5	Pass
				-10	3.70	-4.692	-0.0056	-2.5 to 2.5	Pass
				0	3.70	-3.433	-0.0041	-2.5 to 2.5	Pass
				10	3.70	-2.675	-0.0032	-2.5 to 2.5	Pass
				30	3.70	-3.505	-0.0042	-2.5 to 2.5	Pass
				40	3.70	-9.971	-0.0119	-2.5 to 2.5	Pass
				50	3.70	-10.028	-0.0120	-2.5 to 2.5	Pass
	848.3	6	0	20	3.15	-7.310	-0.0086	-2.5 to 2.5	Pass
					3.70	-3.891	-0.0046	-2.5 to 2.5	Pass
					4.26	-3.991	-0.0047	-2.5 to 2.5	Pass
				-30	3.70	-5.522	-0.0065	-2.5 to 2.5	Pass
				-20	3.70	-6.409	-0.0076	-2.5 to 2.5	Pass
				-10	3.70	-4.663	-0.0055	-2.5 to 2.5	Pass
				0	3.70	-6.595	-0.0078	-2.5 to 2.5	Pass
				10	3.70	-8.054	-0.0095	-2.5 to 2.5	Pass
				30	3.70	-7.310	-0.0086	-2.5 to 2.5	Pass
				40	3.70	-5.794	-0.0068	-2.5 to 2.5	Pass
16QAM	824.7	6	0	20	3.15	-6.809	-0.0083	-2.5 to 2.5	Pass
					3.70	-5.035	-0.0061	-2.5 to 2.5	Pass
					4.26	-4.649	-0.0056	-2.5 to 2.5	Pass
				-30	3.70	-5.078	-0.0062	-2.5 to 2.5	Pass
				-20	3.70	-7.467	-0.0091	-2.5 to 2.5	Pass
				-10	3.70	-5.593	-0.0068	-2.5 to 2.5	Pass
				0	3.70	-6.452	-0.0078	-2.5 to 2.5	Pass
				10	3.70	-3.934	-0.0048	-2.5 to 2.5	Pass
				30	3.70	-5.693	-0.0069	-2.5 to 2.5	Pass
				40	3.70	-4.306	-0.0052	-2.5 to 2.5	Pass
				50	3.70	-4.907	-0.0060	-2.5 to 2.5	Pass
	836.5	6	0	20	3.15	-6.466	-0.0077	-2.5 to 2.5	Pass
					3.70	-7.968	-0.0095	-2.5 to 2.5	Pass
					4.26	-9.370	-0.0112	-2.5 to 2.5	Pass
				-30	3.70	-6.051	-0.0072	-2.5 to 2.5	Pass
				-20	3.70	-5.994	-0.0072	-2.5 to 2.5	Pass
				-10	3.70	-5.221	-0.0062	-2.5 to 2.5	Pass

				0	3.70	-5.250	-0.0063	-2.5 to 2.5	Pass
				10	3.70	-4.735	-0.0057	-2.5 to 2.5	Pass
				30	3.70	-9.456	-0.0113	-2.5 to 2.5	Pass
				40	3.70	-5.565	-0.0067	-2.5 to 2.5	Pass
				50	3.70	-5.894	-0.0070	-2.5 to 2.5	Pass
	848.3	6	0	20	3.15	-8.211	-0.0097	-2.5 to 2.5	Pass
					3.70	-7.024	-0.0083	-2.5 to 2.5	Pass
					4.26	-9.284	-0.0109	-2.5 to 2.5	Pass
				-30	3.70	-5.836	-0.0069	-2.5 to 2.5	Pass
				-20	3.70	-5.679	-0.0067	-2.5 to 2.5	Pass
				-10	3.70	-5.493	-0.0065	-2.5 to 2.5	Pass
				0	3.70	-3.133	-0.0037	-2.5 to 2.5	Pass
				10	3.70	-4.020	-0.0047	-2.5 to 2.5	Pass
				30	3.70	-2.003	-0.0024	-2.5 to 2.5	Pass
				40	3.70	-5.693	-0.0067	-2.5 to 2.5	Pass
				50	3.70	-2.975	-0.0035	-2.5 to 2.5	Pass

2.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	825.5	15	0	20	3.15	-3.791	-0.0046	-2.5 to 2.5	Pass
					3.70	-5.450	-0.0066	-2.5 to 2.5	Pass
					4.26	-6.280	-0.0076	-2.5 to 2.5	Pass
				-30	3.70	-6.781	-0.0082	-2.5 to 2.5	Pass
				-20	3.70	-8.154	-0.0099	-2.5 to 2.5	Pass
				-10	3.70	-9.012	-0.0109	-2.5 to 2.5	Pass
				0	3.70	-5.550	-0.0067	-2.5 to 2.5	Pass
				10	3.70	-9.642	-0.0117	-2.5 to 2.5	Pass
				30	3.70	-7.110	-0.0086	-2.5 to 2.5	Pass
				40	3.70	-5.879	-0.0071	-2.5 to 2.5	Pass
				50	3.70	-5.078	-0.0062	-2.5 to 2.5	Pass
	836.5	15	0	20	3.15	-8.354	-0.0100	-2.5 to 2.5	Pass
					3.70	-2.847	-0.0034	-2.5 to 2.5	Pass
					4.26	-5.608	-0.0067	-2.5 to 2.5	Pass
				-30	3.70	-8.969	-0.0107	-2.5 to 2.5	Pass
				-20	3.70	-6.852	-0.0082	-2.5 to 2.5	Pass
				-10	3.70	-9.241	-0.0110	-2.5 to 2.5	Pass
				0	3.70	-5.808	-0.0069	-2.5 to 2.5	Pass
				10	3.70	-8.583	-0.0103	-2.5 to 2.5	Pass
				30	3.70	-7.968	-0.0095	-2.5 to 2.5	Pass
				40	3.70	-5.407	-0.0065	-2.5 to 2.5	Pass
				50	3.70	-5.665	-0.0068	-2.5 to 2.5	Pass
	847.5	15	0	20	3.15	-7.453	-0.0088	-2.5 to 2.5	Pass
					3.70	-4.849	-0.0057	-2.5 to 2.5	Pass
					4.26	-4.849	-0.0057	-2.5 to 2.5	Pass
				-30	3.70	-8.526	-0.0101	-2.5 to 2.5	Pass
				-20	3.70	-5.665	-0.0067	-2.5 to 2.5	Pass
				-10	3.70	-4.478	-0.0053	-2.5 to 2.5	Pass
				0	3.70	-5.908	-0.0070	-2.5 to 2.5	Pass
				10	3.70	-7.896	-0.0093	-2.5 to 2.5	Pass
				30	3.70	-5.693	-0.0067	-2.5 to 2.5	Pass
				40	3.70	-10.471	-0.0124	-2.5 to 2.5	Pass
				50	3.70	-8.054	-0.0095	-2.5 to 2.5	Pass
16QAM	825.5	15	0	20	3.15	-5.078	-0.0062	-2.5 to 2.5	Pass
					3.70	-5.164	-0.0063	-2.5 to 2.5	Pass
					4.26	-6.108	-0.0074	-2.5 to 2.5	Pass
				-30	3.70	-5.865	-0.0071	-2.5 to 2.5	Pass
				-20	3.70	-4.363	-0.0053	-2.5 to 2.5	Pass
				-10	3.70	-8.726	-0.0106	-2.5 to 2.5	Pass
				0	3.70	-8.097	-0.0098	-2.5 to 2.5	Pass
				10	3.70	-3.963	-0.0048	-2.5 to 2.5	Pass
				30	3.70	-3.719	-0.0045	-2.5 to 2.5	Pass
				40	3.70	-8.526	-0.0103	-2.5 to 2.5	Pass
				50	3.70	-6.151	-0.0075	-2.5 to 2.5	Pass
	836.5	15	0	20	3.15	-4.005	-0.0048	-2.5 to 2.5	Pass
					3.70	-10.014	-0.0120	-2.5 to 2.5	Pass
					4.26	-10.099	-0.0121	-2.5 to 2.5	Pass
				-30	3.70	-9.799	-0.0117	-2.5 to 2.5	Pass
				-20	3.70	-9.542	-0.0114	-2.5 to 2.5	Pass
				-10	3.70	-4.606	-0.0055	-2.5 to 2.5	Pass
				0	3.70	-8.211	-0.0098	-2.5 to 2.5	Pass
				10	3.70	-3.834	-0.0046	-2.5 to 2.5	Pass
				30	3.70	-6.523	-0.0078	-2.5 to 2.5	Pass
				40	3.70	-2.246	-0.0027	-2.5 to 2.5	Pass
				50	3.70	-5.765	-0.0069	-2.5 to 2.5	Pass

	847.5	15	0	20	3.15	-4.549	-0.0054	-2.5 to 2.5	Pass
					3.70	-5.150	-0.0061	-2.5 to 2.5	Pass
					4.26	-4.191	-0.0049	-2.5 to 2.5	Pass
				-30	3.70	-1.788	-0.0021	-2.5 to 2.5	Pass
				-20	3.70	-4.377	-0.0052	-2.5 to 2.5	Pass
				-10	3.70	-4.692	-0.0055	-2.5 to 2.5	Pass
				0	3.70	-3.791	-0.0045	-2.5 to 2.5	Pass
				10	3.70	-4.749	-0.0056	-2.5 to 2.5	Pass
				30	3.70	-1.373	-0.0016	-2.5 to 2.5	Pass
				40	3.70	-5.407	-0.0064	-2.5 to 2.5	Pass
				50	3.70	-3.204	-0.0038	-2.5 to 2.5	Pass

2.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	826.5	25	0	20	3.15	-10.486	-0.0127	-2.5 to 2.5	Pass
					3.70	-6.323	-0.0077	-2.5 to 2.5	Pass
					4.26	-8.011	-0.0097	-2.5 to 2.5	Pass
				-30	3.70	-9.398	-0.0114	-2.5 to 2.5	Pass
				-20	3.70	-9.356	-0.0113	-2.5 to 2.5	Pass
				-10	3.70	-7.682	-0.0093	-2.5 to 2.5	Pass
				0	3.70	-4.406	-0.0053	-2.5 to 2.5	Pass
				10	3.70	-5.107	-0.0062	-2.5 to 2.5	Pass
				30	3.70	-8.454	-0.0102	-2.5 to 2.5	Pass
				40	3.70	-4.506	-0.0055	-2.5 to 2.5	Pass
				50	3.70	-7.524	-0.0091	-2.5 to 2.5	Pass
	836.5	25	0	20	3.15	-5.608	-0.0067	-2.5 to 2.5	Pass
					3.70	-4.849	-0.0058	-2.5 to 2.5	Pass
					4.26	-6.108	-0.0073	-2.5 to 2.5	Pass
				-30	3.70	-6.809	-0.0081	-2.5 to 2.5	Pass
				-20	3.70	-7.710	-0.0092	-2.5 to 2.5	Pass
				-10	3.70	-6.938	-0.0083	-2.5 to 2.5	Pass
				0	3.70	-7.925	-0.0095	-2.5 to 2.5	Pass
				10	3.70	-1.731	-0.0021	-2.5 to 2.5	Pass
				30	3.70	-4.263	-0.0051	-2.5 to 2.5	Pass
				40	3.70	-8.898	-0.0106	-2.5 to 2.5	Pass
				50	3.70	-7.839	-0.0094	-2.5 to 2.5	Pass
	846.5	25	0	20	3.15	-8.225	-0.0097	-2.5 to 2.5	Pass
					3.70	-10.142	-0.0120	-2.5 to 2.5	Pass
					4.26	-5.679	-0.0067	-2.5 to 2.5	Pass
				-30	3.70	-5.178	-0.0061	-2.5 to 2.5	Pass
				-20	3.70	-9.456	-0.0112	-2.5 to 2.5	Pass
				-10	3.70	-9.627	-0.0114	-2.5 to 2.5	Pass
				0	3.70	-8.984	-0.0106	-2.5 to 2.5	Pass
				10	3.70	-5.322	-0.0063	-2.5 to 2.5	Pass
				30	3.70	-6.037	-0.0071	-2.5 to 2.5	Pass
				40	3.70	-4.778	-0.0056	-2.5 to 2.5	Pass
16QAM	826.5	25	0	20	3.15	-4.234	-0.0051	-2.5 to 2.5	Pass
					3.70	-5.622	-0.0068	-2.5 to 2.5	Pass
					4.26	-5.937	-0.0072	-2.5 to 2.5	Pass
				-30	3.70	-7.825	-0.0095	-2.5 to 2.5	Pass
				-20	3.70	-6.108	-0.0074	-2.5 to 2.5	Pass
				-10	3.70	-6.938	-0.0084	-2.5 to 2.5	Pass
				0	3.70	-9.942	-0.0120	-2.5 to 2.5	Pass
				10	3.70	-10.829	-0.0131	-2.5 to 2.5	Pass
				30	3.70	-7.024	-0.0085	-2.5 to 2.5	Pass
				40	3.70	-6.509	-0.0079	-2.5 to 2.5	Pass
				50	3.70	-6.065	-0.0073	-2.5 to 2.5	Pass
	836.5	25	0	20	3.15	-11.101	-0.0133	-2.5 to 2.5	Pass
					3.70	-8.254	-0.0099	-2.5 to 2.5	Pass
					4.26	-6.108	-0.0073	-2.5 to 2.5	Pass
				-30	3.70	-3.891	-0.0047	-2.5 to 2.5	Pass
				-20	3.70	-5.322	-0.0064	-2.5 to 2.5	Pass
				-10	3.70	-7.038	-0.0084	-2.5 to 2.5	Pass
				0	3.70	-2.689	-0.0032	-2.5 to 2.5	Pass
				10	3.70	-4.091	-0.0049	-2.5 to 2.5	Pass
				30	3.70	-7.310	-0.0087	-2.5 to 2.5	Pass
				40	3.70	-5.178	-0.0062	-2.5 to 2.5	Pass
				50	3.70	-6.208	-0.0074	-2.5 to 2.5	Pass

	846.5	25	0	20	3.15	-7.439	-0.0088	-2.5 to 2.5	Pass
					3.70	-8.841	-0.0104	-2.5 to 2.5	Pass
					4.26	-9.212	-0.0109	-2.5 to 2.5	Pass
				-30	3.70	-8.812	-0.0104	-2.5 to 2.5	Pass
				-20	3.70	-9.227	-0.0109	-2.5 to 2.5	Pass
				-10	3.70	-9.441	-0.0112	-2.5 to 2.5	Pass
				0	3.70	-8.583	-0.0101	-2.5 to 2.5	Pass
				10	3.70	-7.982	-0.0094	-2.5 to 2.5	Pass
				30	3.70	-8.554	-0.0101	-2.5 to 2.5	Pass
				40	3.70	-6.151	-0.0073	-2.5 to 2.5	Pass
				50	3.70	-6.938	-0.0082	-2.5 to 2.5	Pass

2.1.4 B5_10MHz

Band: 5 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	829	50	0	20	3.15	-8.225	-0.0099	-2.5 to 2.5	Pass
					3.70	-7.753	-0.0094	-2.5 to 2.5	Pass
					4.26	-7.281	-0.0088	-2.5 to 2.5	Pass
				-30	3.70	-5.922	-0.0071	-2.5 to 2.5	Pass
				-20	3.70	-5.322	-0.0064	-2.5 to 2.5	Pass
				-10	3.70	-8.054	-0.0097	-2.5 to 2.5	Pass
				0	3.70	-5.450	-0.0066	-2.5 to 2.5	Pass
				10	3.70	-9.127	-0.0110	-2.5 to 2.5	Pass
				30	3.70	-5.622	-0.0068	-2.5 to 2.5	Pass
				40	3.70	-4.506	-0.0054	-2.5 to 2.5	Pass
				50	3.70	-4.821	-0.0058	-2.5 to 2.5	Pass
	836.5	50	0	20	3.15	-4.649	-0.0056	-2.5 to 2.5	Pass
					3.70	-6.337	-0.0076	-2.5 to 2.5	Pass
					4.26	-6.294	-0.0075	-2.5 to 2.5	Pass
				-30	3.70	-9.084	-0.0109	-2.5 to 2.5	Pass
				-20	3.70	-7.854	-0.0094	-2.5 to 2.5	Pass
				-10	3.70	-4.320	-0.0052	-2.5 to 2.5	Pass
				0	3.70	-9.127	-0.0109	-2.5 to 2.5	Pass
				10	3.70	-4.320	-0.0052	-2.5 to 2.5	Pass
				30	3.70	-4.478	-0.0054	-2.5 to 2.5	Pass
				40	3.70	-1.888	-0.0023	-2.5 to 2.5	Pass
				50	3.70	-6.380	-0.0076	-2.5 to 2.5	Pass
	844	50	0	20	3.15	-5.293	-0.0063	-2.5 to 2.5	Pass
					3.70	-8.426	-0.0100	-2.5 to 2.5	Pass
					4.26	-4.377	-0.0052	-2.5 to 2.5	Pass
				-30	3.70	-6.366	-0.0075	-2.5 to 2.5	Pass
				-20	3.70	-8.354	-0.0099	-2.5 to 2.5	Pass
				-10	3.70	-7.024	-0.0083	-2.5 to 2.5	Pass
				0	3.70	-5.550	-0.0066	-2.5 to 2.5	Pass
				10	3.70	-4.234	-0.0050	-2.5 to 2.5	Pass
				30	3.70	-6.838	-0.0081	-2.5 to 2.5	Pass
				40	3.70	-7.267	-0.0086	-2.5 to 2.5	Pass
16QAM	829	27	0	20	3.15	-3.834	-0.0046	-2.5 to 2.5	Pass
					3.70	-4.735	-0.0057	-2.5 to 2.5	Pass
					4.26	-4.864	-0.0059	-2.5 to 2.5	Pass
				-30	3.70	-4.721	-0.0057	-2.5 to 2.5	Pass
				-20	3.70	-4.349	-0.0052	-2.5 to 2.5	Pass
				-10	3.70	-2.775	-0.0033	-2.5 to 2.5	Pass
				0	3.70	-6.194	-0.0075	-2.5 to 2.5	Pass
				10	3.70	-3.734	-0.0045	-2.5 to 2.5	Pass
				30	3.70	-6.409	-0.0077	-2.5 to 2.5	Pass
				40	3.70	-5.407	-0.0065	-2.5 to 2.5	Pass
				50	3.70	-7.010	-0.0085	-2.5 to 2.5	Pass
	836.5	27	0	20	3.15	-4.864	-0.0058	-2.5 to 2.5	Pass
					3.70	-3.462	-0.0041	-2.5 to 2.5	Pass
					4.26	-0.844	-0.0010	-2.5 to 2.5	Pass
				-30	3.70	-8.111	-0.0097	-2.5 to 2.5	Pass
				-20	3.70	-5.493	-0.0066	-2.5 to 2.5	Pass
				-10	3.70	-4.621	-0.0055	-2.5 to 2.5	Pass
				0	3.70	-1.402	-0.0017	-2.5 to 2.5	Pass
				10	3.70	-8.211	-0.0098	-2.5 to 2.5	Pass
				30	3.70	-6.909	-0.0083	-2.5 to 2.5	Pass
				40	3.70	-3.290	-0.0039	-2.5 to 2.5	Pass
				50	3.70	-2.503	-0.0030	-2.5 to 2.5	Pass

	844	27	23	20	3.15	-4.921	-0.0058	-2.5 to 2.5	Pass
					3.70	-7.825	-0.0093	-2.5 to 2.5	Pass
					4.26	-5.150	-0.0061	-2.5 to 2.5	Pass
				-30	3.70	-8.125	-0.0096	-2.5 to 2.5	Pass
				-20	3.70	-8.597	-0.0102	-2.5 to 2.5	Pass
				-10	3.70	-7.224	-0.0086	-2.5 to 2.5	Pass
				0	3.70	-6.766	-0.0080	-2.5 to 2.5	Pass
				10	3.70	-6.166	-0.0073	-2.5 to 2.5	Pass
				30	3.70	-8.969	-0.0106	-2.5 to 2.5	Pass
				40	3.70	-7.381	-0.0087	-2.5 to 2.5	Pass
				50	3.70	-3.877	-0.0046	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	6	0	Refer To Test Graph		Pass
16QAM	836.5	6	0	Refer To Test Graph		Pass

3.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	15	0	Refer To Test Graph		Pass
16QAM	836.5	15	0	Refer To Test Graph		Pass

3.1.3 B5_5MHz


Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	25	0	Refer To Test Graph		Pass
16QAM	836.5	25	0	Refer To Test Graph		Pass

3.1.4 B5_10MHz


Band: 5 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	50	0	Refer To Test Graph		Pass
16QAM	836.5	27	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B5_1.4MHz




3.2.2 B5_3MHz



3.2.3 B5_5MHz



3.2.4 B5_10MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band5_OBW

Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.120	/	Pass
		836.5	6	0	1.110	/	Pass
		848.3	6	0	1.108	/	Pass
	16QAM	824.7	6	0	1.108	/	Pass
		836.5	6	0	1.102	/	Pass
		848.3	6	0	1.114	/	Pass
3	QPSK	825.5	15	0	2.727	/	Pass
		836.5	15	0	2.717	/	Pass
		847.5	15	0	2.730	/	Pass
	16QAM	825.5	15	0	2.714	/	Pass
		836.5	15	0	2.723	/	Pass
		847.5	15	0	2.722	/	Pass
5	QPSK	826.5	25	0	4.544	/	Pass
		836.5	25	0	4.538	/	Pass
		846.5	25	0	4.548	/	Pass
	16QAM	826.5	25	0	4.550	/	Pass
		836.5	25	0	4.543	/	Pass
		846.5	25	0	4.528	/	Pass
10	QPSK	829	50	0	9.075	/	Pass
		836.5	50	0	9.012	/	Pass
		844	50	0	9.072	/	Pass
	16QAM	829	27	0	5.107	/	Pass
		836.5	27	0	5.052	/	Pass
		844	27	23	5.074	/	Pass


4.1.2 Band5_XDB

Band: 5 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	824.7	6	0	1.304	/	Pass
		836.5	6	0	1.322	/	Pass
		848.3	6	0	1.320	/	Pass
	16QAM	824.7	6	0	1.328	/	Pass
		836.5	6	0	1.305	/	Pass
		848.3	6	0	1.319	/	Pass
3	QPSK	825.5	15	0	2.994	/	Pass
		836.5	15	0	2.988	/	Pass
		847.5	15	0	2.986	/	Pass
	16QAM	825.5	15	0	2.984	/	Pass
		836.5	15	0	2.965	/	Pass
		847.5	15	0	2.982	/	Pass
5	QPSK	826.5	25	0	5.012	/	Pass
		836.5	25	0	5.010	/	Pass
		846.5	25	0	5.003	/	Pass


10	16QAM	826.5	25	0	5.031	/	Pass
		836.5	25	0	5.027	/	Pass
		846.5	25	0	5.002	/	Pass
	QPSK	829	50	0	9.917	/	Pass
		836.5	50	0	9.867	/	Pass
		844	50	0	10.013	/	Pass
	16QAM	829	27	0	6.152	/	Pass
		836.5	27	0	5.983	/	Pass
		844	27	23	6.131	/	Pass

4.2 Test Graph


4.2.1 Band5_OBW




Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTNV




Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTNV




Band5 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_HCH_847.5MHz_RB_15_0_NTNV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band5 10MHz QPSK LCH 829MHz RB 50 0 NTN




Band5 10MHz QPSK MCH 836.5MHz RB 50 0 NTN




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_27_0_NTNV



Band5 10MHz 16QAM MCH 836.5MHz RB 27 0 NTN




Band5 10MHz 16QAM HCH 844MHz RB 27 23 NTN




4.2.2 Band5_XDB


Band5 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTN




Band5 1.4MHz QPSK MCH 836.5MHz RB 6 0 NTN




Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTN




Band5 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




Band5_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band5_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Band5_3MHz_16QAM_LCH_825.5MHz_RB_15_0_NTNV




Band5 3MHz 16QAM MCH 836.5MHz RB 15 0 NTV




Band5 3MHz 16QAM HCH 847.5MHz RB 15 0 NTV




Band5_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_HCH_846.5MHz_RB_25_0_NTNV




Band5 10MHz QPSK LCH 829MHz RB 50 0 NTN




Band5 10MHz QPSK MCH 836.5MHz RB 50 0 NTN




Band5_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Band5_10MHz_16QAM_LCH_829MHz_RB_27_0_NTNV



Band5_10MHz_16QAM_MCH_836.5MHz_RB_27_0_NTNV



Band5_10MHz_16QAM_HCH_844MHz_RB_27_23_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B5_1.4MHz

Band: 5 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	6	0	5.33	<=13	Pass
	836.5	6	0	5.40	<=13	Pass
	848.3	6	0	5.24	<=13	Pass
16QAM	824.7	6	0	6.07	<=13	Pass
	836.5	6	0	6.22	<=13	Pass
	848.3	6	0	6.00	<=13	Pass

5.1.2 B5_3MHz

Band: 5 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	15	0	5.31	<=13	Pass
	836.5	15	0	5.42	<=13	Pass
	847.5	15	0	5.22	<=13	Pass
16QAM	825.5	15	0	6.10	<=13	Pass
	836.5	15	0	6.26	<=13	Pass
	847.5	15	0	6.03	<=13	Pass

5.1.3 B5_5MHz

Band: 5 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	25	0	5.51	<=13	Pass
	836.5	25	0	5.57	<=13	Pass
	846.5	25	0	5.41	<=13	Pass
16QAM	826.5	25	0	6.20	<=13	Pass
	836.5	25	0	6.29	<=13	Pass
	846.5	25	0	6.08	<=13	Pass


5.1.4 B5_10MHz

Band: 5 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	829	50	0	5.51	<=13	Pass
	836.5	50	0	5.47	<=13	Pass
	844	50	0	5.54	<=13	Pass
16QAM	829	27	0	6.08	<=13	Pass
	836.5	27	0	6.23	<=13	Pass
	844	27	23	5.80	<=13	Pass




5.2 Test Graph


5.2.1 B5_1.4MHz




Band5 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTV




Band5 1.4MHz 16QAM LCH 824.7MHz RB 6 0 NTV



Band5 1.4MHz 16QAM MCH 836.5MHz RB 6 0 NTNV




Band5 1.4MHz 16QAM HCH 848.3MHz RB 6 0 NTNV




5.2.2 B5_3MHz


Band5 3MHz QPSK LCH 825.5MHz RB 15 0 NTN




Band5 3MHz QPSK MCH 836.5MHz RB 15 0 NTN




Band5 3MHz QPSK HCH 847.5MHz RB 15 0 NTV




Band5 3MHz 16QAM LCH 825.5MHz RB 15 0 NTV



Band5 3MHz 16QAM MCH 836.5MHz RB 15 0 NTV




Band5 3MHz 16QAM HCH 847.5MHz RB 15 0 NTV




5.2.3 B5_5MHz


Band5 5MHz QPSK LCH 826.5MHz RB 25 0 NTN




Band5 5MHz QPSK MCH 836.5MHz RB 25 0 NTN




Band5_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Band5_5MHz_16QAM_LCH_826.5MHz_RB_25_0_NTNV



Band5 5MHz 16QAM MCH 836.5MHz RB 25 0 NTV




Band5 5MHz 16QAM HCH 846.5MHz RB 25 0 NTV



5.2.4 B5_10MHz

Band5_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV



Band5_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV

