





Test Mode	IEEE 802.11be(EHT320)_Ant_2
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6265	569.40	316.76	320	Pass

6265 26 dB Bandwidth  Center 6.265 GHz #Res BW 3 MHz #VBW 5 MHz Sweep 500 MHz #Sweep 50 ms Occupied Bandwidth 315.49 MHz Total Power 27.9 dBm Transmit Freq Error 266.58 kHz OBW Power 99.00 % x dB Bandwidth 569.4 MHz x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Center 6.265 GHz #Res BW 5 MHz #VBW 50 MHz Sweep 500 MHz #Sweep 50 ms Occupied Bandwidth 316.76 MHz Total Power 27.6 dBm Transmit Freq Error -32.345 kHz OBW Power 99.00 % x dB Bandwidth 562.2 MHz x dB -26.00 dB	-	-



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6425	338.00	315.66	320	Pass

6425 26 dB Bandwidth  Center Freq 6.425 GHz Span 800 MHz Res BW 3 MHz P/BW 5 MHz Span 800 MHz Sweep 50 ms Occupied Bandwidth 316.37 MHz Total Power 25.7 dBm Transmit Freq Error -22.301 kHz OBW Power 99.00 % x dB Bandwidth 338.0 MHz x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Center Freq 6.425 GHz Span 800 MHz Res BW 5 MHz P/BW 50 MHz Span 800 MHz Sweep 50 ms Occupied Bandwidth 315.66 MHz Total Power 28.2 dBm Transmit Freq Error -181.85 kHz OBW Power 99.00 % x dB Bandwidth 336.6 MHz x dB -26.00 dB	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6585	375.60	316.63	320	Pass
6745	335.30	315.24	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6905	594.70	317.38	320	Pass



6905 26 dB Bandwidth  Center 6.903 GHz Span 800 MHz #BW 5 MHz #Sweep 50 ms Occupied Bandwidth 317.86 MHz Total Power 26.4 dBm Transmit Freq Error -665.33 kHz OBW Power 99.00 % x dB Bandwidth 594.7 MHz x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Center Freq 6.905000000 GHz Span 800 MHz #BW 5 MHz #Sweep 50 ms Occupied Bandwidth 317.38 MHz Total Power 26.3 dBm Transmit Freq Error -631.73 kHz OBW Power 99.00 % x dB Bandwidth 341.2 MHz x dB -26.00 dB	-	-

Test Mode	IEEE 802.11be(EHT320)_Ant_3
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6265	569.90	316.99	320	Pass

6265 26 dB Bandwidth  Occupied Bandwidth: 315.64 MHz Total Power: 27.9 dBm Transmit Freq Error: 156.73 kHz OBW Power: 99.00 % x dB Bandwidth: 569.9 MHz x dB: -26.00 dB	-	-
99 % Occupied Bandwidth  Occupied Bandwidth: 316.99 MHz Total Power: 27.5 dBm Transmit Freq Error: 585.87 kHz OBW Power: 99.00 % x dB Bandwidth: 515.7 MHz x dB: -26.00 dB	-	-



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6425	488.40	316.32	320	Pass

6425 26 dB Bandwidth  Center 6.425 GHz #Res BW 3 MHz #VBW 5 MHz Span 800 MHz #Sweep 50 ms Occupied Bandwidth 315.74 MHz Total Power 24.6 dBm Transmit Freq Error 281.34 kHz OBW Power 99.00 % x dB Bandwidth 488.4 MHz x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Center 6.425 GHz #Res BW 5 MHz #VBW 50 MHz Span 800 MHz #Sweep 50 ms Occupied Bandwidth 316.32 MHz Total Power 28.1 dBm Transmit Freq Error -171.62 kHz OBW Power 99.00 % x dB Bandwidth 338.2 MHz x dB -26.00 dB	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6585	584.40	316.72	320	Pass
6745	336.70	315.77	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6905	577.00	317.54	320	Pass



6905 26 dB Bandwidth  Center 6.903 GHz Span 800.00 MHz Res BW 5 MHz P/BW 5 MHz #Sweep 50 ms Occupied Bandwidth 318.29 MHz Total Power 26.4 dBm Transmit Freq Error -880.79 kHz OBW Power 99.00 % x dB Bandwidth 577.0 MHz x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Center 6.903 GHz Span 800.00 MHz Res BW 5 MHz P/BW 50 MHz #Sweep 50 ms Occupied Bandwidth 317.54 MHz Total Power 26.4 dBm Transmit Freq Error -637.61 kHz OBW Power 99.00 % x dB Bandwidth 525.4 MHz x dB -26.00 dB	-	-

Test Mode	IEEE 802.11be(EHT320)_Ant_4
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6265	568.20	316.81	320	Pass

6265 26 dB Bandwidth  Center: 6.265 GHz #Res BW: 3 MHz #VBW: 5 MHz Span: 500 MHz #Sweep: 50 ms Occupied Bandwidth: 315.61 MHz Total Power: 27.9 dBm Transmit Freq Error: 433.79 kHz OBW Power: 99.00 % x dB Bandwidth: 568.2 MHz x dB: -26.00 dB	-	-
99 % Occupied Bandwidth  Center: 6.265 GHz #Res BW: 5 MHz #VBW: 50 MHz Span: 500 MHz #Sweep: 50 ms Occupied Bandwidth: 316.81 MHz Total Power: 27.5 dBm Transmit Freq Error: 553.75 kHz OBW Power: 99.00 % x dB Bandwidth: 568.3 MHz x dB: -26.00 dB	-	-



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6425	463.00	316.24	320	Pass

6425 26 dB Bandwidth  Center 6425 GHz #Res BW 3 MHz #VBW 5 MHz Span 800 MHz #Sweep 50 ms Occupied Bandwidth 315.85 MHz Total Power 24.4 dBm Transmit Freq Error 240.40 kHz OBW Power 99.00 % x dB Bandwidth 463.0 MHz x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Center 6425 GHz #Res BW 5 MHz #VBW 50 MHz Span 800 MHz #Sweep 50 ms Occupied Bandwidth 316.24 MHz Total Power 28.2 dBm Transmit Freq Error -337.23 kHz OBW Power 99.00 % x dB Bandwidth 341.5 MHz x dB -26.00 dB	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6585	583.60	316.98	320	Pass
6745	338.80	315.87	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6905	435.40	317.36	320	Pass

6905 26 dB Bandwidth  Center 6.903 GHz Span 800 MHz Res BW 3 MHz P/BW 5 MHz Sweep 50 ms Occupied Bandwidth 316.95 MHz Transmit Freq Error -526.80 kHz x dB Bandwidth 435.4 MHz Total Power 26.2 dBm OBW Power 99.00 % x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Center 6.903 GHz Span 800 MHz Res BW 5 MHz P/BW 50 MHz Sweep 50 ms Occupied Bandwidth 317.36 MHz Transmit Freq Error -602.71 kHz x dB Bandwidth 522.1 MHz Total Power 26.5 dBm OBW Power 99.00 % x dB -26.00 dB	-	-

APPENDIX F - MAXIMUM E.I.R.P.

NSS1

Test Mode	IEEE 802.11ax(HE20)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	3.61	6.60	0.0046	30.00	1.0000	Pass
6255	3.79	6.78	0.0048	30.00	1.0000	Pass
6415	3.82	6.81	0.0048	30.00	1.0000	Pass
6435	3.73	6.72	0.0047	30.00	1.0000	Pass
6475	3.50	6.49	0.0045	30.00	1.0000	Pass
6515	2.85	5.84	0.0038	30.00	1.0000	Pass
6535	2.90	5.89	0.0039	30.00	1.0000	Pass
6695	2.17	5.16	0.0033	30.00	1.0000	Pass
6855	4.03	7.02	0.0050	30.00	1.0000	Pass
6895	3.83	6.82	0.0048	30.00	1.0000	Pass
7015	3.52	6.51	0.0045	30.00	1.0000	Pass
7095	3.58	6.57	0.0045	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	3.65	6.64	0.0046	30.00	1.0000	Pass
6255	3.75	6.74	0.0047	30.00	1.0000	Pass
6415	3.82	6.81	0.0048	30.00	1.0000	Pass
6435	3.84	6.83	0.0048	30.00	1.0000	Pass
6475	3.74	6.73	0.0047	30.00	1.0000	Pass
6515	2.38	5.37	0.0034	30.00	1.0000	Pass
6535	2.65	5.64	0.0037	30.00	1.0000	Pass
6695	2.20	5.19	0.0033	30.00	1.0000	Pass
6855	3.67	6.66	0.0046	30.00	1.0000	Pass
6895	3.68	6.67	0.0046	30.00	1.0000	Pass
7015	3.20	6.19	0.0042	30.00	1.0000	Pass
7095	3.38	6.37	0.0043	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Ant.3
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	3.30	6.29	0.0043	30.00	1.0000	Pass
6255	3.96	6.95	0.0050	30.00	1.0000	Pass
6415	3.58	6.57	0.0045	30.00	1.0000	Pass
6435	3.51	6.50	0.0045	30.00	1.0000	Pass
6475	3.46	6.45	0.0044	30.00	1.0000	Pass
6515	2.65	5.64	0.0037	30.00	1.0000	Pass
6535	2.64	5.63	0.0037	30.00	1.0000	Pass
6695	2.54	5.53	0.0036	30.00	1.0000	Pass
6855	4.00	6.99	0.0050	30.00	1.0000	Pass
6895	3.34	6.33	0.0043	30.00	1.0000	Pass
7015	3.49	6.48	0.0044	30.00	1.0000	Pass
7095	3.59	6.58	0.0045	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Ant.4
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	3.45	6.44	0.0044	30.00	1.0000	Pass
6255	3.87	6.86	0.0049	30.00	1.0000	Pass
6415	3.72	6.71	0.0047	30.00	1.0000	Pass
6435	3.75	6.74	0.0047	30.00	1.0000	Pass
6475	3.44	6.43	0.0044	30.00	1.0000	Pass
6515	2.98	5.97	0.0040	30.00	1.0000	Pass
6535	3.01	6.00	0.0040	30.00	1.0000	Pass
6695	2.41	5.40	0.0035	30.00	1.0000	Pass
6855	4.05	7.04	0.0051	30.00	1.0000	Pass
6895	3.73	6.72	0.0047	30.00	1.0000	Pass
7015	3.60	6.59	0.0046	30.00	1.0000	Pass
7095	3.62	6.61	0.0046	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	9.53	12.52	0.0179	30.00	1.0000	Pass
6255	9.86	12.85	0.0193	30.00	1.0000	Pass
6415	9.76	12.75	0.0188	30.00	1.0000	Pass
6435	9.73	12.72	0.0187	30.00	1.0000	Pass
6475	9.56	12.55	0.0180	30.00	1.0000	Pass
6515	8.74	11.73	0.0149	30.00	1.0000	Pass
6535	8.82	11.81	0.0152	30.00	1.0000	Pass
6695	8.35	11.34	0.0136	30.00	1.0000	Pass
6855	9.96	12.95	0.0197	30.00	1.0000	Pass
6895	9.67	12.66	0.0185	30.00	1.0000	Pass
7015	9.48	12.47	0.0177	30.00	1.0000	Pass
7095	9.56	12.55	0.0180	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	6.74	9.73	0.0094	30.00	1.0000	Pass
6245	5.96	8.95	0.0079	30.00	1.0000	Pass
6405	5.73	8.72	0.0074	30.00	1.0000	Pass
6445	6.67	9.66	0.0092	30.00	1.0000	Pass
6485	6.34	9.33	0.0086	30.00	1.0000	Pass
6525	5.52	8.51	0.0071	30.00	1.0000	Pass
6565	5.23	8.22	0.0066	30.00	1.0000	Pass
6685	5.15	8.14	0.0065	30.00	1.0000	Pass
6845	6.33	9.32	0.0086	30.00	1.0000	Pass
6925	6.96	9.95	0.0099	30.00	1.0000	Pass
7005	6.94	9.93	0.0098	30.00	1.0000	Pass
7085	7.15	10.14	0.0103	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	6.65	9.64	0.0092	30.00	1.0000	Pass
6245	6.10	9.09	0.0081	30.00	1.0000	Pass
6405	6.06	9.05	0.0080	30.00	1.0000	Pass
6445	6.39	9.38	0.0087	30.00	1.0000	Pass
6485	6.12	9.11	0.0081	30.00	1.0000	Pass
6525	5.84	8.83	0.0076	30.00	1.0000	Pass
6565	5.53	8.52	0.0071	30.00	1.0000	Pass
6685	5.57	8.56	0.0072	30.00	1.0000	Pass
6845	6.47	9.46	0.0088	30.00	1.0000	Pass
6925	6.61	9.60	0.0091	30.00	1.0000	Pass
7005	6.51	9.50	0.0089	30.00	1.0000	Pass
7085	6.46	9.45	0.0088	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.3
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	7.04	10.03	0.0101	30.00	1.0000	Pass
6245	6.26	9.25	0.0084	30.00	1.0000	Pass
6405	6.09	9.08	0.0081	30.00	1.0000	Pass
6445	6.79	9.78	0.0095	30.00	1.0000	Pass
6485	6.24	9.23	0.0084	30.00	1.0000	Pass
6525	5.35	8.34	0.0068	30.00	1.0000	Pass
6565	5.16	8.15	0.0065	30.00	1.0000	Pass
6685	5.73	8.72	0.0074	30.00	1.0000	Pass
6845	6.14	9.13	0.0082	30.00	1.0000	Pass
6925	6.85	9.84	0.0096	30.00	1.0000	Pass
7005	6.98	9.97	0.0099	30.00	1.0000	Pass
7085	6.86	9.85	0.0097	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.4
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	7.18	10.17	0.0104	30.00	1.0000	Pass
6245	6.28	9.27	0.0085	30.00	1.0000	Pass
6405	6.11	9.10	0.0081	30.00	1.0000	Pass
6445	6.84	9.83	0.0096	30.00	1.0000	Pass
6485	6.77	9.76	0.0095	30.00	1.0000	Pass
6525	5.88	8.87	0.0077	30.00	1.0000	Pass
6565	5.48	8.47	0.0070	30.00	1.0000	Pass
6685	5.21	8.20	0.0066	30.00	1.0000	Pass
6845	6.34	9.33	0.0086	30.00	1.0000	Pass
6925	6.65	9.64	0.0092	30.00	1.0000	Pass
7005	6.43	9.42	0.0087	30.00	1.0000	Pass
7085	6.82	9.81	0.0096	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	12.93	15.92	0.0391	30.00	1.0000	Pass
6245	12.17	15.16	0.0328	30.00	1.0000	Pass
6405	12.02	15.01	0.0317	30.00	1.0000	Pass
6445	12.70	15.69	0.0371	30.00	1.0000	Pass
6485	12.40	15.39	0.0346	30.00	1.0000	Pass
6525	11.67	14.66	0.0292	30.00	1.0000	Pass
6565	11.37	14.36	0.0273	30.00	1.0000	Pass
6685	11.44	14.43	0.0277	30.00	1.0000	Pass
6845	12.34	15.33	0.0341	30.00	1.0000	Pass
6925	12.79	15.78	0.0378	30.00	1.0000	Pass
7005	12.74	15.73	0.0374	30.00	1.0000	Pass
7085	12.85	15.84	0.0384	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	9.01	12.00	0.0158	30.00	1.0000	Pass
6225	9.12	12.11	0.0163	30.00	1.0000	Pass
6385	9.10	12.09	0.0162	30.00	1.0000	Pass
6465	8.86	11.85	0.0153	30.00	1.0000	Pass
6545	9.24	12.23	0.0167	30.00	1.0000	Pass
6705	8.24	11.23	0.0133	30.00	1.0000	Pass
6865	9.14	12.13	0.0163	30.00	1.0000	Pass
6945	9.62	12.61	0.0182	30.00	1.0000	Pass
7025	10.53	13.52	0.0225	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	9.15	12.14	0.0164	30.00	1.0000	Pass
6225	9.24	12.23	0.0167	30.00	1.0000	Pass
6385	9.72	12.71	0.0187	30.00	1.0000	Pass
6465	8.89	11.88	0.0154	30.00	1.0000	Pass
6545	9.16	12.15	0.0164	30.00	1.0000	Pass
6705	8.62	11.61	0.0145	30.00	1.0000	Pass
6865	9.23	12.22	0.0167	30.00	1.0000	Pass
6945	9.36	12.35	0.0172	30.00	1.0000	Pass
7025	10.18	13.17	0.0207	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.3
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	9.37	12.36	0.0172	30.00	1.0000	Pass
6225	9.61	12.60	0.0182	30.00	1.0000	Pass
6385	9.56	12.55	0.0180	30.00	1.0000	Pass
6465	9.07	12.06	0.0161	30.00	1.0000	Pass
6545	9.41	12.40	0.0174	30.00	1.0000	Pass
6705	8.60	11.59	0.0144	30.00	1.0000	Pass
6865	9.26	12.25	0.0168	30.00	1.0000	Pass
6945	9.48	12.47	0.0177	30.00	1.0000	Pass
7025	10.55	13.54	0.0226	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.4
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	9.35	12.34	0.0171	30.00	1.0000	Pass
6225	9.33	12.32	0.0171	30.00	1.0000	Pass
6385	9.42	12.41	0.0174	30.00	1.0000	Pass
6465	9.01	12.00	0.0158	30.00	1.0000	Pass
6545	9.25	12.24	0.0167	30.00	1.0000	Pass
6705	8.25	11.24	0.0133	30.00	1.0000	Pass
6865	9.14	12.13	0.0163	30.00	1.0000	Pass
6945	9.39	12.38	0.0173	30.00	1.0000	Pass
7025	10.63	13.62	0.0230	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	15.24	18.23	0.0665	30.00	1.0000	Pass
6225	15.35	18.34	0.0682	30.00	1.0000	Pass
6385	15.48	18.47	0.0703	30.00	1.0000	Pass
6465	14.98	17.97	0.0627	30.00	1.0000	Pass
6545	15.29	18.28	0.0673	30.00	1.0000	Pass
6705	14.45	17.44	0.0555	30.00	1.0000	Pass
6865	15.21	18.20	0.0661	30.00	1.0000	Pass
6945	15.48	18.47	0.0703	30.00	1.0000	Pass
7025	16.50	19.49	0.0889	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	11.79	14.78	0.0301	30.00	1.0000	Pass
6345	11.38	14.37	0.0274	30.00	1.0000	Pass
6505	11.94	14.93	0.0311	30.00	1.0000	Pass
6665	11.36	14.35	0.0272	30.00	1.0000	Pass
6825	12.32	15.31	0.0340	30.00	1.0000	Pass
6985	13.04	16.03	0.0401	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	11.89	14.88	0.0308	30.00	1.0000	Pass
6345	12.19	15.18	0.0330	30.00	1.0000	Pass
6505	11.48	14.47	0.0280	30.00	1.0000	Pass
6665	11.49	14.48	0.0281	30.00	1.0000	Pass
6825	11.22	14.21	0.0264	30.00	1.0000	Pass
6985	12.67	15.66	0.0368	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	11.76	14.75	0.0299	30.00	1.0000	Pass
6345	12.07	15.06	0.0321	30.00	1.0000	Pass
6505	11.44	14.43	0.0277	30.00	1.0000	Pass
6665	11.48	14.47	0.0280	30.00	1.0000	Pass
6825	12.38	15.37	0.0344	30.00	1.0000	Pass
6985	13.05	16.04	0.0402	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	11.77	14.76	0.0299	30.00	1.0000	Pass
6345	12.06	15.05	0.0320	30.00	1.0000	Pass
6505	11.77	14.76	0.0299	30.00	1.0000	Pass
6665	11.38	14.37	0.0274	30.00	1.0000	Pass
6825	12.10	15.09	0.0323	30.00	1.0000	Pass
6985	12.72	15.71	0.0372	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	17.82	20.81	0.1205	30.00	1.0000	Pass
6345	17.96	20.95	0.1245	30.00	1.0000	Pass
6505	17.68	20.67	0.1167	30.00	1.0000	Pass
6665	17.45	20.44	0.1107	30.00	1.0000	Pass
6825	18.05	21.04	0.1271	30.00	1.0000	Pass
6985	18.89	21.88	0.1542	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	0.95	3.94	0.0025	30.00	1.0000	Pass
6255	1.07	4.06	0.0025	30.00	1.0000	Pass
6415	0.73	3.72	0.0024	30.00	1.0000	Pass
6435	0.57	3.56	0.0023	30.00	1.0000	Pass
6475	0.38	3.37	0.0022	30.00	1.0000	Pass
6515	0.64	3.63	0.0023	30.00	1.0000	Pass
6535	0.64	3.63	0.0023	30.00	1.0000	Pass
6695	0.14	3.13	0.0021	30.00	1.0000	Pass
6855	1.05	4.04	0.0025	30.00	1.0000	Pass
6895	1.64	4.63	0.0029	30.00	1.0000	Pass
7015	1.11	4.10	0.0026	30.00	1.0000	Pass
7095	1.45	4.44	0.0028	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	1.04	4.03	0.0025	30.00	1.0000	Pass
6255	1.11	4.10	0.0026	30.00	1.0000	Pass
6415	0.76	3.75	0.0024	30.00	1.0000	Pass
6435	0.66	3.65	0.0023	30.00	1.0000	Pass
6475	0.58	3.57	0.0023	30.00	1.0000	Pass
6515	0.37	3.36	0.0022	30.00	1.0000	Pass
6535	0.39	3.38	0.0022	30.00	1.0000	Pass
6695	0.17	3.16	0.0021	30.00	1.0000	Pass
6855	0.78	3.77	0.0024	30.00	1.0000	Pass
6895	1.50	4.49	0.0028	30.00	1.0000	Pass
7015	0.89	3.88	0.0024	30.00	1.0000	Pass
7095	1.14	4.13	0.0026	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	0.54	3.53	0.0023	30.00	1.0000	Pass
6255	1.14	4.13	0.0026	30.00	1.0000	Pass
6415	0.63	3.62	0.0023	30.00	1.0000	Pass
6435	0.60	3.59	0.0023	30.00	1.0000	Pass
6475	0.51	3.50	0.0022	30.00	1.0000	Pass
6515	0.61	3.60	0.0023	30.00	1.0000	Pass
6535	0.45	3.44	0.0022	30.00	1.0000	Pass
6695	0.22	3.21	0.0021	30.00	1.0000	Pass
6855	0.84	3.83	0.0024	30.00	1.0000	Pass
6895	1.35	4.34	0.0027	30.00	1.0000	Pass
7015	1.06	4.05	0.0025	30.00	1.0000	Pass
7095	1.45	4.44	0.0028	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	1.01	4.00	0.0025	30.00	1.0000	Pass
6255	1.05	4.04	0.0025	30.00	1.0000	Pass
6415	0.84	3.83	0.0024	30.00	1.0000	Pass
6435	0.70	3.69	0.0023	30.00	1.0000	Pass
6475	0.48	3.47	0.0022	30.00	1.0000	Pass
6515	0.90	3.89	0.0024	30.00	1.0000	Pass
6535	0.78	3.77	0.0024	30.00	1.0000	Pass
6695	0.23	3.22	0.0021	30.00	1.0000	Pass
6855	1.07	4.06	0.0025	30.00	1.0000	Pass
6895	1.71	4.70	0.0030	30.00	1.0000	Pass
7015	1.15	4.14	0.0026	30.00	1.0000	Pass
7095	1.59	4.58	0.0029	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	6.91	9.90	0.0098	30.00	1.0000	Pass
6255	7.11	10.10	0.0102	30.00	1.0000	Pass
6415	6.76	9.75	0.0094	30.00	1.0000	Pass
6435	6.65	9.64	0.0092	30.00	1.0000	Pass
6475	6.51	9.50	0.0089	30.00	1.0000	Pass
6515	6.65	9.64	0.0092	30.00	1.0000	Pass
6535	6.59	9.58	0.0091	30.00	1.0000	Pass
6695	6.21	9.20	0.0083	30.00	1.0000	Pass
6855	6.96	9.95	0.0099	30.00	1.0000	Pass
6895	7.57	10.56	0.0114	30.00	1.0000	Pass
7015	7.07	10.06	0.0101	30.00	1.0000	Pass
7095	7.43	10.42	0.0110	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	6.15	9.14	0.0082	30.00	1.0000	Pass
6165	5.78	8.77	0.0075	30.00	1.0000	Pass
6405	5.45	8.44	0.0070	30.00	1.0000	Pass
6445	5.81	8.80	0.0076	30.00	1.0000	Pass
6485	6.23	9.22	0.0084	30.00	1.0000	Pass
6525	5.33	8.32	0.0068	30.00	1.0000	Pass
6565	6.18	9.17	0.0083	30.00	1.0000	Pass
6725	5.01	8.00	0.0063	30.00	1.0000	Pass
6845	6.76	9.75	0.0094	30.00	1.0000	Pass
6885	7.72	10.71	0.0118	30.00	1.0000	Pass
7005	7.72	10.71	0.0118	30.00	1.0000	Pass
7085	6.94	9.93	0.0098	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	6.10	9.09	0.0081	30.00	1.0000	Pass
6165	5.79	8.78	0.0076	30.00	1.0000	Pass
6405	5.95	8.94	0.0078	30.00	1.0000	Pass
6445	5.50	8.49	0.0071	30.00	1.0000	Pass
6485	5.86	8.85	0.0077	30.00	1.0000	Pass
6525	5.54	8.53	0.0071	30.00	1.0000	Pass
6565	6.13	9.12	0.0082	30.00	1.0000	Pass
6725	5.47	8.46	0.0070	30.00	1.0000	Pass
6845	6.94	9.93	0.0098	30.00	1.0000	Pass
6885	7.55	10.54	0.0113	30.00	1.0000	Pass
7005	7.41	10.40	0.0110	30.00	1.0000	Pass
7085	6.35	9.34	0.0086	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	6.36	9.35	0.0086	30.00	1.0000	Pass
6245	6.27	9.26	0.0084	30.00	1.0000	Pass
6405	5.95	8.94	0.0078	30.00	1.0000	Pass
6445	5.90	8.89	0.0077	30.00	1.0000	Pass
6485	6.34	9.33	0.0086	30.00	1.0000	Pass
6525	5.07	8.06	0.0064	30.00	1.0000	Pass
6565	6.14	9.13	0.0082	30.00	1.0000	Pass
6685	5.57	8.56	0.0072	30.00	1.0000	Pass
6845	6.75	9.74	0.0094	30.00	1.0000	Pass
6925	7.58	10.57	0.0114	30.00	1.0000	Pass
7005	7.94	10.93	0.0124	30.00	1.0000	Pass
7085	6.78	9.77	0.0095	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	6.60	9.59	0.0091	30.00	1.0000	Pass
6245	6.01	9.00	0.0079	30.00	1.0000	Pass
6405	5.88	8.87	0.0077	30.00	1.0000	Pass
6445	6.22	9.21	0.0083	30.00	1.0000	Pass
6485	6.71	9.70	0.0093	30.00	1.0000	Pass
6525	5.53	8.52	0.0071	30.00	1.0000	Pass
6565	6.35	9.34	0.0086	30.00	1.0000	Pass
6685	5.01	8.00	0.0063	30.00	1.0000	Pass
6845	6.84	9.83	0.0096	30.00	1.0000	Pass
6925	7.51	10.50	0.0112	30.00	1.0000	Pass
7005	7.57	10.56	0.0114	30.00	1.0000	Pass
7085	6.74	9.73	0.0094	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	12.33	15.32	0.0340	30.00	1.0000	Pass
6245	11.99	14.98	0.0315	30.00	1.0000	Pass
6405	11.83	14.82	0.0303	30.00	1.0000	Pass
6445	11.89	14.88	0.0308	30.00	1.0000	Pass
6485	12.32	15.31	0.0340	30.00	1.0000	Pass
6525	11.39	14.38	0.0274	30.00	1.0000	Pass
6565	12.22	15.21	0.0332	30.00	1.0000	Pass
6685	11.29	14.28	0.0268	30.00	1.0000	Pass
6845	12.84	15.83	0.0383	30.00	1.0000	Pass
6925	13.61	16.60	0.0457	30.00	1.0000	Pass
7005	13.69	16.68	0.0466	30.00	1.0000	Pass
7085	12.73	15.72	0.0373	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	8.88	11.87	0.0154	30.00	1.0000	Pass
6225	8.94	11.93	0.0156	30.00	1.0000	Pass
6385	8.54	11.53	0.0142	30.00	1.0000	Pass
6465	9.01	12.00	0.0158	30.00	1.0000	Pass
6545	8.49	11.48	0.0141	30.00	1.0000	Pass
6705	8.41	11.40	0.0138	30.00	1.0000	Pass
6865	9.32	12.31	0.0170	30.00	1.0000	Pass
6945	9.81	12.80	0.0191	30.00	1.0000	Pass
7025	9.68	12.67	0.0185	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	8.91	11.90	0.0155	30.00	1.0000	Pass
6225	9.08	12.07	0.0161	30.00	1.0000	Pass
6385	9.18	12.17	0.0165	30.00	1.0000	Pass
6465	9.03	12.02	0.0159	30.00	1.0000	Pass
6545	8.33	11.32	0.0136	30.00	1.0000	Pass
6705	8.84	11.83	0.0152	30.00	1.0000	Pass
6865	9.37	12.36	0.0172	30.00	1.0000	Pass
6945	9.61	12.60	0.0182	30.00	1.0000	Pass
7025	9.43	12.42	0.0175	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	9.13	12.12	0.0163	30.00	1.0000	Pass
6225	9.07	12.06	0.0161	30.00	1.0000	Pass
6385	9.03	12.02	0.0159	30.00	1.0000	Pass
6465	9.24	12.23	0.0167	30.00	1.0000	Pass
6545	8.41	11.40	0.0138	30.00	1.0000	Pass
6705	8.79	11.78	0.0151	30.00	1.0000	Pass
6865	9.38	12.37	0.0173	30.00	1.0000	Pass
6945	9.67	12.66	0.0185	30.00	1.0000	Pass
7025	9.61	12.60	0.0182	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	9.17	12.16	0.0164	30.00	1.0000	Pass
6225	8.97	11.96	0.0157	30.00	1.0000	Pass
6385	8.85	11.84	0.0153	30.00	1.0000	Pass
6465	9.22	12.21	0.0166	30.00	1.0000	Pass
6545	8.52	11.51	0.0142	30.00	1.0000	Pass
6705	8.41	11.40	0.0138	30.00	1.0000	Pass
6865	9.34	12.33	0.0171	30.00	1.0000	Pass
6945	9.58	12.57	0.0181	30.00	1.0000	Pass
7025	9.75	12.74	0.0188	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	15.05	18.04	0.0637	30.00	1.0000	Pass
6225	15.04	18.03	0.0635	30.00	1.0000	Pass
6385	14.93	17.92	0.0619	30.00	1.0000	Pass
6465	15.15	18.14	0.0652	30.00	1.0000	Pass
6545	14.46	17.45	0.0556	30.00	1.0000	Pass
6705	14.64	17.63	0.0579	30.00	1.0000	Pass
6865	15.37	18.36	0.0685	30.00	1.0000	Pass
6945	15.69	18.68	0.0738	30.00	1.0000	Pass
7025	15.64	18.63	0.0729	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	11.89	14.88	0.0308	30.00	1.0000	Pass
6345	11.47	14.46	0.0279	30.00	1.0000	Pass
6505	11.93	14.92	0.0310	30.00	1.0000	Pass
6665	11.35	14.34	0.0272	30.00	1.0000	Pass
6825	12.36	15.35	0.0343	30.00	1.0000	Pass
6985	13.06	16.05	0.0403	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	12.02	15.01	0.0317	30.00	1.0000	Pass
6345	12.24	15.23	0.0333	30.00	1.0000	Pass
6505	11.59	14.58	0.0287	30.00	1.0000	Pass
6665	11.58	14.57	0.0286	30.00	1.0000	Pass
6825	11.27	14.26	0.0267	30.00	1.0000	Pass
6985	12.69	15.68	0.0370	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.3
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	12.04	15.03	0.0318	30.00	1.0000	Pass
6345	12.22	15.21	0.0332	30.00	1.0000	Pass
6505	11.47	14.46	0.0279	30.00	1.0000	Pass
6665	11.57	14.56	0.0286	30.00	1.0000	Pass
6825	12.40	15.39	0.0346	30.00	1.0000	Pass
6985	13.03	16.02	0.0400	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.4
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	11.93	14.92	0.0310	30.00	1.0000	Pass
6345	12.08	15.07	0.0321	30.00	1.0000	Pass
6505	11.85	14.84	0.0305	30.00	1.0000	Pass
6665	11.59	14.58	0.0287	30.00	1.0000	Pass
6825	12.33	15.32	0.0340	30.00	1.0000	Pass
6985	12.81	15.80	0.0380	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	17.99	20.98	0.1253	30.00	1.0000	Pass
6345	18.03	21.02	0.1265	30.00	1.0000	Pass
6505	17.73	20.72	0.1180	30.00	1.0000	Pass
6665	17.54	20.53	0.1130	30.00	1.0000	Pass
6825	18.14	21.13	0.1297	30.00	1.0000	Pass
6985	18.92	21.91	0.1552	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6265	15.42	18.41	0.0693	30.00	1.0000	Pass
6425	14.47	17.46	0.0557	30.00	1.0000	Pass
6585	15.97	18.96	0.0787	30.00	1.0000	Pass
6745	15.29	18.28	0.0673	30.00	1.0000	Pass
6905	15.15	18.14	0.0652	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6265	15.47	18.46	0.0701	30.00	1.0000	Pass
6425	14.80	17.79	0.0601	30.00	1.0000	Pass
6585	15.71	18.70	0.0741	30.00	1.0000	Pass
6745	16.17	19.16	0.0824	30.00	1.0000	Pass
6905	15.05	18.04	0.0637	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.3
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6265	15.27	18.26	0.0670	30.00	1.0000	Pass
6425	14.88	17.87	0.0612	30.00	1.0000	Pass
6585	15.79	18.78	0.0755	30.00	1.0000	Pass
6745	15.59	18.58	0.0721	30.00	1.0000	Pass
6905	14.95	17.94	0.0622	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.4
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6265	14.99	17.98	0.0628	30.00	1.0000	Pass
6425	14.59	17.58	0.0573	30.00	1.0000	Pass
6585	15.66	18.65	0.0733	30.00	1.0000	Pass
6745	15.26	18.25	0.0668	30.00	1.0000	Pass
6905	14.81	17.80	0.0603	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6265	21.31	24.30	0.2692	30.00	1.0000	Pass
6425	20.71	23.70	0.2344	30.00	1.0000	Pass
6585	21.80	24.79	0.3013	30.00	1.0000	Pass
6745	21.61	24.60	0.2884	30.00	1.0000	Pass
6905	21.01	24.00	0.2512	30.00	1.0000	Pass

Note: Conducted power = Measure result + Cable loss + Duty factor

NSS4

Test Mode	IEEE 802.11ax(HE20)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	8.78	11.77	0.0150	30.00	1.0000	Pass
6255	8.06	11.05	0.0127	30.00	1.0000	Pass
6415	7.72	10.71	0.0118	30.00	1.0000	Pass
6435	8.68	11.67	0.0147	30.00	1.0000	Pass
6475	8.13	11.12	0.0129	30.00	1.0000	Pass
6515	7.73	10.72	0.0118	30.00	1.0000	Pass
6535	7.46	10.45	0.0111	30.00	1.0000	Pass
6695	8.55	11.54	0.0143	30.00	1.0000	Pass
6855	8.36	11.35	0.0136	30.00	1.0000	Pass
6895	9.74	12.73	0.0187	30.00	1.0000	Pass
7015	9.63	12.62	0.0183	30.00	1.0000	Pass
7095	9.18	12.17	0.0165	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	8.62	11.61	0.0145	30.00	1.0000	Pass
6255	8.16	11.15	0.0130	30.00	1.0000	Pass
6415	8.22	11.21	0.0132	30.00	1.0000	Pass
6435	8.66	11.65	0.0146	30.00	1.0000	Pass
6475	7.78	10.77	0.0119	30.00	1.0000	Pass
6515	7.62	10.61	0.0115	30.00	1.0000	Pass
6535	7.46	10.45	0.0111	30.00	1.0000	Pass
6695	8.75	11.74	0.0149	30.00	1.0000	Pass
6855	8.52	11.51	0.0142	30.00	1.0000	Pass
6895	9.71	12.70	0.0186	30.00	1.0000	Pass
7015	9.35	12.34	0.0171	30.00	1.0000	Pass
7095	8.74	11.73	0.0149	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Ant.3
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	8.92	11.91	0.0155	30.00	1.0000	Pass
6255	8.23	11.22	0.0132	30.00	1.0000	Pass
6415	7.86	10.85	0.0122	30.00	1.0000	Pass
6435	8.92	11.91	0.0155	30.00	1.0000	Pass
6475	8.27	11.26	0.0134	30.00	1.0000	Pass
6515	7.54	10.53	0.0113	30.00	1.0000	Pass
6535	7.35	10.34	0.0108	30.00	1.0000	Pass
6695	8.62	11.61	0.0145	30.00	1.0000	Pass
6855	8.32	11.31	0.0135	30.00	1.0000	Pass
6895	9.75	12.74	0.0188	30.00	1.0000	Pass
7015	9.48	12.47	0.0177	30.00	1.0000	Pass
7095	8.88	11.87	0.0154	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Ant.4
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	9.08	12.07	0.0161	30.00	1.0000	Pass
6255	8.22	11.21	0.0132	30.00	1.0000	Pass
6415	8.18	11.17	0.0131	30.00	1.0000	Pass
6435	9.10	12.09	0.0162	30.00	1.0000	Pass
6475	8.71	11.70	0.0148	30.00	1.0000	Pass
6515	7.91	10.90	0.0123	30.00	1.0000	Pass
6535	7.65	10.64	0.0116	30.00	1.0000	Pass
6695	8.64	11.63	0.0146	30.00	1.0000	Pass
6855	8.42	11.41	0.0138	30.00	1.0000	Pass
6895	9.77	12.76	0.0189	30.00	1.0000	Pass
7015	9.87	12.86	0.0193	30.00	1.0000	Pass
7095	9.17	12.16	0.0164	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE20)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	14.87	17.86	0.0611	30.00	1.0000	Pass
6255	14.19	17.18	0.0522	30.00	1.0000	Pass
6415	14.02	17.01	0.0502	30.00	1.0000	Pass
6435	14.86	17.85	0.0610	30.00	1.0000	Pass
6475	14.26	17.25	0.0531	30.00	1.0000	Pass
6515	13.72	16.71	0.0469	30.00	1.0000	Pass
6535	13.50	16.49	0.0446	30.00	1.0000	Pass
6695	14.66	17.65	0.0582	30.00	1.0000	Pass
6855	14.43	17.42	0.0552	30.00	1.0000	Pass
6895	15.76	18.75	0.0750	30.00	1.0000	Pass
7015	15.61	18.60	0.0724	30.00	1.0000	Pass
7095	15.02	18.01	0.0632	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	11.64	14.63	0.0290	30.00	1.0000	Pass
6245	10.87	13.86	0.0243	30.00	1.0000	Pass
6405	10.71	13.70	0.0234	30.00	1.0000	Pass
6445	10.83	13.82	0.0241	30.00	1.0000	Pass
6485	11.49	14.48	0.0281	30.00	1.0000	Pass
6525	10.55	13.54	0.0226	30.00	1.0000	Pass
6565	11.22	14.21	0.0264	30.00	1.0000	Pass
6685	10.46	13.45	0.0221	30.00	1.0000	Pass
6845	11.28	14.27	0.0267	30.00	1.0000	Pass
6925	12.02	15.01	0.0317	30.00	1.0000	Pass
7005	11.74	14.73	0.0297	30.00	1.0000	Pass
7085	12.33	15.32	0.0340	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	11.92	14.91	0.0310	30.00	1.0000	Pass
6245	10.92	13.91	0.0246	30.00	1.0000	Pass
6405	11.22	14.21	0.0264	30.00	1.0000	Pass
6445	10.91	13.90	0.0245	30.00	1.0000	Pass
6485	11.27	14.26	0.0267	30.00	1.0000	Pass
6525	10.19	13.18	0.0208	30.00	1.0000	Pass
6565	10.92	13.91	0.0246	30.00	1.0000	Pass
6685	10.68	13.67	0.0233	30.00	1.0000	Pass
6845	11.23	14.22	0.0264	30.00	1.0000	Pass
6925	11.75	14.74	0.0298	30.00	1.0000	Pass
7005	11.36	14.35	0.0272	30.00	1.0000	Pass
7085	11.55	14.54	0.0284	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.3
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	12.18	15.17	0.0329	30.00	1.0000	Pass
6245	11.33	14.32	0.0270	30.00	1.0000	Pass
6405	11.05	14.04	0.0254	30.00	1.0000	Pass
6445	11.01	14.00	0.0251	30.00	1.0000	Pass
6485	11.35	14.34	0.0272	30.00	1.0000	Pass
6525	10.67	13.66	0.0232	30.00	1.0000	Pass
6565	11.47	14.46	0.0279	30.00	1.0000	Pass
6685	10.56	13.55	0.0226	30.00	1.0000	Pass
6845	11.26	14.25	0.0266	30.00	1.0000	Pass
6925	11.77	14.76	0.0299	30.00	1.0000	Pass
7005	11.94	14.93	0.0311	30.00	1.0000	Pass
7085	11.85	14.84	0.0305	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.4
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	11.88	14.87	0.0307	30.00	1.0000	Pass
6245	10.91	13.90	0.0245	30.00	1.0000	Pass
6405	10.93	13.92	0.0247	30.00	1.0000	Pass
6445	10.89	13.88	0.0244	30.00	1.0000	Pass
6485	11.36	14.35	0.0272	30.00	1.0000	Pass
6525	10.64	13.63	0.0231	30.00	1.0000	Pass
6565	11.27	14.26	0.0267	30.00	1.0000	Pass
6685	10.35	13.34	0.0216	30.00	1.0000	Pass
6845	11.23	14.22	0.0264	30.00	1.0000	Pass
6925	11.57	14.56	0.0286	30.00	1.0000	Pass
7005	11.38	14.37	0.0274	30.00	1.0000	Pass
7085	11.73	14.72	0.0296	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	17.93	20.92	0.1236	30.00	1.0000	Pass
6245	17.03	20.02	0.1005	30.00	1.0000	Pass
6405	17.00	19.99	0.0998	30.00	1.0000	Pass
6445	16.93	19.92	0.0982	30.00	1.0000	Pass
6485	17.39	20.38	0.1091	30.00	1.0000	Pass
6525	16.54	19.53	0.0897	30.00	1.0000	Pass
6565	17.25	20.24	0.1057	30.00	1.0000	Pass
6685	16.53	19.52	0.0895	30.00	1.0000	Pass
6845	17.27	20.26	0.1062	30.00	1.0000	Pass
6925	17.80	20.79	0.1199	30.00	1.0000	Pass
7005	17.63	20.62	0.1153	30.00	1.0000	Pass
7085	17.90	20.89	0.1227	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	13.91	16.90	0.0490	30.00	1.0000	Pass
6225	13.89	16.88	0.0488	30.00	1.0000	Pass
6385	13.55	16.54	0.0451	30.00	1.0000	Pass
6465	14.14	17.13	0.0516	30.00	1.0000	Pass
6545	13.46	16.45	0.0442	30.00	1.0000	Pass
6705	13.18	16.17	0.0414	30.00	1.0000	Pass
6865	14.24	17.23	0.0528	30.00	1.0000	Pass
6945	14.73	17.72	0.0592	30.00	1.0000	Pass
7025	14.68	17.67	0.0585	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	13.73	16.72	0.0470	30.00	1.0000	Pass
6225	13.96	16.95	0.0495	30.00	1.0000	Pass
6385	14.02	17.01	0.0502	30.00	1.0000	Pass
6465	13.78	16.77	0.0475	30.00	1.0000	Pass
6545	13.32	16.31	0.0428	30.00	1.0000	Pass
6705	13.63	16.62	0.0459	30.00	1.0000	Pass
6865	14.42	17.41	0.0551	30.00	1.0000	Pass
6945	14.65	17.64	0.0581	30.00	1.0000	Pass
7025	14.49	17.48	0.0560	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.3
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	13.92	16.91	0.0491	30.00	1.0000	Pass
6225	13.89	16.88	0.0488	30.00	1.0000	Pass
6385	13.83	16.82	0.0481	30.00	1.0000	Pass
6465	14.03	17.02	0.0504	30.00	1.0000	Pass
6545	13.22	16.21	0.0418	30.00	1.0000	Pass
6705	13.43	16.42	0.0439	30.00	1.0000	Pass
6865	14.23	17.22	0.0527	30.00	1.0000	Pass
6945	14.58	17.57	0.0571	30.00	1.0000	Pass
7025	14.65	17.64	0.0581	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.4
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	14.04	17.03	0.0505	30.00	1.0000	Pass
6225	13.86	16.85	0.0484	30.00	1.0000	Pass
6385	13.55	16.54	0.0451	30.00	1.0000	Pass
6465	14.13	17.12	0.0515	30.00	1.0000	Pass
6545	13.25	16.24	0.0421	30.00	1.0000	Pass
6705	13.14	16.13	0.0410	30.00	1.0000	Pass
6865	14.14	17.13	0.0516	30.00	1.0000	Pass
6945	14.40	17.39	0.0548	30.00	1.0000	Pass
7025	14.58	17.57	0.0571	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	19.92	22.91	0.1954	30.00	1.0000	Pass
6225	19.92	22.91	0.1954	30.00	1.0000	Pass
6385	19.76	22.75	0.1884	30.00	1.0000	Pass
6465	20.04	23.03	0.2009	30.00	1.0000	Pass
6545	19.33	22.32	0.1706	30.00	1.0000	Pass
6705	19.37	22.36	0.1722	30.00	1.0000	Pass
6865	20.28	23.27	0.2123	30.00	1.0000	Pass
6945	20.61	23.60	0.2291	30.00	1.0000	Pass
7025	20.62	23.61	0.2296	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	16.60	19.59	0.0910	30.00	1.0000	Pass
6345	16.87	19.86	0.0968	30.00	1.0000	Pass
6505	16.65	19.64	0.0920	30.00	1.0000	Pass
6665	16.27	19.26	0.0843	30.00	1.0000	Pass
6825	16.43	19.42	0.0875	30.00	1.0000	Pass
6985	17.93	20.92	0.1236	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	16.99	19.98	0.0995	30.00	1.0000	Pass
6345	17.21	20.20	0.1047	30.00	1.0000	Pass
6505	16.55	19.54	0.0899	30.00	1.0000	Pass
6665	16.71	19.70	0.0933	30.00	1.0000	Pass
6825	15.53	18.52	0.0711	30.00	1.0000	Pass
6985	17.67	20.66	0.1164	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	16.70	19.69	0.0931	30.00	1.0000	Pass
6345	16.86	19.85	0.0966	30.00	1.0000	Pass
6505	16.40	19.39	0.0869	30.00	1.0000	Pass
6665	16.40	19.39	0.0869	30.00	1.0000	Pass
6825	16.34	19.33	0.0857	30.00	1.0000	Pass
6985	17.79	20.78	0.1197	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	16.82	19.81	0.0957	30.00	1.0000	Pass
6345	16.90	19.89	0.0975	30.00	1.0000	Pass
6505	16.62	19.61	0.0914	30.00	1.0000	Pass
6665	16.31	19.30	0.0851	30.00	1.0000	Pass
6825	16.13	19.12	0.0817	30.00	1.0000	Pass
6985	17.73	20.72	0.1180	30.00	1.0000	Pass

Test Mode	IEEE 802.11ax(HE160)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	22.80	25.79	0.3793	30.00	1.0000	Pass
6345	22.98	25.97	0.3954	30.00	1.0000	Pass
6505	22.58	25.57	0.3606	30.00	1.0000	Pass
6665	22.45	25.44	0.3499	30.00	1.0000	Pass
6825	22.14	25.13	0.3258	30.00	1.0000	Pass
6985	23.80	26.79	0.4775	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	8.67	11.66	0.0147	30.00	1.0000	Pass
6255	7.56	10.55	0.0114	30.00	1.0000	Pass
6415	7.50	10.49	0.0112	30.00	1.0000	Pass
6435	7.75	10.74	0.0119	30.00	1.0000	Pass
6475	8.24	11.23	0.0133	30.00	1.0000	Pass
6515	7.62	10.61	0.0115	30.00	1.0000	Pass
6535	7.51	10.50	0.0112	30.00	1.0000	Pass
6695	7.43	10.42	0.0110	30.00	1.0000	Pass
6855	8.37	11.36	0.0137	30.00	1.0000	Pass
6895	8.80	11.79	0.0151	30.00	1.0000	Pass
7015	8.73	11.72	0.0149	30.00	1.0000	Pass
7095	9.17	12.16	0.0164	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	8.60	11.59	0.0144	30.00	1.0000	Pass
6255	7.73	10.72	0.0118	30.00	1.0000	Pass
6415	7.94	10.93	0.0124	30.00	1.0000	Pass
6435	7.67	10.66	0.0116	30.00	1.0000	Pass
6475	7.90	10.89	0.0123	30.00	1.0000	Pass
6515	7.45	10.44	0.0111	30.00	1.0000	Pass
6535	7.30	10.29	0.0107	30.00	1.0000	Pass
6695	7.67	10.66	0.0116	30.00	1.0000	Pass
6855	8.47	11.46	0.0140	30.00	1.0000	Pass
6895	8.72	11.71	0.0148	30.00	1.0000	Pass
7015	8.33	11.32	0.0136	30.00	1.0000	Pass
7095	8.71	11.70	0.0148	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	8.78	11.77	0.0150	30.00	1.0000	Pass
6255	7.97	10.96	0.0125	30.00	1.0000	Pass
6415	7.77	10.76	0.0119	30.00	1.0000	Pass
6435	7.74	10.73	0.0118	30.00	1.0000	Pass
6475	8.30	11.29	0.0135	30.00	1.0000	Pass
6515	7.54	10.53	0.0113	30.00	1.0000	Pass
6535	7.34	10.33	0.0108	30.00	1.0000	Pass
6695	7.60	10.59	0.0115	30.00	1.0000	Pass
6855	8.32	11.31	0.0135	30.00	1.0000	Pass
6895	8.81	11.80	0.0151	30.00	1.0000	Pass
7015	8.64	11.63	0.0146	30.00	1.0000	Pass
7095	8.71	11.70	0.0148	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	9.10	12.09	0.0162	30.00	1.0000	Pass
6255	8.03	11.02	0.0126	30.00	1.0000	Pass
6415	7.88	10.87	0.0122	30.00	1.0000	Pass
6435	7.93	10.92	0.0124	30.00	1.0000	Pass
6475	8.61	11.60	0.0145	30.00	1.0000	Pass
6515	7.96	10.95	0.0124	30.00	1.0000	Pass
6535	7.63	10.62	0.0115	30.00	1.0000	Pass
6695	7.58	10.57	0.0114	30.00	1.0000	Pass
6855	8.41	11.40	0.0138	30.00	1.0000	Pass
6895	8.76	11.75	0.0150	30.00	1.0000	Pass
7015	8.73	11.72	0.0149	30.00	1.0000	Pass
7095	9.07	12.06	0.0161	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6115	14.81	17.80	0.0603	30.00	1.0000	Pass
6255	13.85	16.84	0.0483	30.00	1.0000	Pass
6415	13.80	16.79	0.0478	30.00	1.0000	Pass
6435	13.79	16.78	0.0476	30.00	1.0000	Pass
6475	14.29	17.28	0.0535	30.00	1.0000	Pass
6515	13.67	16.66	0.0463	30.00	1.0000	Pass
6535	13.47	16.46	0.0443	30.00	1.0000	Pass
6695	13.59	16.58	0.0455	30.00	1.0000	Pass
6855	14.41	17.40	0.0550	30.00	1.0000	Pass
6895	14.79	17.78	0.0600	30.00	1.0000	Pass
7015	14.63	17.62	0.0578	30.00	1.0000	Pass
7095	14.94	17.93	0.0621	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	11.42	14.41	0.0276	30.00	1.0000	Pass
6245	10.73	13.72	0.0236	30.00	1.0000	Pass
6405	11.52	14.51	0.0282	30.00	1.0000	Pass
6445	10.62	13.61	0.0230	30.00	1.0000	Pass
6485	11.32	14.31	0.0270	30.00	1.0000	Pass
6525	10.40	13.39	0.0218	30.00	1.0000	Pass
6565	10.03	13.02	0.0200	30.00	1.0000	Pass
6685	10.24	13.23	0.0210	30.00	1.0000	Pass
6845	10.97	13.96	0.0249	30.00	1.0000	Pass
6925	13.13	16.12	0.0409	30.00	1.0000	Pass
7005	12.97	15.96	0.0394	30.00	1.0000	Pass
7085	12.15	15.14	0.0327	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	11.64	14.63	0.0290	30.00	1.0000	Pass
6245	10.68	13.67	0.0233	30.00	1.0000	Pass
6405	11.97	14.96	0.0313	30.00	1.0000	Pass
6445	10.68	13.67	0.0233	30.00	1.0000	Pass
6485	11.07	14.06	0.0255	30.00	1.0000	Pass
6525	10.03	13.02	0.0200	30.00	1.0000	Pass
6565	9.83	12.82	0.0191	30.00	1.0000	Pass
6685	10.45	13.44	0.0221	30.00	1.0000	Pass
6845	10.78	13.77	0.0238	30.00	1.0000	Pass
6925	12.85	15.84	0.0384	30.00	1.0000	Pass
7005	12.45	15.44	0.0350	30.00	1.0000	Pass
7085	11.30	14.29	0.0269	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	11.96	14.95	0.0313	30.00	1.0000	Pass
6245	11.16	14.15	0.0260	30.00	1.0000	Pass
6405	11.82	14.81	0.0303	30.00	1.0000	Pass
6445	10.82	13.81	0.0240	30.00	1.0000	Pass
6485	11.22	14.21	0.0264	30.00	1.0000	Pass
6525	10.45	13.44	0.0221	30.00	1.0000	Pass
6565	10.34	13.33	0.0215	30.00	1.0000	Pass
6685	10.36	13.35	0.0216	30.00	1.0000	Pass
6845	10.86	13.85	0.0243	30.00	1.0000	Pass
6925	12.86	15.85	0.0385	30.00	1.0000	Pass
7005	13.04	16.03	0.0401	30.00	1.0000	Pass
7085	11.65	14.64	0.0291	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	11.57	14.56	0.0286	30.00	1.0000	Pass
6245	10.73	13.72	0.0236	30.00	1.0000	Pass
6405	11.64	14.63	0.0290	30.00	1.0000	Pass
6445	10.58	13.57	0.0228	30.00	1.0000	Pass
6485	11.14	14.13	0.0259	30.00	1.0000	Pass
6525	10.42	13.41	0.0219	30.00	1.0000	Pass
6565	10.04	13.03	0.0201	30.00	1.0000	Pass
6685	10.22	13.21	0.0209	30.00	1.0000	Pass
6845	10.90	13.89	0.0245	30.00	1.0000	Pass
6925	12.70	15.69	0.0371	30.00	1.0000	Pass
7005	12.54	15.53	0.0357	30.00	1.0000	Pass
7085	11.46	14.45	0.0279	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6125	17.67	20.66	0.1164	30.00	1.0000	Pass
6245	16.85	19.84	0.0964	30.00	1.0000	Pass
6405	17.76	20.75	0.1189	30.00	1.0000	Pass
6445	16.70	19.69	0.0931	30.00	1.0000	Pass
6485	17.21	20.20	0.1047	30.00	1.0000	Pass
6525	16.35	19.34	0.0859	30.00	1.0000	Pass
6565	16.08	19.07	0.0807	30.00	1.0000	Pass
6685	16.34	19.33	0.0857	30.00	1.0000	Pass
6845	16.90	19.89	0.0975	30.00	1.0000	Pass
6925	18.91	21.90	0.1549	30.00	1.0000	Pass
7005	18.78	21.77	0.1503	30.00	1.0000	Pass
7085	17.67	20.66	0.1164	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	13.80	16.79	0.0478	30.00	1.0000	Pass
6225	13.85	16.84	0.0483	30.00	1.0000	Pass
6385	13.47	16.46	0.0443	30.00	1.0000	Pass
6465	13.95	16.94	0.0494	30.00	1.0000	Pass
6545	14.31	17.30	0.0537	30.00	1.0000	Pass
6705	14.25	17.24	0.0530	30.00	1.0000	Pass
6865	14.33	17.32	0.0540	30.00	1.0000	Pass
6945	14.91	17.90	0.0617	30.00	1.0000	Pass
7025	14.65	17.64	0.0581	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	13.75	16.74	0.0472	30.00	1.0000	Pass
6225	13.98	16.97	0.0498	30.00	1.0000	Pass
6385	14.04	17.03	0.0505	30.00	1.0000	Pass
6465	13.65	16.64	0.0461	30.00	1.0000	Pass
6545	14.24	17.23	0.0528	30.00	1.0000	Pass
6705	14.81	17.80	0.0603	30.00	1.0000	Pass
6865	14.46	17.45	0.0556	30.00	1.0000	Pass
6945	14.81	17.80	0.0603	30.00	1.0000	Pass
7025	14.45	17.44	0.0555	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.3
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	13.85	16.84	0.0483	30.00	1.0000	Pass
6225	13.87	16.86	0.0485	30.00	1.0000	Pass
6385	13.68	16.67	0.0465	30.00	1.0000	Pass
6465	13.96	16.95	0.0495	30.00	1.0000	Pass
6545	14.15	17.14	0.0518	30.00	1.0000	Pass
6705	16.38	19.37	0.0865	30.00	1.0000	Pass
6865	14.28	17.27	0.0533	30.00	1.0000	Pass
6945	14.69	17.68	0.0586	30.00	1.0000	Pass
7025	14.56	17.55	0.0569	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.4
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	14.10	17.09	0.0512	30.00	1.0000	Pass
6225	13.74	16.73	0.0471	30.00	1.0000	Pass
6385	13.57	16.56	0.0453	30.00	1.0000	Pass
6465	14.01	17.00	0.0501	30.00	1.0000	Pass
6545	14.25	17.24	0.0530	30.00	1.0000	Pass
6705	16.04	19.03	0.0800	30.00	1.0000	Pass
6865	14.28	17.27	0.0533	30.00	1.0000	Pass
6945	14.48	17.47	0.0558	30.00	1.0000	Pass
7025	14.57	17.56	0.0570	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6145	19.90	22.89	0.1945	30.00	1.0000	Pass
6225	19.88	22.87	0.1936	30.00	1.0000	Pass
6385	19.72	22.71	0.1866	30.00	1.0000	Pass
6465	19.92	22.91	0.1954	30.00	1.0000	Pass
6545	20.26	23.25	0.2113	30.00	1.0000	Pass
6705	21.48	24.47	0.2799	30.00	1.0000	Pass
6865	20.36	23.35	0.2163	30.00	1.0000	Pass
6945	20.75	23.74	0.2366	30.00	1.0000	Pass
7025	20.58	23.57	0.2275	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	15.58	18.57	0.0719	30.00	1.0000	Pass
6345	15.62	18.61	0.0726	30.00	1.0000	Pass
6505	16.56	19.55	0.0902	30.00	1.0000	Pass
6665	16.07	19.06	0.0805	30.00	1.0000	Pass
6825	16.28	19.27	0.0845	30.00	1.0000	Pass
6985	16.76	19.75	0.0944	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	15.73	18.72	0.0745	30.00	1.0000	Pass
6345	15.96	18.95	0.0785	30.00	1.0000	Pass
6505	16.39	19.38	0.0867	30.00	1.0000	Pass
6665	16.47	19.46	0.0883	30.00	1.0000	Pass
6825	15.35	18.34	0.0682	30.00	1.0000	Pass
6985	16.56	19.55	0.0902	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.3
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	15.56	18.55	0.0716	30.00	1.0000	Pass
6345	15.67	18.66	0.0735	30.00	1.0000	Pass
6505	16.11	19.10	0.0813	30.00	1.0000	Pass
6665	16.16	19.15	0.0822	30.00	1.0000	Pass
6825	16.05	19.04	0.0802	30.00	1.0000	Pass
6985	16.63	19.62	0.0916	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.4
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	15.75	18.74	0.0748	30.00	1.0000	Pass
6345	15.69	18.68	0.0738	30.00	1.0000	Pass
6505	16.38	19.37	0.0865	30.00	1.0000	Pass
6665	16.12	19.11	0.0815	30.00	1.0000	Pass
6825	15.98	18.97	0.0789	30.00	1.0000	Pass
6985	16.55	19.54	0.0899	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6185	21.68	24.67	0.2931	30.00	1.0000	Pass
6345	21.76	24.75	0.2985	30.00	1.0000	Pass
6505	22.38	25.37	0.3443	30.00	1.0000	Pass
6665	22.23	25.22	0.3327	30.00	1.0000	Pass
6825	21.95	24.94	0.3119	30.00	1.0000	Pass
6985	22.65	25.64	0.3664	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6265	20.05	23.04	0.2014	30.00	1.0000	Pass
6425	20.27	23.26	0.2118	30.00	1.0000	Pass
6585	20.01	23.00	0.1995	30.00	1.0000	Pass
6745	19.09	22.08	0.1614	30.00	1.0000	Pass
6905	19.88	22.87	0.1936	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6265	20.44	23.43	0.2203	30.00	1.0000	Pass
6425	20.91	23.90	0.2455	30.00	1.0000	Pass
6585	19.70	22.69	0.1858	30.00	1.0000	Pass
6745	20.24	23.23	0.2104	30.00	1.0000	Pass
6905	19.93	22.92	0.1959	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.3
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6265	20.00	22.99	0.1991	30.00	1.0000	Pass
6425	20.84	23.83	0.2415	30.00	1.0000	Pass
6585	19.67	22.66	0.1845	30.00	1.0000	Pass
6745	19.64	22.63	0.1832	30.00	1.0000	Pass
6905	19.98	22.97	0.1982	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Ant.4
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6265	19.90	22.89	0.1945	30.00	1.0000	Pass
6425	20.40	23.39	0.2183	30.00	1.0000	Pass
6585	19.54	22.53	0.1791	30.00	1.0000	Pass
6745	19.06	22.05	0.1603	30.00	1.0000	Pass
6905	19.58	22.57	0.1807	30.00	1.0000	Pass

Test Mode	IEEE 802.11be(EHT320)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6265	26.12	29.11	0.8147	30.00	1.0000	Pass
6425	26.63	29.62	0.9162	30.00	1.0000	Pass
6585	25.75	28.74	0.7482	30.00	1.0000	Pass
6745	25.56	28.55	0.7161	30.00	1.0000	Pass
6905	25.87	28.86	0.7691	30.00	1.0000	Pass


Note: Conducted power = Measure result + Cable loss + Duty factor

APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)


NSS1

Test Mode	IEEE 802.11ax(HE20)_Ant.1
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6115	-10.77	0.09	-1.67	5.00	Pass
6255	-10.33	0.09	-1.23	5.00	Pass
6415	-10.62	0.09	-1.52	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-10.51	0.09	-1.41	5.00	Pass
6475	-10.78	0.09	-1.68	5.00	Pass
6515	-10.33	0.09	-1.23	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-10.28	0.09	-1.18	5.00	Pass
6695	-10.23	0.09	-1.13	5.00	Pass
6855	-10.13	0.09	-1.03	5.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6895	-10.15	0.09	-1.05	5.00	Pass
7015	-10.18	0.09	-1.08	5.00	Pass
7095	-10.47	0.09	-1.37	5.00	Pass




Test Mode IEEE 802.11ax(HE20)_Ant.2


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6115	-11.17	0.09	-2.07	5.00	Pass
6255	-10.36	0.09	-1.26	5.00	Pass
6415	-10.78	0.09	-1.68	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-10.53	0.09	-1.43	5.00	Pass
6475	-10.74	0.09	-1.64	5.00	Pass
6515	-10.06	0.09	-0.96	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-10.33	0.09	-1.23	5.00	Pass
6695	-10.52	0.09	-1.42	5.00	Pass
6855	-10.18	0.09	-1.08	5.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6895	-10.20	0.09	-1.10	5.00	Pass
7015	-10.33	0.09	-1.23	5.00	Pass
7095	-10.44	0.09	-1.34	5.00	Pass

