



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6945	80.13	77.06	320	Pass
7025	80.23	77.33	320	Pass





Test Mode	IEEE 802.11be(EHT80)_Ant_2
-----------	----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
5985	80.37	77.27	320	Pass
6145	80.13	77.02	320	Pass
6385	80.41	77.23	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6465	80.10	77.17	320	Pass

6465 26 dB Bandwidth  Occupied Bandwidth: 77.237 MHz Total Power: 21.5 dBm Transmit Freq Error: 551.76 kHz x dB Bandwidth: 80.10 MHz x dB Power: -26.00 dB	-	-
99 % Occupied Bandwidth  Occupied Bandwidth: 77.173 MHz Total Power: 22.8 dBm Transmit Freq Error: 527.84 kHz x dB Bandwidth: 81.33 MHz x dB Power: -26.00 dB	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6545	80.40	77.17	320	Pass
6705	80.39	77.17	320	Pass
6865	80.12	77.03	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6945	80.20	77.23	320	Pass
7025	80.25	77.54	320	Pass





Test Mode	IEEE 802.11be(EHT160)_Ant_1
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6025	162.41	157.09	320	Pass
6185	162.19	157.46	320	Pass
6345	228.13	157.34	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6505	226.97	156.89	320	Pass

6505 26 dB Bandwidth  Occupied Bandwidth: 156.57 MHz Total Power: 24.0 dBm Transmit Freq Error: 552.47 kHz x dB Bandwidth: 227.0 MHz	-	-
99 % Occupied Bandwidth  Occupied Bandwidth: 156.89 MHz Total Power: 24.4 dBm Transmit Freq Error: 715.25 kHz x dB Bandwidth: 240.0 MHz	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6665	162.11	157.08	320	Pass
6825	162.06	157.32	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6985	215.49	157.15	320	Pass



6985 26 dB Bandwidth  Occupied Bandwidth: 156.63 MHz Total Power: 20.1 dBm Transmit Freq Error: 386.66 kHz OBW Power: 99.00 % x dB Bandwidth: 215.5 MHz x dB: -26.00 dB	-	-
99 % Occupied Bandwidth  Occupied Bandwidth: 157.15 MHz Total Power: 20.3 dBm Transmit Freq Error: 180.64 kHz OBW Power: 99.00 % x dB Bandwidth: 221.8 MHz x dB: -26.00 dB	-	-

Test Mode	IEEE 802.11be(EHT160)_Ant_2
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6025	162.27	156.88	320	Pass
6185	162.74	157.08	320	Pass
6345	240.70	157.33	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6505	232.70	157.31	320	Pass

6505 26 dB Bandwidth  Occupied Bandwidth: 156.62 MHz Total Power: 24.0 dBm Transmit Freq Error: 604.88 kHz x dB Bandwidth: 232.7 MHz x dB: -26.00 dB	-	-
99 % Occupied Bandwidth  Occupied Bandwidth: 157.31 MHz Total Power: 25.1 dBm Transmit Freq Error: 858.04 kHz x dB Bandwidth: 297.7 MHz x dB: -26.00 dB	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6665	162.30	157.03	320	Pass
6825	162.00	157.22	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6985	222.88	157.21	320	Pass

6985 26 dB Bandwidth  Occupied Bandwidth: 156.71 MHz Total Power: 21.7 dBm Transmit Freq Error: 245.43 kHz OBW Power: 99.00 % x dB Bandwidth: 222.9 MHz x dB: -26.00 dB	-	-
99 % Occupied Bandwidth  Occupied Bandwidth: 157.21 MHz Total Power: 20.5 dBm Transmit Freq Error: 317.28 kHz OBW Power: 99.00 % x dB Bandwidth: 220.1 MHz x dB: -26.00 dB	-	-

APPENDIX F - MAXIMUM E.I.R.P.

NSS1

Test Mode	IEEE 802.11ax(HE20)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	0.87	3.87	0.0024	24.00	0.2512	Pass
6175	1.47	4.47	0.0028	24.00	0.2512	Pass
6415	1.46	4.46	0.0028	24.00	0.2512	Pass
6435	1.64	4.64	0.0029	24.00	0.2512	Pass
6475	1.86	4.86	0.0031	24.00	0.2512	Pass
6515	1.23	4.23	0.0026	24.00	0.2512	Pass
6535	0.79	3.79	0.0024	24.00	0.2512	Pass
6695	0.34	3.34	0.0022	24.00	0.2512	Pass
6855	0.34	3.34	0.0022	24.00	0.2512	Pass
6875	-0.11	2.89	0.0019	24.00	0.2512	Pass
6995	1.64	4.64	0.0029	24.00	0.2512	Pass
7095	1.16	4.16	0.0026	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE20)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	0.74	3.74	0.0024	24.00	0.2512	Pass
6175	1.18	4.18	0.0026	24.00	0.2512	Pass
6415	1.62	4.62	0.0029	24.00	0.2512	Pass
6435	1.48	4.48	0.0028	24.00	0.2512	Pass
6475	1.96	4.96	0.0031	24.00	0.2512	Pass
6515	1.18	4.18	0.0026	24.00	0.2512	Pass
6535	0.62	3.62	0.0023	24.00	0.2512	Pass
6695	0.48	3.48	0.0022	24.00	0.2512	Pass
6855	0.52	3.52	0.0022	24.00	0.2512	Pass
6875	0.41	3.41	0.0022	24.00	0.2512	Pass
6995	1.99	4.99	0.0032	24.00	0.2512	Pass
7095	1.31	4.31	0.0027	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE20)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	3.82	6.82	0.0048	24.00	0.2512	Pass
6175	4.34	7.34	0.0054	24.00	0.2512	Pass
6415	4.55	7.55	0.0057	24.00	0.2512	Pass
6435	4.57	7.57	0.0057	24.00	0.2512	Pass
6475	4.92	7.92	0.0062	24.00	0.2512	Pass
6515	4.22	7.22	0.0053	24.00	0.2512	Pass
6535	3.72	6.72	0.0047	24.00	0.2512	Pass
6695	3.42	6.42	0.0044	24.00	0.2512	Pass
6855	3.44	6.44	0.0044	24.00	0.2512	Pass
6875	3.17	6.17	0.0041	24.00	0.2512	Pass
6995	4.83	7.83	0.0061	24.00	0.2512	Pass
7095	4.25	7.25	0.0053	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	2.26	5.26	0.0034	24.00	0.2512	Pass
6165	4.49	7.49	0.0056	24.00	0.2512	Pass
6405	4.09	7.09	0.0051	24.00	0.2512	Pass
6445	6.14	9.14	0.0082	24.00	0.2512	Pass
6485	4.28	7.28	0.0053	24.00	0.2512	Pass
6525	4.48	7.48	0.0056	24.00	0.2512	Pass
6565	3.89	6.89	0.0049	24.00	0.2512	Pass
6725	3.08	6.08	0.0041	24.00	0.2512	Pass
6845	3.43	6.43	0.0044	24.00	0.2512	Pass
6885	3.31	6.31	0.0043	24.00	0.2512	Pass
7005	4.54	7.54	0.0057	24.00	0.2512	Pass
7085	3.49	6.49	0.0045	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	1.79	4.79	0.0030	24.00	0.2512	Pass
6165	4.25	7.25	0.0053	24.00	0.2512	Pass
6405	4.22	7.22	0.0053	24.00	0.2512	Pass
6445	4.89	7.89	0.0062	24.00	0.2512	Pass
6485	4.16	7.16	0.0052	24.00	0.2512	Pass
6525	4.33	7.33	0.0054	24.00	0.2512	Pass
6565	3.58	6.58	0.0045	24.00	0.2512	Pass
6725	2.73	5.73	0.0037	24.00	0.2512	Pass
6845	3.78	6.78	0.0048	24.00	0.2512	Pass
6885	4.23	7.23	0.0053	24.00	0.2512	Pass
7005	4.22	7.22	0.0053	24.00	0.2512	Pass
7085	4.06	7.06	0.0051	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	5.04	8.04	0.0064	24.00	0.2512	Pass
6165	7.38	10.38	0.0109	24.00	0.2512	Pass
6405	7.17	10.17	0.0104	24.00	0.2512	Pass
6445	8.57	11.57	0.0144	24.00	0.2512	Pass
6485	7.23	10.23	0.0105	24.00	0.2512	Pass
6525	7.42	10.42	0.0110	24.00	0.2512	Pass
6565	6.75	9.75	0.0094	24.00	0.2512	Pass
6725	5.92	8.92	0.0078	24.00	0.2512	Pass
6845	6.62	9.62	0.0092	24.00	0.2512	Pass
6885	6.80	9.80	0.0095	24.00	0.2512	Pass
7005	7.39	10.39	0.0109	24.00	0.2512	Pass
7085	6.79	9.79	0.0095	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	5.66	8.66	0.0073	24.00	0.2512	Pass
6145	6.67	9.67	0.0093	24.00	0.2512	Pass
6385	7.05	10.05	0.0101	24.00	0.2512	Pass
6465	6.80	9.80	0.0095	24.00	0.2512	Pass
6545	6.79	9.79	0.0095	24.00	0.2512	Pass
6705	5.72	8.72	0.0074	24.00	0.2512	Pass
6865	5.79	8.79	0.0076	24.00	0.2512	Pass
6945	6.80	9.80	0.0095	24.00	0.2512	Pass
7025	6.95	9.95	0.0099	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	5.08	8.08	0.0064	24.00	0.2512	Pass
6145	6.59	9.59	0.0091	24.00	0.2512	Pass
6385	7.14	10.14	0.0103	24.00	0.2512	Pass
6465	6.62	9.62	0.0092	24.00	0.2512	Pass
6545	6.85	9.85	0.0097	24.00	0.2512	Pass
6705	5.60	8.60	0.0072	24.00	0.2512	Pass
6865	5.94	8.94	0.0078	24.00	0.2512	Pass
6945	6.24	9.24	0.0084	24.00	0.2512	Pass
7025	7.13	10.13	0.0103	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	8.39	11.39	0.0138	24.00	0.2512	Pass
6145	9.64	12.64	0.0184	24.00	0.2512	Pass
6385	10.11	13.11	0.0205	24.00	0.2512	Pass
6465	9.72	12.72	0.0187	24.00	0.2512	Pass
6545	9.83	12.83	0.0192	24.00	0.2512	Pass
6705	8.67	11.67	0.0147	24.00	0.2512	Pass
6865	8.88	11.88	0.0154	24.00	0.2512	Pass
6945	9.54	12.54	0.0179	24.00	0.2512	Pass
7025	10.05	13.05	0.0202	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	8.73	11.73	0.0149	24.00	0.2512	Pass
6185	9.64	12.64	0.0184	24.00	0.2512	Pass
6345	9.43	12.43	0.0175	24.00	0.2512	Pass
6505	9.40	12.40	0.0174	24.00	0.2512	Pass
6665	8.41	11.41	0.0138	24.00	0.2512	Pass
6825	8.86	11.86	0.0153	24.00	0.2512	Pass
6985	10.03	13.03	0.0201	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	8.76	11.76	0.0150	24.00	0.2512	Pass
6185	9.01	12.01	0.0159	24.00	0.2512	Pass
6345	9.24	12.24	0.0167	24.00	0.2512	Pass
6505	9.35	12.35	0.0172	24.00	0.2512	Pass
6665	8.56	11.56	0.0143	24.00	0.2512	Pass
6825	8.58	11.58	0.0144	24.00	0.2512	Pass
6985	10.32	13.32	0.0215	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE160)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	11.76	14.76	0.0299	24.00	0.2512	Pass
6185	12.35	15.35	0.0343	24.00	0.2512	Pass
6345	12.35	15.35	0.0343	24.00	0.2512	Pass
6505	12.39	15.39	0.0346	24.00	0.2512	Pass
6665	11.50	14.50	0.0282	24.00	0.2512	Pass
6825	11.73	14.73	0.0297	24.00	0.2512	Pass
6985	13.19	16.19	0.0416	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-4.38	-1.38	0.0007	24.00	0.2512	Pass
6175	1.36	4.36	0.0027	24.00	0.2512	Pass
6415	1.22	4.22	0.0026	24.00	0.2512	Pass
6435	1.36	4.36	0.0027	24.00	0.2512	Pass
6475	1.74	4.74	0.0030	24.00	0.2512	Pass
6515	0.84	3.84	0.0024	24.00	0.2512	Pass
6535	0.66	3.66	0.0023	24.00	0.2512	Pass
6695	-0.84	2.16	0.0016	24.00	0.2512	Pass
6855	0.05	3.05	0.0020	24.00	0.2512	Pass
6875	-0.06	2.94	0.0020	24.00	0.2512	Pass
6995	0.63	3.63	0.0023	24.00	0.2512	Pass
7095	1.49	4.49	0.0028	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-4.79	-1.79	0.0007	24.00	0.2512	Pass
6175	1.48	4.48	0.0028	24.00	0.2512	Pass
6415	1.49	4.49	0.0028	24.00	0.2512	Pass
6435	1.28	4.28	0.0027	24.00	0.2512	Pass
6475	1.34	4.34	0.0027	24.00	0.2512	Pass
6515	1.22	4.22	0.0026	24.00	0.2512	Pass
6535	0.41	3.41	0.0022	24.00	0.2512	Pass
6695	-1.06	1.94	0.0016	24.00	0.2512	Pass
6855	0.22	3.22	0.0021	24.00	0.2512	Pass
6875	-0.33	2.67	0.0018	24.00	0.2512	Pass
6995	1.38	4.38	0.0027	24.00	0.2512	Pass
7095	1.69	4.69	0.0029	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-1.57	1.43	0.0014	24.00	0.2512	Pass
6175	4.43	7.43	0.0055	24.00	0.2512	Pass
6415	4.37	7.37	0.0055	24.00	0.2512	Pass
6435	4.33	7.33	0.0054	24.00	0.2512	Pass
6475	4.55	7.55	0.0057	24.00	0.2512	Pass
6515	4.04	7.04	0.0051	24.00	0.2512	Pass
6535	3.55	6.55	0.0045	24.00	0.2512	Pass
6695	2.06	5.06	0.0032	24.00	0.2512	Pass
6855	3.15	6.15	0.0041	24.00	0.2512	Pass
6875	2.82	5.82	0.0038	24.00	0.2512	Pass
6995	4.03	7.03	0.0050	24.00	0.2512	Pass
7095	4.60	7.60	0.0058	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	3.43	6.43	0.0044	24.00	0.2512	Pass
6165	4.08	7.08	0.0051	24.00	0.2512	Pass
6405	3.74	6.74	0.0047	24.00	0.2512	Pass
6445	4.35	7.35	0.0054	24.00	0.2512	Pass
6485	4.08	7.08	0.0051	24.00	0.2512	Pass
6525	4.25	7.25	0.0053	24.00	0.2512	Pass
6565	3.15	6.15	0.0041	24.00	0.2512	Pass
6725	2.98	5.98	0.0040	24.00	0.2512	Pass
6845	2.93	5.93	0.0039	24.00	0.2512	Pass
6885	3.45	6.45	0.0044	24.00	0.2512	Pass
7005	4.95	7.95	0.0062	24.00	0.2512	Pass
7085	4.15	7.15	0.0052	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	2.63	5.63	0.0037	24.00	0.2512	Pass
6165	3.65	6.65	0.0046	24.00	0.2512	Pass
6405	3.93	6.93	0.0049	24.00	0.2512	Pass
6445	4.08	7.08	0.0051	24.00	0.2512	Pass
6485	3.75	6.75	0.0047	24.00	0.2512	Pass
6525	4.28	7.28	0.0053	24.00	0.2512	Pass
6565	3.22	6.22	0.0042	24.00	0.2512	Pass
6725	3.34	6.34	0.0043	24.00	0.2512	Pass
6845	2.75	5.75	0.0038	24.00	0.2512	Pass
6885	4.08	7.08	0.0051	24.00	0.2512	Pass
7005	4.77	7.77	0.0060	24.00	0.2512	Pass
7085	4.44	7.44	0.0055	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	6.06	9.06	0.0081	24.00	0.2512	Pass
6165	6.88	9.88	0.0097	24.00	0.2512	Pass
6405	6.85	9.85	0.0097	24.00	0.2512	Pass
6445	7.23	10.23	0.0105	24.00	0.2512	Pass
6485	6.93	9.93	0.0098	24.00	0.2512	Pass
6525	7.28	10.28	0.0107	24.00	0.2512	Pass
6565	6.20	9.20	0.0083	24.00	0.2512	Pass
6725	6.17	9.17	0.0083	24.00	0.2512	Pass
6845	5.85	8.85	0.0077	24.00	0.2512	Pass
6885	6.79	9.79	0.0095	24.00	0.2512	Pass
7005	7.87	10.87	0.0122	24.00	0.2512	Pass
7085	7.31	10.31	0.0107	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	6.41	9.41	0.0087	24.00	0.2512	Pass
6145	7.56	10.56	0.0114	24.00	0.2512	Pass
6385	6.62	9.62	0.0092	24.00	0.2512	Pass
6465	7.06	10.06	0.0101	24.00	0.2512	Pass
6545	6.28	9.28	0.0085	24.00	0.2512	Pass
6705	5.69	8.69	0.0074	24.00	0.2512	Pass
6865	5.74	8.74	0.0075	24.00	0.2512	Pass
6945	6.30	9.30	0.0085	24.00	0.2512	Pass
7025	6.56	9.56	0.0090	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	5.78	8.78	0.0076	24.00	0.2512	Pass
6145	7.38	10.38	0.0109	24.00	0.2512	Pass
6385	6.79	9.79	0.0095	24.00	0.2512	Pass
6465	6.69	9.69	0.0093	24.00	0.2512	Pass
6545	6.31	9.31	0.0085	24.00	0.2512	Pass
6705	5.46	8.46	0.0070	24.00	0.2512	Pass
6865	5.82	8.82	0.0076	24.00	0.2512	Pass
6945	6.23	9.23	0.0084	24.00	0.2512	Pass
7025	6.34	9.34	0.0086	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	9.12	12.12	0.0163	24.00	0.2512	Pass
6145	10.48	13.48	0.0223	24.00	0.2512	Pass
6385	9.72	12.72	0.0187	24.00	0.2512	Pass
6465	9.89	12.89	0.0195	24.00	0.2512	Pass
6545	9.31	12.31	0.0170	24.00	0.2512	Pass
6705	8.59	11.59	0.0144	24.00	0.2512	Pass
6865	8.79	11.79	0.0151	24.00	0.2512	Pass
6945	9.28	12.28	0.0169	24.00	0.2512	Pass
7025	9.46	12.46	0.0176	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	8.73	11.73	0.0149	24.00	0.2512	Pass
6185	9.20	12.20	0.0166	24.00	0.2512	Pass
6345	9.23	12.23	0.0167	24.00	0.2512	Pass
6505	9.31	12.31	0.0170	24.00	0.2512	Pass
6665	9.20	12.20	0.0166	24.00	0.2512	Pass
6825	8.66	11.66	0.0147	24.00	0.2512	Pass
6985	9.86	12.86	0.0193	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	8.86	11.86	0.0153	24.00	0.2512	Pass
6185	8.81	11.81	0.0152	24.00	0.2512	Pass
6345	9.46	12.46	0.0176	24.00	0.2512	Pass
6505	9.73	12.73	0.0187	24.00	0.2512	Pass
6665	8.91	11.91	0.0155	24.00	0.2512	Pass
6825	8.50	11.50	0.0141	24.00	0.2512	Pass
6985	10.20	13.20	0.0209	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	11.81	14.81	0.0303	24.00	0.2512	Pass
6185	12.02	15.02	0.0318	24.00	0.2512	Pass
6345	12.36	15.36	0.0344	24.00	0.2512	Pass
6505	12.54	15.54	0.0358	24.00	0.2512	Pass
6665	12.07	15.07	0.0321	24.00	0.2512	Pass
6825	11.59	14.59	0.0288	24.00	0.2512	Pass
6985	13.04	16.04	0.0402	24.00	0.2512	Pass

Note:

- 1) Conducted power = Measure result + Cable loss + Duty factor
- 2) e.i.r.p. includes directional gain, refer to note 3 in section 3.1 for directional gain.

NSS2

Test Mode	IEEE 802.11ax(HE20)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	3.06	6.06	0.0040	24.00	0.2512	Pass
6175	4.26	7.26	0.0053	24.00	0.2512	Pass
6415	4.23	7.23	0.0053	24.00	0.2512	Pass
6435	4.33	7.33	0.0054	24.00	0.2512	Pass
6475	4.86	7.86	0.0061	24.00	0.2512	Pass
6515	3.33	6.33	0.0043	24.00	0.2512	Pass
6535	4.11	7.11	0.0051	24.00	0.2512	Pass
6695	2.94	5.94	0.0039	24.00	0.2512	Pass
6855	3.53	6.53	0.0045	24.00	0.2512	Pass
6875	3.78	6.78	0.0048	24.00	0.2512	Pass
6995	5.09	8.09	0.0064	24.00	0.2512	Pass
7095	4.13	7.13	0.0052	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE20)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	3.63	6.63	0.0046	24.00	0.2512	Pass
6175	4.33	7.33	0.0054	24.00	0.2512	Pass
6415	4.56	7.56	0.0057	24.00	0.2512	Pass
6435	4.65	7.65	0.0058	24.00	0.2512	Pass
6475	4.59	7.59	0.0057	24.00	0.2512	Pass
6515	3.67	6.67	0.0046	24.00	0.2512	Pass
6535	3.99	6.99	0.0050	24.00	0.2512	Pass
6695	3.15	6.15	0.0041	24.00	0.2512	Pass
6855	3.72	6.72	0.0047	24.00	0.2512	Pass
6875	4.86	7.86	0.0061	24.00	0.2512	Pass
6995	5.36	8.36	0.0069	24.00	0.2512	Pass
7095	4.08	7.08	0.0051	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE20)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	6.36	9.36	0.0086	24.00	0.2512	Pass
6175	7.31	10.31	0.0107	24.00	0.2512	Pass
6415	7.41	10.41	0.0110	24.00	0.2512	Pass
6435	7.50	10.50	0.0112	24.00	0.2512	Pass
6475	7.74	10.74	0.0119	24.00	0.2512	Pass
6515	6.51	9.51	0.0089	24.00	0.2512	Pass
6535	7.06	10.06	0.0101	24.00	0.2512	Pass
6695	6.06	9.06	0.0081	24.00	0.2512	Pass
6855	6.64	9.64	0.0092	24.00	0.2512	Pass
6875	7.36	10.36	0.0109	24.00	0.2512	Pass
6995	8.24	11.24	0.0133	24.00	0.2512	Pass
7095	7.12	10.12	0.0103	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	6.74	9.74	0.0094	24.00	0.2512	Pass
6165	7.57	10.57	0.0114	24.00	0.2512	Pass
6405	7.23	10.23	0.0105	24.00	0.2512	Pass
6445	8.84	11.84	0.0153	24.00	0.2512	Pass
6485	8.02	11.02	0.0126	24.00	0.2512	Pass
6525	7.35	10.35	0.0108	24.00	0.2512	Pass
6565	7.28	10.28	0.0107	24.00	0.2512	Pass
6725	6.06	9.06	0.0081	24.00	0.2512	Pass
6845	6.45	9.45	0.0088	24.00	0.2512	Pass
6885	6.87	9.87	0.0097	24.00	0.2512	Pass
7005	7.96	10.96	0.0125	24.00	0.2512	Pass
7085	6.49	9.49	0.0089	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	6.03	9.03	0.0080	24.00	0.2512	Pass
6165	7.34	10.34	0.0108	24.00	0.2512	Pass
6405	7.61	10.61	0.0115	24.00	0.2512	Pass
6445	8.16	11.16	0.0131	24.00	0.2512	Pass
6485	7.89	10.89	0.0123	24.00	0.2512	Pass
6525	7.46	10.46	0.0111	24.00	0.2512	Pass
6565	7.05	10.05	0.0101	24.00	0.2512	Pass
6725	6.14	9.14	0.0082	24.00	0.2512	Pass
6845	6.53	9.53	0.0090	24.00	0.2512	Pass
6885	7.44	10.44	0.0111	24.00	0.2512	Pass
7005	7.73	10.73	0.0118	24.00	0.2512	Pass
7085	6.76	9.76	0.0095	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	9.41	12.41	0.0174	24.00	0.2512	Pass
6165	10.47	13.47	0.0222	24.00	0.2512	Pass
6405	10.43	13.43	0.0220	24.00	0.2512	Pass
6445	11.52	14.52	0.0283	24.00	0.2512	Pass
6485	10.97	13.97	0.0249	24.00	0.2512	Pass
6525	10.42	13.42	0.0220	24.00	0.2512	Pass
6565	10.18	13.18	0.0208	24.00	0.2512	Pass
6725	9.11	12.11	0.0163	24.00	0.2512	Pass
6845	9.50	12.50	0.0178	24.00	0.2512	Pass
6885	10.17	13.17	0.0207	24.00	0.2512	Pass
7005	10.86	13.86	0.0243	24.00	0.2512	Pass
7085	9.64	12.64	0.0184	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	8.96	11.96	0.0157	24.00	0.2512	Pass
6145	9.88	12.88	0.0194	24.00	0.2512	Pass
6385	10.24	13.24	0.0211	24.00	0.2512	Pass
6465	10.19	13.19	0.0208	24.00	0.2512	Pass
6545	9.84	12.84	0.0192	24.00	0.2512	Pass
6705	8.86	11.86	0.0153	24.00	0.2512	Pass
6865	8.73	11.73	0.0149	24.00	0.2512	Pass
6945	9.42	12.42	0.0175	24.00	0.2512	Pass
7025	10.42	13.42	0.0220	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	8.48	11.48	0.0141	24.00	0.2512	Pass
6145	9.79	12.79	0.0190	24.00	0.2512	Pass
6385	11.05	14.05	0.0254	24.00	0.2512	Pass
6465	10.46	13.46	0.0222	24.00	0.2512	Pass
6545	9.96	12.96	0.0198	24.00	0.2512	Pass
6705	8.62	11.62	0.0145	24.00	0.2512	Pass
6865	9.10	12.10	0.0162	24.00	0.2512	Pass
6945	9.17	12.17	0.0165	24.00	0.2512	Pass
7025	10.25	13.25	0.0211	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	11.74	14.74	0.0298	24.00	0.2512	Pass
6145	12.85	15.85	0.0385	24.00	0.2512	Pass
6385	13.67	16.67	0.0465	24.00	0.2512	Pass
6465	13.34	16.34	0.0431	24.00	0.2512	Pass
6545	12.91	15.91	0.0390	24.00	0.2512	Pass
6705	11.75	14.75	0.0299	24.00	0.2512	Pass
6865	11.93	14.93	0.0311	24.00	0.2512	Pass
6945	12.31	15.31	0.0340	24.00	0.2512	Pass
7025	13.35	16.35	0.0432	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	11.69	14.69	0.0294	24.00	0.2512	Pass
6185	11.60	14.60	0.0288	24.00	0.2512	Pass
6345	13.03	16.03	0.0401	24.00	0.2512	Pass
6505	13.05	16.05	0.0403	24.00	0.2512	Pass
6665	12.22	15.22	0.0333	24.00	0.2512	Pass
6825	12.23	15.23	0.0333	24.00	0.2512	Pass
6985	12.71	15.71	0.0372	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE160)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	11.76	14.76	0.0299	24.00	0.2512	Pass
6185	11.42	14.42	0.0277	24.00	0.2512	Pass
6345	12.70	15.70	0.0372	24.00	0.2512	Pass
6505	12.78	15.78	0.0378	24.00	0.2512	Pass
6665	12.11	15.11	0.0324	24.00	0.2512	Pass
6825	12.03	15.03	0.0318	24.00	0.2512	Pass
6985	13.02	16.02	0.0400	24.00	0.2512	Pass

Test Mode	IEEE 802.11ax(HE160)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	14.74	17.74	0.0594	24.00	0.2512	Pass
6185	14.52	17.52	0.0565	24.00	0.2512	Pass
6345	15.88	18.88	0.0773	24.00	0.2512	Pass
6505	15.93	18.93	0.0782	24.00	0.2512	Pass
6665	15.18	18.18	0.0658	24.00	0.2512	Pass
6825	15.14	18.14	0.0652	24.00	0.2512	Pass
6985	15.88	18.88	0.0773	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	2.73	5.73	0.0037	24.00	0.2512	Pass
6175	3.67	6.67	0.0046	24.00	0.2512	Pass
6415	4.13	7.13	0.0052	24.00	0.2512	Pass
6435	4.63	7.63	0.0058	24.00	0.2512	Pass
6475	5.34	8.34	0.0068	24.00	0.2512	Pass
6515	4.26	7.26	0.0053	24.00	0.2512	Pass
6535	4.63	7.63	0.0058	24.00	0.2512	Pass
6695	3.18	6.18	0.0041	24.00	0.2512	Pass
6855	3.25	6.25	0.0042	24.00	0.2512	Pass
6875	4.08	7.08	0.0051	24.00	0.2512	Pass
6995	4.46	7.46	0.0056	24.00	0.2512	Pass
7095	3.52	6.52	0.0045	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	3.62	6.62	0.0046	24.00	0.2512	Pass
6175	3.78	6.78	0.0048	24.00	0.2512	Pass
6415	4.69	7.69	0.0059	24.00	0.2512	Pass
6435	4.71	7.71	0.0059	24.00	0.2512	Pass
6475	4.99	7.99	0.0063	24.00	0.2512	Pass
6515	4.46	7.46	0.0056	24.00	0.2512	Pass
6535	4.24	7.24	0.0053	24.00	0.2512	Pass
6695	3.06	6.06	0.0040	24.00	0.2512	Pass
6855	3.13	6.13	0.0041	24.00	0.2512	Pass
6875	3.52	6.52	0.0045	24.00	0.2512	Pass
6995	4.95	7.95	0.0062	24.00	0.2512	Pass
7095	3.64	6.64	0.0046	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	6.21	9.21	0.0083	24.00	0.2512	Pass
6175	6.74	9.74	0.0094	24.00	0.2512	Pass
6415	7.43	10.43	0.0110	24.00	0.2512	Pass
6435	7.68	10.68	0.0117	24.00	0.2512	Pass
6475	8.18	11.18	0.0131	24.00	0.2512	Pass
6515	7.37	10.37	0.0109	24.00	0.2512	Pass
6535	7.45	10.45	0.0111	24.00	0.2512	Pass
6695	6.13	9.13	0.0082	24.00	0.2512	Pass
6855	6.20	9.20	0.0083	24.00	0.2512	Pass
6875	6.82	9.82	0.0096	24.00	0.2512	Pass
6995	7.72	10.72	0.0118	24.00	0.2512	Pass
7095	6.59	9.59	0.0091	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	5.62	8.62	0.0073	24.00	0.2512	Pass
6165	6.42	9.42	0.0087	24.00	0.2512	Pass
6405	7.24	10.24	0.0106	24.00	0.2512	Pass
6445	7.75	10.75	0.0119	24.00	0.2512	Pass
6485	7.12	10.12	0.0103	24.00	0.2512	Pass
6525	7.21	10.21	0.0105	24.00	0.2512	Pass
6565	7.44	10.44	0.0111	24.00	0.2512	Pass
6725	5.95	8.95	0.0079	24.00	0.2512	Pass
6845	5.72	8.72	0.0074	24.00	0.2512	Pass
6885	6.21	9.21	0.0083	24.00	0.2512	Pass
7005	7.57	10.57	0.0114	24.00	0.2512	Pass
7085	6.44	9.44	0.0088	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	5.15	8.15	0.0065	24.00	0.2512	Pass
6165	5.93	8.93	0.0078	24.00	0.2512	Pass
6405	7.76	10.76	0.0119	24.00	0.2512	Pass
6445	7.20	10.20	0.0105	24.00	0.2512	Pass
6485	6.94	9.94	0.0099	24.00	0.2512	Pass
6525	7.32	10.32	0.0108	24.00	0.2512	Pass
6565	7.08	10.08	0.0102	24.00	0.2512	Pass
6725	6.40	9.40	0.0087	24.00	0.2512	Pass
6845	5.66	8.66	0.0073	24.00	0.2512	Pass
6885	7.11	10.11	0.0103	24.00	0.2512	Pass
7005	7.25	10.25	0.0106	24.00	0.2512	Pass
7085	6.78	9.78	0.0095	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	8.40	11.40	0.0138	24.00	0.2512	Pass
6165	9.19	12.19	0.0166	24.00	0.2512	Pass
6405	10.52	13.52	0.0225	24.00	0.2512	Pass
6445	10.49	13.49	0.0223	24.00	0.2512	Pass
6485	10.04	13.04	0.0201	24.00	0.2512	Pass
6525	10.28	13.28	0.0213	24.00	0.2512	Pass
6565	10.27	13.27	0.0212	24.00	0.2512	Pass
6725	9.19	12.19	0.0166	24.00	0.2512	Pass
6845	8.70	11.70	0.0148	24.00	0.2512	Pass
6885	9.69	12.69	0.0186	24.00	0.2512	Pass
7005	10.42	13.42	0.0220	24.00	0.2512	Pass
7085	9.62	12.62	0.0183	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	8.76	11.76	0.0150	24.00	0.2512	Pass
6145	9.24	12.24	0.0167	24.00	0.2512	Pass
6385	9.87	12.87	0.0194	24.00	0.2512	Pass
6465	10.15	13.15	0.0207	24.00	0.2512	Pass
6545	9.82	12.82	0.0191	24.00	0.2512	Pass
6705	8.63	11.63	0.0146	24.00	0.2512	Pass
6865	8.28	11.28	0.0134	24.00	0.2512	Pass
6945	9.32	12.32	0.0171	24.00	0.2512	Pass
7025	9.49	12.49	0.0177	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	8.50	11.50	0.0141	24.00	0.2512	Pass
6145	9.29	12.29	0.0169	24.00	0.2512	Pass
6385	10.43	13.43	0.0220	24.00	0.2512	Pass
6465	10.02	13.02	0.0200	24.00	0.2512	Pass
6545	9.97	12.97	0.0198	24.00	0.2512	Pass
6705	8.46	11.46	0.0140	24.00	0.2512	Pass
6865	8.34	11.34	0.0136	24.00	0.2512	Pass
6945	9.14	12.14	0.0164	24.00	0.2512	Pass
7025	9.30	12.30	0.0170	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	11.64	14.64	0.0291	24.00	0.2512	Pass
6145	12.28	15.28	0.0337	24.00	0.2512	Pass
6385	13.17	16.17	0.0414	24.00	0.2512	Pass
6465	13.10	16.10	0.0407	24.00	0.2512	Pass
6545	12.91	15.91	0.0390	24.00	0.2512	Pass
6705	11.56	14.56	0.0286	24.00	0.2512	Pass
6865	11.32	14.32	0.0270	24.00	0.2512	Pass
6945	12.24	15.24	0.0334	24.00	0.2512	Pass
7025	12.41	15.41	0.0348	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	11.41	14.41	0.0276	24.00	0.2512	Pass
6185	11.74	14.74	0.0298	24.00	0.2512	Pass
6345	12.80	15.80	0.0380	24.00	0.2512	Pass
6505	13.03	16.03	0.0401	24.00	0.2512	Pass
6665	11.96	14.96	0.0313	24.00	0.2512	Pass
6825	12.40	15.40	0.0347	24.00	0.2512	Pass
6985	12.81	15.81	0.0381	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	11.53	14.53	0.0284	24.00	0.2512	Pass
6185	11.32	14.32	0.0270	24.00	0.2512	Pass
6345	12.68	15.68	0.0370	24.00	0.2512	Pass
6505	12.94	15.94	0.0393	24.00	0.2512	Pass
6665	11.70	14.70	0.0295	24.00	0.2512	Pass
6825	12.02	15.02	0.0318	24.00	0.2512	Pass
6985	13.03	16.03	0.0401	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	14.48	17.48	0.0560	24.00	0.2512	Pass
6185	14.55	17.55	0.0569	24.00	0.2512	Pass
6345	15.75	18.75	0.0750	24.00	0.2512	Pass
6505	16.00	19.00	0.0794	24.00	0.2512	Pass
6665	14.84	17.84	0.0608	24.00	0.2512	Pass
6825	15.22	18.22	0.0664	24.00	0.2512	Pass
6985	15.93	18.93	0.0782	24.00	0.2512	Pass

Note:

- 1) Conducted power = Measure result + Cable loss + Duty factor
- 2) e.i.r.p. includes directional gain, refer to note 3 in section 3.1 for directional gain.

APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)