

Appendix Test Data

|                  |                  |                    |             |
|------------------|------------------|--------------------|-------------|
| Report No.:      | 182513C400039101 | Test Sample No.:   | 1-2-2       |
| Start Test Date: | 2024.7.3         | Finish Test Date:  | 2024.7.26   |
| Test Engineer:   | Joker Wang       | Auditor:           | Justin Feng |
| Temperature:     | 25.5℃            | Relative Humidity: | 47%         |
| Pressure:        | 101kPa           |                    |             |


Appendix A: 20dB Bandwidth

Test Result

| TestMode | Antenna | Frequency[MHz] | 20db EBW [MHz] | FL[MHz]  | FH[MHz]  | Limit[MHz] | Verdict |
|----------|---------|----------------|----------------|----------|----------|------------|---------|
| DH5      | Ant1    | 2402           | 0.816          | 2401.592 | 2402.408 | ---        | ---     |
| DH5      | Ant1    | 2441           | 0.846          | 2440.565 | 2441.411 | ---        | ---     |
| DH5      | Ant1    | 2480           | 0.846          | 2479.562 | 2480.408 | ---        | ---     |
| 2DH5     | Ant1    | 2402           | 1.284          | 2401.361 | 2402.645 | ---        | ---     |
| 2DH5     | Ant1    | 2441           | 1.293          | 2440.358 | 2441.651 | ---        | ---     |
| 2DH5     | Ant1    | 2480           | 1.257          | 2479.382 | 2480.639 | ---        | ---     |
| 3DH5     | Ant1    | 2402           | 1.302          | 2401.337 | 2402.639 | ---        | ---     |
| 3DH5     | Ant1    | 2441           | 1.302          | 2440.343 | 2441.645 | ---        | ---     |
| 3DH5     | Ant1    | 2480           | 1.302          | 2479.343 | 2480.645 | ---        | ---     |



## Test Graphs



DH5-Ant1-2402



DH5-Ant1-2441



DH5-Ant1-2480

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500  
www.anbotek.com.cn






2DH5-Ant1-2402



2DH5-Ant1-2441




2DH5-Ant1-2480

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






3DH5-Ant1-2402



3DH5-Ant1-2441



3DH5-Ant1-2480

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn



## Appendix B: 99% Occupied Bandwidth

### Test Result

| TestMode | Antenna | Frequency[MHz] | OCB<br>[MHz] | FL[MHz]   | FH[MHz]   | Limit[MHz] | Verdict |
|----------|---------|----------------|--------------|-----------|-----------|------------|---------|
| DH5      | Ant1    | 2402           | 0.75057      | 2401.6231 | 2402.3737 | ---        | ---     |
| DH5      | Ant1    | 2441           | 0.74898      | 2440.6252 | 2441.3742 | ---        | ---     |
| DH5      | Ant1    | 2480           | 0.75973      | 2479.6193 | 2480.3791 | ---        | ---     |
| 2DH5     | Ant1    | 2402           | 1.1699       | 2401.4086 | 2402.5785 | ---        | ---     |
| 2DH5     | Ant1    | 2441           | 1.1716       | 2440.4074 | 2441.5790 | ---        | ---     |
| 2DH5     | Ant1    | 2480           | 1.1742       | 2479.4051 | 2480.5793 | ---        | ---     |
| 3DH5     | Ant1    | 2402           | 1.1736       | 2401.4084 | 2402.5820 | ---        | ---     |
| 3DH5     | Ant1    | 2441           | 1.1680       | 2440.4124 | 2441.5804 | ---        | ---     |
| 3DH5     | Ant1    | 2480           | 1.1640       | 2479.4149 | 2480.5789 | ---        | ---     |




## Test Graphs



DH5-Ant1-2402



DH5-Ant1-2441



DH5-Ant1-2480

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com.cn





2DH5-Ant1-2402



2DH5-Ant1-2441



2DH5-Ant1-2480

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com.cn





3DH5-Ant1-2402



3DH5-Ant1-2441



3DH5-Ant1-2480

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500  
www.anbotek.com.cn



## Appendix C: Maximum Conducted Output Power

### Test Result Peak

| Test Mode | Antenna | Frequency[MHz] | Conducted Peak Power[dBm] | Conducted Limit[dBm] | Verdict |
|-----------|---------|----------------|---------------------------|----------------------|---------|
| DH5       | Ant1    | 2402           | 1.04                      | ≤20.97               | PASS    |
| DH5       | Ant1    | 2441           | 1.13                      | ≤20.97               | PASS    |
| DH5       | Ant1    | 2480           | <b>1.62</b>               | ≤20.97               | PASS    |
| 2DH5      | Ant1    | 2402           | 0.41                      | ≤20.97               | PASS    |
| 2DH5      | Ant1    | 2441           | 0.47                      | ≤20.97               | PASS    |
| 2DH5      | Ant1    | 2480           | 0.95                      | ≤20.97               | PASS    |
| 3DH5      | Ant1    | 2402           | 0.30                      | ≤20.97               | PASS    |
| 3DH5      | Ant1    | 2441           | 0.36                      | ≤20.97               | PASS    |
| 3DH5      | Ant1    | 2480           | 0.84                      | ≤20.97               | PASS    |



## Test Graphs



DH5-Ant1-2402-PASS



DH5-Ant1-2441-PASS



DH5-Ant1-2480-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com.cn





2DH5-Ant1-2402-PASS



2DH5-Ant1-2441-PASS



2DH5-Ant1-2480-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn





3DH5-Ant1-2402-PASS



3DH5-Ant1-2441-PASS



3DH5-Ant1-2480-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,  
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com.cn



## Appendix D: Carrier frequency separation

### Test Result


| TestMode | Antenna | Frequency[MHz] | Result[MHz] | Limit[MHz]   | Verdict |
|----------|---------|----------------|-------------|--------------|---------|
| DH5      | Ant1    | Hop            | 1.04        | $\geq 0.564$ | PASS    |
| 2DH5     | Ant1    | Hop            | 1.304       | $\geq 0.862$ | PASS    |
| 3DH5     | Ant1    | Hop            | 1.018       | $\geq 0.868$ | PASS    |



## Test Graphs



DH5-Ant1-Hop-PASS



2DH5-Ant1-Hop-PASS



3DH5-Ant1-Hop-PASS

**Shenzhen Anbotek Compliance Laboratory Limited**

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,  
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500  
www.anbotek.com.cn




## Appendix E: Dwell Time

### Test Result

| TestMode | Antenna | Frequency[MHz] | BurstWidth<br>[ms] | TotalHops<br>[Num] | Result[s] | Limit[s] | Verdict |
|----------|---------|----------------|--------------------|--------------------|-----------|----------|---------|
| DH1      | Ant1    | Hop            | 0.374              | 313                | 0.117     | ≤0.4     | PASS    |
| DH3      | Ant1    | Hop            | 1.630              | 158                | 0.258     | ≤0.4     | PASS    |
| DH5      | Ant1    | Hop            | 2.878              | 112                | 0.322     | ≤0.4     | PASS    |
| 2DH1     | Ant1    | Hop            | 0.381              | 314                | 0.12      | ≤0.4     | PASS    |
| 2DH3     | Ant1    | Hop            | 1.634              | 159                | 0.26      | ≤0.4     | PASS    |
| 2DH5     | Ant1    | Hop            | 2.882              | 106                | 0.305     | ≤0.4     | PASS    |
| 3DH1     | Ant1    | Hop            | 0.381              | 314                | 0.12      | ≤0.4     | PASS    |
| 3DH3     | Ant1    | Hop            | 1.633              | 159                | 0.26      | ≤0.4     | PASS    |
| 3DH5     | Ant1    | Hop            | 2.884              | 108                | 0.311     | ≤0.4     | PASS    |



## Test Graphs





## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





## DH5-Ant1-Hop-PASS




## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,  
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





2DH1-Ant1-Hop-PASS





2DH3-Ant1-Hop-PASS

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline 400-003-0500  
www.anbotek.com.cn





## 2DH5-Ant1-Hop-PASS




## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com





Hotline  
400-003-0500  
www.anbotek.com.cn





3DH1-Ant1-Hop-PASS



3DH3-Ant1-Hop-PASS



## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn





## 3DH5-Ant1-Hop-PASS



## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline  
400-003-0500  
www.anbotek.com.cn




## Appendix F: Number of Hopping Channel

### Test Result


| TestMode | Antenna | Frequency[MHz] | Result[Num] | Limit[Num] | Verdict |
|----------|---------|----------------|-------------|------------|---------|
| DH5      | Ant1    | Hop            | 79          | ≥15        | PASS    |
| 2DH5     | Ant1    | Hop            | 79          | ≥15        | PASS    |
| 3DH5     | Ant1    | Hop            | 79          | ≥15        | PASS    |




## Test Graphs



DH5-Ant1-Hop-PASS



2DH5-Ant1-Hop-PASS



3DH5-Ant1-Hop-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com.cn




## Appendix G: Conducted Band edge

### Test Result

| TestMode | Antenna | ChName | Frequency[MHz] | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|--------|----------------|----------------|--------------|-------------|---------|
| DH5      | Ant1    | Low    | 2402           | -0.43          | -53.9        | ≤-20.43     | PASS    |
| DH5      | Ant1    | High   | 2480           | -0.66          | -53.23       | ≤-20.66     | PASS    |
| DH5      | Ant1    | Low    | Hop_2402       | 0.00           | -53.04       | ≤-20        | PASS    |
| DH5      | Ant1    | High   | Hop_2480       | -0.33          | -52.56       | ≤-20.33     | PASS    |
| 2DH5     | Ant1    | Low    | 2402           | -0.29          | -56.72       | ≤-20.29     | PASS    |
| 2DH5     | Ant1    | High   | 2480           | 0.15           | -56.04       | ≤-19.85     | PASS    |
| 2DH5     | Ant1    | Low    | Hop_2402       | 0.07           | -56.2        | ≤-19.93     | PASS    |
| 2DH5     | Ant1    | High   | Hop_2480       | -1.07          | -55.59       | ≤-21.07     | PASS    |
| 3DH5     | Ant1    | Low    | 2402           | -2.09          | -57.24       | ≤-22.09     | PASS    |
| 3DH5     | Ant1    | High   | 2480           | -1.50          | -55.94       | ≤-21.5      | PASS    |
| 3DH5     | Ant1    | Low    | Hop_2402       | -1.09          | -56.07       | ≤-21.09     | PASS    |
| 3DH5     | Ant1    | High   | Hop_2480       | 0.47           | -55.27       | ≤-19.54     | PASS    |



## Test Graphs



## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com.cn






DH5-Ant1-Hop\_2480-PASS



2DH5-Ant1-2402-PASS




2DH5-Ant1-2480-PASS

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline: 400-003-0500  
www.anbotek.com.cn






2DH5-Ant1-Hop\_2402-PASS



2DH5-Ant1-Hop\_2480-PASS




3DH5-Ant1-2402-PASS

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






3DH5-Ant1-2480-PASS



3DH5-Ant1-Hop\_2402-PASS



3DH5-Ant1-Hop\_2480-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn



## Appendix H: Conducted Spurious Emission

### Test Result

| TestMode | Antenna | Frequency[MHz] | FreqRange [MHz] | RefLevel [dBm] | Result [dBm] | Limit [dBm] | Verdict |
|----------|---------|----------------|-----------------|----------------|--------------|-------------|---------|
| DH5      | Ant1    | 2402           | 0~Reference     | -0.07          | -0.07        | ---         | PASS    |
| DH5      | Ant1    | 2402           | 30~1000         | -0.07          | -65.18       | ≤-20.07     | PASS    |
| DH5      | Ant1    | 2402           | 1000~26500      | -0.07          | -49.16       | ≤-20.07     | PASS    |
| DH5      | Ant1    | 2441           | 0~Reference     | 0.35           | 0.35         | ---         | PASS    |
| DH5      | Ant1    | 2441           | 30~1000         | 0.35           | -64.7        | ≤-19.65     | PASS    |
| DH5      | Ant1    | 2441           | 1000~26500      | 0.35           | -49.6        | ≤-19.65     | PASS    |
| DH5      | Ant1    | 2480           | 0~Reference     | -0.92          | -0.92        | ---         | PASS    |
| DH5      | Ant1    | 2480           | 30~1000         | -0.92          | -65.04       | ≤-20.92     | PASS    |
| DH5      | Ant1    | 2480           | 1000~26500      | -0.92          | -49.09       | ≤-20.92     | PASS    |
| 2DH5     | Ant1    | 2402           | 0~Reference     | -4.45          | -4.45        | ---         | PASS    |
| 2DH5     | Ant1    | 2402           | 30~1000         | -4.45          | -68.53       | ≤-24.45     | PASS    |
| 2DH5     | Ant1    | 2402           | 1000~26500      | -4.45          | -51.32       | ≤-24.45     | PASS    |
| 2DH5     | Ant1    | 2441           | 0~Reference     | 0.00           | 0.00         | ---         | PASS    |
| 2DH5     | Ant1    | 2441           | 30~1000         | 0.00           | -68.17       | ≤-20        | PASS    |
| 2DH5     | Ant1    | 2441           | 1000~26500      | 0.00           | -52.72       | ≤-20        | PASS    |
| 2DH5     | Ant1    | 2480           | 0~Reference     | -0.36          | -0.36        | ---         | PASS    |
| 2DH5     | Ant1    | 2480           | 30~1000         | -0.36          | -68.81       | ≤-20.36     | PASS    |
| 2DH5     | Ant1    | 2480           | 1000~26500      | -0.36          | -53.81       | ≤-20.36     | PASS    |
| 3DH5     | Ant1    | 2402           | 0~Reference     | -0.78          | -0.78        | ---         | PASS    |
| 3DH5     | Ant1    | 2402           | 30~1000         | -0.78          | -67.3        | ≤-20.78     | PASS    |
| 3DH5     | Ant1    | 2402           | 1000~26500      | -0.78          | -53.97       | ≤-20.78     | PASS    |
| 3DH5     | Ant1    | 2441           | 0~Reference     | -4.56          | -4.56        | ---         | PASS    |
| 3DH5     | Ant1    | 2441           | 30~1000         | -4.56          | -68.34       | ≤-24.56     | PASS    |
| 3DH5     | Ant1    | 2441           | 1000~26500      | -4.56          | -54.22       | ≤-24.56     | PASS    |
| 3DH5     | Ant1    | 2480           | 0~Reference     | -0.22          | -0.22        | ---         | PASS    |
| 3DH5     | Ant1    | 2480           | 30~1000         | -0.22          | -68.37       | ≤-20.22     | PASS    |
| 3DH5     | Ant1    | 2480           | 1000~26500      | -0.22          | -52.92       | ≤-20.22     | PASS    |

### Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline

400-003-0500

www.anbotek.com.cn



## Test Graphs



## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline


400-003-0500

www.anbotek.com.cn






DH5-Ant1-2441-0~Reference-PASS



DH5-Ant1-2441-30~1000-PASS



DH5-Ant1-2441-1000~26500-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline  
400-003-0500  
www.anbotek.com.cn






DH5-Ant1-2480-0~Reference-PASS



DH5-Ant1-2480-30~1000-PASS



DH5-Ant1-2480-1000~26500-PASS

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community,  
Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






2DH5-Ant1-2402-0~Reference-PASS



2DH5-Ant1-2402-30~1000-PASS



2DH5-Ant1-2402-1000~26500-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline


400-003-0500

www.anbotek.com.cn






2DH5-Ant1-2441-0~Reference-PASS



2DH5-Ant1-2441-30~1000-PASS



2DH5-Ant1-2441-1000~26500-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline


400-003-0500

www.anbotek.com.cn






2DH5-Ant1-2480-0~Reference-PASS



2DH5-Ant1-2480-30~1000-PASS



2DH5-Ant1-2480-1000~26500-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com




Hotline


400-003-0500

www.anbotek.com.cn






3DH5-Ant1-2402-0~Reference-PASS



3DH5-Ant1-2402-30~1000-PASS



3DH5-Ant1-2402-1000~26500-PASS

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






3DH5-Ant1-2441-0~Reference-PASS



3DH5-Ant1-2441-30~1000-PASS




3DH5-Ant1-2441-1000~26500-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn






3DH5-Ant1-2480-0~Reference-PASS



3DH5-Ant1-2480-30~1000-PASS



3DH5-Ant1-2480-1000~26500-PASS

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com.cn




## Appendix I: Duty Cycle

### Test Result

| TestMode | Antenna | Frequency[MHz] | ON Time<br>[ms] | Period<br>[ms] | Duty Cycle<br>[%] | Duty Cycle<br>Factor[dB] |
|----------|---------|----------------|-----------------|----------------|-------------------|--------------------------|
| DH5      | Ant1    | 2402           | 2.88            | 3.75           | 76.80             | 1.15                     |
| DH5      | Ant1    | 2441           | 2.88            | 3.75           | 76.80             | 1.15                     |
| DH5      | Ant1    | 2480           | 2.88            | 3.74           | 77.01             | 1.13                     |
| 2DH5     | Ant1    | 2402           | 2.88            | 3.75           | 76.80             | 1.15                     |
| 2DH5     | Ant1    | 2441           | 2.88            | 3.75           | 76.80             | 1.15                     |
| 2DH5     | Ant1    | 2480           | 2.89            | 3.75           | 77.07             | 1.13                     |
| 3DH5     | Ant1    | 2402           | 2.89            | 3.75           | 77.07             | 1.13                     |
| 3DH5     | Ant1    | 2441           | 2.89            | 3.75           | 77.07             | 1.13                     |
| 3DH5     | Ant1    | 2480           | 2.89            | 3.75           | 77.07             | 1.13                     |



## Test Graphs



## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com



Hotline

400-003-0500

www.anbotek.com.cn






NTVN-2DH5-Ant1-2402



NTVN-2DH5-Ant1-2441




NTVN-2DH5-Ant1-2480

## Shenzhen Anbotek Compliance Laboratory Limited


Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
 Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
 400-003-0500  
 www.anbotek.com.cn






NTVN-3DH5-Ant1-2402



NTVN-3DH5-Ant1-2441



NTVN-3DH5-Ant1-2480

---End---

## Shenzhen Anbotek Compliance Laboratory Limited

Address: 1/F., Building D, Sogood Science and Technology Park, Sanwei Community, Hangcheng Street, Bao'an District, Shenzhen, Guangdong, China.  
Tel: (86) 0755-26066440 Fax: (86) 0755-26014772 Email: service@anbotek.com

Hotline  
400-003-0500  
www.anbotek.com.cn

