

Table of Contents


1. -6dB Emission Bandwidth	2
2. -26dB and 99% Emission Bandwidth	12
3. Duty Cycle	31
4. Maximum Conducted Output Power	41
5. Power Spectral Density	51
6. Bandedge	61
7. Spurious Emission	69
8. Frequency Stability	79

FCC ID: 2BHF6-MTABPRO2700


FCC_5.8G_WIFI (Part15.407) Test Data

1. -6dB Emission Bandwidth


Condition	Antenna	Mode	Frequency(MHz)	-6dB_Emission_Bandwidth(MHz)	Limit(MHz)	Result
NVNT	ANT1	802.11a	5745.00	16.397	0.500	Pass
NVNT	ANT1	802.11a	5785.00	16.357	0.500	Pass
NVNT	ANT1	802.11a	5825.00	16.355	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	17.386	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	17.454	0.500	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	17.226	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	17.438	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	17.564	0.500	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	17.290	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	17.558	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	17.271	0.500	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	17.194	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	36.134	0.500	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	36.067	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	36.173	0.500	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	36.199	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	36.141	0.500	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	36.185	0.500	Pass




-6dB Emission Bandwidth_NVNT_ANT1_802_11a_5785_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11a_5825_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5745_20M




-6dB_Emission_Bandwidth_NVNT_ANT1_802_11n(HT20)_5785_20M




-6dB Emission Bandwidth NVNT_ANT1_802_11n(HT20)_5825_20M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT20)_5745_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5785_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ac(VHT20)_5825_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5745_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5785_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE20)_5825_20M




-6dB Emission Bandwidth_NVNT_ANT1_802_11n(HT40)_5755_40M




-6dB Emission Bandwidth NVNT_ANT1_802_11n(HT40)_5795_40M




-6dB Emission Bandwidth NVNT_ANT1_802_11ac(VHT40)_5755_40M




-6dB Emission Bandwidth_NVNT_ANT1_802_11ac(VHT40)_5795_40M



-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE40)_5755_40M





-6dB Emission Bandwidth_NVNT_ANT1_802_11ax(HE40)_5795_40M




2. -26dB and 99% Emission Bandwidth

Condition	Antenna	Modulation	Frequency(MHz)	-26dB_Emission_Bandwidth(MHz)	Occupied Bandwidth(MHz)
NVNT	ANT1	802.11a	5745.00	35.08	16.91
NVNT	ANT1	802.11a	5785.00	27.20	16.90
NVNT	ANT1	802.11a	5825.00	26.52	16.93
NVNT	ANT1	802.11n(HT20)	5745.00	32.72	17.85
NVNT	ANT1	802.11n(HT20)	5785.00	26.29	17.90
NVNT	ANT1	802.11n(HT20)	5825.00	32.19	17.91
NVNT	ANT1	802.11ac(VHT20)	5745.00	30.33	17.89
NVNT	ANT1	802.11ac(VHT20)	5785.00	30.65	17.86
NVNT	ANT1	802.11ac(VHT20)	5825.00	31.66	17.88
NVNT	ANT1	802.11ax(HE20)	5745.00	34.70	17.86
NVNT	ANT1	802.11ax(HE20)	5785.00	31.09	17.84
NVNT	ANT1	802.11ax(HE20)	5825.00	27.58	17.88
NVNT	ANT1	802.11n(HT40)	5755.00	52.44	36.63
NVNT	ANT1	802.11n(HT40)	5795.00	52.89	36.75
NVNT	ANT1	802.11ac(VHT40)	5755.00	47.19	36.60
NVNT	ANT1	802.11ac(VHT40)	5795.00	48.97	36.60
NVNT	ANT1	802.11ax(HE40)	5755.00	50.66	36.57
NVNT	ANT1	802.11ax(HE40)	5795.00	48.25	36.65







99% OCB NVNT_ANT1_802_11a_5785




-26BW_NVNT_ANT1_802_11a_5785




99% OCB NVNT_ANT1_802_11a_5825




-26BW_NVNT_ANT1_802_11a_5825




99%_OCB_NVNT_ANT1_802_11n(HT20)_5745




-26BW_NVNT_ANT1_802_11n(HT20)_5745




99%_OCB_NVNT_ANT1_802_11n(HT20)_5785




-26BW_NVNT_ANT1_802_11n(HT20)_5785




99%_OCB_NVNT_ANT1_802_11n(HT20)_5825




-26BW_NVNT_ANT1_802_11n(HT20)_5825




99% OCB_NVNT_ANT1_802_11ac(VHT20)_5745




-26BW_NVNT_ANT1_802_11ac(VHT20)_5745




99% OCB_NVNT_ANT1_802_11ac(VHT20)_5785




-26BW_NVNT_ANT1_802_11ac(VHT20)_5785




99% OCB_NVNT_ANT1_802_11ac(VHT20)_5825




-26BW_NVNT_ANT1_802_11ac(VHT20)_5825




99%_OCB_NVNT_ANT1_802_11ax(HE20)_5745




-26BW_NVNT_ANT1_802_11ax(HE20)_5745




99%_OCB_NVNT_ANT1_802_11ax(HE20)_5785







99%_OCB_NVNT_ANT1_802_11ax(HE20)_5825




-26BW_NVNT_ANT1_802_11ax(HE20)_5825




99%_OCB_NVNT_ANT1_802_11n(HT40)_5755




-26BW_NVNT_ANT1_802_11n(HT40)_5755




99%_OCB_NVNT_ANT1_802_11n(HT40)_5795




-26BW_NVNT_ANT1_802_11n(HT40)_5795




99% OCB_NVNT_ANT1_802_11ac(VHT40)_5755




-26BW_NVNT_ANT1_802_11ac(VHT40)_5755




99% OCB_NVNT_ANT1_802_11ac(VHT40)_5795




-26BW_NVNT_ANT1_802_11ac(VHT40)_5795




99%_OCB_NVNT_ANT1_802_11ax(HE40)_5755




-26BW_NVNT_ANT1_802_11ax(HE40)_5755



99%_OCB_NVNT_ANT1_802_11ax(HE40)_5795




-26BW_NVNT_ANT1_802_11ax(HE40)_5795




3. Duty Cycle


Condition	Antenna	Modulation	Frequency (MHz)	Duty cycle(%)	Duty_factor
NVNT	ANT1	802.11a	5745.00	95.83	0.18
NVNT	ANT1	802.11a	5785.00	95.83	0.18
NVNT	ANT1	802.11a	5825.00	95.89	0.18
NVNT	ANT1	802.11n(HT20)	5745.00	95.16	0.22
NVNT	ANT1	802.11n(HT20)	5785.00	95.16	0.22
NVNT	ANT1	802.11n(HT20)	5825.00	96.72	0.14
NVNT	ANT1	802.11ac(VHT20)	5745.00	95.16	0.22
NVNT	ANT1	802.11ac(VHT20)	5785.00	95.16	0.22
NVNT	ANT1	802.11ac(VHT20)	5825.00	96.77	0.14
NVNT	ANT1	802.11ax(HE20)	5745.00	95.16	0.22
NVNT	ANT1	802.11ax(HE20)	5785.00	95.16	0.22
NVNT	ANT1	802.11ax(HE20)	5825.00	95.16	0.22
NVNT	ANT1	802.11n(HT40)	5755.00	90.63	0.43
NVNT	ANT1	802.11n(HT40)	5795.00	90.63	0.43
NVNT	ANT1	802.11ac(VHT40)	5755.00	90.63	0.43
NVNT	ANT1	802.11ac(VHT40)	5795.00	90.91	0.41
NVNT	ANT1	802.11ax(HE40)	5755.00	93.75	0.28
NVNT	ANT1	802.11ax(HE40)	5795.00	90.63	0.43




Duty Cycle NVNT ANT1_802_11a_5785




Duty Cycle NVNT ANT1_802_11a_5825




Duty Cycle NVNT_ANT1_802_11n(HT20)_5745




Duty Cycle NVNT_ANT1_802_11n(HT20)_5785




Duty Cycle NVNT_ANT1_802_11n(HT20)_5825




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5745




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5785




Duty Cycle NVNT_ANT1_802_11ac(VHT20)_5825




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5745




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5785




Duty Cycle NVNT_ANT1_802_11ax(HE20)_5825




Duty Cycle NVNT_ANT1_802_11n(HT40)_5755




Duty Cycle NVNT_ANT1_802_11n(HT40)_5795




Duty Cycle NVNT_ANT1_802_11ac(VHT40)_5755




Duty Cycle NVNT_ANT1_802_11ac(VHT40)_5795



Duty Cycle NVNT_ANT1_802_11ax(HE40)_5755




Duty Cycle NVNT_ANT1_802_11ax(HE40)_5795




4. Maximum Conducted Output Power


Condition	Antenna	Modulation	Frequency (MHz)	Conducted Power(dBm)	Duty factor(dB)	Total Power(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	4.16	0.18	4.34	30	Pass
NVNT	ANT1	802.11a	5785.00	3.85	0.18	4.03	30	Pass
NVNT	ANT1	802.11a	5825.00	3.37	0.18	3.55	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	3.87	0.22	4.09	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	4.09	0.22	4.31	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	3.61	0.14	3.75	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	3.87	0.22	4.09	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	4.06	0.22	4.28	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	3.63	0.14	3.77	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	3.89	0.22	4.11	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	4.53	0.22	4.75	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	3.64	0.22	3.86	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	3.11	0.43	3.54	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	3.24	0.43	3.67	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	3.21	0.43	3.64	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	3.30	0.41	3.71	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	3.23	0.28	3.51	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	3.30	0.43	3.73	30	Pass




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5785




Maximum_Conducted_Output_Power_NVNT_ANT1_802_11a_5825




Maximum Conducted Output Power NVNT_ANT1_802_11n(HT20)_5745




Maximum Conducted Output Power NVNT_ANT1_802_11n(HT20)_5785




Maximum Conducted Output Power NVNT_ANT1_802_11n(HT20)_5825




Maximum Conducted Output Power NVNT_ANT1_802_11ac(VHT20)_5745




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5785




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT20)_5825




Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE20)_5745




Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE20)_5785




Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE20)_5825




Maximum Conducted Output Power_NVNT_ANT1_802_11n(HT40)_5755




Maximum Conducted Output Power NVNT_ANT1_802_11n(HT40)_5795




Maximum Conducted Output Power NVNT_ANT1_802_11ac(VHT40)_5755




Maximum Conducted Output Power_NVNT_ANT1_802_11ac(VHT40)_5795



Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE40)_5755




Maximum Conducted Output Power_NVNT_ANT1_802_11ax(HE40)_5795




5. Power Spectral Density


Condition	Antenna	Modulation	Frequency (MHz)	PSD_SA(dBm/RBW)	Duty factor(dB)	RB factor(dB)	PSD(dBm/500kHz)	limit(dBm/500kHz)	Result
NVNT	ANT1	802.11a	5745.00	-18.56	0.18	-0.09	-18.47	30	Pass
NVNT	ANT1	802.11a	5785.00	-14.01	0.18	-0.09	-13.92	30	Pass
NVNT	ANT1	802.11a	5825.00	-12.90	0.18	-0.09	-12.81	30	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	-13.71	0.22	-0.09	-13.58	30	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	-13.97	0.22	-0.09	-13.84	30	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	-13.86	0.14	-0.09	-13.81	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	-13.84	0.22	-0.09	-13.71	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	-13.93	0.22	-0.09	-13.80	30	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	-14.46	0.14	-0.09	-14.41	30	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	-13.53	0.22	-0.09	-13.40	30	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	-12.65	0.22	-0.09	-12.52	30	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	-13.96	0.22	-0.09	-13.83	30	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	-18.49	0.43	-0.09	-18.15	30	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	-18.91	0.43	-0.09	-18.57	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	-18.34	0.43	-0.09	-18.00	30	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	-18.56	0.41	-0.09	-18.24	30	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	-18.31	0.28	-0.09	-18.12	30	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	-18.16	0.43	-0.09	-17.82	30	Pass




Power Spectral Density_NVNT_ANT1_802_11a_5785




Power Spectral Density_NVNT_ANT1_802_11a_5825




Power Spectral Density_NVNT_ANT1_802_11n(HT20)_5745




Power Spectral Density_NVNT_ANT1_802_11n(HT20)_5785





Power Spectral Density_NVNT_ANT1_802_11n(HT20)_5825




Power Spectral Density_NVNT_ANT1_802_11ac(VHT20)_5745






Power Spectral Density_NVNT_ANT1_802_11ax(HE20)_5825



Power Spectral Density_NVNT_ANT1_802_11n(HT40)_5755





Power Spectral Density_NVNT_ANT1_802_11n(HT40)_5795




Power Spectral Density_NVNT_ANT1_802_11ac(VHT40)_5755





Power Spectral Density NVNT_ANT1_802_11ax(HE40)_5795




6. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Frequency Area(MHz)	Frequency(MHz)	Amplitude(dBm)	Limit(dBm)	Result
NVNT	ANT1	802.11a	LCH	5565-5655	5591.370	-45.80	-27.00	Pass
NVNT	ANT1	802.11a	LCH	5655-5700	5658.330	-46.91	-24.26	Pass
NVNT	ANT1	802.11a	LCH	5700-5720	5708.180	-47.10	12.29	Pass
NVNT	ANT1	802.11a	LCH	5720-5725	5721.400	-44.63	18.79	Pass
NVNT	ANT1	802.11a	HCH	5850-5855	5852.445	-44.53	21.43	Pass
NVNT	ANT1	802.11a	HCH	5855-5875	5868.140	-46.26	11.92	Pass
NVNT	ANT1	802.11a	HCH	5875-5920	5915.545	-46.22	-23.34	Pass
NVNT	ANT1	802.11a	HCH	5920-6005	5962.925	-41.14	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5565-5655	5629.350	-45.51	-27.00	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5655-5700	5658.510	-46.94	-24.11	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5700-5720	5719.580	-41.17	15.48	Pass
NVNT	ANT1	802.11n(HT20)	LCH	5720-5725	5721.735	-37.82	19.56	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5850-5855	5853.345	-42.21	19.37	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5855-5875	5874.400	-46.12	10.17	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5875-5920	5912.665	-46.11	-20.97	Pass
NVNT	ANT1	802.11n(HT20)	HCH	5920-6005	5990.635	-41.91	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5565-5655	5621.790	-46.01	-27.00	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5655-5700	5655.855	-46.47	-26.30	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5700-5720	5715.980	-42.76	14.47	Pass
NVNT	ANT1	802.11ac(VHT20)	LCH	5720-5725	5724.415	-36.16	25.67	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5850-5855	5852.540	-43.36	21.21	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5855-5875	5870.640	-45.60	11.22	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5875-5920	5914.465	-46.35	-22.45	Pass
NVNT	ANT1	802.11ac(VHT20)	HCH	5920-6005	5939.720	-40.57	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5565-5655	5567.880	-46.19	-27.00	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5655-5700	5658.150	-46.84	-24.41	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5700-5720	5719.960	-40.96	15.59	Pass
NVNT	ANT1	802.11ax(HE20)	LCH	5720-5725	5722.930	-38.80	22.28	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5850-5855	5853.875	-43.39	18.16	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5855-5875	5864.540	-46.08	12.93	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5875-5920	5918.920	-46.35	-26.11	Pass
NVNT	ANT1	802.11ax(HE20)	HCH	5920-6005	5939.635	-41.83	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5595-5655	5596.140	-46.20	-27.00	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5655-5700	5678.580	-46.67	-7.61	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5700-5720	5718.800	-41.47	15.26	Pass
NVNT	ANT1	802.11n(HT40)	LCH	5720-5725	5723.120	-39.81	22.71	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5850-5855	5854.600	-46.53	16.51	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5855-5875	5870.000	-45.96	11.40	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5875-5920	5917.705	-46.03	-25.11	Pass
NVNT	ANT1	802.11n(HT40)	HCH	5920-5955	5942.225	-41.85	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5595-5655	5625.180	-46.05	-27.00	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5655-5700	5660.535	-46.63	-22.45	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5700-5720	5717.340	-42.76	14.86	Pass
NVNT	ANT1	802.11ac(VHT40)	LCH	5720-5725	5722.990	-40.18	22.42	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5850-5855	5854.990	-45.92	15.62	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5855-5875	5871.800	-46.48	10.90	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5875-5920	5919.280	-46.10	-26.41	Pass
NVNT	ANT1	802.11ac(VHT40)	HCH	5920-5955	5936.730	-41.75	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5595-5655	5595.240	-46.06	-27.00	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5655-5700	5664.000	-46.14	-19.60	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5700-5720	5714.160	-44.19	13.96	Pass
NVNT	ANT1	802.11ax(HE40)	LCH	5720-5725	5721.390	-39.09	18.77	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5850-5855	5854.050	-46.20	17.77	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5855-5875	5873.900	-46.29	10.31	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5875-5920	5917.300	-45.75	-24.78	Pass
NVNT	ANT1	802.11ax(HE40)	HCH	5920-5955	5923.955	-41.45	-27.00	Pass

Note: The test diagram has integrated antenna gain to Offset Settings.


Bandedge_NVNT_ANT1_802_11a_5745




Bandedge_NVNT_ANT1_802_11a_5825




Bandedge_NVNT_ANT1_802_11n(HT20)_5745




Bandedge_NVNT_ANT1_802_11n(HT20)_5825




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5745




Bandedge_NVNT_ANT1_802_11ac(VHT20)_5825




Bandedge_NVNT_ANT1_802_11ax(HE20)_5745




Bandedge_NVNT_ANT1_802_11ax(HE20)_5825




Bandedge_NVNT_ANT1_802_11n(HT40)_5755




Bandedge_NVNT_ANT1_802_11n(HT40)_5795




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5755




Bandedge_NVNT_ANT1_802_11ac(VHT40)_5795



Bandedge_NVNT_ANT1_802_11ax(HE40)_5755




Bandedge_NVNT_ANT1_802_11ax(HE40)_5795




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark Frequency(MHz)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	802.11a	5745.00	25679.43	-38.38	-27	Pass
NVNT	ANT1	802.11a	5785.00	2414.95	-36.76	-27	Pass
NVNT	ANT1	802.11a	5825.00	24996.50	-38.49	-27	Pass
NVNT	ANT1	802.11n(HT20)	5745.00	24300.34	-38.56	-27	Pass
NVNT	ANT1	802.11n(HT20)	5785.00	2473.18	-36.28	-27	Pass
NVNT	ANT1	802.11n(HT20)	5825.00	712.93	-27.21	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5745.00	25472.96	-37.78	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5785.00	2412.30	-37.23	-27	Pass
NVNT	ANT1	802.11ac(VHT20)	5825.00	911.45	-36.90	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5745.00	24935.62	-39.07	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5785.00	2414.95	-37.56	-27	Pass
NVNT	ANT1	802.11ax(HE20)	5825.00	26264.42	-38.28	-27	Pass
NVNT	ANT1	802.11n(HT40)	5755.00	715.57	-34.85	-27	Pass
NVNT	ANT1	802.11n(HT40)	5795.00	2414.95	-37.11	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5755.00	25038.86	-37.57	-27	Pass
NVNT	ANT1	802.11ac(VHT40)	5795.00	2420.24	-35.61	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5755.00	2420.24	-36.80	-27	Pass
NVNT	ANT1	802.11ax(HE40)	5795.00	25176.50	-38.38	-27	Pass


Note:1. The antenna gain is compensated in the test data.
2. 26.5GHz-40GHz the Spurious level margin is the largest, so the test data only reflects 30MHz-26.5GHz




Spurious Emission_NVNT_ANT1_802_11a_5785




Spurious Emission_NVNT_ANT1_802_11a_5825




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5745




Spurious_Emission_NVNT_ANT1_802_11n(HT20)_5785




Spurious Emission NVNT_ANT1_802_11n(HT20)_5825




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5745




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5785




Spurious Emission NVNT_ANT1_802_11ac(VHT20)_5825




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5745




Spurious_Emission_NVNT_ANT1_802_11ax(HE20)_5785




Spurious Emission NVNT_ANT1_802_11ax(HE20)_5825




Spurious Emission NVNT_ANT1_802_11n(HT40)_5755




Spurious Emission NVNT_ANT1_802_11n(HT40)_5795




Spurious Emission NVNT_ANT1_802_11ac(VHT40)_5755




Spurious Emission_NVNT_ANT1_802_11ac(VHT40)_5795



Spurious Emission_NVNT_ANT1_802_11ax(HE40)_5755



Spurious_Emission_NVNT_ANT1_802_11ax(HE40)_5795



8. Frequency Stability

Condition	Antenna	Modulation	Frequency (MHz)	Fc(MHz)	Fl(MHz)	Fh(MHz)	Limit(MHz)	Result
55degrees C&&3.85V	ANT1	802.11a	5745.00	5745.016	5736.372	5753.660	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11a	5745.00	5745.040	5736.656	5753.424	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11a	5745.00	5745.034	5736.800	5753.268	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11a	5745.00	5745.018	5736.868	5753.168	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11a	5745.00	5745.024	5736.932	5753.116	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11a	5745.00	5745.022	5736.984	5753.060	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11a	5745.00	5745.022	5737.036	5753.008	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11a	5745.00	5745.026	5737.084	5752.968	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11a	5745.00	5745.022	5737.132	5752.912	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11a	5745.00	5745.018	5737.172	5752.864	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11a	5745.00	5745.016	5737.220	5752.812	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11a	5785.00	5785.006	5776.324	5793.688	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11a	5785.00	5785.008	5776.628	5793.388	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11a	5785.00	5785.022	5776.768	5793.276	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11a	5785.00	5785.010	5776.852	5793.168	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11a	5785.00	5785.014	5776.916	5793.112	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11a	5785.00	5784.998	5776.968	5793.028	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11a	5785.00	5785.008	5777.016	5793.000	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11a	5785.00	5784.996	5777.060	5792.932	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11a	5785.00	5785.006	5777.112	5792.900	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11a	5785.00	5784.996	5777.156	5792.836	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11a	5785.00	5785.002	5777.200	5792.804	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11a	5825.00	5825.006	5816.336	5833.676	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11a	5825.00	5825.006	5816.628	5833.384	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11a	5825.00	5825.014	5816.772	5833.256	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11a	5825.00	5825.002	5816.856	5833.148	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11a	5825.00	5825.016	5816.920	5833.112	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11a	5825.00	5825.016	5816.984	5833.048	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11a	5825.00	5825.020	5817.036	5833.004	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11a	5825.00	5825.006	5817.080	5832.932	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11a	5825.00	5825.004	5817.120	5832.888	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11a	5825.00	5825.000	5817.160	5832.840	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11a	5825.00	5825.002	5817.200	5832.804	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11n(HT20)	5745.00	5745.042	5735.908	5754.176	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11n(HT20)	5745.00	5745.008	5736.128	5753.888	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11n(HT20)	5745.00	5745.020	5736.252	5753.788	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11n(HT20)	5745.00	5745.026	5736.344	5753.708	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11n(HT20)	5745.00	5745.014	5736.416	5753.612	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11n(HT20)	5745.00	5745.012	5736.476	5753.548	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11n(HT20)	5745.00	5745.006	5736.528	5753.484	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11n(HT20)	5745.00	5745.022	5736.588	5753.456	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11n(HT20)	5745.00	5745.012	5736.644	5753.380	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11n(HT20)	5745.00	5745.016	5736.696	5753.336	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11n(HT20)	5745.00	5745.020	5736.748	5753.292	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11n(HT20)	5785.00	5785.010	5775.872	5794.148	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11n(HT20)	5785.00	5785.000	5776.120	5793.880	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11n(HT20)	5785.00	5785.016	5776.260	5793.772	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11n(HT20)	5785.00	5785.014	5776.344	5793.684	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11n(HT20)	5785.00	5785.008	5776.412	5793.604	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11n(HT20)	5785.00	5785.008	5776.480	5793.536	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11n(HT20)	5785.00	5785.004	5776.536	5793.472	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11n(HT20)	5785.00	5784.998	5776.580	5793.416	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11n(HT20)	5785.00	5784.994	5776.648	5793.340	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11n(HT20)	5785.00	5784.988	5776.704	5793.272	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11n(HT20)	5785.00	5785.000	5776.756	5793.244	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11n(HT20)	5825.00	5825.002	5815.884	5834.120	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11n(HT20)	5825.00	5825.002	5816.120	5833.884	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11n(HT20)	5825.00	5825.012	5816.248	5833.776	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11n(HT20)	5825.00	5825.000	5816.328	5833.672	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11n(HT20)	5825.00	5824.994	5816.396	5833.592	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11n(HT20)	5825.00	5824.994	5816.460	5833.528	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11n(HT20)	5825.00	5824.988	5816.524	5833.452	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11n(HT20)	5825.00	5824.982	5816.564	5833.400	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11n(HT20)	5825.00	5824.976	5816.616	5833.336	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11n(HT20)	5825.00	5824.966	5816.656	5833.276	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11n(HT20)	5825.00	5824.976	5816.712	5833.240	5725~5850	Pass

55degrees C&&3.85V	ANT1	802.11ac(VHT20)	5745.00	5744.992	5735.860	5754.124	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11ac(VHT20)	5745.00	5745.006	5736.112	5753.900	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11ac(VHT20)	5745.00	5745.012	5736.252	5753.772	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ac(VHT20)	5745.00	5745.018	5736.336	5753.700	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11ac(VHT20)	5745.00	5745.024	5736.420	5753.628	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11ac(VHT20)	5745.00	5745.018	5736.476	5753.560	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11ac(VHT20)	5745.00	5745.008	5736.532	5753.484	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11ac(VHT20)	5745.00	5745.016	5736.584	5753.448	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11ac(VHT20)	5745.00	5745.008	5736.640	5753.376	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ac(VHT20)	5745.00	5745.012	5736.692	5753.332	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11ac(VHT20)	5745.00	5745.004	5736.736	5753.272	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11ac(VHT20)	5785.00	5785.008	5775.872	5794.144	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11ac(VHT20)	5785.00	5784.994	5776.096	5793.892	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11ac(VHT20)	5785.00	5785.008	5776.236	5793.780	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ac(VHT20)	5785.00	5785.006	5776.320	5793.692	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11ac(VHT20)	5785.00	5785.004	5776.392	5793.616	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11ac(VHT20)	5785.00	5784.994	5776.452	5793.536	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11ac(VHT20)	5785.00	5784.994	5776.516	5793.472	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11ac(VHT20)	5785.00	5784.992	5776.576	5793.408	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11ac(VHT20)	5785.00	5784.992	5776.620	5793.364	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ac(VHT20)	5785.00	5784.996	5776.668	5793.324	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11ac(VHT20)	5785.00	5784.988	5776.724	5793.252	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11ac(VHT20)	5825.00	5825.010	5815.864	5834.156	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11ac(VHT20)	5825.00	5824.994	5816.128	5833.860	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11ac(VHT20)	5825.00	5825.016	5816.264	5833.768	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ac(VHT20)	5825.00	5825.006	5816.336	5833.676	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11ac(VHT20)	5825.00	5825.010	5816.408	5833.612	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11ac(VHT20)	5825.00	5824.994	5816.464	5833.524	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11ac(VHT20)	5825.00	5824.994	5816.524	5833.464	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11ac(VHT20)	5825.00	5824.982	5816.568	5833.396	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11ac(VHT20)	5825.00	5824.974	5816.620	5833.328	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ac(VHT20)	5825.00	5824.980	5816.668	5833.292	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11ac(VHT20)	5825.00	5824.978	5816.712	5833.244	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11ax(HE20)	5745.00	5745.018	5735.876	5754.160	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11ax(HE20)	5745.00	5745.014	5736.124	5753.904	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11ax(HE20)	5745.00	5745.024	5736.252	5753.796	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ax(HE20)	5745.00	5745.016	5736.336	5753.696	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11ax(HE20)	5745.00	5745.022	5736.412	5753.632	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11ax(HE20)	5745.00	5745.024	5736.476	5753.572	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11ax(HE20)	5745.00	5745.020	5736.540	5753.500	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11ax(HE20)	5745.00	5745.020	5736.604	5753.436	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11ax(HE20)	5745.00	5745.012	5736.664	5753.360	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ax(HE20)	5745.00	5745.010	5736.716	5753.304	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11ax(HE20)	5745.00	5745.034	5736.756	5753.312	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11ax(HE20)	5785.00	5785.016	5775.872	5794.160	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11ax(HE20)	5785.00	5785.002	5776.116	5793.888	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11ax(HE20)	5785.00	5785.020	5776.244	5793.796	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ax(HE20)	5785.00	5785.012	5776.324	5793.700	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11ax(HE20)	5785.00	5785.002	5776.392	5793.612	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11ax(HE20)	5785.00	5785.002	5776.464	5793.540	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11ax(HE20)	5785.00	5785.006	5776.524	5793.488	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11ax(HE20)	5785.00	5784.992	5776.580	5793.404	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11ax(HE20)	5785.00	5785.008	5776.624	5793.392	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ax(HE20)	5785.00	5784.976	5776.676	5793.276	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11ax(HE20)	5785.00	5784.972	5776.716	5793.228	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11ax(HE20)	5825.00	5824.998	5815.880	5834.116	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11ax(HE20)	5825.00	5825.010	5816.116	5833.904	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11ax(HE20)	5825.00	5825.016	5816.256	5833.776	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ax(HE20)	5825.00	5825.008	5816.336	5833.680	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11ax(HE20)	5825.00	5825.006	5816.408	5833.604	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11ax(HE20)	5825.00	5825.006	5816.468	5833.544	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11ax(HE20)	5825.00	5824.994	5816.528	5833.460	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11ax(HE20)	5825.00	5824.980	5816.568	5833.392	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11ax(HE20)	5825.00	5824.988	5816.628	5833.348	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ax(HE20)	5825.00	5824.982	5816.672	5833.292	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11ax(HE20)	5825.00	5824.982	5816.724	5833.240	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11n(HT40)	5755.00	5755.072	5736.768	5773.376	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11n(HT40)	5755.00	5755.036	5736.960	5773.112	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11n(HT40)	5755.00	5755.064	5737.104	5773.024	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11n(HT40)	5755.00	5755.036	5737.192	5772.880	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11n(HT40)	5755.00	5755.024	5737.304	5772.744	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11n(HT40)	5755.00	5755.028	5737.400	5772.656	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11n(HT40)	5755.00	5755.024	5737.496	5772.552	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11n(HT40)	5755.00	5755.016	5737.568	5772.464	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11n(HT40)	5755.00	5755.004	5737.656	5772.352	5725~5850	Pass

25degrees C&&3.85V	ANT1	802.11n(HT40)	5755.00	5754.976	5737.728	5772.224	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11n(HT40)	5755.00	5754.988	5737.816	5772.160	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11n(HT40)	5795.00	5795.056	5776.728	5813.384	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11n(HT40)	5795.00	5795.020	5776.904	5813.136	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11n(HT40)	5795.00	5795.024	5777.040	5813.008	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11n(HT40)	5795.00	5795.012	5777.128	5812.896	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11n(HT40)	5795.00	5795.004	5777.240	5812.768	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11n(HT40)	5795.00	5794.992	5777.320	5812.664	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11n(HT40)	5795.00	5794.980	5777.400	5812.560	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11n(HT40)	5795.00	5794.976	5777.480	5812.472	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11n(HT40)	5795.00	5794.992	5777.576	5812.408	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11n(HT40)	5795.00	5794.976	5777.640	5812.312	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11n(HT40)	5795.00	5794.972	5777.728	5812.216	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11ac(VHT40)	5755.00	5755.060	5736.760	5773.360	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11ac(VHT40)	5755.00	5755.048	5736.952	5773.144	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11ac(VHT40)	5755.00	5755.048	5737.088	5773.008	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ac(VHT40)	5755.00	5755.012	5737.200	5772.824	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11ac(VHT40)	5755.00	5755.048	5737.296	5772.800	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11ac(VHT40)	5755.00	5755.024	5737.384	5772.664	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11ac(VHT40)	5755.00	5755.032	5737.496	5772.568	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11ac(VHT40)	5755.00	5755.020	5737.568	5772.472	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11ac(VHT40)	5755.00	5755.012	5737.640	5772.384	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ac(VHT40)	5755.00	5755.004	5737.720	5772.288	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11ac(VHT40)	5755.00	5755.004	5737.808	5772.200	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11ac(VHT40)	5795.00	5795.084	5776.768	5813.400	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11ac(VHT40)	5795.00	5795.048	5776.928	5813.168	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11ac(VHT40)	5795.00	5795.056	5777.080	5813.032	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ac(VHT40)	5795.00	5795.036	5777.192	5812.880	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11ac(VHT40)	5795.00	5795.032	5777.296	5812.768	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11ac(VHT40)	5795.00	5795.020	5777.384	5812.656	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11ac(VHT40)	5795.00	5795.040	5777.480	5812.600	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11ac(VHT40)	5795.00	5795.024	5777.552	5812.496	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11ac(VHT40)	5795.00	5794.976	5777.624	5812.328	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ac(VHT40)	5795.00	5795.004	5777.696	5812.312	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11ac(VHT40)	5795.00	5795.020	5777.784	5812.256	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11ax(HE40)	5755.00	5755.060	5736.752	5773.368	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11ax(HE40)	5755.00	5755.040	5736.944	5773.136	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11ax(HE40)	5755.00	5755.036	5737.072	5773.000	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ax(HE40)	5755.00	5755.016	5737.192	5772.840	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11ax(HE40)	5755.00	5755.028	5737.296	5772.760	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11ax(HE40)	5755.00	5755.008	5737.400	5772.616	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11ax(HE40)	5755.00	5755.012	5737.472	5772.552	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11ax(HE40)	5755.00	5754.992	5737.544	5772.440	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11ax(HE40)	5755.00	5755.020	5737.624	5772.416	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ax(HE40)	5755.00	5755.008	5737.704	5772.312	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11ax(HE40)	5755.00	5754.980	5737.792	5772.168	5725~5850	Pass
55degrees C&&3.85V	ANT1	802.11ax(HE40)	5795.00	5795.060	5776.728	5813.392	5725~5850	Pass
45degrees C&&3.85V	ANT1	802.11ax(HE40)	5795.00	5795.020	5776.912	5813.128	5725~5850	Pass
35degrees C&&3.85V	ANT1	802.11ax(HE40)	5795.00	5795.052	5777.056	5813.048	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ax(HE40)	5795.00	5795.024	5777.160	5812.888	5725~5850	Pass
15degrees C&&3.85V	ANT1	802.11ax(HE40)	5795.00	5795.016	5777.264	5812.768	5725~5850	Pass
5degrees C&&3.85V	ANT1	802.11ax(HE40)	5795.00	5795.040	5777.360	5812.720	5725~5850	Pass
-5degrees C&&3.85V	ANT1	802.11ax(HE40)	5795.00	5795.012	5777.464	5812.560	5725~5850	Pass
-15degrees C&&3.85V	ANT1	802.11ax(HE40)	5795.00	5795.016	5777.544	5812.488	5725~5850	Pass
25degrees C&&4.43V	ANT1	802.11ax(HE40)	5795.00	5795.004	5777.624	5812.384	5725~5850	Pass
25degrees C&&3.85V	ANT1	802.11ax(HE40)	5795.00	5794.992	5777.696	5812.288	5725~5850	Pass
25degrees C&&3.27V	ANT1	802.11ax(HE40)	5795.00	5794.996	5777.768	5812.224	5725~5850	Pass