



TABLE OF CONTENTS

Appendix A: Effective (Isotropic) Radiated Power Output Data	2
Appendix B: Peak-to-Average Ratio(CCDF)	7
Appendix C: 26dB Bandwidth and Occupied Bandwidth	17
Appendix D: Band Edge	22
Appendix E: Conducted Spurious Emission	28
Appendix F: Frequency Stability	36



Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted power (dBm)	ERP(dBm) or EIRP(dBm)	Limit	Verdict
Band7	5MHz	QPSK	20775	1RB#0	22.90	23	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#12	23.04	23.14	38.45	PASS
Band7	5MHz	QPSK	20775	1RB#24	23.10	23.2	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#0	22.08	22.18	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#6	22.08	22.18	38.45	PASS
Band7	5MHz	QPSK	20775	12RB#13	21.10	21.2	38.45	PASS
Band7	5MHz	QPSK	20775	25RB#0	21.12	21.22	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#0	23.32	23.42	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#12	22.41	22.51	38.45	PASS
Band7	5MHz	QPSK	21100	1RB#24	22.42	22.52	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#0	21.18	21.28	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#6	21.18	21.28	38.45	PASS
Band7	5MHz	QPSK	21100	12RB#13	21.19	21.29	38.45	PASS
Band7	5MHz	QPSK	21100	25RB#0	21.16	21.26	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#0	23.20	23.3	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#12	22.42	22.52	38.45	PASS
Band7	5MHz	QPSK	21425	1RB#24	22.43	22.53	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#0	21.21	21.31	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#6	21.19	21.29	38.45	PASS
Band7	5MHz	QPSK	21425	12RB#13	21.16	21.26	38.45	PASS
Band7	5MHz	QPSK	21425	25RB#0	21.16	21.26	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#0	21.13	21.23	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#12	21.25	21.35	38.45	PASS
Band7	5MHz	16QAM	20775	1RB#24	21.35	21.45	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#0	21.05	21.15	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#6	21.12	21.22	38.45	PASS
Band7	5MHz	16QAM	20775	12RB#13	20.05	20.15	38.45	PASS
Band7	5MHz	16QAM	20775	25RB#0	20.05	20.15	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#0	20.36	20.46	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#12	20.40	20.5	38.45	PASS
Band7	5MHz	16QAM	21100	1RB#24	20.44	20.54	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#0	20.28	20.38	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#6	20.27	20.37	38.45	PASS
Band7	5MHz	16QAM	21100	12RB#13	20.27	20.37	38.45	PASS



Band7	5MHz	16QAM	21100	25RB#0	20.30	20.4	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#0	20.31	20.41	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#12	20.38	20.48	38.45	PASS
Band7	5MHz	16QAM	21425	1RB#24	20.48	20.58	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#0	20.19	20.29	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#6	20.24	20.34	38.45	PASS
Band7	5MHz	16QAM	21425	12RB#13	20.26	20.36	38.45	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.26	20.36	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#0	22.91	23.01	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#24	22.97	23.07	38.45	PASS
Band7	10MHz	QPSK	20800	1RB#49	22.07	22.17	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#0	21.12	21.22	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#12	21.18	21.28	38.45	PASS
Band7	10MHz	QPSK	20800	25RB#25	21.14	21.24	38.45	PASS
Band7	10MHz	QPSK	20800	50RB#0	21.09	21.19	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#0	22.04	22.14	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#24	22.16	22.26	38.45	PASS
Band7	10MHz	QPSK	21100	1RB#49	22.18	22.28	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#0	21.16	21.26	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#12	21.18	21.28	38.45	PASS
Band7	10MHz	QPSK	21100	25RB#25	21.19	21.29	38.45	PASS
Band7	10MHz	QPSK	21100	50RB#0	21.21	21.31	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#0	22.78	22.88	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#24	23.06	23.16	38.45	PASS
Band7	10MHz	QPSK	21400	1RB#49	22.09	22.19	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#0	21.17	21.27	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#12	21.16	21.26	38.45	PASS
Band7	10MHz	QPSK	21400	25RB#25	21.14	21.24	38.45	PASS
Band7	10MHz	QPSK	21400	50RB#0	21.22	21.32	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#0	22.36	22.46	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#24	21.41	21.51	38.45	PASS
Band7	10MHz	16QAM	20800	1RB#49	21.42	21.52	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#0	20.10	20.2	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#12	20.12	20.22	38.45	PASS
Band7	10MHz	16QAM	20800	25RB#25	20.15	20.25	38.45	PASS
Band7	10MHz	16QAM	20800	50RB#0	20.09	20.19	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.57	21.67	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#24	21.64	21.74	38.45	PASS
Band7	10MHz	16QAM	21100	1RB#49	21.71	21.81	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#0	20.19	20.29	38.45	PASS
Band7	10MHz	16QAM	21100	25RB#12	20.19	20.29	38.45	PASS



Band7	10MHz	16QAM	21100	25RB#25	20.21	20.31	38.45	PASS
Band7	10MHz	16QAM	21100	50RB#0	20.30	20.4	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#0	22.28	22.38	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.42	21.52	38.45	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.52	21.62	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#0	20.04	20.14	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#12	20.10	20.2	38.45	PASS
Band7	10MHz	16QAM	21400	25RB#25	20.17	20.27	38.45	PASS
Band7	10MHz	16QAM	21400	50RB#0	20.10	20.2	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#0	22.13	22.23	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#38	22.16	22.26	38.45	PASS
Band7	15MHz	QPSK	20825	1RB#74	22.21	22.31	38.45	PASS
Band7	15MHz	QPSK	20825	38RB#0	21.23	21.33	38.45	PASS
Band7	15MHz	QPSK	20825	38RB#18	21.25	21.35	38.45	PASS
Band7	15MHz	QPSK	20825	38RB#37	21.24	21.34	38.45	PASS
Band7	15MHz	QPSK	20825	75RB#0	21.22	21.32	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#0	22.14	22.24	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#38	22.18	22.28	38.45	PASS
Band7	15MHz	QPSK	21100	1RB#74	22.21	22.31	38.45	PASS
Band7	15MHz	QPSK	21100	38RB#0	21.29	21.39	38.45	PASS
Band7	15MHz	QPSK	21100	38RB#18	21.28	21.38	38.45	PASS
Band7	15MHz	QPSK	21100	38RB#37	21.27	21.37	38.45	PASS
Band7	15MHz	QPSK	21100	75RB#0	21.26	21.36	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#0	22.83	22.93	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#38	23.00	23.1	38.45	PASS
Band7	15MHz	QPSK	21375	1RB#74	22.10	22.2	38.45	PASS
Band7	15MHz	QPSK	21375	38RB#0	21.16	21.26	38.45	PASS
Band7	15MHz	QPSK	21375	38RB#18	21.15	21.25	38.45	PASS
Band7	15MHz	QPSK	21375	38RB#37	21.21	21.31	38.45	PASS
Band7	15MHz	QPSK	21375	75RB#0	21.25	21.35	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#0	21.50	21.6	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#38	21.48	21.58	38.45	PASS
Band7	15MHz	16QAM	20825	1RB#74	21.50	21.6	38.45	PASS
Band7	15MHz	16QAM	20825	38RB#0	21.21	21.31	38.45	PASS
Band7	15MHz	16QAM	20825	38RB#18	21.25	21.35	38.45	PASS
Band7	15MHz	16QAM	20825	38RB#37	21.23	21.33	38.45	PASS
Band7	15MHz	16QAM	20825	75RB#0	20.20	20.3	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.67	21.77	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#38	21.65	21.75	38.45	PASS
Band7	15MHz	16QAM	21100	1RB#74	21.72	21.82	38.45	PASS
Band7	15MHz	16QAM	21100	38RB#0	21.27	21.37	38.45	PASS



Band7	15MHz	16QAM	21100	38RB#18	21.27	21.37	38.45	PASS
Band7	15MHz	16QAM	21100	38RB#37	21.26	21.36	38.45	PASS
Band7	15MHz	16QAM	21100	75RB#0	20.33	20.43	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#0	22.24	22.34	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#38	21.37	21.47	38.45	PASS
Band7	15MHz	16QAM	21375	1RB#74	21.44	21.54	38.45	PASS
Band7	15MHz	16QAM	21375	38RB#0	21.18	21.28	38.45	PASS
Band7	15MHz	16QAM	21375	38RB#18	21.19	21.29	38.45	PASS
Band7	15MHz	16QAM	21375	38RB#37	21.19	21.29	38.45	PASS
Band7	15MHz	16QAM	21375	75RB#0	20.17	20.27	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#0	23.02	23.12	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#49	22.22	22.32	38.45	PASS
Band7	20MHz	QPSK	20850	1RB#99	22.20	22.3	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#0	21.25	21.35	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#25	21.26	21.36	38.45	PASS
Band7	20MHz	QPSK	20850	50RB#50	21.19	21.29	38.45	PASS
Band7	20MHz	QPSK	20850	100RB#0	21.23	21.33	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#0	22.20	22.3	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#49	22.25	22.35	38.45	PASS
Band7	20MHz	QPSK	21100	1RB#99	22.31	22.41	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#0	21.23	21.33	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#25	21.26	21.36	38.45	PASS
Band7	20MHz	QPSK	21100	50RB#50	21.25	21.35	38.45	PASS
Band7	20MHz	QPSK	21100	100RB#0	21.30	21.4	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#0	22.12	22.22	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#49	22.20	22.3	38.45	PASS
Band7	20MHz	QPSK	21350	1RB#99	22.31	22.41	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#0	21.29	21.39	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#25	21.29	21.39	38.45	PASS
Band7	20MHz	QPSK	21350	50RB#50	21.25	21.35	38.45	PASS
Band7	20MHz	QPSK	21350	100RB#0	21.30	21.4	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#0	21.91	22.01	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#49	21.92	22.02	38.45	PASS
Band7	20MHz	16QAM	20850	1RB#99	21.99	22.09	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#0	20.31	20.41	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#25	20.31	20.41	38.45	PASS
Band7	20MHz	16QAM	20850	50RB#50	20.32	20.42	38.45	PASS
Band7	20MHz	16QAM	20850	100RB#0	20.24	20.34	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#0	21.65	21.75	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#49	21.66	21.76	38.45	PASS
Band7	20MHz	16QAM	21100	1RB#99	21.70	21.8	38.45	PASS



Band7	20MHz	16QAM	21100	50RB#0	20.36	20.46	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#25	20.38	20.48	38.45	PASS
Band7	20MHz	16QAM	21100	50RB#50	20.35	20.45	38.45	PASS
Band7	20MHz	16QAM	21100	100RB#0	20.39	20.49	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#0	21.92	22.02	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#49	22.04	22.14	38.45	PASS
Band7	20MHz	16QAM	21350	1RB#99	22.07	22.17	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#0	20.34	20.44	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#25	20.36	20.46	38.45	PASS
Band7	20MHz	16QAM	21350	50RB#50	20.32	20.42	38.45	PASS
Band7	20MHz	16QAM	21350	100RB#0	20.33	20.43	38.45	PASS

$EIRP = PT + GT - LC$, $ERP = EIRP - 2.15$, where

PT = Conducted output power(dBm);

GT = gain of the transmitting antenna(dBi);



Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	5.74	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	6.32	13	PASS
Band7	5MHz	QPSK	21100	1RB#0	6.26	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	6.60	13	PASS
Band7	5MHz	QPSK	21425	1RB#0	5.94	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	6.46	13	PASS
Band7	5MHz	16QAM	20775	1RB#0	6.60	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	6.96	13	PASS
Band7	5MHz	16QAM	21100	1RB#0	6.78	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	7.06	13	PASS
Band7	5MHz	16QAM	21425	1RB#0	7.08	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	7.08	13	PASS
Band7	10MHz	QPSK	20800	1RB#0	6.10	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	6.30	13	PASS
Band7	10MHz	QPSK	21100	1RB#0	6.32	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	6.46	13	PASS
Band7	10MHz	QPSK	21400	1RB#0	6.06	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	6.36	13	PASS
Band7	10MHz	16QAM	20800	1RB#0	7.12	13	PASS
Band7	10MHz	16QAM	20800	50RB#0	6.96	13	PASS
Band7	10MHz	16QAM	21100	1RB#0	7.46	13	PASS
Band7	10MHz	16QAM	21100	50RB#0	7.04	13	PASS
Band7	10MHz	16QAM	21400	1RB#0	7.20	13	PASS
Band7	10MHz	16QAM	21400	50RB#0	7.14	13	PASS
Band7	15MHz	QPSK	20825	1RB#0	6.12	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	6.46	13	PASS
Band7	15MHz	QPSK	21100	1RB#0	6.38	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	6.52	13	PASS
Band7	15MHz	QPSK	21375	1RB#0	6.04	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	6.60	13	PASS
Band7	15MHz	16QAM	20825	1RB#0	7.20	13	PASS
Band7	15MHz	16QAM	20825	75RB#0	6.90	13	PASS
Band7	15MHz	16QAM	21100	1RB#0	7.32	13	PASS
Band7	15MHz	16QAM	21100	75RB#0	7.04	13	PASS
Band7	15MHz	16QAM	21375	1RB#0	7.02	13	PASS




Band7	15MHz	16QAM	21375	75RB#0	7.02	13	PASS
Band7	20MHz	QPSK	20850	1RB#0	5.88	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	6.10	13	PASS
Band7	20MHz	QPSK	21100	1RB#0	6.12	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	6.18	13	PASS
Band7	20MHz	QPSK	21350	1RB#0	5.80	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	6.12	13	PASS
Band7	20MHz	16QAM	20850	1RB#0	6.56	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	6.90	13	PASS
Band7	20MHz	16QAM	21100	1RB#0	6.66	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	6.96	13	PASS
Band7	20MHz	16QAM	21350	1RB#0	6.52	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	6.92	13	PASS




Test Graphs




Band7-5MHz-QPSK-20775-1RB#0-PASS




Band7-5MHz-QPSK-20775-25RB#0-PASS




Band7-5MHz-QPSK-21100-1RB#0-PASS




Band7-5MHz-QPSK-21100-25RB#0-PASS




Band7-5MHz-QPSK-21425-1RB#0-PASS




Band7-5MHz-QPSK-21425-25RB#0-PASS




Band7-5MHz-16QAM-20775-1RB#0-PASS




Band7-5MHz-16QAM-20775-25RB#0-PASS




Band7-5MHz-16QAM-21100-1RB#0-PASS




Band7-5MHz-16QAM-21100-25RB#0-PASS




Band7-5MHz-16QAM-21425-1RB#0-PASS




Band7-5MHz-16QAM-21425-25RB#0-PASS




Band7-10MHz-QPSK-20800-1RB#0-PASS




Band7-10MHz-QPSK-20800-50RB#0-PASS




Band7-10MHz-QPSK-21100-1RB#0-PASS




Band7-10MHz-QPSK-21100-50RB#0-PASS




Band7-10MHz-QPSK-21400-1RB#0-PASS




Band7-10MHz-QPSK-21400-50RB#0-PASS




Band7-10MHz-16QAM-20800-1RB#0-PASS




Band7-10MHz-16QAM-20800-50RB#0-PASS




Band7-10MHz-16QAM-21100-1RB#0-PASS




Band7-10MHz-16QAM-21100-50RB#0-PASS




Band7-10MHz-16QAM-21400-1RB#0-PASS




Band7-10MHz-16QAM-21400-50RB#0-PASS




Band7-15MHz-QPSK-20825-1RB#0-PASS




Band7-15MHz-QPSK-20825-75RB#0-PASS




Band7-15MHz-QPSK-21100-1RB#0-PASS





Band7-15MHz-QPSK-21100-75RB#0-PASS



Band7-15MHz-QPSK-21375-1RB#0-PASS





Band7-15MHz-QPSK-21375-75RB#0-PASS





Band7-15MHz-16QAM-20825-1RB#0-PASS

Band7-15MHz-16QAM-20825-75RB#0-PASS




Band7-15MHz-16QAM-21100-1RB#0-PASS

Band7-15MHz-16QAM-21100-75RB#0-PASS




Band7-15MHz-16QAM-21375-1RB#0-PASS


Band7-15MHz-16QAM-21375-75RB#0-PASS




Band7-20MHz-QPSK-20850-1RB#0-PASS




Band7-20MHz-QPSK-20850-100RB#0-PASS




Band7-20MHz-QPSK-21100-1RB#0-PASS




Band7-20MHz-QPSK-21100-100RB#0-PASS




Band7-20MHz-QPSK-21350-1RB#0-PASS




Band7-20MHz-QPSK-21350-100RB#0-PASS




Band7-20MHz-16QAM-20850-1RB#0-PASS




Band7-20MHz-16QAM-20850-100RB#0-PASS




Band7-20MHz-16QAM-21100-1RB#0-PASS



Band7-20MHz-16QAM-21100-100RB#0-PASS



Band7-20MHz-16QAM-21350-1RB#0-PASS



Band7-20MHz-16QAM-21350-100RB#0-PASS



Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.501	4.97	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.506	4.90	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.502	4.92	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.528	4.92	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.497	4.98	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.504	4.92	PASS
Band7	10MHz	QPSK	20800	50RB#0	8.953	9.87	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.978	9.73	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.977	9.87	PASS
Band7	10MHz	16QAM	20800	50RB#0	9.009	9.87	PASS
Band7	10MHz	16QAM	21100	50RB#0	8.994	9.80	PASS
Band7	10MHz	16QAM	21400	50RB#0	8.979	9.80	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.451	14.95	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.476	14.70	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.472	14.60	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.441	14.70	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.508	14.60	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.387	14.50	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.94	19.67	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.965	19.67	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.944	20.07	PASS
Band7	20MHz	16QAM	20850	100RB#0	17.938	19.47	PASS
Band7	20MHz	16QAM	21100	100RB#0	17.951	19.80	PASS
Band7	20MHz	16QAM	21350	100RB#0	17.925	19.47	PASS



Test Graphs




Band7-5MHz-QPSK-20775-25RB#0-PASS




Band7-5MHz-QPSK-21100-25RB#0-PASS



Band7-5MHz-QPSK-21425-25RB#0-PASS




Band7-5MHz-QPSK-21425-25RB#0-PASS




Band7-5MHz-16QAM-20775-25RB#0-PASS



Band7-5MHz-16QAM-21100-25RB#0-PASS




04:46:30 下午 09/14/2024




04:46:48 下午 09/14/2024

Band7-10MHz-QPSK-20800-50RB#0-PASS

Band7-10MHz-QPSK-21100-50RB#0-PASS



04:47:16 下午 09/14/2024




04:46:36 下午 09/14/2024

Band7-10MHz-QPSK-21400-50RB#0-PASS

Band7-10MHz-16QAM-20800-50RB#0-PASS




04:46:54 下午 09/14/2024



04:47:22 下午 09/14/2024

Band7-10MHz-16QAM-21100-50RB#0-PASS

Band7-10MHz-16QAM-21400-50RB#0-PASS



04:53:23 下午 09/14/2024




04:53:41 下午 09/14/2024

Band7-15MHz-QPSK-20825-75RB#0-PASS

Band7-15MHz-QPSK-21100-75RB#0-PASS




04:54:29 下午 09/14/2024




04:53:30 下午 09/14/2024

Band7-15MHz-QPSK-21375-75RB#0-PASS

Band7-15MHz-16QAM-20825-75RB#0-PASS




04:53:48 下午 09/14/2024



04:54:36 下午 09/14/2024


Band7-15MHz-16QAM-21100-75RB#0-PASS

Band7-15MHz-16QAM-21375-75RB#0-PASS



05:01:19 下午 09/14/2024

Band7-20MHz-QPSK-20850-100RB#0-PASS




05:01:38 下午 09/14/2024

Band7-20MHz-QPSK-21100-100RB#0-PASS




05:02:14 下午 09/14/2024

Band7-20MHz-QPSK-21350-100RB#0-PASS




05:02:26 下午 09/14/2024

Band7-20MHz-16QAM-20850-100RB#0-PASS



05:01:45 下午 09/14/2024

Band7-20MHz-16QAM-21100-100RB#0-PASS



05:02:21 下午 09/14/2024

Band7-20MHz-16QAM-21350-100RB#0-PASS




Appendix D: Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	-18.52	PASS
Band7	5MHz	QPSK	20775	1RB#24	-44.83	PASS
Band7	5MHz	QPSK	20775	25RB#0	-24.01	PASS
Band7	5MHz	QPSK	21425	1RB#0	-42.74	PASS
Band7	5MHz	QPSK	21425	1RB#24	-18.96	PASS
Band7	5MHz	QPSK	21425	25RB#0	-22.28	PASS
Band7	5MHz	16QAM	20775	1RB#0	-21.23	PASS
Band7	5MHz	16QAM	20775	1RB#24	-44.97	PASS
Band7	5MHz	16QAM	20775	25RB#0	-25.91	PASS
Band7	5MHz	16QAM	21425	1RB#0	-43.38	PASS
Band7	5MHz	16QAM	21425	1RB#24	-20.46	PASS
Band7	5MHz	16QAM	21425	25RB#0	-38.93	PASS
Band7	10MHz	QPSK	20800	1RB#0	-21.10	PASS
Band7	10MHz	QPSK	20800	1RB#49	-44.41	PASS
Band7	10MHz	QPSK	20800	50RB#0	-40.66	PASS
Band7	10MHz	QPSK	21400	1RB#0	-44.96	PASS
Band7	10MHz	QPSK	21400	1RB#49	-21.62	PASS
Band7	10MHz	QPSK	21400	50RB#0	-26.91	PASS
Band7	15MHz	QPSK	20825	1RB#0	-20.77	PASS
Band7	15MHz	QPSK	20825	1RB#74	-45.17	PASS
Band7	15MHz	QPSK	20825	75RB#0	-42.25	PASS
Band7	15MHz	QPSK	21375	1RB#0	-44.95	PASS
Band7	15MHz	QPSK	21375	1RB#74	-21.37	PASS
Band7	15MHz	QPSK	21375	75RB#0	-27.01	PASS
Band7	20MHz	QPSK	20850	1RB#0	-21.36	PASS
Band7	20MHz	QPSK	20850	1RB#99	-44.99	PASS
Band7	20MHz	QPSK	20850	100RB#0	-43.58	PASS
Band7	20MHz	QPSK	21350	1RB#0	-44.98	PASS
Band7	20MHz	QPSK	21350	1RB#99	-22.22	PASS
Band7	20MHz	QPSK	21350	100RB#0	-28.95	PASS




Test Graphs



Band7_5MHz_QPSK_20775_1RB#0




Band7_5MHz_QPSK_20775_1RB#24



Band7_5MHz_QPSK_20775_25RB#0




Band7_5MHz_QPSK_21425_1RB#0




Band7_5MHz_QPSK_21425_1RB#24



Band7_5MHz_QPSK_21425_25RB#0




04:39:33 下午 09/14/2024



04:40:00 下午 09/14/2024

Band7_5MHz_16QAM_20775_1RB#0

Band7_5MHz_16QAM_20775_1RB#24




04:40:25 下午 09/14/2024




04:40:57 下午 09/14/2024

Band7_5MHz_16QAM_20775_25RB#0

Band7_5MHz_16QAM_21425_1RB#0



04:41:24 下午 09/14/2024




04:41:49 下午 09/14/2024

Band7_5MHz_16QAM_21425_1RB#24

Band7_5MHz_16QAM_21425_25RB#0



04:47:44 下午 09/14/2024



04:47:57 下午 09/14/2024

Band7_10MHz_QPSK_20800_1RB#0

Band7_10MHz_QPSK_20800_1RB#49




04:48:08 下午 09/14/2024




04:48:25 下午 09/14/2024

Band7_10MHz_QPSK_20800_50RB#0

Band7_10MHz_QPSK_21400_1RB#0



04:48:38 下午 09/14/2024



04:48:49 下午 09/14/2024

Band7_10MHz_QPSK_21400_1RB#49

Band7_10MHz_QPSK_21400_50RB#0




04:54:58 下午 09/14/2024

Band7_15MHz_QPSK_20825_1RB#0




04:55:10 下午 09/14/2024

Band7_15MHz_QPSK_20825_1RB#74




04:55:21 下午 09/14/2024

Band7_15MHz_QPSK_20825_75RB#0




04:55:39 下午 09/14/2024

Band7_15MHz_QPSK_21375_1RB#0



04:55:51 下午 09/14/2024

Band7_15MHz_QPSK_21375_1RB#74




04:56:02 下午 09/14/2024

Band7_15MHz_QPSK_21375_75RB#0




05:02:43 下午 09/14/2024



05:02:55 下午 09/14/2024

Band7_20MHz_QPSK_20850_1RB#0

Band7_20MHz_QPSK_20850_1RB#99



05:03:06 下午 09/14/2024




05:03:23 下午 09/14/2024

Band7_20MHz_QPSK_20850_100RB#0

Band7_20MHz_QPSK_21350_1RB#0



05:03:36 下午 09/14/2024



05:03:47 下午 09/14/2024

Band7_20MHz_QPSK_21350_1RB#99

Band7_20MHz_QPSK_21350_100RB#0



Appendix E: Conducted Spurious Emission

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	30~1000	-54.49	PASS
Band7	5MHz	QPSK	20775	1RB#0	1000~20000	-36.08	PASS
Band7	5MHz	QPSK	20775	1RB#0	20000~27000	-34.81	PASS
Band7	5MHz	QPSK	21100	1RB#0	30~1000	-54.44	PASS
Band7	5MHz	QPSK	21100	1RB#0	1000~20000	-35.99	PASS
Band7	5MHz	QPSK	21100	1RB#0	20000~27000	-34.93	PASS
Band7	5MHz	QPSK	21425	1RB#0	30~1000	-54.26	PASS
Band7	5MHz	QPSK	21425	1RB#0	1000~20000	-35.81	PASS
Band7	5MHz	QPSK	21425	1RB#0	20000~27000	-34.79	PASS
Band7	10MHz	QPSK	20800	1RB#0	30~1000	-54.47	PASS
Band7	10MHz	QPSK	20800	1RB#0	1000~20000	-35.94	PASS
Band7	10MHz	QPSK	20800	1RB#0	20000~27000	-34.62	PASS
Band7	10MHz	QPSK	21100	1RB#0	30~1000	-54.24	PASS
Band7	10MHz	QPSK	21100	1RB#0	1000~20000	-35.30	PASS
Band7	10MHz	QPSK	21100	1RB#0	20000~27000	-34.47	PASS
Band7	10MHz	QPSK	21400	1RB#0	30~1000	-54.40	PASS
Band7	10MHz	QPSK	21400	1RB#0	1000~20000	-35.48	PASS
Band7	10MHz	QPSK	21400	1RB#0	20000~27000	-34.35	PASS
Band7	15MHz	QPSK	20825	1RB#0	30~1000	-54.51	PASS
Band7	15MHz	QPSK	20825	1RB#0	1000~20000	-36.13	PASS
Band7	15MHz	QPSK	20825	1RB#0	20000~27000	-34.87	PASS
Band7	15MHz	QPSK	21100	1RB#0	30~1000	-54.29	PASS
Band7	15MHz	QPSK	21100	1RB#0	1000~20000	-35.98	PASS
Band7	15MHz	QPSK	21100	1RB#0	20000~27000	-34.91	PASS
Band7	15MHz	QPSK	21375	1RB#0	30~1000	-54.28	PASS
Band7	15MHz	QPSK	21375	1RB#0	1000~20000	-35.77	PASS
Band7	15MHz	QPSK	21375	1RB#0	20000~27000	-34.54	PASS
Band7	20MHz	QPSK	20850	1RB#0	30~1000	-54.39	PASS
Band7	20MHz	QPSK	20850	1RB#0	1000~20000	-30.85	PASS
Band7	20MHz	QPSK	20850	1RB#0	20000~27000	-34.78	PASS
Band7	20MHz	QPSK	21100	1RB#0	30~1000	-54.28	PASS
Band7	20MHz	QPSK	21100	1RB#0	1000~20000	-32.35	PASS
Band7	20MHz	QPSK	21100	1RB#0	20000~27000	-34.90	PASS
Band7	20MHz	QPSK	21350	1RB#0	30~1000	-54.40	PASS
Band7	20MHz	QPSK	21350	1RB#0	1000~20000	-35.78	PASS




Band7	20MHz	QPSK	21350	1RB#0	20000~27000	-34.67	PASS
-------	-------	------	-------	-------	-------------	--------	------




Test Graphs




Band7_5MHz_QPSK_20775_1RB#0_30~1000_30~1000




Band7_5MHz_QPSK_20775_1RB#0_1000~20000_1000~20000




Band7_5MHz_QPSK_20775_1RB#0_20000~27000_20000~27000




Band7_5MHz_QPSK_21100_1RB#0_30~1000_30~1000



Band7_5MHz_QPSK_21100_1RB#0_1000~20000_1000~20000




Band7_5MHz_QPSK_21100_1RB#0_20000~27000_20000~27000




04:42:49 下午 09/14/2024

Band7_5MHz_QPSK_21425_1RB#0_30~1000_30~1000



04:42:54 下午 09/14/2024


Band7_5MHz_QPSK_21425_1RB#0_1000~20000_1000~20000



04:42:59 下午 09/14/2024


Band7_5MHz_QPSK_21425_1RB#0_20000~27000_20000~27000

00



04:49:04 下午 09/14/2024


Band7_10MHz_QPSK_20800_1RB#0_30~1000_30~1000



04:49:09 下午 09/14/2024

Band7_10MHz_QPSK_20800_1RB#0_1000~20000_1000~2000


0




04:49:14 下午 09/14/2024

Band7_10MHz_QPSK_20800_1RB#0_20000~27000_20000~27000

000




Band7_10MHz_QPSK_21100_1RB#0_30~1000_30~1000




Band7_10MHz_QPSK_21100_1RB#0_1000~20000_1000~2000

0




Band7_10MHz_QPSK_21100_1RB#0_20000~27000_20000~27000

000




Band7_10MHz_QPSK_21400_1RB#0_30~1000_30~1000





Band7_10MHz_QPSK_21400_1RB#0_1000~20000_1000~2000

0



Band7_10MHz_QPSK_21400_1RB#0_20000~27000_20000~27000



000



Band7_15MHz_QPSK_20825_1RB#0_30~1000_30~1000

Band7_15MHz_QPSK_20825_1RB#0_1000~20000_1000~2000



0



Band7_15MHz_QPSK_20825_1RB#0_20000~27000_20000~27

Band7_15MHz_QPSK_21100_1RB#0_30~1000_30~1000

000




Band7_15MHz_QPSK_21100_1RB#0_1000~20000_1000~2000


Band7_15MHz_QPSK_21100_1RB#0_20000~27000_20000~27

0

000



04:57:01 下午 09/14/2024




04:57:06 下午 09/14/2024


Band7_15MHz_QPSK_21375_1RB#0_30~1000_30~1000

Band7_15MHz_QPSK_21375_1RB#0_1000~20000_1000~2000

0



04:57:10 下午 09/14/2024




05:04:03 下午 09/14/2024


Band7_15MHz_QPSK_21375_1RB#0_20000~27000_20000~27000

Band7_20MHz_QPSK_20850_1RB#0_30~1000_30~1000

000



05:04:07 下午 09/14/2024




05:04:12 下午 09/14/2024

Band7_20MHz_QPSK_20850_1RB#0_1000~20000_1000~2000


Band7_20MHz_QPSK_20850_1RB#0_20000~27000_20000~27000

0

000




Band7_20MHz_QPSK_21100_1RB#0_30~1000_30~1000




Band7_20MHz_QPSK_21100_1RB#0_1000~20000_1000~2000

0




Band7_20MHz_QPSK_21100_1RB#0_20000~27000_20000~27000

000




Band7_20MHz_QPSK_21350_1RB#0_30~1000_30~1000



Band7_20MHz_QPSK_21350_1RB#0_1000~20000_1000~2000

0



Band7_20MHz_QPSK_21350_1RB#0_20000~27000_20000~27000

000



Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth h	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	VN	NT	-5.75	-0.002298	±2.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	VL	NT	-3.05	-0.001219	±2.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	VH	NT	7.51	0.003001	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	VN	NT	-23.37	-0.009219	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	VL	NT	-4.54	-0.001791	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	VH	NT	5.00	0.001972	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	VN	NT	-19.82	-0.007720	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	VL	NT	-2.28	-0.000888	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	VH	NT	5.86	0.002282	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	VN	NT	-6.57	-0.002623	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	VL	NT	-4.13	-0.001649	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	VH	NT	-4.04	-0.001613	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	VN	NT	-18.23	-0.007191	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	VL	NT	-6.94	-0.002738	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	VH	NT	5.01	0.001976	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	VN	NT	-19.96	-0.007782	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	VL	NT	-4.62	-0.001801	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	VH	NT	5.65	0.002203	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	VN	NT	-5.70	-0.002273	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	VL	NT	-4.38	-0.001747	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	VH	NT	-4.49	-0.001791	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	VN	NT	-18.69	-0.007373	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	VL	NT	-8.74	-0.003448	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	VH	NT	3.25	0.001282	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	VN	NT	-20.41	-0.007965	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	VL	NT	-5.97	-0.002330	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	VH	NT	6.25	0.002439	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	VN	NT	-6.67	-0.002657	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	VL	NT	-4.44	-0.001769	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	VH	NT	3.24	0.001291	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	VN	NT	-12.24	-0.004828	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	VL	NT	-9.23	-0.003641	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	VH	NT	3.79	0.001495	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	VN	NT	-20.12	-0.007859	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	VL	NT	-7.96	-0.003109	±2.5	PASS



Band7	20MHz	QPSK	21350	100RB#0	VH	NT	3.64	0.001422	±2.5	PASS
-------	-------	------	-------	---------	----	----	------	----------	------	------



Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	NV	-30	6.97	0.002785	±2.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	NV	-20	2.85	0.001139	±2.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	NV	-10	3.76	0.001502	±2.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	NV	0	2.99	0.001195	±2.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	NV	10	3.51	0.001403	±2.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	NV	20	-5.15	-0.002058	±2.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	NV	30	-2.49	-0.000995	±2.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	NV	40	-3.10	-0.001239	±2.5	PASS
Band7	5MHz	QPSK	20775	25RB#0	NV	50	3.24	0.001295	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	NV	-30	3.58	0.001412	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	NV	-20	6.71	0.002647	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	NV	-10	6.03	0.002379	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	NV	0	4.31	0.001700	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	NV	10	2.60	0.001026	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	NV	20	2.49	0.000982	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	NV	30	6.52	0.002572	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	NV	40	3.21	0.001266	±2.5	PASS
Band7	5MHz	QPSK	21100	25RB#0	NV	50	4.06	0.001602	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	NV	-30	5.93	0.002310	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	NV	-20	4.83	0.001881	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	NV	-10	4.20	0.001636	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	NV	0	4.98	0.001940	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	NV	10	4.55	0.001772	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	NV	20	4.44	0.001729	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	NV	30	3.65	0.001422	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	NV	40	4.46	0.001737	±2.5	PASS
Band7	5MHz	QPSK	21425	25RB#0	NV	50	-3.98	-0.001550	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	NV	-30	3.59	0.001433	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	NV	-20	-2.62	-0.001046	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	NV	-10	5.92	0.002363	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	NV	0	3.35	0.001337	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	NV	10	3.93	0.001569	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	NV	20	4.31	0.001721	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	NV	30	6.35	0.002535	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	NV	40	4.91	0.001960	±2.5	PASS
Band7	10MHz	QPSK	20800	50RB#0	NV	50	2.31	0.000922	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	NV	-30	-1.91	-0.000753	±2.5	PASS



Band7	10MHz	QPSK	21100	50RB#0	NV	-20	4.89	0.001929	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	NV	-10	-4.93	-0.001945	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	NV	0	-3.68	-0.001452	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	NV	10	6.37	0.002513	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	NV	20	4.55	0.001795	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	NV	30	7.40	0.002919	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	NV	40	7.68	0.003030	±2.5	PASS
Band7	10MHz	QPSK	21100	50RB#0	NV	50	3.93	0.001550	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	NV	-30	3.30	0.001287	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	NV	-20	-3.02	-0.001177	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	NV	-10	9.11	0.003552	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	NV	0	7.01	0.002733	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	NV	10	6.84	0.002667	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	NV	20	4.81	0.001875	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	NV	30	8.27	0.003224	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	NV	40	9.76	0.003805	±2.5	PASS
Band7	10MHz	QPSK	21400	50RB#0	NV	50	4.56	0.001778	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	NV	-30	7.86	0.003135	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	NV	-20	4.10	0.001635	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	NV	-10	4.31	0.001719	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	NV	0	-2.33	-0.000929	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	NV	10	2.47	0.000985	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	NV	20	4.43	0.001767	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	NV	30	3.15	0.001256	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	NV	40	6.13	0.002445	±2.5	PASS
Band7	15MHz	QPSK	20825	75RB#0	NV	50	3.78	0.001507	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	NV	-30	4.43	0.001748	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	NV	-20	-3.42	-0.001349	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	NV	-10	3.82	0.001507	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	NV	0	2.54	0.001002	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	NV	10	5.10	0.002012	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	NV	20	5.53	0.002181	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	NV	30	3.63	0.001432	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	NV	40	3.60	0.001420	±2.5	PASS
Band7	15MHz	QPSK	21100	75RB#0	NV	50	3.48	0.001373	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	NV	-30	5.88	0.002295	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	NV	-20	5.70	0.002224	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	NV	-10	7.15	0.002790	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	NV	0	8.81	0.003438	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	NV	10	8.87	0.003461	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	NV	20	7.47	0.002915	±2.5	PASS



Band7	15MHz	QPSK	21375	75RB#0	NV	30	8.84	0.003450	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	NV	40	6.77	0.002642	±2.5	PASS
Band7	15MHz	QPSK	21375	75RB#0	NV	50	7.56	0.002950	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	-30	7.10	0.002829	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	-20	5.54	0.002207	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	-10	3.02	0.001203	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	0	6.68	0.002661	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	10	4.95	0.001972	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	20	4.65	0.001853	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	30	3.07	0.001223	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	40	2.99	0.001191	±2.5	PASS
Band7	20MHz	QPSK	20850	100RB#0	NV	50	3.60	0.001434	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	-30	4.49	0.001771	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	-20	-2.93	-0.001156	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	-10	5.93	0.002339	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	0	2.78	0.001097	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	10	5.24	0.002067	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	20	-3.28	-0.001294	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	30	3.55	0.001400	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	40	7.81	0.003081	±2.5	PASS
Band7	20MHz	QPSK	21100	100RB#0	NV	50	3.71	0.001464	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	-30	3.46	0.001352	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	-20	3.20	0.001250	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	-10	2.88	0.001125	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	0	7.89	0.003082	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	10	5.19	0.002027	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	20	6.22	0.002430	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	30	8.95	0.003496	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	40	4.73	0.001848	±2.5	PASS
Band7	20MHz	QPSK	21350	100RB#0	NV	50	3.98	0.001555	±2.5	PASS

-----END-----