



TABLE OF CONTENTS

Appendix A: Effective (Isotropic) Radiated Power Output Data	2
Appendix B: Peak-to-Average Ratio(CCDF)	8
Appendix C: 26dB Bandwidth and Occupied Bandwidth	20
Appendix D: Band Edge	25
Appendix E: Conducted Spurious Emission	31
Appendix F: Frequency Stability	41



Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted power (dBm)	ERP(dBm) or EIRP(dBm)	Limit	Verdict
26(824-849)	1.4MHz	QPSK	26797	1RB#0	20.32	19.32	38.45	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#2	20.36	19.36	38.45	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#5	20.44	19.44	38.45	PASS
26(824-849)	1.4MHz	QPSK	26797	3RB#0	20.53	19.53	38.45	PASS
26(824-849)	1.4MHz	QPSK	26797	3RB#1	20.5	19.5	38.45	PASS
26(824-849)	1.4MHz	QPSK	26797	3RB#3	20.54	19.54	38.45	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	19.59	18.59	38.45	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	20.58	19.58	38.45	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#2	20.59	19.59	38.45	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#5	20.64	19.64	38.45	PASS
26(824-849)	1.4MHz	QPSK	26915	3RB#0	20.53	19.53	38.45	PASS
26(824-849)	1.4MHz	QPSK	26915	3RB#1	20.54	19.54	38.45	PASS
26(824-849)	1.4MHz	QPSK	26915	3RB#3	20.52	19.52	38.45	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	19.55	18.55	38.45	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	20.68	19.68	38.45	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#2	20.7	19.7	38.45	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#5	20.75	19.75	38.45	PASS
26(824-849)	1.4MHz	QPSK	27033	3RB#0	20.66	19.66	38.45	PASS
26(824-849)	1.4MHz	QPSK	27033	3RB#1	20.66	19.66	38.45	PASS
26(824-849)	1.4MHz	QPSK	27033	3RB#3	20.6	19.6	38.45	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	19.73	18.73	38.45	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#0	19.53	18.53	38.45	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#2	19.56	18.56	38.45	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#5	19.62	18.62	38.45	PASS
26(824-849)	1.4MHz	16QAM	26797	3RB#0	19.54	18.54	38.45	PASS
26(824-849)	1.4MHz	16QAM	26797	3RB#1	19.58	18.58	38.45	PASS
26(824-849)	1.4MHz	16QAM	26797	3RB#3	19.6	18.6	38.45	PASS
26(824-849)	1.4MHz	16QAM	26797	6RB#0	18.59	17.59	38.45	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#0	20.36	19.36	38.45	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#2	20.33	19.33	38.45	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#5	20.39	19.39	38.45	PASS
26(824-849)	1.4MHz	16QAM	26915	3RB#0	19.54	18.54	38.45	PASS
26(824-849)	1.4MHz	16QAM	26915	3RB#1	19.54	18.54	38.45	PASS
26(824-849)	1.4MHz	16QAM	26915	3RB#3	19.59	18.59	38.45	PASS



26(824-849)	1.4MHz	16QAM	26915	6RB#0	18.55	17.55	38.45	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#0	20.32	19.32	38.45	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#2	20.35	19.35	38.45	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#5	20.36	19.36	38.45	PASS
26(824-849)	1.4MHz	16QAM	27033	3RB#0	19.44	18.44	38.45	PASS
26(824-849)	1.4MHz	16QAM	27033	3RB#1	19.48	18.48	38.45	PASS
26(824-849)	1.4MHz	16QAM	27033	3RB#3	19.5	18.5	38.45	PASS
26(824-849)	1.4MHz	16QAM	27033	6RB#0	18.69	17.69	38.45	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	20.44	19.44	38.45	PASS
26(824-849)	3MHz	QPSK	26805	1RB#8	20.43	19.43	38.45	PASS
26(824-849)	3MHz	QPSK	26805	1RB#14	20.45	19.45	38.45	PASS
26(824-849)	3MHz	QPSK	26805	8RB#0	19.53	18.53	38.45	PASS
26(824-849)	3MHz	QPSK	26805	8RB#4	19.55	18.55	38.45	PASS
26(824-849)	3MHz	QPSK	26805	8RB#7	19.49	18.49	38.45	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	19.49	18.49	38.45	PASS
26(824-849)	3MHz	QPSK	26915	1RB#0	20.34	19.34	38.45	PASS
26(824-849)	3MHz	QPSK	26915	1RB#8	20.4	19.4	38.45	PASS
26(824-849)	3MHz	QPSK	26915	1RB#14	20.35	19.35	38.45	PASS
26(824-849)	3MHz	QPSK	26915	8RB#0	19.61	18.61	38.45	PASS
26(824-849)	3MHz	QPSK	26915	8RB#4	19.62	18.62	38.45	PASS
26(824-849)	3MHz	QPSK	26915	8RB#7	19.61	18.61	38.45	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	19.54	18.54	38.45	PASS
26(824-849)	3MHz	QPSK	27025	1RB#0	20.49	19.49	38.45	PASS
26(824-849)	3MHz	QPSK	27025	1RB#8	20.61	19.61	38.45	PASS
26(824-849)	3MHz	QPSK	27025	1RB#14	20.6	19.6	38.45	PASS
26(824-849)	3MHz	QPSK	27025	8RB#0	19.63	18.63	38.45	PASS
26(824-849)	3MHz	QPSK	27025	8RB#4	19.63	18.63	38.45	PASS
26(824-849)	3MHz	QPSK	27025	8RB#7	19.65	18.65	38.45	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	19.64	18.64	38.45	PASS
26(824-849)	3MHz	16QAM	26805	1RB#0	19.86	18.86	38.45	PASS
26(824-849)	3MHz	16QAM	26805	1RB#8	19.83	18.83	38.45	PASS
26(824-849)	3MHz	16QAM	26805	1RB#14	19.81	18.81	38.45	PASS
26(824-849)	3MHz	16QAM	26805	8RB#0	18.8	17.8	38.45	PASS
26(824-849)	3MHz	16QAM	26805	8RB#4	18.8	17.8	38.45	PASS
26(824-849)	3MHz	16QAM	26805	8RB#7	18.72	17.72	38.45	PASS
26(824-849)	3MHz	16QAM	26805	15RB#0	18.58	17.58	38.45	PASS
26(824-849)	3MHz	16QAM	26915	1RB#0	19.38	18.38	38.45	PASS
26(824-849)	3MHz	16QAM	26915	1RB#8	19.38	18.38	38.45	PASS
26(824-849)	3MHz	16QAM	26915	1RB#14	19.43	18.43	38.45	PASS
26(824-849)	3MHz	16QAM	26915	8RB#0	18.77	17.77	38.45	PASS
26(824-849)	3MHz	16QAM	26915	8RB#4	18.78	17.78	38.45	PASS



26(824-849)	3MHz	16QAM	26915	8RB#7	18.69	17.69	38.45	PASS
26(824-849)	3MHz	16QAM	26915	15RB#0	18.49	17.49	38.45	PASS
26(824-849)	3MHz	16QAM	27025	1RB#0	20.14	19.14	38.45	PASS
26(824-849)	3MHz	16QAM	27025	1RB#8	20.12	19.12	38.45	PASS
26(824-849)	3MHz	16QAM	27025	1RB#14	20.13	19.13	38.45	PASS
26(824-849)	3MHz	16QAM	27025	8RB#0	18.77	17.77	38.45	PASS
26(824-849)	3MHz	16QAM	27025	8RB#4	18.76	17.76	38.45	PASS
26(824-849)	3MHz	16QAM	27025	8RB#7	18.73	17.73	38.45	PASS
26(824-849)	3MHz	16QAM	27025	15RB#0	18.62	17.62	38.45	PASS
26(824-849)	5MHz	QPSK	26815	1RB#0	20.74	19.74	38.45	PASS
26(824-849)	5MHz	QPSK	26815	1RB#12	20.77	19.77	38.45	PASS
26(824-849)	5MHz	QPSK	26815	1RB#24	20.76	19.76	38.45	PASS
26(824-849)	5MHz	QPSK	26815	12RB#0	19.58	18.58	38.45	PASS
26(824-849)	5MHz	QPSK	26815	12RB#6	19.58	18.58	38.45	PASS
26(824-849)	5MHz	QPSK	26815	12RB#13	19.52	18.52	38.45	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	19.58	18.58	38.45	PASS
26(824-849)	5MHz	QPSK	26915	1RB#0	20.69	19.69	38.45	PASS
26(824-849)	5MHz	QPSK	26915	1RB#12	20.74	19.74	38.45	PASS
26(824-849)	5MHz	QPSK	26915	1RB#24	20.71	19.71	38.45	PASS
26(824-849)	5MHz	QPSK	26915	12RB#0	19.6	18.6	38.45	PASS
26(824-849)	5MHz	QPSK	26915	12RB#6	19.61	18.61	38.45	PASS
26(824-849)	5MHz	QPSK	26915	12RB#13	19.57	18.57	38.45	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	19.57	18.57	38.45	PASS
26(824-849)	5MHz	QPSK	27015	1RB#0	20.79	19.79	38.45	PASS
26(824-849)	5MHz	QPSK	27015	1RB#12	20.85	19.85	38.45	PASS
26(824-849)	5MHz	QPSK	27015	1RB#24	20.84	19.84	38.45	PASS
26(824-849)	5MHz	QPSK	27015	12RB#0	19.68	18.68	38.45	PASS
26(824-849)	5MHz	QPSK	27015	12RB#6	19.67	18.67	38.45	PASS
26(824-849)	5MHz	QPSK	27015	12RB#13	19.6	18.6	38.45	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	19.62	18.62	38.45	PASS
26(824-849)	5MHz	16QAM	26815	1RB#0	18.72	17.72	38.45	PASS
26(824-849)	5MHz	16QAM	26815	1RB#12	18.78	17.78	38.45	PASS
26(824-849)	5MHz	16QAM	26815	1RB#24	18.77	17.77	38.45	PASS
26(824-849)	5MHz	16QAM	26815	12RB#0	18.59	17.59	38.45	PASS
26(824-849)	5MHz	16QAM	26815	12RB#6	18.59	17.59	38.45	PASS
26(824-849)	5MHz	16QAM	26815	12RB#13	18.57	17.57	38.45	PASS
26(824-849)	5MHz	16QAM	26815	25RB#0	18.59	17.59	38.45	PASS
26(824-849)	5MHz	16QAM	26915	1RB#0	19.73	18.73	38.45	PASS
26(824-849)	5MHz	16QAM	26915	1RB#12	19.73	18.73	38.45	PASS
26(824-849)	5MHz	16QAM	26915	1RB#24	19.71	18.71	38.45	PASS
26(824-849)	5MHz	16QAM	26915	12RB#0	18.66	17.66	38.45	PASS



26(824-849)	5MHz	16QAM	26915	12RB#6	18.59	17.59	38.45	PASS
26(824-849)	5MHz	16QAM	26915	12RB#13	18.63	17.63	38.45	PASS
26(824-849)	5MHz	16QAM	26915	25RB#0	18.76	17.76	38.45	PASS
26(824-849)	5MHz	16QAM	27015	1RB#0	18.83	17.83	38.45	PASS
26(824-849)	5MHz	16QAM	27015	1RB#12	18.91	17.91	38.45	PASS
26(824-849)	5MHz	16QAM	27015	1RB#24	18.9	17.9	38.45	PASS
26(824-849)	5MHz	16QAM	27015	12RB#0	18.67	17.67	38.45	PASS
26(824-849)	5MHz	16QAM	27015	12RB#6	18.73	17.73	38.45	PASS
26(824-849)	5MHz	16QAM	27015	12RB#13	18.69	17.69	38.45	PASS
26(824-849)	5MHz	16QAM	27015	25RB#0	18.73	17.73	38.45	PASS
26(824-849)	10MHz	QPSK	26840	1RB#0	20.41	19.41	38.45	PASS
26(824-849)	10MHz	QPSK	26840	1RB#24	20.37	19.37	38.45	PASS
26(824-849)	10MHz	QPSK	26840	1RB#49	20.47	19.47	38.45	PASS
26(824-849)	10MHz	QPSK	26840	25RB#0	19.47	18.47	38.45	PASS
26(824-849)	10MHz	QPSK	26840	25RB#12	19.46	18.46	38.45	PASS
26(824-849)	10MHz	QPSK	26840	25RB#25	19.53	18.53	38.45	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	19.51	18.51	38.45	PASS
26(824-849)	10MHz	QPSK	26915	1RB#0	20.48	19.48	38.45	PASS
26(824-849)	10MHz	QPSK	26915	1RB#24	20.59	19.59	38.45	PASS
26(824-849)	10MHz	QPSK	26915	1RB#49	20.66	19.66	38.45	PASS
26(824-849)	10MHz	QPSK	26915	25RB#0	19.58	18.58	38.45	PASS
26(824-849)	10MHz	QPSK	26915	25RB#12	19.59	18.59	38.45	PASS
26(824-849)	10MHz	QPSK	26915	25RB#25	19.61	18.61	38.45	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	19.58	18.58	38.45	PASS
26(824-849)	10MHz	QPSK	26990	1RB#0	20.42	19.42	38.45	PASS
26(824-849)	10MHz	QPSK	26990	1RB#24	20.49	19.49	38.45	PASS
26(824-849)	10MHz	QPSK	26990	1RB#49	20.59	19.59	38.45	PASS
26(824-849)	10MHz	QPSK	26990	25RB#0	19.6	18.6	38.45	PASS
26(824-849)	10MHz	QPSK	26990	25RB#12	19.63	18.63	38.45	PASS
26(824-849)	10MHz	QPSK	26990	25RB#25	19.6	18.6	38.45	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	19.62	18.62	38.45	PASS
26(824-849)	10MHz	16QAM	26840	1RB#0	20	19	38.45	PASS
26(824-849)	10MHz	16QAM	26840	1RB#24	19.99	18.99	38.45	PASS
26(824-849)	10MHz	16QAM	26840	1RB#49	20.02	19.02	38.45	PASS
26(824-849)	10MHz	16QAM	26840	25RB#0	18.46	17.46	38.45	PASS
26(824-849)	10MHz	16QAM	26840	25RB#12	18.46	17.46	38.45	PASS
26(824-849)	10MHz	16QAM	26840	25RB#25	18.52	17.52	38.45	PASS
26(824-849)	10MHz	16QAM	26840	50RB#0	18.57	17.57	38.45	PASS
26(824-849)	10MHz	16QAM	26915	1RB#0	19.54	18.54	38.45	PASS
26(824-849)	10MHz	16QAM	26915	1RB#24	19.54	18.54	38.45	PASS
26(824-849)	10MHz	16QAM	26915	1RB#49	19.66	18.66	38.45	PASS



26(824-849)	10MHz	16QAM	26915	25RB#0	18.81	17.81	38.45	PASS
26(824-849)	10MHz	16QAM	26915	25RB#12	18.75	17.75	38.45	PASS
26(824-849)	10MHz	16QAM	26915	25RB#25	18.73	17.73	38.45	PASS
26(824-849)	10MHz	16QAM	26915	50RB#0	18.7	17.7	38.45	PASS
26(824-849)	10MHz	16QAM	26990	1RB#0	19.68	18.68	38.45	PASS
26(824-849)	10MHz	16QAM	26990	1RB#24	19.74	18.74	38.45	PASS
26(824-849)	10MHz	16QAM	26990	1RB#49	19.73	18.73	38.45	PASS
26(824-849)	10MHz	16QAM	26990	25RB#0	18.66	17.66	38.45	PASS
26(824-849)	10MHz	16QAM	26990	25RB#12	18.64	17.64	38.45	PASS
26(824-849)	10MHz	16QAM	26990	25RB#25	18.62	17.62	38.45	PASS
26(824-849)	10MHz	16QAM	26990	50RB#0	18.73	17.73	38.45	PASS
26(824-849)	15MHz	QPSK	26865	1RB#0	20.37	19.37	38.45	PASS
26(824-849)	15MHz	QPSK	26865	1RB#38	20.42	19.42	38.45	PASS
26(824-849)	15MHz	QPSK	26865	1RB#74	20.55	19.55	38.45	PASS
26(824-849)	15MHz	QPSK	26865	38RB#0	19.51	18.51	38.45	PASS
26(824-849)	15MHz	QPSK	26865	38RB#18	19.49	18.49	38.45	PASS
26(824-849)	15MHz	QPSK	26865	38RB#37	19.55	18.55	38.45	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	19.55	18.55	38.45	PASS
26(824-849)	15MHz	QPSK	26915	1RB#0	20.37	19.37	38.45	PASS
26(824-849)	15MHz	QPSK	26915	1RB#38	20.48	19.48	38.45	PASS
26(824-849)	15MHz	QPSK	26915	1RB#74	20.49	19.49	38.45	PASS
26(824-849)	15MHz	QPSK	26915	38RB#0	19.62	18.62	38.45	PASS
26(824-849)	15MHz	QPSK	26915	38RB#18	19.63	18.63	38.45	PASS
26(824-849)	15MHz	QPSK	26915	38RB#37	19.62	18.62	38.45	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	19.63	18.63	38.45	PASS
26(824-849)	15MHz	QPSK	26965	1RB#0	20.41	19.41	38.45	PASS
26(824-849)	15MHz	QPSK	26965	1RB#38	20.53	19.53	38.45	PASS
26(824-849)	15MHz	QPSK	26965	1RB#74	20.63	19.63	38.45	PASS
26(824-849)	15MHz	QPSK	26965	38RB#0	19.65	18.65	38.45	PASS
26(824-849)	15MHz	QPSK	26965	38RB#18	19.64	18.64	38.45	PASS
26(824-849)	15MHz	QPSK	26965	38RB#37	19.63	18.63	38.45	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	19.63	18.63	38.45	PASS
26(824-849)	15MHz	16QAM	26865	1RB#0	19.93	18.93	38.45	PASS
26(824-849)	15MHz	16QAM	26865	1RB#38	19.97	18.97	38.45	PASS
26(824-849)	15MHz	16QAM	26865	1RB#74	20	19	38.45	PASS
26(824-849)	15MHz	16QAM	26865	38RB#0	19.5	18.5	38.45	PASS
26(824-849)	15MHz	16QAM	26865	38RB#18	19.48	18.48	38.45	PASS
26(824-849)	15MHz	16QAM	26865	38RB#37	19.55	18.55	38.45	PASS
26(824-849)	15MHz	16QAM	26865	75RB#0	18.52	17.52	38.45	PASS
26(824-849)	15MHz	16QAM	26915	1RB#0	19.31	18.31	38.45	PASS
26(824-849)	15MHz	16QAM	26915	1RB#38	19.39	18.39	38.45	PASS



26(824-849)	15MHz	16QAM	26915	1RB#74	19.46	18.46	38.45	PASS
26(824-849)	15MHz	16QAM	26915	38RB#0	19.62	18.62	38.45	PASS
26(824-849)	15MHz	16QAM	26915	38RB#18	19.62	18.62	38.45	PASS
26(824-849)	15MHz	16QAM	26915	38RB#37	19.62	18.62	38.45	PASS
26(824-849)	15MHz	16QAM	26915	75RB#0	18.64	17.64	38.45	PASS
26(824-849)	15MHz	16QAM	26965	1RB#0	19.99	18.99	38.45	PASS
26(824-849)	15MHz	16QAM	26965	1RB#38	20.07	19.07	38.45	PASS
26(824-849)	15MHz	16QAM	26965	1RB#74	20.12	19.12	38.45	PASS
26(824-849)	15MHz	16QAM	26965	38RB#0	19.64	18.64	38.45	PASS
26(824-849)	15MHz	16QAM	26965	38RB#18	19.63	18.63	38.45	PASS
26(824-849)	15MHz	16QAM	26965	38RB#37	19.63	18.63	38.45	PASS
26(824-849)	15MHz	16QAM	26965	75RB#0	18.72	17.72	38.45	PASS

$EIRP = PT + GT - LC$, $ERP = EIRP - 2.15$, where

PT = Conducted output power(dBm);

GT = gain of the transmitting antenna(dBi);



Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
26(824-849)	1.4MHz	QPSK	26797	1RB#0	5.70	13	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	5.98	13	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	5.74	13	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	5.84	13	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	5.40	13	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	5.72	13	PASS
26(824-849)	1.4MHz	16QAM	26797	1RB#0	6.58	13	PASS
26(824-849)	1.4MHz	16QAM	26797	6RB#0	6.84	13	PASS
26(824-849)	1.4MHz	16QAM	26915	1RB#0	6.46	13	PASS
26(824-849)	1.4MHz	16QAM	26915	6RB#0	6.70	13	PASS
26(824-849)	1.4MHz	16QAM	27033	1RB#0	6.48	13	PASS
26(824-849)	1.4MHz	16QAM	27033	6RB#0	6.50	13	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	5.86	13	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	6.08	13	PASS
26(824-849)	3MHz	QPSK	26915	1RB#0	5.80	13	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	5.94	13	PASS
26(824-849)	3MHz	QPSK	27025	1RB#0	5.62	13	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	5.78	13	PASS
26(824-849)	3MHz	16QAM	26805	1RB#0	6.68	13	PASS
26(824-849)	3MHz	16QAM	26805	15RB#0	6.88	13	PASS
26(824-849)	3MHz	16QAM	26915	1RB#0	6.64	13	PASS
26(824-849)	3MHz	16QAM	26915	15RB#0	6.78	13	PASS
26(824-849)	3MHz	16QAM	27025	1RB#0	6.54	13	PASS
26(824-849)	3MHz	16QAM	27025	15RB#0	6.72	13	PASS
26(824-849)	5MHz	QPSK	26815	1RB#0	5.82	13	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	6.14	13	PASS
26(824-849)	5MHz	QPSK	26915	1RB#0	5.70	13	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	5.98	13	PASS
26(824-849)	5MHz	QPSK	27015	1RB#0	5.70	13	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	5.94	13	PASS
26(824-849)	5MHz	16QAM	26815	1RB#0	6.50	13	PASS
26(824-849)	5MHz	16QAM	26815	25RB#0	6.88	13	PASS
26(824-849)	5MHz	16QAM	26915	1RB#0	6.48	13	PASS
26(824-849)	5MHz	16QAM	26915	25RB#0	6.70	13	PASS
26(824-849)	5MHz	16QAM	27015	1RB#0	6.36	13	PASS




26(824-849)	5MHz	16QAM	27015	25RB#0	6.66	13	PASS
26(824-849)	10MHz	QPSK	26840	1RB#0	5.86	13	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	6.12	13	PASS
26(824-849)	10MHz	QPSK	26915	1RB#0	5.90	13	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	6.00	13	PASS
26(824-849)	10MHz	QPSK	26990	1RB#0	5.72	13	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	6.02	13	PASS
26(824-849)	10MHz	16QAM	26840	1RB#0	7.00	13	PASS
26(824-849)	10MHz	16QAM	26840	50RB#0	6.88	13	PASS
26(824-849)	10MHz	16QAM	26915	1RB#0	6.88	13	PASS
26(824-849)	10MHz	16QAM	26915	50RB#0	6.72	13	PASS
26(824-849)	10MHz	16QAM	26990	1RB#0	6.64	13	PASS
26(824-849)	10MHz	16QAM	26990	50RB#0	6.76	13	PASS
26(824-849)	15MHz	QPSK	26865	1RB#0	5.96	13	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	6.22	13	PASS
26(824-849)	15MHz	QPSK	26915	1RB#0	5.86	13	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	6.14	13	PASS
26(824-849)	15MHz	QPSK	26965	1RB#0	5.80	13	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	6.16	13	PASS
26(824-849)	15MHz	16QAM	26865	1RB#0	6.80	13	PASS
26(824-849)	15MHz	16QAM	26865	75RB#0	6.74	13	PASS
26(824-849)	15MHz	16QAM	26915	1RB#0	6.96	13	PASS
26(824-849)	15MHz	16QAM	26915	75RB#0	6.70	13	PASS
26(824-849)	15MHz	16QAM	26965	1RB#0	6.78	13	PASS
26(824-849)	15MHz	16QAM	26965	75RB#0	6.64	13	PASS




Test Graphs




26(824-849)-1.4MHz-QPSK-26797-1RB#0-PASS




26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS




26(824-849)-1.4MHz-QPSK-26915-1RB#0-PASS




26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




26(824-849)-1.4MHz-QPSK-27033-1RB#0-PASS




26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS




26(824-849)-1.4MHz-16QAM-26797-1RB#0-PASS




26(824-849)-1.4MHz-16QAM-26797-6RB#0-PASS




26(824-849)-1.4MHz-16QAM-26915-1RB#0-PASS




26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS




26(824-849)-1.4MHz-16QAM-27033-1RB#0-PASS




26(824-849)-1.4MHz-16QAM-27033-6RB#0-PASS




26(824-849)-3MHz-QPSK-26805-1RB#0-PASS




26(824-849)-3MHz-QPSK-26805-15RB#0-PASS




26(824-849)-3MHz-QPSK-26915-1RB#0-PASS




26(824-849)-3MHz-QPSK-26915-15RB#0-PASS




26(824-849)-3MHz-QPSK-27025-1RB#0-PASS




26(824-849)-3MHz-QPSK-27025-15RB#0-PASS




26(824-849)-3MHz-16QAM-26805-1RB#0-PASS




26(824-849)-3MHz-16QAM-26805-15RB#0-PASS




26(824-849)-3MHz-16QAM-26915-1RB#0-PASS




26(824-849)-3MHz-16QAM-26915-15RB#0-PASS




26(824-849)-3MHz-16QAM-27025-1RB#0-PASS




26(824-849)-3MHz-16QAM-27025-15RB#0-PASS




26(824-849)-5MHz-QPSK-26815-1RB#0-PASS




26(824-849)-5MHz-QPSK-26815-25RB#0-PASS




26(824-849)-5MHz-QPSK-26915-1RB#0-PASS




26(824-849)-5MHz-QPSK-26915-25RB#0-PASS




26(824-849)-5MHz-QPSK-27015-1RB#0-PASS




26(824-849)-5MHz-QPSK-27015-25RB#0-PASS




26(824-849)-5MHz-16QAM-26815-1RB#0-PASS




26(824-849)-5MHz-16QAM-26815-25RB#0-PASS




26(824-849)-5MHz-16QAM-26915-1RB#0-PASS




26(824-849)-5MHz-16QAM-26915-25RB#0-PASS




26(824-849)-5MHz-16QAM-27015-1RB#0-PASS




26(824-849)-5MHz-16QAM-27015-25RB#0-PASS




26(824-849)-10MHz-QPSK-26840-1RB#0-PASS




26(824-849)-10MHz-QPSK-26840-50RB#0-PASS




26(824-849)-10MHz-QPSK-26915-1RB#0-PASS




26(824-849)-10MHz-QPSK-26915-50RB#0-PASS




26(824-849)-10MHz-QPSK-26990-1RB#0-PASS




26(824-849)-10MHz-QPSK-26990-50RB#0-PASS




26(824-849)-10MHz-16QAM-26840-1RB#0-PASS




26(824-849)-10MHz-16QAM-26840-50RB#0-PASS




26(824-849)-10MHz-16QAM-26915-1RB#0-PASS




26(824-849)-10MHz-16QAM-26915-50RB#0-PASS




26(824-849)-10MHz-16QAM-26990-1RB#0-PASS




26(824-849)-10MHz-16QAM-26990-50RB#0-PASS



26(824-849)-15MHz-QPSK-26865-1RB#0-PASS




26(824-849)-15MHz-QPSK-26865-75RB#0-PASS




26(824-849)-15MHz-QPSK-26915-1RB#0-PASS




26(824-849)-15MHz-QPSK-26915-75RB#0-PASS




26(824-849)-15MHz-QPSK-26965-1RB#0-PASS




26(824-849)-15MHz-QPSK-26965-75RB#0-PASS




26(824-849)-15MHz-16QAM-26865-1RB#0-PASS




26(824-849)-15MHz-16QAM-26865-75RB#0-PASS




26(824-849)-15MHz-16QAM-26915-1RB#0-PASS



26(824-849)-15MHz-16QAM-26915-75RB#0-PASS



26(824-849)-15MHz-16QAM-26965-1RB#0-PASS



26(824-849)-15MHz-16QAM-26965-75RB#0-PASS



Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
26(824-849)	1.4MHz	QPSK	26797	6RB#0	1.092	1.25	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.092	1.25	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	1.084	1.23	PASS
26(824-849)	1.4MHz	16QAM	26797	6RB#0	1.088	1.25	PASS
26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.082	1.24	PASS
26(824-849)	1.4MHz	16QAM	27033	6RB#0	1.082	1.24	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	2.687	2.88	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	2.667	2.88	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	2.671	2.87	PASS
26(824-849)	3MHz	16QAM	26805	15RB#0	2.688	2.89	PASS
26(824-849)	3MHz	16QAM	26915	15RB#0	2.677	2.88	PASS
26(824-849)	3MHz	16QAM	27025	15RB#0	2.669	2.88	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	4.509	4.87	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	4.505	4.93	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	4.494	4.90	PASS
26(824-849)	5MHz	16QAM	26815	25RB#0	4.499	4.88	PASS
26(824-849)	5MHz	16QAM	26915	25RB#0	4.488	4.97	PASS
26(824-849)	5MHz	16QAM	27015	25RB#0	4.492	4.90	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	13.456	14.90	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	13.471	14.50	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	13.437	14.80	PASS
26(824-849)	15MHz	16QAM	26865	75RB#0	13.408	14.85	PASS
26(824-849)	15MHz	16QAM	26915	75RB#0	13.4	14.60	PASS
26(824-849)	15MHz	16QAM	26965	75RB#0	13.411	14.60	PASS



Test Graphs



26(824-849)-1.4MHz-QPSK-26797-6RB#0-PASS




26(824-849)-1.4MHz-QPSK-26915-6RB#0-PASS




26(824-849)-1.4MHz-QPSK-27033-6RB#0-PASS



26(824-849)-1.4MHz-16QAM-26797-6RB#0-PASS




26(824-849)-1.4MHz-16QAM-26915-6RB#0-PASS



26(824-849)-1.4MHz-16QAM-27033-6RB#0-PASS



08:14:45 下午 08/23/2024



08:15:01 下午 08/23/2024

26(824-849)-3MHz-QPSK-26805-15RB#0-PASS

26(824-849)-3MHz-QPSK-26915-15RB#0-PASS




08:15:17 下午 08/23/2024



08:14:32 下午 08/23/2024

26(824-849)-3MHz-QPSK-27025-15RB#0-PASS

26(824-849)-3MHz-16QAM-26805-15RB#0-PASS



08:15:08 下午 08/23/2024



08:15:24 下午 08/23/2024

26(824-849)-3MHz-16QAM-26915-15RB#0-PASS

26(824-849)-3MHz-16QAM-27025-15RB#0-PASS



08:20:34 下午 08/23/2024




08:20:49 下午 08/23/2024

26(824-849)-5MHz-QPSK-26815-25RB#0-PASS

26(824-849)-5MHz-QPSK-26915-25RB#0-PASS




08:21:09 下午 08/23/2024




08:20:40 下午 08/23/2024

26(824-849)-5MHz-QPSK-27015-25RB#0-PASS

26(824-849)-5MHz-16QAM-26815-25RB#0-PASS



08:20:55 下午 08/23/2024



08:21:15 下午 08/23/2024

26(824-849)-5MHz-16QAM-26915-25RB#0-PASS

26(824-849)-5MHz-16QAM-27015-25RB#0-PASS




08:31:06 下午 08/23/2024




08:31:22 下午 08/23/2024

26(824-849)-15MHz-QPSK-26865-75RB#0-PASS

26(824-849)-15MHz-QPSK-26915-75RB#0-PASS



08:31:43 下午 08/23/2024




08:31:13 下午 08/23/2024

26(824-849)-15MHz-QPSK-26965-75RB#0-PASS

26(824-849)-15MHz-16QAM-26865-75RB#0-PASS



08:31:29 下午 08/23/2024



08:31:50 下午 08/23/2024

26(824-849)-15MHz-16QAM-26915-75RB#0-PASS

26(824-849)-15MHz-16QAM-26965-75RB#0-PASS



Appendix D: Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
26(824-849)	1.4MHz	QPSK	26797	1RB#0	-32.57	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#5	-48.33	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	-30.72	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	-46.99	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#5	-32.97	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	-34.92	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	-27.70	PASS
26(824-849)	3MHz	QPSK	26805	1RB#14	-38.79	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	-28.88	PASS
26(824-849)	3MHz	QPSK	27025	1RB#0	-38.72	PASS
26(824-849)	3MHz	QPSK	27025	1RB#14	-28.13	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	-33.37	PASS
26(824-849)	5MHz	QPSK	26815	1RB#0	-21.29	PASS
26(824-849)	5MHz	QPSK	26815	1RB#24	-36.41	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	-27.55	PASS
26(824-849)	5MHz	QPSK	27015	1RB#0	-36.84	PASS
26(824-849)	5MHz	QPSK	27015	1RB#24	-19.91	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	-29.72	PASS
26(824-849)	10MHz	QPSK	26840	1RB#0	-27.01	PASS
26(824-849)	10MHz	QPSK	26840	1RB#49	-39.12	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	-28.19	PASS
26(824-849)	10MHz	QPSK	26990	1RB#0	-39.80	PASS
26(824-849)	10MHz	QPSK	26990	1RB#49	-22.11	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	-31.08	PASS
26(824-849)	15MHz	QPSK	26865	1RB#0	-22.34	PASS
26(824-849)	15MHz	QPSK	26865	1RB#74	-41.69	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	-29.89	PASS
26(824-849)	15MHz	QPSK	26965	1RB#0	-41.82	PASS
26(824-849)	15MHz	QPSK	26965	1RB#74	-21.34	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	-31.44	PASS



Test Graphs




Band26_1.4MHz_QPSK_26797_1RB#0



Band26_1.4MHz_QPSK_26797_1RB#5




Band26_1.4MHz_QPSK_26797_6RB#0




Band26_1.4MHz_QPSK_27033_1RB#0




Band26_1.4MHz_QPSK_27033_1RB#5



Band26_1.4MHz_QPSK_27033_6RB#0




Band26_3MHz_QPSK_26805_1RB#0




Band26_3MHz_QPSK_26805_1RB#14




Band26_3MHz_QPSK_26805_15RB#0




Band26_3MHz_QPSK_27025_1RB#0




Band26_3MHz_QPSK_27025_1RB#14




Band26_3MHz_QPSK_27025_15RB#0



Band26_5MHz_QPSK_26815_1RB#0




Band26_5MHz_QPSK_26815_1RB#24




Band26_5MHz_QPSK_26815_25RB#0



Band26_5MHz_QPSK_27015_1RB#0



Band26_5MHz_QPSK_27015_1RB#24




Band26_5MHz_QPSK_27015_25RB#0




Band26_10MHz_QPSK_26840_1RB#0




Band26_10MHz_QPSK_26840_1RB#49




Band26_10MHz_QPSK_26840_50RB#0




Band26_10MHz_QPSK_26990_1RB#0



Band26_10MHz_QPSK_26990_1RB#49




Band26_10MHz_QPSK_26990_50RB#0



Band26_15MHz_QPSK_26865_1RB#0




Band26_15MHz_QPSK_26865_1RB#74




Band26_15MHz_QPSK_26865_75RB#0



Band26_15MHz_QPSK_26965_1RB#0



Band26_15MHz_QPSK_26965_1RB#74



Band26_15MHz_QPSK_26965_75RB#0

**Appendix E: Conducted Spurious Emission****Test Result**


Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
26(824-849)	1.4MHz	QPSK	26797	1RB#0	30~1000	-54.09	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#0	1000~3000	-38.92	PASS
26(824-849)	1.4MHz	QPSK	26797	1RB#0	3000~10000	-37.21	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	30~1000	-54.03	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	1000~3000	-38.95	PASS
26(824-849)	1.4MHz	QPSK	26915	1RB#0	3000~10000	-37.32	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	30~1000	-54.03	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	1000~3000	-38.78	PASS
26(824-849)	1.4MHz	QPSK	27033	1RB#0	3000~10000	-37.40	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	30~1000	-53.33	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	1000~3000	-38.78	PASS
26(824-849)	3MHz	QPSK	26805	1RB#0	3000~10000	-37.59	PASS
26(824-849)	3MHz	QPSK	26915	1RB#0	30~1000	-52.93	PASS
26(824-849)	3MHz	QPSK	26915	1RB#0	1000~3000	-38.98	PASS
26(824-849)	3MHz	QPSK	26915	1RB#0	3000~10000	-37.80	PASS
26(824-849)	3MHz	QPSK	27025	1RB#0	30~1000	-52.48	PASS
26(824-849)	3MHz	QPSK	27025	1RB#0	1000~3000	-38.99	PASS
26(824-849)	3MHz	QPSK	27025	1RB#0	3000~10000	-37.61	PASS
26(824-849)	5MHz	QPSK	26815	1RB#0	30~1000	-53.82	PASS
26(824-849)	5MHz	QPSK	26815	1RB#0	1000~3000	-38.97	PASS
26(824-849)	5MHz	QPSK	26815	1RB#0	3000~10000	-37.53	PASS
26(824-849)	5MHz	QPSK	26915	1RB#0	30~1000	-54.66	PASS
26(824-849)	5MHz	QPSK	26915	1RB#0	1000~3000	-38.97	PASS
26(824-849)	5MHz	QPSK	26915	1RB#0	3000~10000	-37.53	PASS
26(824-849)	5MHz	QPSK	27015	1RB#0	30~1000	-53.21	PASS
26(824-849)	5MHz	QPSK	27015	1RB#0	1000~3000	-39.02	PASS
26(824-849)	5MHz	QPSK	27015	1RB#0	3000~10000	-37.74	PASS
26(824-849)	10MHz	QPSK	26840	1RB#0	30~1000	-54.14	PASS
26(824-849)	10MHz	QPSK	26840	1RB#0	1000~3000	-38.97	PASS
26(824-849)	10MHz	QPSK	26840	1RB#0	3000~10000	-37.65	PASS
26(824-849)	10MHz	QPSK	26915	1RB#0	30~1000	-53.88	PASS
26(824-849)	10MHz	QPSK	26915	1RB#0	1000~3000	-39.01	PASS
26(824-849)	10MHz	QPSK	26915	1RB#0	3000~10000	-37.52	PASS
26(824-849)	10MHz	QPSK	26990	1RB#0	30~1000	-53.70	PASS
26(824-849)	10MHz	QPSK	26990	1RB#0	1000~3000	-39.12	PASS




26(824-849)	10MHz	QPSK	26990	1RB#0	3000~10000	-37.60	PASS
26(824-849)	15MHz	QPSK	26865	1RB#0	30~1000	-53.99	PASS
26(824-849)	15MHz	QPSK	26865	1RB#0	1000~3000	-39.01	PASS
26(824-849)	15MHz	QPSK	26865	1RB#0	3000~10000	-37.67	PASS
26(824-849)	15MHz	QPSK	26915	1RB#0	30~1000	-54.29	PASS
26(824-849)	15MHz	QPSK	26915	1RB#0	1000~3000	-38.92	PASS
26(824-849)	15MHz	QPSK	26915	1RB#0	3000~10000	-37.83	PASS
26(824-849)	15MHz	QPSK	26965	1RB#0	30~1000	-54.29	PASS
26(824-849)	15MHz	QPSK	26965	1RB#0	1000~3000	-39.06	PASS
26(824-849)	15MHz	QPSK	26965	1RB#0	3000~10000	-37.41	PASS



Test Graphs




Band26_1.4MHz_QPSK_26797_1RB#0_30~1000_30~1000




Band26_1.4MHz_QPSK_26797_1RB#0_1000~3000_1000~300


0



Band26_1.4MHz_QPSK_26797_1RB#0_3000~10000_3000~10000




Band26_1.4MHz_QPSK_26915_1RB#0_30~1000_30~1000




Band26_1.4MHz_QPSK_26915_1RB#0_1000~3000_1000~300

0




Band26_1.4MHz_QPSK_26915_1RB#0_3000~10000_3000~10000

000




Band26_1.4MHz_QPSK_27033_1RB#0_30~1000_30~1000




Band26_1.4MHz_QPSK_27033_1RB#0_1000~3000_1000~3000

0




Band26_1.4MHz_QPSK_27033_1RB#0_3000~10000_3000~10000


000



Band26_3MHz_QPSK_26805_1RB#0_30~1000_30~1000




Band26_3MHz_QPSK_26805_1RB#0_1000~3000_1000~3000




Band26_3MHz_QPSK_26805_1RB#0_3000~10000_3000~10000


0



Band26_3MHz_QPSK_26915_1RB#0_30~1000_30~1000




Band26_3MHz_QPSK_26915_1RB#0_1000~3000_1000~3000




Band26_3MHz_QPSK_26915_1RB#0_3000~10000_3000~1000


0



Band26_3MHz_QPSK_27025_1RB#0_30~1000_30~1000




Band26_3MHz_QPSK_27025_1RB#0_1000~3000_1000~3000




Band26_3MHz_QPSK_27025_1RB#0_3000~10000_3000~1000


0



Band26_5MHz_QPSK_26815_1RB#0_30~1000_30~1000




Band26_5MHz_QPSK_26815_1RB#0_1000~3000_1000~3000




Band26_5MHz_QPSK_26815_1RB#0_3000~10000_3000~1000


0



Band26_5MHz_QPSK_26915_1RB#0_30~1000_30~1000




Band26_5MHz_QPSK_26915_1RB#0_1000~3000_1000~3000




Band26_5MHz_QPSK_26915_1RB#0_3000~10000_3000~1000


0



Band26_5MHz_QPSK_27015_1RB#0_30~1000_30~1000




Band26_5MHz_QPSK_27015_1RB#0_1000~3000_1000~3000




Band26_5MHz_QPSK_27015_1RB#0_3000~10000_3000~1000


0



Band26_10MHz_QPSK_26840_1RB#0_30~1000_30~1000





Band26_10MHz_QPSK_26840_1RB#0_1000~3000_1000~3000





Band26_10MHz_QPSK_26840_1RB#0_3000~10000_3000~1000



00




Band26_10MHz_QPSK_26915_1RB#0_1000~3000_1000~3000




Band26_10MHz_QPSK_26990_1RB#0_30~1000_30~1000




Band26_10MHz_QPSK_26990_1RB#0_3000~10000_3000~10000




Band26_15MHz_QPSK_26865_1RB#0_30~1000_30~1000




Band26_15MHz_QPSK_26865_1RB#0_1000~3000_1000~3000




Band26_15MHz_QPSK_26865_1RB#0_3000~10000_3000~10000





Band26_15MHz_QPSK_26915_1RB#0_30~1000_30~1000



Band26_15MHz_QPSK_26915_1RB#0_1000~3000_1000~3000




Band26_15MHz_QPSK_26915_1RB#0_3000~10000_3000~10000



Band26_15MHz_QPSK_26965_1RB#0_30~1000_30~1000

Band26_15MHz_QPSK_26965_1RB#0_1000~3000_1000~3000



Band26_15MHz_QPSK_26965_1RB#0_3000~10000_3000~100



Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth h	Modulation n	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
26(824-849)	1.4MHz	QPSK	26797	6RB#0	VN	NT	2.68	0.003250	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	VL	NT	3.03	0.003674	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	VH	NT	3.57	0.004329	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	VN	NT	-2.46	-0.002941	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	VL	NT	3.26	0.003897	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	VH	NT	-2.05	-0.002451	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	VN	NT	-5.87	-0.006920	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	VL	NT	1.78	0.002098	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	VH	NT	2.44	0.002876	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	VN	NT	-2.11	-0.002556	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	VL	NT	-1.60	-0.001938	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	VH	NT	3.65	0.004422	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	VN	NT	-2.55	-0.003048	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	VL	NT	-0.89	-0.001064	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	VH	NT	-1.06	-0.001267	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	VN	NT	-4.58	-0.005404	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	VL	NT	-2.73	-0.003221	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	VH	NT	-3.50	-0.004130	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	VN	NT	-0.83	-0.001004	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	VL	NT	1.31	0.001585	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	VH	NT	2.87	0.003472	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	VN	NT	-1.41	-0.001686	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	VL	NT	-1.95	-0.002331	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	VH	NT	-1.21	-0.001447	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	VN	NT	-6.22	-0.007348	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	VL	NT	-2.17	-0.002563	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	VH	NT	-2.42	-0.002859	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	VN	NT	-3.98	-0.004801	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	VL	NT	-2.76	-0.003329	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	VH	NT	-2.23	-0.002690	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	VN	NT	-2.77	-0.003311	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	VL	NT	-1.41	-0.001686	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	VH	NT	2.75	0.003288	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	VN	NT	-4.33	-0.005130	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	VL	NT	-2.32	-0.002749	±2.5	PASS



26(824-849)	10MHz	QPSK	26990	50RB#0	VH	NT	2.27	0.002690	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	VN	NT	1.35	0.001624	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	VL	NT	-2.06	-0.002477	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	VH	NT	1.14	0.001371	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	VN	NT	3.95	0.004722	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	VL	NT	3.05	0.003646	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	VH	NT	2.13	0.002546	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	VN	NT	2.34	0.002781	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	VL	NT	-2.11	-0.002507	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	VH	NT	-1.15	-0.001367	±2.5	PASS



Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
26(824-849)	1.4MHz	QPSK	26797	6RB#0	NV	-30	3.35	0.004062	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	NV	-20	2.93	0.003553	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	NV	-10	5.52	0.006693	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	NV	0	1.85	0.002243	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	NV	10	2.30	0.002789	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	NV	20	2.10	0.002546	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	NV	30	2.85	0.003456	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	NV	40	2.93	0.003553	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26797	6RB#0	NV	50	2.86	0.003468	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	NV	-30	5.28	0.006312	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	NV	-20	5.04	0.006025	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	NV	-10	2.53	0.003025	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	NV	0	4.03	0.004818	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	NV	10	1.13	0.001351	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	NV	20	2.70	0.003228	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	NV	30	2.62	0.003132	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	NV	40	1.92	0.002295	±2.5	PASS
26(824-849)	1.4MHz	QPSK	26915	6RB#0	NV	50	2.83	0.003383	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	NV	-30	-2.00	-0.002358	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	NV	-20	2.90	0.003419	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	NV	-10	3.03	0.003572	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	NV	0	2.15	0.002534	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	NV	10	3.36	0.003961	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	NV	20	3.32	0.003914	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	NV	30	3.12	0.003678	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	NV	40	2.20	0.002593	±2.5	PASS
26(824-849)	1.4MHz	QPSK	27033	6RB#0	NV	50	-2.36	-0.002782	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	NV	-30	2.12	0.002568	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	NV	-20	2.15	0.002604	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	NV	-10	1.51	0.001829	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	NV	0	-1.26	-0.001526	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	NV	10	1.61	0.001950	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	NV	20	2.56	0.003101	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	NV	30	1.91	0.002314	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	NV	40	2.68	0.003247	±2.5	PASS
26(824-849)	3MHz	QPSK	26805	15RB#0	NV	50	-2.04	-0.002471	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	NV	-30	-0.98	-0.001172	±2.5	PASS



26(824-849)	3MHz	QPSK	26915	15RB#0	NV	-20	2.22	0.002654	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	NV	-10	-2.24	-0.002678	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	NV	0	1.19	0.001423	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	NV	10	1.45	0.001733	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	NV	20	3.05	0.003646	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	NV	30	1.49	0.001781	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	NV	40	1.34	0.001602	±2.5	PASS
26(824-849)	3MHz	QPSK	26915	15RB#0	NV	50	1.97	0.002355	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	NV	-30	-1.81	-0.002136	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	NV	-20	-2.48	-0.002926	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	NV	-10	-2.51	-0.002962	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	NV	0	1.78	0.002100	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	NV	10	2.64	0.003115	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	NV	20	-1.78	-0.002100	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	NV	30	-1.62	-0.001912	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	NV	40	-2.22	-0.002619	±2.5	PASS
26(824-849)	3MHz	QPSK	27025	15RB#0	NV	50	-2.44	-0.002879	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	NV	-30	-1.44	-0.001742	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	NV	-20	1.78	0.002154	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	NV	-10	1.92	0.002323	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	NV	0	-0.93	-0.001125	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	NV	10	1.92	0.002323	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	NV	20	-2.22	-0.002686	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	NV	30	-3.94	-0.004767	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	NV	40	-2.22	-0.002686	±2.5	PASS
26(824-849)	5MHz	QPSK	26815	25RB#0	NV	50	-1.26	-0.001525	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	NV	-30	-1.47	-0.001757	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	NV	-20	1.69	0.002020	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	NV	-10	-0.89	-0.001064	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	NV	0	2.07	0.002475	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	NV	10	-2.62	-0.003132	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	NV	20	1.03	0.001231	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	NV	30	1.81	0.002164	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	NV	40	1.39	0.001662	±2.5	PASS
26(824-849)	5MHz	QPSK	26915	25RB#0	NV	50	-1.63	-0.001949	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	NV	-30	-3.30	-0.003898	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	NV	-20	-2.22	-0.002623	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	NV	-10	-1.47	-0.001737	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	NV	0	-3.06	-0.003615	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	NV	10	2.13	0.002516	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	NV	20	0.72	0.000851	±2.5	PASS



26(824-849)	5MHz	QPSK	27015	25RB#0	NV	30	1.62	0.001914	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	NV	40	1.89	0.002233	±2.5	PASS
26(824-849)	5MHz	QPSK	27015	25RB#0	NV	50	-1.25	-0.001477	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	-30	-2.10	-0.002533	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	-20	1.22	0.001472	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	-10	2.20	0.002654	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	0	-1.79	-0.002159	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	10	1.38	0.001665	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	20	2.63	0.003172	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	30	3.55	0.004282	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	40	3.56	0.004294	±2.5	PASS
26(824-849)	10MHz	QPSK	26840	50RB#0	NV	50	2.90	0.003498	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	NV	-30	-1.45	-0.001733	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	NV	-20	2.11	0.002522	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	NV	-10	2.28	0.002726	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	NV	0	-1.53	-0.001829	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	NV	10	1.86	0.002224	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	NV	20	2.25	0.002690	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	NV	30	-1.16	-0.001387	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	NV	40	2.93	0.003503	±2.5	PASS
26(824-849)	10MHz	QPSK	26915	50RB#0	NV	50	1.53	0.001829	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	-30	-2.08	-0.002464	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	-20	-2.75	-0.003258	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	-10	-1.87	-0.002216	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	0	-1.75	-0.002073	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	10	-3.26	-0.003863	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	20	-1.28	-0.001517	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	30	2.09	0.002476	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	40	-2.56	-0.003033	±2.5	PASS
26(824-849)	10MHz	QPSK	26990	50RB#0	NV	50	-1.62	-0.001919	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	NV	-30	1.01	0.001215	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	NV	-20	2.20	0.002646	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	NV	-10	3.75	0.004510	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	NV	0	3.51	0.004221	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	NV	10	4.92	0.005917	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	NV	20	3.77	0.004534	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	NV	30	3.91	0.004702	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	NV	40	2.64	0.003175	±2.5	PASS
26(824-849)	15MHz	QPSK	26865	75RB#0	NV	50	4.00	0.004811	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-30	3.25	0.003885	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-20	3.11	0.003718	±2.5	PASS



26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-10	2.18	0.002606	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	NV	0	1.69	0.002020	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	NV	10	3.83	0.004579	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	NV	20	2.18	0.002606	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	NV	30	4.42	0.005284	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	NV	40	2.35	0.002809	±2.5	PASS
26(824-849)	15MHz	QPSK	26915	75RB#0	NV	50	1.53	0.001829	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	NV	-30	-1.42	-0.001687	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	NV	-20	-2.20	-0.002614	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	NV	-10	-2.41	-0.002864	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	NV	0	-1.51	-0.001794	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	NV	10	-2.47	-0.002935	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	NV	20	3.42	0.004064	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	NV	30	1.40	0.001664	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	NV	40	-1.09	-0.001295	±2.5	PASS
26(824-849)	15MHz	QPSK	26965	75RB#0	NV	50	-2.40	-0.002852	±2.5	PASS

-----END-----