


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band41


1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.98	-25	Pass	2985
30	1000	0.1	RMS	897.789	-56.52	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.48	-25	Pass	1525
2525	2665	1	RMS	2535.5	19.61	60	Pass	601
2665	3000	1	RMS	2840.317	-40.71	-25	Pass	601
3000	12000	1	RMS	10141.794	-46.27	-25	Pass	9000
12000	27000	1	RMS	26460.964	-29.32	-25	Pass	15000




1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:40065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.85	-25	Pass	2985
30	1000	0.1	RMS	996.2	-56.36	-25	Pass	9700
1000	2525	1	RMS	2525	-41.51	-25	Pass	1525
2525	2665	1	RMS	2539.7	19.92	60	Pass	601
2665	3000	1	RMS	2840.317	-40.63	-25	Pass	601
3000	12000	1	RMS	10158.795	-47.14	-25	Pass	9000
12000	27000	1	RMS	26454.964	-29.24	-25	Pass	15000




1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.23	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.92	-25	Pass	2985
30	1000	0.1	RMS	926.492	-56.42	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.49	-25	Pass	1525
2525	2665	1	RMS	2535.267	18.84	60	Pass	601
2665	3000	1	RMS	2839.758	-40.67	-25	Pass	601
3000	12000	1	RMS	10140.793	-47.35	-25	Pass	9000
12000	27000	1	RMS	26450.963	-29.3	-25	Pass	15000




1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:40065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.5	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-25	Pass	2985
30	1000	0.1	RMS	902.39	-56.23	-25	Pass	9700
1000	2525	1	RMS	2525	-41.46	-25	Pass	1525
2525	2665	1	RMS	2539.7	18.93	60	Pass	601
2665	3000	1	RMS	2840.317	-40.63	-25	Pass	601
3000	12000	1	RMS	10158.795	-46.96	-25	Pass	9000
12000	27000	1	RMS	26450.963	-29.3	-25	Pass	15000




1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.93	-25	Pass	2985
30	1000	0.1	RMS	899.69	-56.2	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.5	-25	Pass	1525
2525	2665	1	RMS	2602.7	20.03	60	Pass	601
2665	3000	1	RMS	2839.758	-40.66	-25	Pass	601
3000	12000	1	RMS	10410.823	-46.46	-25	Pass	9000
12000	27000	1	RMS	26450.963	-29.3	-25	Pass	15000




1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:40740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.76	-25	Pass	2985
30	1000	0.1	RMS	894.989	-51.51	-25	Pass	9700
1000	2525	1	RMS	2525	-41.61	-25	Pass	1525
2525	2665	1	RMS	2607.367	19.7	60	Pass	601
2665	3000	1	RMS	2839.2	-40.64	-25	Pass	601
3000	12000	1	RMS	10427.825	-47.06	-25	Pass	9000
12000	27000	1	RMS	26459.964	-29.3	-25	Pass	15000




1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.63	-25	Pass	2985
30	1000	0.1	RMS	902.19	-56.2	-25	Pass	9700
1000	2525	1	RMS	2525	-41.54	-25	Pass	1525
2525	2665	1	RMS	2602.933	18.82	60	Pass	601
2665	3000	1	RMS	2839.2	-40.64	-25	Pass	601
3000	12000	1	RMS	10410.823	-47.06	-25	Pass	9000
12000	27000	1	RMS	26451.963	-29.23	-25	Pass	15000




1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:40740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.82	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.59	-25	Pass	2985
30	1000	0.1	RMS	888.689	-56.27	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.57	-25	Pass	1525
2525	2665	1	RMS	2606.9	18.26	60	Pass	601
2665	3000	1	RMS	2839.758	-40.62	-25	Pass	601
3000	12000	1	RMS	10428.825	-46.58	-25	Pass	9000
12000	27000	1	RMS	26458.964	-29.24	-25	Pass	15000




1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.37	-25	Pass	2985
30	1000	0.1	RMS	906.49	-56.3	-25	Pass	9700
1000	2525	1	RMS	2525	-41.52	-25	Pass	1525
2525	2665	1	RMS	2650.067	19.56	60	Pass	601
2665	3000	1	RMS	2665	-40.41	-25	Pass	601
3000	12000	1	RMS	10601.845	-42.55	-25	Pass	9000
12000	27000	1	RMS	26452.964	-29.25	-25	Pass	15000




1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.44	-25	Pass	2985
30	1000	0.1	RMS	897.889	-56.1	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.51	-25	Pass	1525
2525	2665	1	RMS	2654.733	20.08	60	Pass	601
2665	3000	1	RMS	2665	-39.91	-25	Pass	601
3000	12000	1	RMS	10618.847	-42.56	-25	Pass	9000
12000	27000	1	RMS	26455.964	-29.25	-25	Pass	15000




1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.76	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.8	-25	Pass	2985
30	1000	0.1	RMS	916.991	-56.27	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.59	-25	Pass	1525
2525	2665	1	RMS	2650.533	18.41	60	Pass	601
2665	3000	1	RMS	2665	-40.47	-25	Pass	601
3000	12000	1	RMS	10600.845	-46	-25	Pass	9000
12000	27000	1	RMS	26451.963	-29.24	-25	Pass	15000




1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.87	-25	Pass	2985
30	1000	0.1	RMS	973.097	-56.43	-25	Pass	9700
1000	2525	1	RMS	2525	-41.53	-25	Pass	1525
2525	2665	1	RMS	2654.733	18.64	60	Pass	601
2665	3000	1	RMS	2665	-40.3	-25	Pass	601
3000	12000	1	RMS	10618.847	-43.61	-25	Pass	9000
12000	27000	1	RMS	26453.964	-29.26	-25	Pass	15000




1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.44	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.87	-25	Pass	2985
30	1000	0.1	RMS	988.899	-56.33	-25	Pass	9700
1000	2525	1	RMS	2525	-41.5	-25	Pass	1525
2525	2665	1	RMS	2555.8	19.23	60	Pass	601
2665	3000	1	RMS	2839.758	-40.6	-25	Pass	601
3000	12000	1	RMS	10221.802	-44.67	-25	Pass	9000
12000	27000	1	RMS	26452.964	-29.23	-25	Pass	15000




1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:40290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.28	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-25	Pass	2985
30	1000	0.1	RMS	907.39	-55.86	-25	Pass	9700
1000	2525	1	RMS	2525	-41.54	-25	Pass	1525
2525	2665	1	RMS	2564.433	19.73	60	Pass	601
2665	3000	1	RMS	2839.758	-40.58	-25	Pass	601
3000	12000	1	RMS	10257.806	-45.94	-25	Pass	9000
12000	27000	1	RMS	26452.964	-29.26	-25	Pass	15000




1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.04	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.81	-25	Pass	2985
30	1000	0.1	RMS	907.49	-52.02	-25	Pass	9700
1000	2525	1	RMS	2525	-41.5	-25	Pass	1525
2525	2665	1	RMS	2555.567	18.82	60	Pass	601
2665	3000	1	RMS	2839.758	-40.62	-25	Pass	601
3000	12000	1	RMS	10222.803	-45.42	-25	Pass	9000
12000	27000	1	RMS	26450.963	-29.26	-25	Pass	15000




1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:40290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.14	-25	Pass	2985
30	1000	0.1	RMS	968.897	-56.32	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.52	-25	Pass	1525
2525	2665	1	RMS	2564.2	18.33	60	Pass	601
2665	3000	1	RMS	2839.758	-40.62	-25	Pass	601
3000	12000	1	RMS	10257.806	-45.86	-25	Pass	9000
12000	27000	1	RMS	26446.963	-29.24	-25	Pass	15000




1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.39	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.94	-25	Pass	2985
30	1000	0.1	RMS	928.293	-56.32	-25	Pass	9700
1000	2525	1	RMS	2522.999	-41.58	-25	Pass	1525
2525	2665	1	RMS	2600.6	20	60	Pass	601
2665	3000	1	RMS	2839.758	-40.62	-25	Pass	601
3000	12000	1	RMS	10402.823	-44.83	-25	Pass	9000
12000	27000	1	RMS	26449.963	-29.23	-25	Pass	15000




1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:40740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.36	-25	Pass	2985
30	1000	0.1	RMS	902.99	-56.37	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.56	-25	Pass	1525
2525	2665	1	RMS	2609.233	19.85	60	Pass	601
2665	3000	1	RMS	2839.2	-40.62	-25	Pass	601
3000	12000	1	RMS	10437.826	-46.83	-25	Pass	9000
12000	27000	1	RMS	26455.964	-29.25	-25	Pass	15000




1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.77	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.85	-25	Pass	2985
30	1000	0.1	RMS	954.595	-56.4	-25	Pass	9700
1000	2525	1	RMS	2525	-41.58	-25	Pass	1525
2525	2665	1	RMS	2600.6	19.01	60	Pass	601
2665	3000	1	RMS	2839.758	-40.64	-25	Pass	601
3000	12000	1	RMS	10401.822	-47.04	-25	Pass	9000
12000	27000	1	RMS	26450.963	-29.14	-25	Pass	15000




1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:40740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.3	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.92	-25	Pass	2985
30	1000	0.1	RMS	961.396	-56.25	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.57	-25	Pass	1525
2525	2665	1	RMS	2609.467	18.69	60	Pass	601
2665	3000	1	RMS	2839.758	-40.63	-25	Pass	601
3000	12000	1	RMS	10437.826	-46.81	-25	Pass	9000
12000	27000	1	RMS	26446.963	-29.24	-25	Pass	15000




1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.64	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.27	-25	Pass	2985
30	1000	0.1	RMS	896.889	-54.93	-25	Pass	9700
1000	2525	1	RMS	2522.999	-41.59	-25	Pass	1525
2525	2665	1	RMS	2645.633	20.69	60	Pass	601
2665	3000	1	RMS	2665	-40.64	-25	Pass	601
3000	12000	1	RMS	10582.843	-42.56	-25	Pass	9000
12000	27000	1	RMS	26448.963	-29.25	-25	Pass	15000




1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.12	-25	Pass	2985
30	1000	0.1	RMS	900.99	-56.32	-25	Pass	9700
1000	2525	1	RMS	2516.995	-41.39	-25	Pass	1525
2525	2665	1	RMS	2654.5	20.08	60	Pass	601
2665	3000	1	RMS	2671.7	-40.16	-25	Pass	601
3000	12000	1	RMS	10617.846	-43.36	-25	Pass	9000
12000	27000	1	RMS	26449.963	-29.23	-25	Pass	15000




1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.19	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.98	-25	Pass	2985
30	1000	0.1	RMS	911.491	-56.32	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.58	-25	Pass	1525
2525	2665	1	RMS	2645.633	18.67	60	Pass	601
2665	3000	1	RMS	2839.758	-40.63	-25	Pass	601
3000	12000	1	RMS	10582.843	-46.2	-25	Pass	9000
12000	27000	1	RMS	26454.964	-29.21	-25	Pass	15000




1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.93	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.3	-25	Pass	2985
30	1000	0.1	RMS	897.289	-56.24	-25	Pass	9700
1000	2525	1	RMS	2521.998	-41.57	-25	Pass	1525
2525	2665	1	RMS	2654.267	17.76	60	Pass	601
2665	3000	1	RMS	2665	-40.61	-25	Pass	601
3000	12000	1	RMS	10617.846	-44.35	-25	Pass	9000
12000	27000	1	RMS	26457.964	-29.19	-25	Pass	15000




1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.01	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.42	-25	Pass	2985
30	1000	0.1	RMS	936.293	-56.26	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.59	-25	Pass	1525
2525	2665	1	RMS	2555.8	20.13	60	Pass	601
2665	3000	1	RMS	2840.317	-40.62	-25	Pass	601
3000	12000	1	RMS	10223.803	-44.16	-25	Pass	9000
12000	27000	1	RMS	26454.964	-29.18	-25	Pass	15000




1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:40315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.44	-25	Pass	2985
30	1000	0.1	RMS	895.489	-56.33	-25	Pass	9700
1000	2525	1	RMS	2525	-41.53	-25	Pass	1525
2525	2665	1	RMS	2569.1	21.59	60	Pass	601
2665	3000	1	RMS	2839.758	-40.63	-25	Pass	601
3000	12000	1	RMS	10276.809	-42.57	-25	Pass	9000
12000	27000	1	RMS	26455.964	-29.25	-25	Pass	15000




1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-25	Pass	601
0.15	30	0.01	RMS	0.16	-52.36	-25	Pass	2985
30	1000	0.1	RMS	898.49	-56.25	-25	Pass	9700
1000	2525	1	RMS	2525	-41.55	-25	Pass	1525
2525	2665	1	RMS	2555.8	19.09	60	Pass	601
2665	3000	1	RMS	2839.758	-40.66	-25	Pass	601
3000	12000	1	RMS	10222.803	-45.89	-25	Pass	9000
12000	27000	1	RMS	26452.964	-29.23	-25	Pass	15000




1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:40315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.62	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.45	-25	Pass	2985
30	1000	0.1	RMS	919.492	-56.23	-25	Pass	9700
1000	2525	1	RMS	2521.998	-41.61	-25	Pass	1525
2525	2665	1	RMS	2569.1	19.22	60	Pass	601
2665	3000	1	RMS	2839.758	-40.63	-25	Pass	601
3000	12000	1	RMS	10276.809	-46.42	-25	Pass	9000
12000	27000	1	RMS	26454.964	-29.17	-25	Pass	15000




1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.97	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.49	-25	Pass	2985
30	1000	0.1	RMS	992.099	-56.3	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.54	-25	Pass	1525
2525	2665	1	RMS	2598.267	20.19	60	Pass	601
2665	3000	1	RMS	2839.758	-40.63	-25	Pass	601
3000	12000	1	RMS	10393.822	-46.34	-25	Pass	9000
12000	27000	1	RMS	26451.963	-29.25	-25	Pass	15000




1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:40740, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.28	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.43	-25	Pass	2985
30	1000	0.1	RMS	992.299	-56.28	-25	Pass	9700
1000	2525	1	RMS	2525	-41.52	-25	Pass	1525
2525	2665	1	RMS	2611.567	19.82	60	Pass	601
2665	3000	1	RMS	2839.758	-40.61	-25	Pass	601
3000	12000	1	RMS	10446.827	-46.07	-25	Pass	9000
12000	27000	1	RMS	26460.964	-29.24	-25	Pass	15000




1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.25	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.19	-25	Pass	2985
30	1000	0.1	RMS	894.689	-56.39	-25	Pass	9700
1000	2525	1	RMS	2525	-41.56	-25	Pass	1525
2525	2665	1	RMS	2598.5	18.9	60	Pass	601
2665	3000	1	RMS	2839.2	-40.64	-25	Pass	601
3000	12000	1	RMS	10392.821	-46.24	-25	Pass	9000
12000	27000	1	RMS	26455.964	-29.23	-25	Pass	15000




1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:40740, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.8	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.62	-25	Pass	2985
30	1000	0.1	RMS	899.39	-55.87	-25	Pass	9700
1000	2525	1	RMS	2525	-41.49	-25	Pass	1525
2525	2665	1	RMS	2611.567	18.8	60	Pass	601
2665	3000	1	RMS	2839.758	-40.65	-25	Pass	601
3000	12000	1	RMS	10445.827	-48.23	-25	Pass	9000
12000	27000	1	RMS	26459.964	-29.19	-25	Pass	15000




1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.08	-25	Pass	2985
30	1000	0.1	RMS	977.198	-56.35	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.57	-25	Pass	1525
2525	2665	1	RMS	2640.967	20.3	60	Pass	601
2665	3000	1	RMS	2667.233	-39.48	-25	Pass	601
3000	12000	1	RMS	10563.84	-42.35	-25	Pass	9000
12000	27000	1	RMS	26455.964	-29.16	-25	Pass	15000




1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.81	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.26	-25	Pass	2985
30	1000	0.1	RMS	903.79	-56.3	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.58	-25	Pass	1525
2525	2665	1	RMS	2654.267	20.39	60	Pass	601
2665	3000	1	RMS	2667.233	-35.15	-25	Pass	601
3000	12000	1	RMS	10616.846	-41.15	-25	Pass	9000
12000	27000	1	RMS	26452.964	-29.13	-25	Pass	15000




1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.42	-25	Pass	2985
30	1000	0.1	RMS	993.799	-56.32	-25	Pass	9700
1000	2525	1	RMS	2525	-41.51	-25	Pass	1525
2525	2665	1	RMS	2640.967	18.79	60	Pass	601
2665	3000	1	RMS	2667.233	-38.91	-25	Pass	601
3000	12000	1	RMS	10562.84	-44.91	-25	Pass	9000
12000	27000	1	RMS	26452.964	-29.16	-25	Pass	15000




1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.95	-25	Pass	2985
30	1000	0.1	RMS	906.69	-56.3	-25	Pass	9700
1000	2525	1	RMS	2525	-41.55	-25	Pass	1525
2525	2665	1	RMS	2654.267	18.04	60	Pass	601
2665	3000	1	RMS	2667.233	-38.15	-25	Pass	601
3000	12000	1	RMS	10616.846	-44.06	-25	Pass	9000
12000	27000	1	RMS	26453.964	-29.22	-25	Pass	15000




1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.65	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.71	-25	Pass	2985
30	1000	0.1	RMS	893.289	-56.32	-25	Pass	9700
1000	2525	1	RMS	2519.997	-40.98	-25	Pass	1525
2525	2665	1	RMS	2556.033	20.16	60	Pass	601
2665	3000	1	RMS	2840.317	-40.62	-25	Pass	601
3000	12000	1	RMS	10224.803	-45.21	-25	Pass	9000
12000	27000	1	RMS	26453.964	-29.19	-25	Pass	15000




1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:40340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.24	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.16	-25	Pass	2985
30	1000	0.1	RMS	887.788	-56.3	-25	Pass	9700
1000	2525	1	RMS	2525	-41.48	-25	Pass	1525
2525	2665	1	RMS	2574	19.74	60	Pass	601
2665	3000	1	RMS	2840.875	-40.62	-25	Pass	601
3000	12000	1	RMS	10295.811	-46.09	-25	Pass	9000
12000	27000	1	RMS	26455.964	-29.19	-25	Pass	15000




1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.34	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.15	-25	Pass	2985
30	1000	0.1	RMS	999.1	-56.32	-25	Pass	9700
1000	2525	1	RMS	2519.997	-41.33	-25	Pass	1525
2525	2665	1	RMS	2556.033	19.16	60	Pass	601
2665	3000	1	RMS	2840.317	-40.6	-25	Pass	601
3000	12000	1	RMS	10224.803	-44.81	-25	Pass	9000
12000	27000	1	RMS	26453.964	-29.24	-25	Pass	15000




1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:40340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.53	-25	Pass	2985
30	1000	0.1	RMS	900.59	-56.2	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.59	-25	Pass	1525
2525	2665	1	RMS	2573.767	18.88	60	Pass	601
2665	3000	1	RMS	2839.758	-40.62	-25	Pass	601
3000	12000	1	RMS	10295.811	-48.28	-25	Pass	9000
12000	27000	1	RMS	26449.963	-29.2	-25	Pass	15000




1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.05	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.71	-25	Pass	2985
30	1000	0.1	RMS	899.59	-56.34	-25	Pass	9700
1000	2525	1	RMS	2522.999	-41.57	-25	Pass	1525
2525	2665	1	RMS	2596.167	20.18	60	Pass	601
2665	3000	1	RMS	2839.758	-40.61	-25	Pass	601
3000	12000	1	RMS	10384.821	-46.1	-25	Pass	9000
12000	27000	1	RMS	26458.964	-29.17	-25	Pass	15000




1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:40740, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.35	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.03	-25	Pass	2985
30	1000	0.1	RMS	886.988	-56.27	-25	Pass	9700
1000	2525	1	RMS	2525	-41.56	-25	Pass	1525
2525	2665	1	RMS	2613.9	19.9	60	Pass	601
2665	3000	1	RMS	2838.642	-40.62	-25	Pass	601
3000	12000	1	RMS	10455.828	-47.67	-25	Pass	9000
12000	27000	1	RMS	26453.964	-29.24	-25	Pass	15000




1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.91	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.04	-25	Pass	2985
30	1000	0.1	RMS	991.899	-56.2	-25	Pass	9700
1000	2525	1	RMS	2522.999	-41.54	-25	Pass	1525
2525	2665	1	RMS	2595.933	18.67	60	Pass	601
2665	3000	1	RMS	2836.967	-40.62	-25	Pass	601
3000	12000	1	RMS	10383.82	-46.92	-25	Pass	9000
12000	27000	1	RMS	26459.964	-29.19	-25	Pass	15000




1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:40740, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.68	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.84	-25	Pass	2985
30	1000	0.1	RMS	892.989	-56.25	-25	Pass	9700
1000	2525	1	RMS	2525	-41.55	-25	Pass	1525
2525	2665	1	RMS	2613.9	19.21	60	Pass	601
2665	3000	1	RMS	2838.642	-40.59	-25	Pass	601
3000	12000	1	RMS	10455.828	-48.37	-25	Pass	9000
12000	27000	1	RMS	26459.964	-29.2	-25	Pass	15000




1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.35	-25	Pass	2985
30	1000	0.1	RMS	907.59	-55.29	-25	Pass	9700
1000	2525	1	RMS	2521.998	-41.57	-25	Pass	1525
2525	2665	1	RMS	2635.833	20.19	60	Pass	601
2665	3000	1	RMS	2671.7	-39.08	-25	Pass	601
3000	12000	1	RMS	10543.838	-42.43	-25	Pass	9000
12000	27000	1	RMS	26456.964	-29.2	-25	Pass	15000




1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.57	-25	Pass	601
0.15	30	0.01	RMS	0.15	-51.71	-25	Pass	2985
30	1000	0.1	RMS	934.593	-56.23	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.57	-25	Pass	1525
2525	2665	1	RMS	2654.033	20.29	60	Pass	601
2665	3000	1	RMS	2671.7	-34.41	-25	Pass	601
3000	12000	1	RMS	10615.846	-41.07	-25	Pass	9000
12000	27000	1	RMS	26452.964	-29.15	-25	Pass	15000




1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.79	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.31	-25	Pass	2985
30	1000	0.1	RMS	883.388	-56.28	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.5	-25	Pass	1525
2525	2665	1	RMS	2636.067	18.96	60	Pass	601
2665	3000	1	RMS	2671.7	-39.04	-25	Pass	601
3000	12000	1	RMS	10544.838	-45.28	-25	Pass	9000
12000	27000	1	RMS	26451.963	-29.17	-25	Pass	15000



1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-25	Pass	601
0.15	30	0.01	RMS	0.15	-52.1	-25	Pass	2985
30	1000	0.1	RMS	906.59	-56.31	-25	Pass	9700
1000	2525	1	RMS	2523.999	-41.57	-25	Pass	1525
2525	2665	1	RMS	2653.8	18.03	60	Pass	601
2665	3000	1	RMS	2671.7	-38.48	-25	Pass	601
3000	12000	1	RMS	10615.846	-44.47	-25	Pass	9000
12000	27000	1	RMS	26453.964	-29.18	-25	Pass	15000



END