




Band13 16QAM BW=5MHz Channel=23255 RB Size=25 Position=#0




Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Band13 QPSK BW=5MHz Channel=23205 RB Size=25 Position=#0




Band13 QPSK BW=5MHz Channel=23230 RB Size=25 Position=#0




Band13 QPSK BW=5MHz Channel=23255 RB Size=25 Position=#0




Band17 16QAM BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 16QAM BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 16QAM BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 16QAM BW=5MHz Channel=23825 RB Size=25 Position=#0




Band17 QPSK BW=10MHz Channel=23780 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23790 RB Size=50 Position=#0




Band17 QPSK BW=10MHz Channel=23800 RB Size=50 Position=#0




Band17 QPSK BW=5MHz Channel=23755 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23790 RB Size=25 Position=#0




Band17 QPSK BW=5MHz Channel=23825 RB Size=25 Position=#0




Band38 16QAM BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=38000 RB Size=50 Position=#0




Band38 16QAM BW=10MHz Channel=38200 RB Size=50 Position=#0




Band38 16QAM BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 16QAM BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 16QAM BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 16QAM BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 16QAM BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 16QAM BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 16QAM BW=5MHz Channel=38225 RB Size=25 Position=#0




Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0



Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0



Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0




Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Band40(2305-2315) 16QAM BW=10MHz Channel=38750 RB Size=50 Position=#0




Band40(2305-2315) 16QAM BW=5MHz Channel=38725 RB Size=25 Position=#0




Band40(2305-2315) 16QAM BW=5MHz Channel=38750 RB Size=25 Position=#0




Band40(2305-2315) 16QAM BW=5MHz Channel=38775 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=50 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38750 RB Size=25 Position=#0




Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=25 Position=#0




Band40(2350-2360) 16QAM BW=10MHz Channel=39200 RB Size=50 Position=#0




Band40(2350-2360) 16QAM BW=5MHz Channel=39175 RB Size=25 Position=#0




Band40(2350-2360) 16QAM BW=5MHz Channel=39200 RB Size=25 Position=#0




Band40(2350-2360) 16QAM BW=5MHz Channel=39225 RB Size=25 Position=#0




Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=50 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=25 Position=#0




Band40(2350-2360) QPSK BW=5MHz Channel=39200 RB Size=25 Position=#0



Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=25 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=40640 RB Size=100 Position=#0




Band41(2535-2655) 16QAM BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=40640 RB Size=25 Position=#0




Band41(2535-2655) 16QAM BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Band66 16QAM BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 16QAM BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 16QAM BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 16QAM BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 16QAM BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 16QAM BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 16QAM BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 16QAM BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 16QAM BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 16QAM BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 16QAM BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 16QAM BW=5MHz Channel=132647 RB Size=25 Position=#0




Band66 QPSK BW=1.4MHz Channel=131979 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132322 RB Size=6 Position=#0




Band66 QPSK BW=1.4MHz Channel=132665 RB Size=6 Position=#0




Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132322 RB Size=75 Position=#0




Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0




Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132322 RB Size=100 Position=#0




Band66 QPSK BW=20MHz Channel=132572 RB Size=100 Position=#0




Band66 QPSK BW=3MHz Channel=131987 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132322 RB Size=15 Position=#0




Band66 QPSK BW=3MHz Channel=132657 RB Size=15 Position=#0




Band66 QPSK BW=5MHz Channel=131997 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132322 RB Size=25 Position=#0




Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0



Band71 16QAM BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133297 RB Size=50 Position=#0




Band71 16QAM BW=10MHz Channel=133422 RB Size=50 Position=#0



Band71 16QAM BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133297 RB Size=75 Position=#0




Band71 16QAM BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 16QAM BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133297 RB Size=100 Position=#0




Band71 16QAM BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 16QAM BW=5MHz Channel=133147 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133297 RB Size=25 Position=#0




Band71 16QAM BW=5MHz Channel=133447 RB Size=25 Position=#0




Band71 QPSK BW=10MHz Channel=133172 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133297 RB Size=50 Position=#0




Band71 QPSK BW=10MHz Channel=133422 RB Size=50 Position=#0




Band71 QPSK BW=15MHz Channel=133197 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133297 RB Size=75 Position=#0




Band71 QPSK BW=15MHz Channel=133397 RB Size=75 Position=#0




Band71 QPSK BW=20MHz Channel=133222 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133297 RB Size=100 Position=#0




Band71 QPSK BW=20MHz Channel=133372 RB Size=100 Position=#0




Band71 QPSK BW=5MHz Channel=133147 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133297 RB Size=25 Position=#0



Band71 QPSK BW=5MHz Channel=133447 RB Size=25 Position=#0



RADIATED SPURIOUS EMISSION

Note:

(1) Spurious emissions which are attenuated by more than 20dB below the permissible value for frequency below 1000MHz.

(2) Test is divided into three directions, X/Y/Z. X pattern for the worst.

LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3720.42	-27.87	7.00	12.93	-33.80	-13.00	-20.80	H
5580.54	-25.21	8.40	17.11	-33.92	-13.00	-20.92	H
7439.95	-25.50	8.10	22.20	-39.60	-13.00	-26.60	H
3720.42	-26.92	7.00	12.93	-32.85	-13.00	-19.85	V
5580.54	-28.05	8.40	17.11	-36.76	-13.00	-23.76	V
7439.95	-23.62	8.10	22.20	-37.72	-13.00	-24.72	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3759.87	-28.54	7.00	12.93	-34.47	-13.00	-21.47	H
5639.98	-27.49	8.40	17.11	-36.20	-13.00	-23.20	H
7519.88	-24.83	8.10	22.20	-38.93	-13.00	-25.93	H
3759.87	-29.21	7.00	12.93	-35.14	-13.00	-22.14	V
5639.98	-26.59	8.40	17.11	-35.30	-13.00	-22.30	V
7519.88	-26.64	8.10	22.20	-40.74	-13.00	-27.74	V
LTE Band 2 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3800.04	-24.00	7.00	12.93	-29.93	-13.00	-16.93	H
5699.90	-25.26	8.40	17.11	-33.97	-13.00	-20.97	H
7600.07	-27.17	8.10	22.20	-41.27	-13.00	-28.27	H
3800.04	-27.60	7.00	12.93	-33.53	-13.00	-20.53	V
5699.90	-26.95	8.40	17.11	-35.66	-13.00	-22.66	V
7600.07	-23.95	8.10	22.20	-38.05	-13.00	-25.05	V

LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3440.09	-25.64	7.20	12.56	-31.00	-13.00	-18.00	H
5160.09	-24.69	8.10	16.32	-32.91	-13.00	-19.91	H
6880.66	-25.43	8.30	21.13	-38.26	-13.00	-25.26	H
3440.09	-27.79	7.20	12.56	-33.15	-13.00	-20.15	V
5160.09	-24.98	8.10	16.32	-33.20	-13.00	-20.20	V
6880.66	-25.74	8.30	21.13	-38.57	-13.00	-25.57	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3465.03	-26.81	7.20	12.56	-32.17	-13.00	-19.17	H
5196.61	-26.75	8.10	16.32	-34.97	-13.00	-21.97	H
6929.93	-24.94	8.30	21.13	-37.77	-13.00	-24.77	H
3465.03	-28.15	7.20	12.56	-33.51	-13.00	-20.51	V
5196.61	-28.45	8.10	16.32	-36.67	-13.00	-23.67	V
6929.93	-25.92	8.30	21.13	-38.75	-13.00	-25.75	V
LTE Band 4 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.35	-25.96	7.20	12.56	-31.32	-13.00	-18.32	H
5235.20	-24.87	8.10	16.32	-33.09	-13.00	-20.09	H
6979.56	-24.26	8.30	21.13	-37.09	-13.00	-24.09	H
3490.35	-29.81	7.20	12.56	-35.17	-13.00	-22.17	V
5235.20	-25.41	8.10	16.32	-33.63	-13.00	-20.63	V
6979.56	-26.10	8.30	21.13	-38.93	-13.00	-25.93	V

LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1657.87	-27.89	7.40	9.72	-30.21	-13.00	-17.21	H
2486.10	-28.21	8.30	10.86	-30.77	-13.00	-17.77	H
3315.20	-26.45	7.20	11.57	-30.82	-13.00	-17.82	H
1657.87	-27.09	7.40	9.72	-29.41	-13.00	-16.41	V
2486.10	-26.49	8.30	10.86	-29.05	-13.00	-16.05	V
3315.20	-27.71	7.20	11.57	-32.08	-13.00	-19.08	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1672.57	-29.46	7.40	9.72	-31.78	-13.00	-18.78	H
2508.78	-26.19	8.30	10.86	-28.75	-13.00	-15.75	H
3345.35	-27.23	7.20	11.57	-31.60	-13.00	-18.60	H
1672.57	-26.63	7.40	9.72	-28.95	-13.00	-15.95	V
2508.78	-26.32	8.30	10.86	-28.88	-13.00	-15.88	V
3345.35	-27.66	7.20	11.57	-32.03	-13.00	-19.03	V
LTE Band 5 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1687.43	-27.08	7.40	9.72	-29.40	-13.00	-16.40	H
2531.22	-25.88	8.30	10.86	-28.44	-13.00	-15.44	H
3375.86	-24.83	7.20	11.57	-29.20	-13.00	-16.20	H
1687.43	-26.54	7.40	9.72	-28.86	-13.00	-15.86	V
2531.22	-27.84	8.30	10.86	-30.40	-13.00	-17.40	V
3375.86	-26.23	7.20	11.57	-30.60	-13.00	-17.60	V

LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5021.02	-30.48	8.00	15.86	-38.34	-25.00	-13.34	H
7530.85	-26.98	8.30	19.28	-37.96	-25.00	-12.96	H
10258.73	-26.77	8.10	23.19	-41.86	-25.00	-16.86	H
5021.02	-30.45	8.00	15.86	-38.31	-25.00	-13.31	V
7530.85	-27.60	8.30	19.28	-38.58	-25.00	-13.58	V
10258.73	-26.52	8.10	23.19	-41.61	-25.00	-16.61	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5069.72	-28.24	8.00	15.86	-36.10	-25.00	-11.10	H
7605.06	-29.49	8.30	19.28	-40.47	-25.00	-15.47	H
10139.85	-25.51	8.10	23.19	-40.60	-25.00	-15.60	H
5069.72	-29.80	8.00	15.86	-37.66	-25.00	-12.66	V
7605.06	-29.94	8.30	19.28	-40.92	-25.00	-15.92	V
10139.85	-24.58	8.10	23.19	-39.67	-25.00	-14.67	V
LTE Band 7 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5118.65	-28.31	8.00	15.86	-36.17	-25.00	-11.17	H
7678.46	-29.41	8.30	19.28	-40.39	-25.00	-15.39	H
10237.91	-24.99	8.10	23.19	-40.08	-25.00	-15.08	H
5118.65	-29.93	8.00	15.86	-37.79	-25.00	-12.79	V
7678.46	-25.81	8.30	19.28	-36.79	-25.00	-11.79	V
10237.91	-24.72	8.10	23.19	-39.81	-25.00	-14.81	V

LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1407.61	-29.01	6.70	9.34	-31.65	-13.00	-18.65	H
2111.76	-26.88	7.80	10.42	-29.50	-13.00	-16.50	H
2815.79	-26.38	8.00	11.12	-29.50	-13.00	-16.50	H
1407.61	-27.39	6.70	9.34	-30.03	-13.00	-17.03	V
2111.76	-25.72	7.80	10.42	-28.34	-13.00	-15.34	V
2815.79	-27.90	8.00	11.12	-31.02	-13.00	-18.02	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1414.76	-27.21	6.70	9.34	-29.85	-13.00	-16.85	H
2122.40	-30.08	7.80	10.42	-32.70	-13.00	-19.70	H
2829.74	-26.23	8.00	11.12	-29.35	-13.00	-16.35	H
1414.76	-28.22	6.70	9.34	-30.86	-13.00	-17.86	V
2122.40	-26.53	7.80	10.42	-29.15	-13.00	-16.15	V
2829.74	-24.65	8.00	11.12	-27.77	-13.00	-14.77	V
LTE Band 12 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.96	-28.52	6.70	9.34	-31.16	-13.00	-18.16	H
2132.76	-28.15	7.80	10.42	-30.77	-13.00	-17.77	H
2843.65	-27.96	8.00	11.12	-31.08	-13.00	-18.08	H
1421.96	-30.95	6.70	9.34	-33.59	-13.00	-20.59	V
2132.76	-29.50	7.80	10.42	-32.12	-13.00	-19.12	V
2843.65	-28.35	8.00	11.12	-31.47	-13.00	-18.47	V

LTE Band 13 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1563.87	-45.37	7.40	9.72	-47.69	-40.00	-7.69	H
2345.97	-40.09	8.30	10.86	-42.65	-13.00	-29.65	H
3127.87	-38.26	7.70	11.57	-42.13	-13.00	-29.13	H
1563.87	-45.28	7.40	9.72	-47.60	-40.00	-7.60	V
2345.97	-36.60	8.30	10.86	-39.16	-13.00	-26.16	V
3127.87	-36.17	7.70	11.57	-40.04	-13.00	-27.04	V

LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1418.25	-29.64	6.90	9.34	-32.08	-13.00	-19.08	H
2127.66	-29.48	8.00	10.42	-31.90	-13.00	-18.90	H
2836.47	-23.69	8.00	11.12	-26.81	-13.00	-13.81	H
1418.25	-27.42	6.90	9.34	-29.86	-13.00	-16.86	V
2127.66	-26.28	8.00	10.42	-28.70	-13.00	-15.70	V
2836.47	-27.52	8.00	11.12	-30.64	-13.00	-17.64	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1419.91	-29.09	6.90	9.34	-31.53	-13.00	-18.53	H
2130.11	-30.40	8.00	10.42	-32.82	-13.00	-19.82	H
2840.19	-25.35	8.00	11.12	-28.47	-13.00	-15.47	H
1419.91	-31.01	6.90	9.34	-33.45	-13.00	-20.45	V
2130.11	-25.31	8.00	10.42	-27.73	-13.00	-14.73	V
2840.19	-28.20	8.00	11.12	-31.32	-13.00	-18.32	V
LTE Band 17 / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1421.01	-27.33	6.90	9.34	-29.77	-13.00	-16.77	H
2131.88	-30.37	8.00	10.42	-32.79	-13.00	-19.79	H
2842.39	-25.11	8.00	11.12	-28.23	-13.00	-15.23	H
1421.01	-30.79	6.90	9.34	-33.23	-13.00	-20.23	V
2131.88	-27.04	8.00	10.42	-29.46	-13.00	-16.46	V
2842.39	-27.81	8.00	11.12	-30.93	-13.00	-17.93	V

LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5129.87	-33.53	8.10	15.86	-41.29	-25.00	-16.29	H
7695.23	-34.14	9.00	19.28	-44.42	-25.00	-19.42	H
10260.16	-29.27	8.70	23.19	-43.76	-25.00	-18.76	H
5129.87	-31.75	8.10	15.86	-39.51	-25.00	-14.51	V
7695.23	-35.17	9.00	19.28	-45.45	-25.00	-20.45	V
10260.16	-28.50	8.70	23.19	-42.99	-25.00	-17.99	V
LTE Band 38 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5209.97	-31.61	8.10	15.86	-39.37	-25.00	-14.37	H
7814.89	-31.18	9.00	19.28	-41.46	-25.00	-16.46	H
10419.89	-28.76	8.70	23.19	-43.25	-25.00	-18.25	H
5209.97	-33.19	8.10	15.86	-40.95	-25.00	-15.95	V
7814.89	-33.50	9.00	19.28	-43.78	-25.00	-18.78	V
10419.89	-30.30	8.70	23.19	-44.79	-25.00	-19.79	V
LTE Band 38 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5289.81	-33.47	8.10	15.86	-41.23	-25.00	-16.23	H
7935.05	-30.93	9.00	19.28	-41.21	-25.00	-16.21	H
10580.09	-32.25	8.70	23.19	-46.74	-25.00	-21.74	H
5289.81	-31.51	8.10	15.86	-39.27	-25.00	-14.27	V
7935.05	-31.01	9.00	19.28	-41.29	-25.00	-16.29	V
10580.09	-30.71	8.70	23.19	-45.20	-25.00	-20.20	V

LTE Band 40(2305-2315MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4619.83	-44.63	8.20	12.95	-49.38	-40.00	-9.38	H
6930.08	-38.33	8.10	17.02	-47.25	-40.00	-7.25	H
9240.15	-32.16	8.20	21.78	-45.74	-40.00	-5.74	H
4619.83	-43.13	8.20	12.95	-47.88	-40.00	-7.88	V
6930.08	-38.00	8.10	17.02	-46.92	-40.00	-6.92	V
9240.15	-33.23	8.20	21.78	-46.81	-40.00	-6.81	V

LTE Band 40(2350-2360MHz) / 10MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
4709.96	-41.21	8.20	12.95	-45.96	-40.00	-5.96	H
7065.04	-41.59	8.10	17.02	-50.51	-40.00	-10.51	H
9419.98	-34.13	8.20	21.78	-47.71	-40.00	-7.71	H
4709.96	-42.32	8.20	12.95	-47.07	-40.00	-7.07	V
7065.04	-39.34	8.10	17.02	-48.26	-40.00	-8.26	V
9419.98	-35.85	8.20	21.78	-49.43	-40.00	-9.43	V

LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5089.74	-31.06	7.90	15.86	-39.02	-25.00	-14.02	H
7634.86	-32.45	9.00	19.28	-42.73	-25.00	-17.73	H
10179.82	-28.81	8.70	23.19	-43.30	-25.00	-18.30	H
5089.74	-31.73	7.90	15.86	-39.69	-25.00	-14.69	V
7634.86	-30.57	9.00	19.28	-40.85	-25.00	-15.85	V
10179.82	-29.99	8.70	23.19	-44.48	-25.00	-19.48	V
LTE Band 41 /20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5189.76	-30.10	7.90	15.86	-38.06	-25.00	-13.06	H
7784.52	-32.95	9.00	19.28	-43.23	-25.00	-18.23	H
10380.00	-28.96	8.70	23.19	-43.45	-25.00	-18.45	H
5189.76	-34.60	7.90	15.86	-42.56	-25.00	-17.56	V
7784.52	-30.30	9.00	19.28	-40.58	-25.00	-15.58	V
10380.00	-31.32	8.70	23.19	-45.81	-25.00	-20.81	V
LTE Band 41 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
5289.87	-32.70	7.90	15.86	-40.66	-25.00	-15.66	H
7935.00	-31.52	9.00	19.28	-41.80	-25.00	-16.80	H
10580.18	-33.15	8.70	23.19	-47.64	-25.00	-22.64	H
5289.87	-35.13	7.90	15.86	-43.09	-25.00	-18.09	V
7935.00	-32.91	9.00	19.28	-43.19	-25.00	-18.19	V
10580.18	-31.21	8.70	23.19	-45.70	-25.00	-20.70	V

LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3439.83	-26.59	7.20	12.56	-31.95	-13.00	-18.95	H
5159.86	-28.73	8.10	16.32	-36.95	-13.00	-23.95	H
6879.78	-25.04	8.30	21.13	-37.87	-13.00	-24.87	H
3439.83	-27.51	7.20	12.56	-32.87	-13.00	-19.87	V
5159.86	-24.50	8.10	16.32	-32.72	-13.00	-19.72	V
6879.78	-24.14	8.30	21.13	-36.97	-13.00	-23.97	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3490.26	-28.31	7.20	12.56	-33.67	-13.00	-20.67	H
5235.03	-26.94	8.10	16.32	-35.16	-13.00	-22.16	H
6980.30	-26.65	8.30	21.13	-39.48	-13.00	-26.48	H
3490.26	-26.62	7.20	12.56	-31.98	-13.00	-18.98	V
5235.03	-28.42	8.10	16.32	-36.64	-13.00	-23.64	V
6980.30	-26.79	8.30	21.13	-39.62	-13.00	-26.62	V
LTE Band 66 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
3540.29	-25.76	7.20	12.56	-31.12	-13.00	-18.12	H
5309.93	-26.94	8.10	16.32	-35.16	-13.00	-22.16	H
7080.51	-24.76	8.30	21.13	-37.59	-13.00	-24.59	H
3540.29	-29.49	7.20	12.56	-34.85	-13.00	-21.85	V
5309.93	-26.97	8.10	16.32	-35.19	-13.00	-22.19	V
7080.51	-24.96	8.30	21.13	-37.79	-13.00	-24.79	V

LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Lowest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1345.75	-25.98	6.50	9.34	-28.82	-13.00	-15.82	H
2018.86	-29.20	7.70	10.42	-31.92	-13.00	-18.92	H
2691.90	-29.30	7.90	11.12	-32.52	-13.00	-19.52	H
1345.75	-28.98	6.50	9.34	-31.82	-13.00	-18.82	V
2018.86	-30.33	7.70	10.42	-33.05	-13.00	-20.05	V
2691.90	-27.22	7.90	11.12	-30.44	-13.00	-17.44	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Middle							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1361.01	-30.64	6.50	9.34	-33.48	-13.00	-20.48	H
2041.34	-30.74	7.70	10.42	-33.46	-13.00	-20.46	H
2722.07	-29.04	7.90	11.12	-32.26	-13.00	-19.26	H
1361.01	-31.44	6.50	9.34	-34.28	-13.00	-21.28	V
2041.34	-29.06	7.70	10.42	-31.78	-13.00	-18.78	V
2722.07	-28.12	7.90	11.12	-31.34	-13.00	-18.34	V
LTE Band 71 / 20MHz / QPSK / RB Size 1 Offset 0/ The Worst Test Results for Highest							
Frequency(MHz)	S G.Lev (dBm)	Ant(dBi)	Loss	PMea	Limit	Margin	Polarity
				(dBm)	(dBm)	(dBm)	
1375.77	-29.19	6.50	9.34	-32.03	-13.00	-19.03	H
2063.83	-30.75	7.70	10.42	-33.47	-13.00	-20.47	H
2751.94	-29.24	7.90	11.12	-32.46	-13.00	-19.46	H
1375.77	-31.18	6.50	9.34	-34.02	-13.00	-21.02	V
2063.83	-30.89	7.70	10.42	-33.61	-13.00	-20.61	V
2751.94	-27.58	7.90	11.12	-30.80	-13.00	-17.80	V

APPENDIX III - PHOTOGRAPHS OF EUT CONSTRUCTIONAL DETAILS

Note: Please see the attached S7_EUT Photos.

※※※※※END OF THE REPORT※※※※※