

Appendix: LTE Band 7

CONTENTS

Appendix A: Effective (Isotropic) Radiated Power Output Data3

 Test Result 3

Appendix B: Peak-to-Average Ratio(CCDF)8

 Test Result 8

 Test Graphs 10

Appendix C: 26dB Bandwidth and Occupied Bandwidth 27

 Test Result 27

 Test Graphs 28

Appendix D: Band Edge 37

 Test Result 37

 Test Graphs 40

Appendix E: Conducted Spurious Emission 57

 Test Result 57

 Test Graphs 61

Appendix F: Frequency Stability 86

 Test Result 86

Appendix A: Effective (Isotropic) Radiated Power Output Data**Test Result**

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	22.08	PASS
Band7	5MHz	QPSK	20775	1RB#12	21.80	PASS
Band7	5MHz	QPSK	20775	1RB#24	21.77	PASS
Band7	5MHz	QPSK	20775	12RB#0	20.87	PASS
Band7	5MHz	QPSK	20775	12RB#6	20.87	PASS
Band7	5MHz	QPSK	20775	12RB#13	20.76	PASS
Band7	5MHz	QPSK	20775	25RB#0	20.82	PASS
Band7	5MHz	QPSK	21100	1RB#0	22.49	PASS
Band7	5MHz	QPSK	21100	1RB#12	22.01	PASS
Band7	5MHz	QPSK	21100	1RB#24	22.35	PASS
Band7	5MHz	QPSK	21100	12RB#0	21.24	PASS
Band7	5MHz	QPSK	21100	12RB#6	21.25	PASS
Band7	5MHz	QPSK	21100	12RB#13	21.18	PASS
Band7	5MHz	QPSK	21100	25RB#0	21.22	PASS
Band7	5MHz	QPSK	21425	1RB#0	20.91	PASS
Band7	5MHz	QPSK	21425	1RB#12	21.73	PASS
Band7	5MHz	QPSK	21425	1RB#24	21.69	PASS
Band7	5MHz	QPSK	21425	12RB#0	20.92	PASS
Band7	5MHz	QPSK	21425	12RB#6	20.82	PASS
Band7	5MHz	QPSK	21425	12RB#13	20.88	PASS
Band7	5MHz	QPSK	21425	25RB#0	20.84	PASS
Band7	5MHz	16QAM	20775	1RB#0	20.83	PASS
Band7	5MHz	16QAM	20775	1RB#12	20.61	PASS
Band7	5MHz	16QAM	20775	1RB#24	20.68	PASS
Band7	5MHz	16QAM	20775	12RB#0	20.97	PASS
Band7	5MHz	16QAM	20775	12RB#6	20.97	PASS
Band7	5MHz	16QAM	20775	12RB#13	20.77	PASS
Band7	5MHz	16QAM	20775	25RB#0	20.78	PASS
Band7	5MHz	16QAM	21100	1RB#0	21.50	PASS
Band7	5MHz	16QAM	21100	1RB#12	21.28	PASS
Band7	5MHz	16QAM	21100	1RB#24	21.28	PASS

Band7	5MHz	16QAM	21100	12RB#0	20.11	PASS
Band7	5MHz	16QAM	21100	12RB#6	20.95	PASS
Band7	5MHz	16QAM	21100	12RB#13	20.92	PASS
Band7	5MHz	16QAM	21100	25RB#0	20.17	PASS
Band7	5MHz	16QAM	21425	1RB#0	20.97	PASS
Band7	5MHz	16QAM	21425	1RB#12	20.80	PASS
Band7	5MHz	16QAM	21425	1RB#24	20.77	PASS
Band7	5MHz	16QAM	21425	12RB#0	20.84	PASS
Band7	5MHz	16QAM	21425	12RB#6	20.87	PASS
Band7	5MHz	16QAM	21425	12RB#13	20.68	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.01	PASS
Band7	10MHz	QPSK	20800	1RB#0	22.32	PASS
Band7	10MHz	QPSK	20800	1RB#24	21.93	PASS
Band7	10MHz	QPSK	20800	1RB#49	22.19	PASS
Band7	10MHz	QPSK	20800	25RB#0	21.18	PASS
Band7	10MHz	QPSK	20800	25RB#12	21.19	PASS
Band7	10MHz	QPSK	20800	25RB#25	21.11	PASS
Band7	10MHz	QPSK	20800	50RB#0	21.10	PASS
Band7	10MHz	QPSK	21100	1RB#0	22.59	PASS
Band7	10MHz	QPSK	21100	1RB#24	22.33	PASS
Band7	10MHz	QPSK	21100	1RB#49	22.22	PASS
Band7	10MHz	QPSK	21100	25RB#0	21.26	PASS
Band7	10MHz	QPSK	21100	25RB#12	21.34	PASS
Band7	10MHz	QPSK	21100	25RB#25	21.27	PASS
Band7	10MHz	QPSK	21100	50RB#0	21.33	PASS
Band7	10MHz	QPSK	21400	1RB#0	20.96	PASS
Band7	10MHz	QPSK	21400	1RB#24	22.02	PASS
Band7	10MHz	QPSK	21400	1RB#49	22.04	PASS
Band7	10MHz	QPSK	21400	25RB#0	20.94	PASS
Band7	10MHz	QPSK	21400	25RB#12	20.92	PASS
Band7	10MHz	QPSK	21400	25RB#25	21.06	PASS
Band7	10MHz	QPSK	21400	50RB#0	21.00	PASS
Band7	10MHz	16QAM	20800	1RB#0	21.53	PASS
Band7	10MHz	16QAM	20800	1RB#24	21.44	PASS
Band7	10MHz	16QAM	20800	1RB#49	21.13	PASS
Band7	10MHz	16QAM	20800	25RB#0	20.29	PASS

Band7	10MHz	16QAM	20800	25RB#12	20.20	PASS
Band7	10MHz	16QAM	20800	25RB#25	20.17	PASS
Band7	10MHz	16QAM	20800	50RB#0	20.15	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.55	PASS
Band7	10MHz	16QAM	21100	1RB#24	21.36	PASS
Band7	10MHz	16QAM	21100	1RB#49	21.54	PASS
Band7	10MHz	16QAM	21100	25RB#0	20.55	PASS
Band7	10MHz	16QAM	21100	25RB#12	20.56	PASS
Band7	10MHz	16QAM	21100	25RB#25	20.52	PASS
Band7	10MHz	16QAM	21100	50RB#0	20.35	PASS
Band7	10MHz	16QAM	21400	1RB#0	20.00	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.12	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.06	PASS
Band7	10MHz	16QAM	21400	25RB#0	20.09	PASS
Band7	10MHz	16QAM	21400	25RB#12	20.02	PASS
Band7	10MHz	16QAM	21400	25RB#25	20.90	PASS
Band7	10MHz	16QAM	21400	50RB#0	20.96	PASS
Band7	15MHz	QPSK	20825	1RB#0	22.58	PASS
Band7	15MHz	QPSK	20825	1RB#38	22.47	PASS
Band7	15MHz	QPSK	20825	1RB#74	22.64	PASS
Band7	15MHz	QPSK	20825	38RB#0	22.58	PASS
Band7	15MHz	QPSK	20825	38RB#18	22.48	PASS
Band7	15MHz	QPSK	20825	38RB#37	22.47	PASS
Band7	15MHz	QPSK	20825	75RB#0	21.69	PASS
Band7	15MHz	QPSK	21100	1RB#0	22.74	PASS
Band7	15MHz	QPSK	21100	1RB#38	22.32	PASS
Band7	15MHz	QPSK	21100	1RB#74	22.37	PASS
Band7	15MHz	QPSK	21100	38RB#0	22.66	PASS
Band7	15MHz	QPSK	21100	38RB#18	22.36	PASS
Band7	15MHz	QPSK	21100	38RB#37	22.26	PASS
Band7	15MHz	QPSK	21100	75RB#0	21.53	PASS
Band7	15MHz	QPSK	21375	1RB#0	20.95	PASS
Band7	15MHz	QPSK	21375	1RB#38	21.90	PASS
Band7	15MHz	QPSK	21375	1RB#74	22.12	PASS
Band7	15MHz	QPSK	21375	38RB#0	21.60	PASS
Band7	15MHz	QPSK	21375	38RB#18	21.67	PASS

Band7	15MHz	QPSK	21375	38RB#37	21.93	PASS
Band7	15MHz	QPSK	21375	75RB#0	20.81	PASS
Band7	15MHz	16QAM	20825	1RB#0	21.56	PASS
Band7	15MHz	16QAM	20825	1RB#38	21.58	PASS
Band7	15MHz	16QAM	20825	1RB#74	21.77	PASS
Band7	15MHz	16QAM	20825	38RB#0	21.38	PASS
Band7	15MHz	16QAM	20825	38RB#18	21.00	PASS
Band7	15MHz	16QAM	20825	38RB#37	21.42	PASS
Band7	15MHz	16QAM	20825	75RB#0	20.35	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.24	PASS
Band7	15MHz	16QAM	21100	1RB#38	21.09	PASS
Band7	15MHz	16QAM	21100	1RB#74	20.99	PASS
Band7	15MHz	16QAM	21100	38RB#0	21.61	PASS
Band7	15MHz	16QAM	21100	38RB#18	21.15	PASS
Band7	15MHz	16QAM	21100	38RB#37	20.98	PASS
Band7	15MHz	16QAM	21100	75RB#0	20.20	PASS
Band7	15MHz	16QAM	21375	1RB#0	20.77	PASS
Band7	15MHz	16QAM	21375	1RB#38	20.89	PASS
Band7	15MHz	16QAM	21375	1RB#74	21.08	PASS
Band7	15MHz	16QAM	21375	38RB#0	21.62	PASS
Band7	15MHz	16QAM	21375	38RB#18	21.16	PASS
Band7	15MHz	16QAM	21375	38RB#37	21.59	PASS
Band7	15MHz	16QAM	21375	75RB#0	20.98	PASS
Band7	20MHz	QPSK	20850	1RB#0	22.64	PASS
Band7	20MHz	QPSK	20850	1RB#49	22.43	PASS
Band7	20MHz	QPSK	20850	1RB#99	22.53	PASS
Band7	20MHz	QPSK	20850	50RB#0	21.33	PASS
Band7	20MHz	QPSK	20850	50RB#25	21.29	PASS
Band7	20MHz	QPSK	20850	50RB#50	21.47	PASS
Band7	20MHz	QPSK	20850	100RB#0	21.35	PASS
Band7	20MHz	QPSK	21100	1RB#0	22.52	PASS
Band7	20MHz	QPSK	21100	1RB#49	22.40	PASS
Band7	20MHz	QPSK	21100	1RB#99	21.99	PASS
Band7	20MHz	QPSK	21100	50RB#0	21.37	PASS
Band7	20MHz	QPSK	21100	50RB#25	21.37	PASS
Band7	20MHz	QPSK	21100	50RB#50	21.28	PASS


Band7	20MHz	QPSK	21100	100RB#0	21.39	PASS
Band7	20MHz	QPSK	21350	1RB#0	20.85	PASS
Band7	20MHz	QPSK	21350	1RB#49	22.07	PASS
Band7	20MHz	QPSK	21350	1RB#99	21.91	PASS
Band7	20MHz	QPSK	21350	50RB#0	20.83	PASS
Band7	20MHz	QPSK	21350	50RB#25	20.74	PASS
Band7	20MHz	QPSK	21350	50RB#50	20.85	PASS
Band7	20MHz	QPSK	21350	100RB#0	20.92	PASS
Band7	20MHz	16QAM	20850	1RB#0	21.71	PASS
Band7	20MHz	16QAM	20850	1RB#49	21.49	PASS
Band7	20MHz	16QAM	20850	1RB#99	21.84	PASS
Band7	20MHz	16QAM	20850	50RB#0	20.50	PASS
Band7	20MHz	16QAM	20850	50RB#25	20.23	PASS
Band7	20MHz	16QAM	20850	50RB#50	20.44	PASS
Band7	20MHz	16QAM	20850	100RB#0	20.45	PASS
Band7	20MHz	16QAM	21100	1RB#0	22.14	PASS
Band7	20MHz	16QAM	21100	1RB#49	21.63	PASS
Band7	20MHz	16QAM	21100	1RB#99	21.39	PASS
Band7	20MHz	16QAM	21100	50RB#0	20.30	PASS
Band7	20MHz	16QAM	21100	50RB#25	20.22	PASS
Band7	20MHz	16QAM	21100	50RB#50	20.09	PASS
Band7	20MHz	16QAM	21100	100RB#0	20.33	PASS
Band7	20MHz	16QAM	21350	1RB#0	19.94	PASS
Band7	20MHz	16QAM	21350	1RB#49	20.72	PASS
Band7	20MHz	16QAM	21350	1RB#99	20.74	PASS
Band7	20MHz	16QAM	21350	50RB#0	20.88	PASS
Band7	20MHz	16QAM	21350	50RB#25	20.73	PASS
Band7	20MHz	16QAM	21350	50RB#50	20.85	PASS
Band7	20MHz	16QAM	21350	100RB#0	20.80	PASS


Appendix B: Peak-to-Average Ratio(CCDF)**Test Result**

Band	Bandwidth h	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	3.91	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	4.84	13	PASS
Band7	5MHz	QPSK	21100	1RB#0	3.62	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.46	13	PASS
Band7	5MHz	QPSK	21425	1RB#0	4.09	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.70	13	PASS
Band7	5MHz	16QAM	20775	1RB#0	4.93	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	5.71	13	PASS
Band7	5MHz	16QAM	21100	1RB#0	4.41	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	5.45	13	PASS
Band7	5MHz	16QAM	21425	1RB#0	5.07	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	5.68	13	PASS
Band7	10MHz	QPSK	20800	1RB#0	4.03	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	4.87	13	PASS
Band7	10MHz	QPSK	21100	1RB#0	3.59	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	4.49	13	PASS
Band7	10MHz	QPSK	21400	1RB#0	4.12	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	4.81	13	PASS
Band7	10MHz	16QAM	20800	1RB#0	4.78	13	PASS
Band7	10MHz	16QAM	20800	50RB#0	5.80	13	PASS
Band7	10MHz	16QAM	21100	1RB#0	4.75	13	PASS
Band7	10MHz	16QAM	21100	50RB#0	5.45	13	PASS
Band7	10MHz	16QAM	21400	1RB#0	5.01	13	PASS
Band7	10MHz	16QAM	21400	50RB#0	5.74	13	PASS
Band7	15MHz	QPSK	20825	1RB#0	3.83	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	4.90	13	PASS
Band7	15MHz	QPSK	21100	1RB#0	3.57	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	4.61	13	PASS
Band7	15MHz	QPSK	21375	1RB#0	4.64	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	4.90	13	PASS
Band7	15MHz	16QAM	20825	1RB#0	5.01	13	PASS
Band7	15MHz	16QAM	20825	75RB#0	5.80	13	PASS
Band7	15MHz	16QAM	21100	1RB#0	4.93	13	PASS


Band7	15MHz	16QAM	21100	75RB#0	5.51	13	PASS
Band7	15MHz	16QAM	21375	1RB#0	5.19	13	PASS
Band7	15MHz	16QAM	21375	75RB#0	5.74	13	PASS
Band7	20MHz	QPSK	20850	1RB#0	4.03	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	4.72	13	PASS
Band7	20MHz	QPSK	21100	1RB#0	3.68	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	4.49	13	PASS
Band7	20MHz	QPSK	21350	1RB#0	4.46	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	4.75	13	PASS
Band7	20MHz	16QAM	20850	1RB#0	4.90	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	5.74	13	PASS
Band7	20MHz	16QAM	21100	1RB#0	4.70	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	5.48	13	PASS
Band7	20MHz	16QAM	21350	1RB#0	5.65	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	5.71	13	PASS

Test Graphs







Band7-5MHz-QPSK-21100-1RB#0




Band7-5MHz-QPSK-21100-25RB#0




Band7-5MHz-QPSK-21425-1RB#0




Band7-5MHz-QPSK-21425-25RB#0




Band7-5MHz-16QAM-20775-1RB#0




Band7-5MHz-16QAM-20775-25RB#0




Band7-5MHz-16QAM-21100-1RB#0




Band7-5MHz-16QAM-21100-25RB#0




Band7-5MHz-16QAM-21425-1RB#0




Band7-5MHz-16QAM-21425-25RB#0




Band7-10MHz-QPSK-20800-1RB#0




Band7-10MHz-QPSK-20800-50RB#0




Band7-10MHz-QPSK-21100-1RB#0




Band7-10MHz-QPSK-21100-50RB#0




Band7-10MHz-QPSK-21400-1RB#0




Band7-10MHz-QPSK-21400-50RB#0




Band7-10MHz-16QAM-20800-1RB#0




Band7-10MHz-16QAM-20800-50RB#0




Band7-10MHz-16QAM-21100-1RB#0



Band7-10MHz-16QAM-21100-50RB#0




Band7-10MHz-16QAM-21400-1RB#0




Band7-10MHz-16QAM-21400-50RB#0




Band7-15MHz-QPSK-20825-1RB#0




Band7-15MHz-QPSK-20825-75RB#0




Band7-15MHz-QPSK-21100-1RB#0




Band7-15MHz-QPSK-21100-75RB#0




Band7-15MHz-QPSK-21375-1RB#0




Band7-15MHz-QPSK-21375-75RB#0




Band7-15MHz-16QAM-20825-1RB#0




Band7-15MHz-16QAM-20825-75RB#0




Band7-15MHz-16QAM-21100-1RB#0




Band7-15MHz-16QAM-21100-75RB#0




Band7-15MHz-16QAM-21375-1RB#0




Band7-15MHz-16QAM-21375-75RB#0




Band7-20MHz-QPSK-20850-1RB#0




Band7-20MHz-QPSK-20850-100RB#0




Band7-20MHz-QPSK-21100-1RB#0




Band7-20MHz-QPSK-21100-100RB#0




Band7-20MHz-QPSK-21350-1RB#0




Band7-20MHz-QPSK-21350-100RB#0




Band7-20MHz-16QAM-20850-1RB#0




Band7-20MHz-16QAM-20850-100RB#0




Band7-20MHz-16QAM-21100-1RB#0



Band7-20MHz-16QAM-21100-100RB#0



Band7-20MHz-16QAM-21350-1RB#0





Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.496	4.780	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.496	4.780	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.496	4.800	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.496	4.790	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.505	4.790	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.505	4.780	PASS
Band7	10MHz	QPSK	20800	50RB#0	8.985	9.533	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.952	9.533	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.952	9.533	PASS
Band7	10MHz	16QAM	20800	50RB#0	8.918	9.533	PASS
Band7	10MHz	16QAM	21100	50RB#0	8.985	9.533	PASS
Band7	10MHz	16QAM	21400	50RB#0	8.952	9.533	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.478	14.300	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.478	14.300	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.428	14.300	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.428	14.300	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.378	14.300	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.428	14.300	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.97	19.333	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.97	19.333	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.903	19.333	PASS
Band7	20MHz	16QAM	20850	100RB#0	17.97	19.333	PASS
Band7	20MHz	16QAM	21100	100RB#0	17.97	19.333	PASS
Band7	20MHz	16QAM	21350	100RB#0	17.97	19.333	PASS

Test Graphs







Band7-5MHz-QPSK-21425-25RB#0-4.496




Band7-5MHz-16QAM-20775-25RB#0-4.496




Band7-5MHz-16QAM-21100-25RB#0-4.505




Band7-5MHz-16QAM-21425-25RB#0-4.505




Band7-10MHz-QPSK-20800-50RB#0-8.985




Band7-10MHz-QPSK-21100-50RB#0-8.952




Band7-10MHz-QPSK-21400-50RB#0-8.952




Band7-10MHz-16QAM-20800-50RB#0-8.918




Band7-10MHz-16QAM-21100-50RB#0-8.985




Band7-10MHz-16QAM-21400-50RB#0-8.952




Band7-15MHz-QPSK-20825-75RB#0-13.478




Band7-15MHz-QPSK-21100-75RB#0-13.478




Band7-15MHz-QPSK-21375-75RB#0-13.428




Band7-15MHz-16QAM-20825-75RB#0-13.428




Band7-15MHz-16QAM-21100-75RB#0-13.378




Band7-15MHz-16QAM-21375-75RB#0-13.428




Band7-20MHz-QPSK-20850-100RB#0-17.97




Band7-20MHz-QPSK-21100-100RB#0-17.97




Band7-20MHz-QPSK-21350-100RB#0-17.903



Band7-20MHz-16QAM-20850-100RB#0-17.97



Band7-20MHz-16QAM-21100-100RB#0-17.97



Appendix D: Band Edge


Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	-45.85,-37.50,-37.50,-21.05	PASS
Band7	5MHz	QPSK	20775	1RB#24	-46.95,-41.94,-41.94,-1.94,-47.33	PASS
Band7	5MHz	QPSK	20775	25RB#0	-45.53,-38.38,-38.38,-6.56,-28.17	PASS
Band7	5MHz	QPSK	21425	1RB#0	-46.25,-32.14,-32.14,-7.49,-46.39	PASS
Band7	5MHz	QPSK	21425	1RB#24	-20.23,-35.63,-35.63,-7.40,-46.27	PASS
Band7	5MHz	QPSK	21425	25RB#0	-27.70,-34.03,-34.03,-4.00,-44.19	PASS
Band7	5MHz	16QAM	20775	1RB#0	-46.28,-39.95,-39.95,-9.95,-20.53	PASS
Band7	5MHz	16QAM	20775	1RB#24	-47.23,-43.53,-43.53,-3.22,-47.30	PASS
Band7	5MHz	16QAM	20775	25RB#0	-46.09,-41.39,-41.39,-6.88,-28.73	PASS
Band7	5MHz	16QAM	21425	1RB#0	-46.70,-33.62,-33.62,-7.21,-47.07	PASS
Band7	5MHz	16QAM	21425	1RB#24	-22.05,-42.06,-42.06,-7.42,-47.13	PASS
Band7	5MHz	16QAM	21425	25RB#0	-28.74,-36.72,-36.72,-3.62,-45.45	PASS
Band7	10MHz	QPSK	20800	1RB#0	-44.87,-37.82,-37.82,-2.05,-29.88	PASS
Band7	10MHz	QPSK	20800	1RB#49	-44.88,-34.54,-34.54,-4.52,-45.26	PASS
Band7	10MHz	QPSK	20800	50RB#0	-44.03,-39.16,-39.16,-7.31,-30.51	PASS
Band7	10MHz	QPSK	21400	1RB#0	-45.08,-44.15,-44.15,-8.83,-44.96	PASS
Band7	10MHz	QPSK	21400	1RB#49	-29.49,-38.84,-38.84,-5.98,-45.10	PASS

Band7	10MHz	QPSK	21400	50RB#0	-31.50,-36.16,-3 8.65,-43.75	PASS
Band7	10MHz	16QAM	20800	1RB#0	-44.95,-37.39,-4 1.83,-29.93	PASS
Band7	10MHz	16QAM	20800	1RB#49	-45.01,-33.24,-4 4.44,-44.43	PASS
Band7	10MHz	16QAM	20800	50RB#0	-43.74,-38.79,-3 6.84,-32.16	PASS
Band7	10MHz	16QAM	21400	1RB#0	-44.73,-44.05,-3 9.16,-44.96	PASS
Band7	10MHz	16QAM	21400	1RB#49	-31.66,-39.48,-3 6.65,-44.72	PASS
Band7	10MHz	16QAM	21400	50RB#0	-33.76,-36.48,-3 9.41,-43.69	PASS
Band7	15MHz	QPSK	20825	1RB#0	-35.70,-40.14,-4 2.09,-30.90	PASS
Band7	15MHz	QPSK	20825	1RB#74	-34.87,-43.28,-4 3.88,-42.50	PASS
Band7	15MHz	QPSK	20825	75RB#0	-37.82,-34.79,-3 2.31,-29.36	PASS
Band7	15MHz	QPSK	21375	1RB#0	-43.48,-43.83,-3 7.60,-43.69	PASS
Band7	15MHz	QPSK	21375	1RB#74	-30.37,-42.41,-3 7.76,-43.43	PASS
Band7	15MHz	QPSK	21375	75RB#0	-30.47,-34.01,-3 6.79,-43.10	PASS
Band7	15MHz	16QAM	20825	1RB#0	-37.24,-41.26,-4 2.67,-31.71	PASS
Band7	15MHz	16QAM	20825	1RB#74	-34.84,-43.18,-4 3.88,-43.61	PASS
Band7	15MHz	16QAM	20825	75RB#0	-40.26,-37.98,-3 4.77,-33.22	PASS
Band7	15MHz	16QAM	21375	1RB#0	-43.30,-43.46,-3 8.80,-43.63	PASS
Band7	15MHz	16QAM	21375	1RB#74	-30.44,-42.20,-3 6.59,-43.45	PASS
Band7	15MHz	16QAM	21375	75RB#0	-33.98,-35.18,-3 8.31,-42.91	PASS
Band7	20MHz	QPSK	20850	1RB#0	-37.58,-40.10,-4 0.86,-26.96	PASS
Band7	20MHz	QPSK	20850	1RB#99	-38.65,-41.51,-4 2.10,-42.07	PASS


Band7	20MHz	QPSK	20850	100RB#0	-37.85,-36.63,-3 4.54,-31.57	PASS
Band7	20MHz	QPSK	21350	1RB#0	-41.78,-42.01,-3 8.83,-41.85	PASS
Band7	20MHz	QPSK	21350	1RB#99	-27.32,-40.94,-3 7.65,-42.06	PASS
Band7	20MHz	QPSK	21350	100RB#0	-33.51,-36.65,-3 8.05,-41.73	PASS
Band7	20MHz	16QAM	20850	1RB#0	-37.71,-40.08,-4 0.91,-27.36	PASS
Band7	20MHz	16QAM	20850	1RB#99	-39.20,-41.97,-4 2.06,-42.28	PASS
Band7	20MHz	16QAM	20850	100RB#0	-38.72,-36.70,-3 4.59,-32.88	PASS
Band7	20MHz	16QAM	21350	1RB#0	-42.02,-41.78,-3 9.13,-41.90	PASS
Band7	20MHz	16QAM	21350	1RB#99	-27.44,-41.00,-3 8.69,-42.04	PASS
Band7	20MHz	16QAM	21350	100RB#0	-33.87,-36.02,-3 8.05,-41.80	PASS

Test Graphs







Band7-5MHz-QPSK-20775-25RB#0




Band7-5MHz-QPSK-21425-1RB#0




Band7-5MHz-QPSK-21425-1RB#24




Band7-5MHz-QPSK-21425-25RB#0




Band7-5MHz-16QAM-20775-1RB#0




Band7-5MHz-16QAM-20775-1RB#24




Band7-5MHz-16QAM-20775-25RB#0




Band7-5MHz-16QAM-21425-1RB#0




Band7-5MHz-16QAM-21425-1RB#24




Band7-5MHz-16QAM-21425-25RB#0




Band7-10MHz-QPSK-20800-1RB#0




Band7-10MHz-QPSK-20800-1RB#49



Band7-10MHz-QPSK-20800-50RB#0



Band7-10MHz-QPSK-21400-1RB#0



Band7-10MHz-QPSK-21400-1RB#49