



2_15MHz_High_16QAM_1@74




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 10.MAR.2025 22:44:16

2_15MHz_High_16QAM_75@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 10.MAR.2025 22:44:59

2_20MHz_Low_QPSK_1@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 10.MAR.2025 22:45:40

2_20MHz_Low_QPSK_100@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 10.MAR.2025 22:45:51

2_20MHz_Low_16QAM_1@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 10.MAR.2025 22:46:03

2_20MHz_Low_16QAM_100@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 10.MAR.2025 22:46:15

2_20MHz_High_QPSK_1@99




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 10.MAR.2025 22:46:27

2_20MHz_High_QPSK_100@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 10.MAR.2025 22:47:20

2_20MHz_High_16QAM_1@99



ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 10.MAR.2025 22:48:13

2_20MHz_High_16QAM_100@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 10.MAR.2025 22:49:07

FCC Part 27


B71 , Normal

5MHz_Low_QPSK_1@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 17:44:23

5MHz_Low_QPSK_25@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 17:45:03

5MHz_Low_16QAM_1@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 17:45:43

5MHz_Low_16QAM_25@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 17:46:23

5MHz_High_QPSK_1@24




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 17:47:08

5MHz_High_QPSK_25@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 17:47:49


5MHz_High_16QAM_1@24



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 17:48:29


5MHz_High_16QAM_25@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 17:49:10


10MHz_Low_QPSK_1@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 17:56:34


10MHz_Low_QPSK_50@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 17:57:25


10MHz_Low_16QAM_1@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 17:58:15


10MHz_Low_16QAM_50@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 17:59:06


10MHz_High_QPSK_1@49



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 18:00:01


10MHz_High_QPSK_50@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 18:00:53


10MHz_High_16QAM_1@49



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 18:01:44


10MHz_High_16QAM_50@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 18:04:12


15MHz_Low_QPSK_1@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou

Date: 26.FEB.2025 18:06:25


15MHz_Low_QPSK_75@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou


Date: 26.FEB.2025 18:07:27

15MHz_Low_16QAM_1@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:19:59

15MHz_Low_16QAM_75@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:21:00

15MHz_High_QPSK_1@74




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:22:07

15MHz_High_QPSK_75@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:23:09

15MHz_High_16QAM_1@74




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:24:12

15MHz_High_16QAM_75@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:25:14

20MHz_Low_QPSK_1@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:27:33

20MHz_Low_QPSK_100@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:31:02

20MHz_Low_16QAM_1@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:34:38

20MHz_Low_16QAM_100@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:35:50

20MHz_High_QPSK_1@99




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:37:07

20MHz_High_QPSK_100@0




ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:38:20

20MHz_High_16QAM_1@99



ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:39:33

20MHz_High_16QAM_100@0



ProjectNo.:2501Q30867E-RF Tester:Usain Ou
Date: 26.FEB.2025 18:40:46

Frequency stability

FCC For 90S

B26_1 , TN/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	-4.3	-0.005	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	-7.4	-0.009	±2.5	Pass

B26_1 , TN/VH

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	-5.4	-0.007	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	-4.1	-0.005	±2.5	Pass

B26_1 , TN/VL

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	-3.3	-0.004	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	-6.0	-0.007	±2.5	Pass

B26_1 , T1/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	-6.2	-0.008	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	-1.8	-0.002	±2.5	Pass

B26_1 , T2/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	-5.0	-0.006	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	-3.0	-0.004	±2.5	Pass

B26_1 , T3/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	-3.8	-0.005	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	-8.3	-0.010	±2.5	Pass

B26_1 , T4/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	-4.2	-0.005	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	-6.0	-0.007	±2.5	Pass

B26_1 , T5/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	-0.9	-0.001	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	2.5	0.003	±2.5	Pass

B26_1 , T6/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	3.8	0.005	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	2.6	0.003	±2.5	Pass

B26_1 , T7/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	-2.1	-0.003	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	-9.2	-0.011	±2.5	Pass

B26_1 , T8/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
1_15MHz_QPSK_75@0	821.5	-6.4	-0.008	±2.5	Pass
1_15MHz_16QAM_75@0	821.5	-1.1	-0.001	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.8V; VL: 3.45V; VH: 4.35V.

FCC Part 22H

B5 , TN/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-5.5	-0.007	±2.5	Pass
10MHz_16QAM_50@0	836.5	-6.7	-0.008	±2.5	Pass

B5 , TN/VH

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-3.1	-0.004	±2.5	Pass
10MHz_16QAM_50@0	836.5	-6.3	-0.008	±2.5	Pass

B5 , TN/VL

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-8.6	-0.010	±2.5	Pass
10MHz_16QAM_50@0	836.5	-4.2	-0.005	±2.5	Pass

B5 , T1/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-2.0	-0.002	±2.5	Pass
10MHz_16QAM_50@0	836.5	-8.5	-0.010	±2.5	Pass

B5 , T2/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-2.3	-0.003	±2.5	Pass
10MHz_16QAM_50@0	836.5	-7.1	-0.008	±2.5	Pass

B5 , T3/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-8.9	-0.011	±2.5	Pass
10MHz_16QAM_50@0	836.5	-2.9	-0.003	±2.5	Pass

B5 , T4/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-1.6	-0.002	±2.5	Pass
10MHz_16QAM_50@0	836.5	-4.1	-0.005	±2.5	Pass

B5 , T5/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-4.27	-0.005	±2.5	Pass
10MHz_16QAM_50@0	836.5	-7.93	-0.009	±2.5	Pass

B5 , T6/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-3.20	-0.004	±2.5	Pass
10MHz_16QAM_50@0	836.5	-1.26	-0.002	±2.5	Pass

B5 , T7/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-6.87	-0.008	±2.5	Pass
10MHz_16QAM_50@0	836.5	-8.69	-0.010	±2.5	Pass

B5 , T8/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
10MHz_QPSK_50@0	836.5	-2.63	-0.003	±2.5	Pass
10MHz_16QAM_50@0	836.5	-4.66	-0.006	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.8V; VL: 3.45V; VH: 4.35V.

B26_2 , TN/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-4.8	-0.006	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-5.6	-0.007	±2.5	Pass

B26_2 , TN/VH

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-8.43	-0.010	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-5.86	-0.007	±2.5	Pass

B26_2 , TN/VL

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-7.61	-0.009	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-4.21	-0.005	±2.5	Pass

B26_2 , T1/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-4.41	-0.005	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-2.29	-0.003	±2.5	Pass

B26_2 , T2/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-2.15	-0.003	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-6.74	-0.008	±2.5	Pass

B26_2 , T3/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-6.58	-0.008	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-9.86	-0.012	±2.5	Pass

B26_2 , T4/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-3.44	-0.004	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-5.05	-0.006	±2.5	Pass

B26_2 , T5/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-1.27	-0.002	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-7.42	-0.009	±2.5	Pass

B26_2 , T6/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-6.69	-0.008	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-2.97	-0.004	±2.5	Pass

B26_2 , T7/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-4.51	-0.005	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-9.38	-0.011	±2.5	Pass

B26_2 , T8/VN

Mode	Test Channel (MHz)	Frequency Error		Limit (ppm)	Verdict
		(Hz)	(ppm)		
2_15MHz_QPSK_75@0	831.5	-7.14	-0.009	±2.5	Pass
2_15MHz_16QAM_75@0	831.5	-2.82	-0.003	±2.5	Pass

Note:

Frequency Error (ppm)=Frequency Error (MHz)/Test Channel(MHz)*10⁶

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.8V; VL: 3.45V; VH: 4.35V.

FCC Part 24E

B2 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.179	1908.947	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.143	1908.711	1850 ~ 1910	Pass

B2 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.126	1908.693	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.067	1908.849	1850 ~ 1910	Pass

B2 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.183	1908.929	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.034	1908.503	1850 ~ 1910	Pass

B2 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.142	1908.833	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.018	1908.945	1850 ~ 1910	Pass

B2 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.111	1908.878	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.119	1908.659	1850 ~ 1910	Pass

B2 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.104	1908.696	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.102	1908.823	1850 ~ 1910	Pass

B2 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.071	1908.525	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.016	1908.546	1850 ~ 1910	Pass

B2 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.183	1908.891	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.100	1908.730	1850 ~ 1910	Pass

B2 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.017	1908.826	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.111	1908.901	1850 ~ 1910	Pass

B2 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.021	1908.645	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.130	1908.502	1850 ~ 1910	Pass

B2 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1851.067	1908.638	1850 ~ 1910	Pass
20MHz_16QAM_100@0	1851.039	1908.764	1850 ~ 1910	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.8V; VL: 3.45V; VH: 4.35V.

FCC Part 27

B4 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.141	1753.779	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.066	1753.913	1710 ~ 1755	Pass

B4 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.076	1753.945	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.164	1753.987	1710 ~ 1755	Pass

B4 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.115	1753.965	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.095	1753.848	1710 ~ 1755	Pass

B4 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.104	1753.975	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.194	1753.834	1710 ~ 1755	Pass

B4 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.135	1753.894	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.083	1753.925	1710 ~ 1755	Pass

B4 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.153	1753.752	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.125	1753.741	1710 ~ 1755	Pass

B4 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.160	1753.787	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.122	1753.794	1710 ~ 1755	Pass

B4 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.146	1753.965	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.149	1753.713	1710 ~ 1755	Pass

B4 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.012	1753.879	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.026	1753.836	1710 ~ 1755	Pass

B4 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.161	1753.703	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.040	1753.916	1710 ~ 1755	Pass

B4 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
20MHz_QPSK_100@0	1711.069	1753.845	1710 ~ 1755	Pass
20MHz_16QAM_100@0	1711.051	1753.732	1710 ~ 1755	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.8V; VL: 3.45V; VH: 4.35V.

B12 , TN/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.595	715.558	699 ~ 716	Pass
10MHz_16QAM_50@0	699.566	715.586	699 ~ 716	Pass

B12 , TN/VH

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.689	715.617	699 ~ 716	Pass
10MHz_16QAM_50@0	699.607	715.636	699 ~ 716	Pass

B12 , TN/VL

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.578	715.518	699 ~ 716	Pass
10MHz_16QAM_50@0	699.407	715.573	699 ~ 716	Pass

B12 , T1/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.506	715.566	699 ~ 716	Pass
10MHz_16QAM_50@0	699.418	715.597	699 ~ 716	Pass

B12 , T2/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.566	715.626	699 ~ 716	Pass
10MHz_16QAM_50@0	699.592	715.560	699 ~ 716	Pass

B12 , T3/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.442	715.548	699 ~ 716	Pass
10MHz_16QAM_50@0	699.401	715.639	699 ~ 716	Pass

B12 , T4/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.588	715.559	699 ~ 716	Pass
10MHz_16QAM_50@0	699.577	715.508	699 ~ 716	Pass

B12 , T5/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.477	715.607	699 ~ 716	Pass
10MHz_16QAM_50@0	699.584	715.613	699 ~ 716	Pass

B12 , T6/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.590	715.541	699 ~ 716	Pass
10MHz_16QAM_50@0	699.536	715.528	699 ~ 716	Pass

B12 , T7/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.527	715.603	699 ~ 716	Pass
10MHz_16QAM_50@0	699.618	715.621	699 ~ 716	Pass

B12 , T8/VN

Mode	F_L (MHz)	F_H (MHz)	Limit (MHz)	Verdict
10MHz_QPSK_50@0	699.497	715.564	699 ~ 716	Pass
10MHz_16QAM_50@0	699.516	715.598	699 ~ 716	Pass

Note:

TN: 20°C; T1: -30°C; T2: -20°C; T3: -10°C; T4: 0°C; T5: 10°C; T6: 30°C; T7: 40°C; T8: 50°C.

VN: 3.8V; VL: 3.45V; VH: 4.35V.