

Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	1RB#0	23.74	PASS
Band5	1.4MHz	QPSK	20407	1RB#2	23.77	PASS
Band5	1.4MHz	QPSK	20407	1RB#5	23.76	PASS
Band5	1.4MHz	QPSK	20407	3RB#0	23.67	PASS
Band5	1.4MHz	QPSK	20407	3RB#1	23.66	PASS
Band5	1.4MHz	QPSK	20407	3RB#3	23.69	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	22.60	PASS
Band5	1.4MHz	QPSK	20525	1RB#0	24.05	PASS
Band5	1.4MHz	QPSK	20525	1RB#2	24.08	PASS
Band5	1.4MHz	QPSK	20525	1RB#5	24.01	PASS
Band5	1.4MHz	QPSK	20525	3RB#0	23.94	PASS
Band5	1.4MHz	QPSK	20525	3RB#1	23.93	PASS
Band5	1.4MHz	QPSK	20525	3RB#3	23.85	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	23.02	PASS
Band5	1.4MHz	QPSK	20643	1RB#0	24.26	PASS
Band5	1.4MHz	QPSK	20643	1RB#2	24.31	PASS
Band5	1.4MHz	QPSK	20643	1RB#5	24.17	PASS
Band5	1.4MHz	QPSK	20643	3RB#0	24.12	PASS
Band5	1.4MHz	QPSK	20643	3RB#1	24.12	PASS
Band5	1.4MHz	QPSK	20643	3RB#3	23.98	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	23.18	PASS
Band5	1.4MHz	16QAM	20407	1RB#0	22.71	PASS
Band5	1.4MHz	16QAM	20407	1RB#2	22.61	PASS
Band5	1.4MHz	16QAM	20407	1RB#5	22.58	PASS
Band5	1.4MHz	16QAM	20407	3RB#0	22.44	PASS
Band5	1.4MHz	16QAM	20407	3RB#1	22.49	PASS
Band5	1.4MHz	16QAM	20407	3RB#3	22.48	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	21.62	PASS
Band5	1.4MHz	16QAM	20525	1RB#0	22.88	PASS
Band5	1.4MHz	16QAM	20525	1RB#2	23.03	PASS
Band5	1.4MHz	16QAM	20525	1RB#5	22.87	PASS
Band5	1.4MHz	16QAM	20525	3RB#0	22.83	PASS

Band5	1.4MHz	16QAM	20525	3RB#1	22.83	PASS
Band5	1.4MHz	16QAM	20525	3RB#3	22.82	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	22.03	PASS
Band5	1.4MHz	16QAM	20643	1RB#0	23.00	PASS
Band5	1.4MHz	16QAM	20643	1RB#2	23.14	PASS
Band5	1.4MHz	16QAM	20643	1RB#5	22.92	PASS
Band5	1.4MHz	16QAM	20643	3RB#0	23.04	PASS
Band5	1.4MHz	16QAM	20643	3RB#1	23.01	PASS
Band5	1.4MHz	16QAM	20643	3RB#3	22.95	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	22.12	PASS
Band5	3MHz	QPSK	20415	1RB#0	23.64	PASS
Band5	3MHz	QPSK	20415	1RB#8	23.59	PASS
Band5	3MHz	QPSK	20415	1RB#14	23.61	PASS
Band5	3MHz	QPSK	20415	8RB#0	22.66	PASS
Band5	3MHz	QPSK	20415	8RB#4	22.66	PASS
Band5	3MHz	QPSK	20415	8RB#7	22.72	PASS
Band5	3MHz	QPSK	20415	15RB#0	22.59	PASS
Band5	3MHz	QPSK	20525	1RB#0	24.09	PASS
Band5	3MHz	QPSK	20525	1RB#8	24.14	PASS
Band5	3MHz	QPSK	20525	1RB#14	24.09	PASS
Band5	3MHz	QPSK	20525	8RB#0	22.89	PASS
Band5	3MHz	QPSK	20525	8RB#4	22.93	PASS
Band5	3MHz	QPSK	20525	8RB#7	23.03	PASS
Band5	3MHz	QPSK	20525	15RB#0	22.98	PASS
Band5	3MHz	QPSK	20635	1RB#0	24.23	PASS
Band5	3MHz	QPSK	20635	1RB#8	24.22	PASS
Band5	3MHz	QPSK	20635	1RB#14	24.19	PASS
Band5	3MHz	QPSK	20635	8RB#0	23.29	PASS
Band5	3MHz	QPSK	20635	8RB#4	23.30	PASS
Band5	3MHz	QPSK	20635	8RB#7	23.27	PASS
Band5	3MHz	QPSK	20635	15RB#0	23.18	PASS
Band5	3MHz	16QAM	20415	1RB#0	22.70	PASS
Band5	3MHz	16QAM	20415	1RB#8	22.57	PASS
Band5	3MHz	16QAM	20415	1RB#14	22.61	PASS
Band5	3MHz	16QAM	20415	8RB#0	21.62	PASS
Band5	3MHz	16QAM	20415	8RB#4	21.62	PASS
Band5	3MHz	16QAM	20415	8RB#7	21.65	PASS

Band5	3MHz	16QAM	20415	15RB#0	21.65	PASS
Band5	3MHz	16QAM	20525	1RB#0	22.90	PASS
Band5	3MHz	16QAM	20525	1RB#8	22.96	PASS
Band5	3MHz	16QAM	20525	1RB#14	22.83	PASS
Band5	3MHz	16QAM	20525	8RB#0	21.94	PASS
Band5	3MHz	16QAM	20525	8RB#4	21.93	PASS
Band5	3MHz	16QAM	20525	8RB#7	21.98	PASS
Band5	3MHz	16QAM	20525	15RB#0	21.96	PASS
Band5	3MHz	16QAM	20635	1RB#0	23.23	PASS
Band5	3MHz	16QAM	20635	1RB#8	23.24	PASS
Band5	3MHz	16QAM	20635	1RB#14	23.18	PASS
Band5	3MHz	16QAM	20635	8RB#0	22.25	PASS
Band5	3MHz	16QAM	20635	8RB#4	22.20	PASS
Band5	3MHz	16QAM	20635	8RB#7	22.26	PASS
Band5	3MHz	16QAM	20635	15RB#0	22.23	PASS
Band5	5MHz	QPSK	20425	1RB#0	23.87	PASS
Band5	5MHz	QPSK	20425	1RB#12	23.85	PASS
Band5	5MHz	QPSK	20425	1RB#24	23.35	PASS
Band5	5MHz	QPSK	20425	12RB#0	22.68	PASS
Band5	5MHz	QPSK	20425	12RB#6	22.68	PASS
Band5	5MHz	QPSK	20425	12RB#13	22.75	PASS
Band5	5MHz	QPSK	20425	25RB#0	22.67	PASS
Band5	5MHz	QPSK	20525	1RB#0	24.08	PASS
Band5	5MHz	QPSK	20525	1RB#12	24.13	PASS
Band5	5MHz	QPSK	20525	1RB#24	24.11	PASS
Band5	5MHz	QPSK	20525	12RB#0	23.08	PASS
Band5	5MHz	QPSK	20525	12RB#6	23.08	PASS
Band5	5MHz	QPSK	20525	12RB#13	23.04	PASS
Band5	5MHz	QPSK	20525	25RB#0	23.12	PASS
Band5	5MHz	QPSK	20625	1RB#0	24.44	PASS
Band5	5MHz	QPSK	20625	1RB#12	24.24	PASS
Band5	5MHz	QPSK	20625	1RB#24	24.26	PASS
Band5	5MHz	QPSK	20625	12RB#0	23.28	PASS
Band5	5MHz	QPSK	20625	12RB#6	23.32	PASS
Band5	5MHz	QPSK	20625	12RB#13	23.26	PASS
Band5	5MHz	QPSK	20625	25RB#0	23.34	PASS
Band5	5MHz	16QAM	20425	1RB#0	22.75	PASS

Band5	5MHz	16QAM	20425	1RB#12	22.77	PASS
Band5	5MHz	16QAM	20425	1RB#24	22.65	PASS
Band5	5MHz	16QAM	20425	12RB#0	21.63	PASS
Band5	5MHz	16QAM	20425	12RB#6	21.63	PASS
Band5	5MHz	16QAM	20425	12RB#13	21.72	PASS
Band5	5MHz	16QAM	20425	25RB#0	21.78	PASS
Band5	5MHz	16QAM	20525	1RB#0	23.15	PASS
Band5	5MHz	16QAM	20525	1RB#12	23.14	PASS
Band5	5MHz	16QAM	20525	1RB#24	23.21	PASS
Band5	5MHz	16QAM	20525	12RB#0	22.08	PASS
Band5	5MHz	16QAM	20525	12RB#6	22.13	PASS
Band5	5MHz	16QAM	20525	12RB#13	22.01	PASS
Band5	5MHz	16QAM	20525	25RB#0	22.06	PASS
Band5	5MHz	16QAM	20625	1RB#0	23.43	PASS
Band5	5MHz	16QAM	20625	1RB#12	23.24	PASS
Band5	5MHz	16QAM	20625	1RB#24	23.31	PASS
Band5	5MHz	16QAM	20625	12RB#0	22.37	PASS
Band5	5MHz	16QAM	20625	12RB#6	22.36	PASS
Band5	5MHz	16QAM	20625	12RB#13	22.35	PASS
Band5	5MHz	16QAM	20625	25RB#0	22.47	PASS
Band5	10MHz	QPSK	20450	1RB#0	23.87	PASS
Band5	10MHz	QPSK	20450	1RB#24	23.78	PASS
Band5	10MHz	QPSK	20450	1RB#49	23.97	PASS
Band5	10MHz	QPSK	20450	25RB#0	22.71	PASS
Band5	10MHz	QPSK	20450	25RB#12	22.72	PASS
Band5	10MHz	QPSK	20450	25RB#25	22.78	PASS
Band5	10MHz	QPSK	20450	50RB#0	22.82	PASS
Band5	10MHz	QPSK	20525	1RB#0	23.38	PASS
Band5	10MHz	QPSK	20525	1RB#24	24.12	PASS
Band5	10MHz	QPSK	20525	1RB#49	24.60	PASS
Band5	10MHz	QPSK	20525	25RB#0	23.05	PASS
Band5	10MHz	QPSK	20525	25RB#12	23.03	PASS
Band5	10MHz	QPSK	20525	25RB#25	23.16	PASS
Band5	10MHz	QPSK	20525	50RB#0	23.11	PASS
Band5	10MHz	QPSK	20600	1RB#0	24.73	PASS
Band5	10MHz	QPSK	20600	1RB#24	24.34	PASS
Band5	10MHz	QPSK	20600	1RB#49	24.16	PASS

Band5	10MHz	QPSK	20600	25RB#0	23.39	PASS
Band5	10MHz	QPSK	20600	25RB#12	23.39	PASS
Band5	10MHz	QPSK	20600	25RB#25	23.57	PASS
Band5	10MHz	QPSK	20600	50RB#0	23.56	PASS
Band5	10MHz	16QAM	20450	1RB#0	22.99	PASS
Band5	10MHz	16QAM	20450	1RB#24	22.62	PASS
Band5	10MHz	16QAM	20450	1RB#49	23.02	PASS
Band5	10MHz	16QAM	20450	25RB#0	21.67	PASS
Band5	10MHz	16QAM	20450	25RB#12	21.67	PASS
Band5	10MHz	16QAM	20450	25RB#25	21.77	PASS
Band5	10MHz	16QAM	20450	50RB#0	21.74	PASS
Band5	10MHz	16QAM	20525	1RB#0	22.72	PASS
Band5	10MHz	16QAM	20525	1RB#24	23.32	PASS
Band5	10MHz	16QAM	20525	1RB#49	23.50	PASS
Band5	10MHz	16QAM	20525	25RB#0	22.10	PASS
Band5	10MHz	16QAM	20525	25RB#12	22.09	PASS
Band5	10MHz	16QAM	20525	25RB#25	22.22	PASS
Band5	10MHz	16QAM	20525	50RB#0	22.12	PASS
Band5	10MHz	16QAM	20600	1RB#0	23.54	PASS
Band5	10MHz	16QAM	20600	1RB#24	23.48	PASS
Band5	10MHz	16QAM	20600	1RB#49	23.47	PASS
Band5	10MHz	16QAM	20600	25RB#0	22.41	PASS
Band5	10MHz	16QAM	20600	25RB#12	22.41	PASS
Band5	10MHz	16QAM	20600	25RB#25	22.50	PASS
Band5	10MHz	16QAM	20600	50RB#0	22.52	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	4.75	13	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	5.04	13	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	4.78	13	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	5.68	13	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	5.91	13	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	5.68	13	PASS
Band5	3MHz	QPSK	20415	15RB#0	8.46	13	PASS
Band5	3MHz	QPSK	20525	15RB#0	8.46	13	PASS
Band5	3MHz	QPSK	20635	15RB#0	8.43	13	PASS
Band5	3MHz	16QAM	20415	15RB#0	8.46	13	PASS
Band5	3MHz	16QAM	20525	15RB#0	8.46	13	PASS
Band5	3MHz	16QAM	20635	15RB#0	8.43	13	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.78	13	PASS
Band5	5MHz	QPSK	20525	25RB#0	5.07	13	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.78	13	PASS
Band5	5MHz	16QAM	20425	25RB#0	5.59	13	PASS
Band5	5MHz	16QAM	20525	25RB#0	5.88	13	PASS
Band5	5MHz	16QAM	20625	25RB#0	5.57	13	PASS
Band5	10MHz	QPSK	20450	50RB#0	4.90	13	PASS
Band5	10MHz	QPSK	20525	50RB#0	5.04	13	PASS
Band5	10MHz	QPSK	20600	50RB#0	4.72	13	PASS
Band5	10MHz	16QAM	20450	50RB#0	5.71	13	PASS
Band5	10MHz	16QAM	20525	50RB#0	5.86	13	PASS
Band5	10MHz	16QAM	20600	50RB#0	5.59	13	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0




Band5-1.4MHz-QPSK-20525-6RB#0




Band5-1.4MHz-QPSK-20643-6RB#0




Band5-1.4MHz-16QAM-20407-6RB#0




Band5-1.4MHz-16QAM-20525-6RB#0



Band5-1.4MHz-16QAM-20643-6RB#0




Band5-3MHz-QPSK-20415-15RB#0




Band5-3MHz-QPSK-20525-15RB#0




Band5-3MHz-QPSK-20635-15RB#0




Band5-3MHz-16QAM-20415-15RB#0




Band5-3MHz-16QAM-20525-15RB#0



Band5-3MHz-16QAM-20635-15RB#0




Band5-5MHz-QPSK-20425-25RB#0



Band5-5MHz-QPSK-20525-25RB#0




Band5-5MHz-QPSK-20625-25RB#0




Band5-5MHz-16QAM-20425-25RB#0




Band5-5MHz-16QAM-20525-25RB#0




Band5-5MHz-16QAM-20625-25RB#0




Band5-10MHz-QPSK-20450-50RB#0




Band5-10MHz-QPSK-20525-50RB#0



Band5-10MHz-QPSK-20600-50RB#0



Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20525-50RB#0



Band5-10MHz-16QAM-20600-50RB#0




Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	1.093	1.310	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	1.093	1.290	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	1.098	1.320	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	1.098	1.310	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	1.098	1.305	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	1.098	1.325	PASS
Band5	3MHz	QPSK	20415	15RB#0	2.696	2.990	PASS
Band5	3MHz	QPSK	20525	15RB#0	2.696	2.990	PASS
Band5	3MHz	QPSK	20635	15RB#0	2.705	3.010	PASS
Band5	3MHz	16QAM	20415	15RB#0	2.686	2.990	PASS
Band5	3MHz	16QAM	20525	15RB#0	2.696	2.990	PASS
Band5	3MHz	16QAM	20635	15RB#0	2.696	2.990	PASS
Band5	5MHz	QPSK	20425	25RB#0	4.515	5.020	PASS
Band5	5MHz	QPSK	20525	25RB#0	4.496	5.010	PASS
Band5	5MHz	QPSK	20625	25RB#0	4.515	5.020	PASS
Band5	5MHz	16QAM	20425	25RB#0	4.496	5.000	PASS
Band5	5MHz	16QAM	20525	25RB#0	4.515	5.060	PASS
Band5	5MHz	16QAM	20625	25RB#0	4.505	5.020	PASS
Band5	10MHz	QPSK	20450	50RB#0	9.018	10.000	PASS
Band5	10MHz	QPSK	20525	50RB#0	9.018	10.033	PASS
Band5	10MHz	QPSK	20600	50RB#0	8.952	10.000	PASS
Band5	10MHz	16QAM	20450	50RB#0	8.985	9.933	PASS
Band5	10MHz	16QAM	20525	50RB#0	8.985	9.967	PASS
Band5	10MHz	16QAM	20600	50RB#0	8.952	9.833	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0




Band5-1.4MHz-QPSK-20525-6RB#0




Band5-1.4MHz-QPSK-20643-6RB#0




Band5-1.4MHz-16QAM-20407-6RB#0




Band5-1.4MHz-16QAM-20525-6RB#0




Band5-1.4MHz-16QAM-20643-6RB#0




Band5-3MHz-QPSK-20415-15RB#0




Band5-3MHz-QPSK-20525-15RB#0




Band5-3MHz-QPSK-20635-15RB#0




Band5-3MHz-16QAM-20415-15RB#0




Band5-3MHz-16QAM-20525-15RB#0




Band5-3MHz-16QAM-20635-15RB#0




Band5-5MHz-QPSK-20425-25RB#0




Band5-5MHz-QPSK-20525-25RB#0




Band5-5MHz-QPSK-20625-25RB#0




Band5-5MHz-16QAM-20425-25RB#0




Band5-5MHz-16QAM-20525-25RB#0




Band5-5MHz-16QAM-20625-25RB#0




Band5-10MHz-QPSK-20450-50RB#0




Band5-10MHz-QPSK-20525-50RB#0




Band5-10MHz-QPSK-20600-50RB#0




Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20525-50RB#0



Band5-10MHz-16QAM-20600-50RB#0




Appendix D: Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	-23.95	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	-23.79	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	-26.83	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	-24.37	PASS
Band5	3MHz	QPSK	20415	15RB#0	-23.92	PASS
Band5	3MHz	QPSK	20635	15RB#0	-23.08	PASS
Band5	3MHz	16QAM	20415	15RB#0	-26.69	PASS
Band5	3MHz	16QAM	20635	15RB#0	-26.61	PASS
Band5	5MHz	QPSK	20425	25RB#0	-23.79	PASS
Band5	5MHz	QPSK	20625	25RB#0	-24.43	PASS
Band5	5MHz	16QAM	20425	25RB#0	-26.31	PASS
Band5	5MHz	16QAM	20625	25RB#0	-25.70	PASS
Band5	10MHz	QPSK	20450	50RB#0	-24.01	PASS
Band5	10MHz	QPSK	20600	50RB#0	-26.24	PASS
Band5	10MHz	16QAM	20450	50RB#0	-26.95	PASS
Band5	10MHz	16QAM	20600	50RB#0	-27.96	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0




Band5-1.4MHz-QPSK-20643-6RB#0



Band5-1.4MHz-16QAM-20407-6RB#0




Band5-1.4MHz-16QAM-20643-6RB#0



Band5-3MHz-QPSK-20415-15RB#0




Band5-3MHz-QPSK-20635-15RB#0



Band5-5MHz-QPSK-20625-25RB#0




Band5-5MHz-16QAM-20425-25RB#0



Band5-5MHz-16QAM-20625-25RB#0



Band5-10MHz-QPSK-20450-50RB#0



Band5-10MHz-QPSK-20600-50RB#0



Band5-10MHz-16QAM-20450-50RB#0



Band5-10MHz-16QAM-20600-50RB#0



Appendix E: Conducted Spurious Emission


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band5	1.4MHz	QPSK	20407	6RB#0	Range1:30~1000MHz	-28	PASS
Band5	1.4MHz	QPSK	20407	6RB#0	Range2:1000~10000MHz	-23.01	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	Range1:30~1000MHz	-28.51	PASS
Band5	1.4MHz	QPSK	20525	6RB#0	Range2:1000~10000MHz	-22.87	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	Range1:30~1000MHz	-27.37	PASS
Band5	1.4MHz	QPSK	20643	6RB#0	Range2:1000~10000MHz	-22.99	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	Range1:30~1000MHz	-27.92	PASS
Band5	1.4MHz	16QAM	20407	6RB#0	Range2:1000~10000MHz	-22.55	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	Range1:30~1000MHz	-28.1	PASS
Band5	1.4MHz	16QAM	20525	6RB#0	Range2:1000~10000MHz	-22.77	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	Range1:30~1000MHz	-28.79	PASS
Band5	1.4MHz	16QAM	20643	6RB#0	Range2:1000~10000MHz	-23.14	PASS
Band5	3MHz	QPSK	20415	15RB#0	Range1:30~1000MHz	-28.34	PASS
Band5	3MHz	QPSK	20415	15RB#0	Range2:1000~10000MHz	-22.83	PASS
Band5	3MHz	QPSK	20525	15RB#0	Range1:30~1000MHz	-28.59	PASS
Band5	3MHz	QPSK	20525	15RB#0	Range2:1000~10000MHz	-23.17	PASS
Band5	3MHz	QPSK	20635	15RB#0	Range1:30~1000MHz	-27.73	PASS
Band5	3MHz	QPSK	20635	15RB#0	Range2:1000~10000MHz	-23.63	PASS
Band5	3MHz	16QAM	20415	15RB#0	Range1:30~1000MHz	-27.32	PASS
Band5	3MHz	16QAM	20415	15RB#0	Range2:1000~10000MHz	-22.27	PASS
Band5	3MHz	16QAM	20525	15RB#0	Range1:30~1000MHz	-27.09	PASS
Band5	3MHz	16QAM	20525	15RB#0	Range2:1000~10000MHz	-23.07	PASS
Band5	3MHz	16QAM	20635	15RB#0	Range1:30~1000MHz	-27.72	PASS
Band5	3MHz	16QAM	20635	15RB#0	Range2:1000~10000MHz	-22.71	PASS
Band5	5MHz	QPSK	20425	25RB#0	Range1:30~1000MHz	-28.16	PASS
Band5	5MHz	QPSK	20425	25RB#0	Range2:1000~10000MHz	-23.08	PASS
Band5	5MHz	QPSK	20525	25RB#0	Range1:30~1000MHz	-27.8	PASS
Band5	5MHz	QPSK	20525	25RB#0	Range2:1000~10000MHz	-22.81	PASS
Band5	5MHz	QPSK	20625	25RB#0	Range1:30~1000MHz	-27.8	PASS
Band5	5MHz	QPSK	20625	25RB#0	Range2:1000~10000MHz	-22.35	PASS
Band5	5MHz	16QAM	20425	25RB#0	Range1:30~1000MHz	-28.41	PASS
Band5	5MHz	16QAM	20425	25RB#0	Range2:1000~10000MHz	-23.66	PASS
Band5	5MHz	16QAM	20525	25RB#0	Range1:30~1000MHz	-28.84	PASS
Band5	5MHz	16QAM	20525	25RB#0	Range2:1000~10000MHz	-24.05	PASS


Band5	5MHz	16QAM	20625	25RB#0	Range1:30~1000MHz	-28.07	PASS
Band5	5MHz	16QAM	20625	25RB#0	Range2:1000~10000MHz	-23.25	PASS
Band5	10MHz	QPSK	20450	50RB#0	Range1:30~1000MHz	-27.02	PASS
Band5	10MHz	QPSK	20450	50RB#0	Range2:1000~10000MHz	-23.34	PASS
Band5	10MHz	QPSK	20525	50RB#0	Range1:30~1000MHz	-27.34	PASS
Band5	10MHz	QPSK	20525	50RB#0	Range2:1000~10000MHz	-23.09	PASS
Band5	10MHz	QPSK	20600	50RB#0	Range1:30~1000MHz	-28.09	PASS
Band5	10MHz	QPSK	20600	50RB#0	Range2:1000~10000MHz	-23.68	PASS
Band5	10MHz	16QAM	20450	50RB#0	Range1:30~1000MHz	-28.35	PASS
Band5	10MHz	16QAM	20450	50RB#0	Range2:1000~10000MHz	-22.97	PASS
Band5	10MHz	16QAM	20525	50RB#0	Range1:30~1000MHz	-28.14	PASS
Band5	10MHz	16QAM	20525	50RB#0	Range2:1000~10000MHz	-22.18	PASS
Band5	10MHz	16QAM	20600	50RB#0	Range1:30~1000MHz	-27.71	PASS
Band5	10MHz	16QAM	20600	50RB#0	Range2:1000~10000MHz	-22.7	PASS

Test Graphs


Band5-1.4MHz-QPSK-20407-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-QPSK-20407-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-QPSK-20525-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-QPSK-20525-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-QPSK-20643-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-QPSK-20643-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-16QAM-20407-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-16QAM-20407-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-16QAM-20525-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-16QAM-20525-6RB#0-Range2:1000~10000MHz




Band5-1.4MHz-16QAM-20643-6RB#0-Range1:30~1000MHz




Band5-1.4MHz-16QAM-20643-6RB#0-Range2:1000~10000MHz




Band5-3MHz-QPSK-20415-15RB#0-Range1:30~1000MHz




Band5-3MHz-QPSK-20415-15RB#0-Range2:1000~10000MHz




Band5-3MHz-QPSK-20525-15RB#0-Range1:30~1000MHz




Band5-3MHz-QPSK-20525-15RB#0-Range2:1000~10000MHz




Band5-3MHz-QPSK-20635-15RB#0-Range1:30~1000MHz




Band5-3MHz-QPSK-20635-15RB#0-Range2:1000~10000MHz




Band5-3MHz-16QAM-20415-15RB#0-Range1:30~1000MHz




Band5-3MHz-16QAM-20415-15RB#0-Range2:1000~10000MHz




Band5-3MHz-16QAM-20525-15RB#0-Range1:30~1000MHz




Band5-3MHz-16QAM-20525-15RB#0-Range2:1000~10000MHz




Band5-3MHz-16QAM-20635-15RB#0-Range1:30~1000MHz




Band5-3MHz-16QAM-20635-15RB#0-Range2:1000~10000MHz




Band5-5MHz-QPSK-20425-25RB#0-Range1:30~1000MHz




Band5-5MHz-QPSK-20425-25RB#0-Range2:1000~10000MHz




Band5-5MHz-QPSK-20525-25RB#0-Range1:30~1000MHz




Band5-5MHz-QPSK-20525-25RB#0-Range2:1000~10000MHz



Band5-5MHz-QPSK-20625-25RB#0-Range1:30~1000MHz



Band5-5MHz-QPSK-20625-25RB#0-Range2:1000~10000MHz



Band5-5MHz-16QAM-20425-25RB#0-Range1:30~1000MHz

The screenshot shows a Spectrum Analyzer interface with the following settings and data:

- Ref Level:** 20.00 dBm
- Att:** 30 dB
- SWT:** 36 ms
- RBW:** 1 MHz
- VBW:** 3 MHz
- Mode:** Auto Sweep
- Count:** 3/3
- TDF:** (checked)

The main display shows a spectrum plot with a blue trace. A peak is labeled **M1[1]** at **6.993550 GHz** with a power level of **-23.66 dBm**. A red horizontal line is labeled **D1 -13.000 dBm**. The x-axis ranges from **Start 1.0 GHz** to **Stop 10.0 GHz** with **10000 pts**. The y-axis ranges from **-70 dBm** to **10 dBm**.


At the bottom, the date and time are displayed: **Date: 17.JAN.2025 13:08:04**.

The screenshot shows a spectrum analyzer interface with the following settings and data:


- Ref Level:** 25.00 dBm
- Att:** 35 dB
- Count:** 50/50
- SWT:** 1 ms
- TDF:** (checked)
- RBW:** 1 MHz
- VBW:** 3 MHz
- Mode:** Auto Sweep
- View:** 1Pk View

The main display shows a spectrum plot with the following key features:


- Y-axis:** Power level in dBm, ranging from -70 to 20.
- X-axis:** Frequency in MHz, ranging from 837.530 to 837.530.
- Signal Peak:** A sharp peak is visible at 726.186 MHz, reaching a power level of approximately 21.64 dBm.
- Marker M1:** Located at 837.530 MHz, -28.84 dBm.
- Marker M2:** Located at 726.186 MHz, -28.84 dBm.
- Marker M3:** Located at 726.186 MHz, -28.84 dBm.
- Marker M4:** Located at 726.186 MHz, -28.84 dBm.
- Marker M5:** Located at 726.186 MHz, -28.84 dBm.
- Marker M6:** Located at 726.186 MHz, -28.84 dBm.
- Marker M7:** Located at 726.186 MHz, -28.84 dBm.
- Marker M8:** Located at 726.186 MHz, -28.84 dBm.
- Marker M9:** Located at 726.186 MHz, -28.84 dBm.
- Marker M10:** Located at 726.186 MHz, -28.84 dBm.
- Marker M11:** Located at 726.186 MHz, -28.84 dBm.
- Marker M12:** Located at 726.186 MHz, -28.84 dBm.
- Marker M13:** Located at 726.186 MHz, -28.84 dBm.
- Marker M14:** Located at 726.186 MHz, -28.84 dBm.
- Marker M15:** Located at 726.186 MHz, -28.84 dBm.
- Marker M16:** Located at 726.186 MHz, -28.84 dBm.
- Marker M17:** Located at 726.186 MHz, -28.84 dBm.
- Marker M18:** Located at 726.186 MHz, -28.84 dBm.
- Marker M19:** Located at 726.186 MHz, -28.84 dBm.
- Marker M20:** Located at 726.186 MHz, -28.84 dBm.




Band5-5MHz-16QAM-20625-25RB#0-Range1:30~1000MHz




Band5-5MHz-16QAM-20625-25RB#0-Range2:1000~10000MHz




Band5-10MHz-QPSK-20450-50RB#0-Range1:30~1000MHz




Band5-10MHz-QPSK-20450-50RB#0-Range2:1000~10000MHz




Band5-10MHz-QPSK-20525-50RB#0-Range1:30~1000MHz




Band5-10MHz-QPSK-20525-50RB#0-Range2:1000~10000MHz




Band5-10MHz-QPSK-20600-50RB#0-Range1:30~1000MHz




Band5-10MHz-QPSK-20600-50RB#0-Range2:1000~10000MHz




Band5-10MHz-16QAM-20450-50RB#0-Range1:30~1000MHz




Band5-10MHz-16QAM-20450-50RB#0-Range2:1000~10000MHz




Band5-10MHz-16QAM-20525-50RB#0-Range1:30~1000MHz



Band5-10MHz-16QAM-20525-50RB#0-Range2:1000~10000MHz



Band5-10MHz-16QAM-20600-50RB#0-Range1:30~1000MHz



Band5-10MHz-16QAM-20600-50RB#0-Range2:1000~10000MHz

