


1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B40a_5MHz_EIRP

Band: 40a / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2307.5	1	0	22.88	2.29	25.17	<=23.98	Pass
			13	22.94	2.29	25.23	<=23.98	Pass
			24	22.83	2.29	25.12	<=23.98	Pass
		12	0	21.89	2.29	24.18	<=23.98	Pass
			6	21.95	2.29	24.24	<=23.98	Pass
			13	21.92	2.29	24.21	<=23.98	Pass
		25	0	21.94	2.29	24.23	<=23.98	Pass
	2310	1	0	22.72	2.29	25.01	<=23.98	Pass
			13	22.96	2.29	25.25	<=23.98	Pass
			24	22.83	2.29	25.12	<=23.98	Pass
		12	0	21.85	2.29	24.14	<=23.98	Pass
			6	21.95	2.29	24.24	<=23.98	Pass
			13	21.86	2.29	24.15	<=23.98	Pass
		25	0	21.90	2.29	24.19	<=23.98	Pass
	2312.5	1	0	22.75	2.29	25.04	<=23.98	Pass
			13	22.92	2.29	25.21	<=23.98	Pass
			24	22.82	2.29	25.11	<=23.98	Pass
		12	0	21.82	2.29	24.11	<=23.98	Pass
			6	21.93	2.29	24.22	<=23.98	Pass
			13	21.92	2.29	24.21	<=23.98	Pass
		25	0	21.84	2.29	24.13	<=23.98	Pass
16QAM	2307.5	1	0	21.82	2.29	24.11	<=23.98	Pass
			13	22.00	2.29	24.29	<=23.98	Pass
			24	21.82	2.29	24.11	<=23.98	Pass
		12	0	20.84	2.29	23.13	<=23.98	Pass
			6	20.96	2.29	23.25	<=23.98	Pass
			13	20.82	2.29	23.11	<=23.98	Pass
		25	0	20.92	2.29	23.21	<=23.98	Pass
	2310	1	0	21.81	2.29	24.10	<=23.98	Pass
			13	21.63	2.29	23.92	<=23.98	Pass
			24	21.81	2.29	24.10	<=23.98	Pass
		12	0	20.75	2.29	23.04	<=23.98	Pass
			6	20.81	2.29	23.10	<=23.98	Pass
			13	20.91	2.29	23.20	<=23.98	Pass
		25	0	20.75	2.29	23.04	<=23.98	Pass
	2312.5	1	0	21.75	2.29	24.04	<=23.98	Pass
			13	21.92	2.29	24.21	<=23.98	Pass
			24	21.87	2.29	24.16	<=23.98	Pass
		12	0	20.84	2.29	23.13	<=23.98	Pass
			6	20.84	2.29	23.13	<=23.98	Pass
			13	20.78	2.29	23.07	<=23.98	Pass
		25	0	20.81	2.29	23.10	<=23.98	Pass

Note1: EIRP=Conducted Power+Antenna Gain



Band: 40a / Bandwidth: 10MHz / NTN/V								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	2310	1	0	22.89	2.29	25.18	<=23.98	Pass
			25	23.14	2.29	25.43	<=23.98	Pass
			49	22.86	2.29	25.15	<=23.98	Pass
		25	0	21.9	2.29	24.19	<=23.98	Pass
			13	21.95	2.29	24.24	<=23.98	Pass
			25	21.96	2.29	24.25	<=23.98	Pass
		50	0	21.91	2.29	24.20	<=23.98	Pass
		16QAM	2310	1	0	21.69	2.29	23.98
25	21.86				2.29	24.15	<=23.98	Pass
49	21.97				2.29	24.26	<=23.98	Pass
25	0			20.84	2.29	23.13	<=23.98	Pass
	13			21.04	2.29	23.33	<=23.98	Pass
	25			20.96	2.29	23.25	<=23.98	Pass
50	0			20.88	2.29	23.17	<=23.98	Pass
Note1: EIRP=Conducted Power+Antenna Gain								

2. Frequency Stability

2.1 Test Result

2.1.1 B40a_5MHz

Band: 40a / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2307.5	25	0	20	3.27	-0.143	-0.0001	-2.5 to 2.5	Pass
					3.85	-28.968	-0.0126	-2.5 to 2.5	Pass
					4.43	-30.656	-0.0133	-2.5 to 2.5	Pass
				-30	3.85	-27.823	-0.0121	-2.5 to 2.5	Pass
				-20	3.85	-29.340	-0.0127	-2.5 to 2.5	Pass
				-10	3.85	-27.280	-0.0118	-2.5 to 2.5	Pass
				0	3.85	-24.133	-0.0105	-2.5 to 2.5	Pass
				10	3.85	-20.099	-0.0087	-2.5 to 2.5	Pass
				30	3.85	-23.360	-0.0101	-2.5 to 2.5	Pass
				40	3.85	-12.345	-0.0053	-2.5 to 2.5	Pass
				50	3.85	-21.615	-0.0094	-2.5 to 2.5	Pass
	2310	25	0	20	3.27	-11.787	-0.0051	-2.5 to 2.5	Pass
					3.85	-8.869	-0.0038	-2.5 to 2.5	Pass
					4.43	-2.146	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	-17.023	-0.0074	-2.5 to 2.5	Pass
				-20	3.85	-10.686	-0.0046	-2.5 to 2.5	Pass
				-10	3.85	-10.257	-0.0044	-2.5 to 2.5	Pass
				0	3.85	-10.543	-0.0046	-2.5 to 2.5	Pass
				10	3.85	-28.481	-0.0123	-2.5 to 2.5	Pass
				30	3.85	-21.129	-0.0091	-2.5 to 2.5	Pass
				40	3.85	-18.024	-0.0078	-2.5 to 2.5	Pass
				50	3.85	-19.698	-0.0085	-2.5 to 2.5	Pass
	2312.5	25	0	20	3.27	20.957	0.0091	-2.5 to 2.5	Pass
					3.85	22.259	0.0096	-2.5 to 2.5	Pass
					4.43	-0.315	-0.0001	-2.5 to 2.5	Pass
				-30	3.85	15.578	0.0067	-2.5 to 2.5	Pass
				-20	3.85	-2.847	-0.0012	-2.5 to 2.5	Pass
				-10	3.85	7.997	0.0035	-2.5 to 2.5	Pass
				0	3.85	5.336	0.0023	-2.5 to 2.5	Pass
				10	3.85	21.443	0.0093	-2.5 to 2.5	Pass
				30	3.85	6.824	0.0030	-2.5 to 2.5	Pass
				40	3.85	4.935	0.0021	-2.5 to 2.5	Pass
16QAM	2307.5	25	0	20	3.27	23.260	0.0101	-2.5 to 2.5	Pass
					3.85	24.061	0.0104	-2.5 to 2.5	Pass
					4.43	19.612	0.0085	-2.5 to 2.5	Pass
				-30	3.85	9.513	0.0041	-2.5 to 2.5	Pass
				-20	3.85	8.368	0.0036	-2.5 to 2.5	Pass
				-10	3.85	18.525	0.0080	-2.5 to 2.5	Pass
				0	3.85	2.518	0.0011	-2.5 to 2.5	Pass
				10	3.85	16.608	0.0072	-2.5 to 2.5	Pass
				30	3.85	1.101	0.0005	-2.5 to 2.5	Pass
				40	3.85	3.090	0.0013	-2.5 to 2.5	Pass
				50	3.85	15.707	0.0068	-2.5 to 2.5	Pass
	2310	25	0	20	3.27	10.872	0.0047	-2.5 to 2.5	Pass
					3.85	11.044	0.0048	-2.5 to 2.5	Pass
					4.43	5.221	0.0023	-2.5 to 2.5	Pass
				-30	3.85	4.864	0.0021	-2.5 to 2.5	Pass
				-20	3.85	12.360	0.0054	-2.5 to 2.5	Pass
				-10	3.85	-9.642	-0.0042	-2.5 to 2.5	Pass

		2312.5	25	0	0	3.85	-2.146	-0.0009	-2.5 to 2.5	Pass
					10	3.85	1.073	0.0005	-2.5 to 2.5	Pass
					30	3.85	-2.661	-0.0012	-2.5 to 2.5	Pass
					40	3.85	2.232	0.0010	-2.5 to 2.5	Pass
					50	3.85	-4.420	-0.0019	-2.5 to 2.5	Pass
					20	3.27	-3.734	-0.0016	-2.5 to 2.5	Pass
						3.85	-8.783	-0.0038	-2.5 to 2.5	Pass
						4.43	-11.888	-0.0051	-2.5 to 2.5	Pass
					-30	3.85	-16.108	-0.0070	-2.5 to 2.5	Pass
					-20	3.85	-23.646	-0.0102	-2.5 to 2.5	Pass
					-10	3.85	-12.259	-0.0053	-2.5 to 2.5	Pass
					0	3.85	-17.438	-0.0075	-2.5 to 2.5	Pass
					10	3.85	-20.671	-0.0089	-2.5 to 2.5	Pass
					30	3.85	-23.847	-0.0103	-2.5 to 2.5	Pass
					40	3.85	-4.106	-0.0018	-2.5 to 2.5	Pass
					50	3.85	-28.739	-0.0124	-2.5 to 2.5	Pass

2.1.2 B40a_10MHz

Band: 40a / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	2310	50	0	20	3.27	-7.882	-0.0034	-2.5 to 2.5	Pass
					3.85	-15.006	-0.0065	-2.5 to 2.5	Pass
					4.43	-11.373	-0.0049	-2.5 to 2.5	Pass
				-30	3.85	-12.946	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	-5.679	-0.0025	-2.5 to 2.5	Pass
				-10	3.85	-2.575	-0.0011	-2.5 to 2.5	Pass
				0	3.85	0.272	0.0001	-2.5 to 2.5	Pass
				10	3.85	-8.426	-0.0036	-2.5 to 2.5	Pass
				30	3.85	-7.896	-0.0034	-2.5 to 2.5	Pass
				40	3.85	-5.836	-0.0025	-2.5 to 2.5	Pass
				50	3.85	-10.571	-0.0046	-2.5 to 2.5	Pass
16QAM	2310	50	0	20	3.27	-5.293	-0.0023	-2.5 to 2.5	Pass
					3.85	-8.597	-0.0037	-2.5 to 2.5	Pass
					4.43	-8.912	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-5.608	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-17.438	-0.0075	-2.5 to 2.5	Pass
				-10	3.85	-3.762	-0.0016	-2.5 to 2.5	Pass
				0	3.85	-13.447	-0.0058	-2.5 to 2.5	Pass
				10	3.85	-18.468	-0.0080	-2.5 to 2.5	Pass
				30	3.85	-6.409	-0.0028	-2.5 to 2.5	Pass
				40	3.85	-16.494	-0.0071	-2.5 to 2.5	Pass
				50	3.85	-12.689	-0.0055	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B40a_5MHz

Band: 40a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2310	25	0	Refer To Test Graph		Pass


16QAM	2310	25	0	Refer To Test Graph	Pass
-------	------	----	---	---------------------	------

3.1.2 B40a_10MHz


Band: 40a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	2310	50	0	Refer To Test Graph		Pass
16QAM	2310	50	0	Refer To Test Graph		Pass

3.2 Test Graph

3.2.1 B40a_5MHz



3.2.2 B40a_10MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band40a_OBW


Band: 40a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2307.5	25	0	4.570	/	Pass
		2310	25	0	4.564	/	Pass
		2312.5	25	0	4.576	/	Pass
	16QAM	2307.5	25	0	4.596	/	Pass
		2310	25	0	4.550	/	Pass
		2312.5	25	0	4.615	/	Pass
10	QPSK	2310	50	0	9.105	/	Pass
	16QAM	2310	50	0	9.074	/	Pass

4.1.2 Band40a_XDB


Band: 40a / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
5	QPSK	2307.5	25	0	5.951	/	Pass
		2310	25	0	5.538	/	Pass
		2312.5	25	0	5.339	/	Pass
	16QAM	2307.5	25	0	5.495	/	Pass
		2310	25	0	5.262	/	Pass
		2312.5	25	0	5.306	/	Pass
10	QPSK	2310	50	0	10.324	/	Pass
	16QAM	2310	50	0	10.504	/	Pass

4.2 Test Graph


4.2.1 Band40a_OBW




Band40a_5MHz_QPSK_HCH_2312.5MHz_RB_25_0_NTNV




Band40a_5MHz_16QAM_LCH_2307.5MHz_RB_25_0_NTNV




Band40a_5MHz_16QAM_MCH_2310MHz_RB_25_0_NTNV




Band40a_5MHz_16QAM_HCH_2312.5MHz_RB_25_0_NTNV




Band40a_10MHz_QPSK_MCH_2310MHz_RB_50_0_NTNV




Band40a_10MHz_16QAM_MCH_2310MHz_RB_50_0_NTNV




4.2.2 Band40a_XDB




Band40a_5MHz_QPSK_HCH_2312.5MHz_RB_25_0_NTNV




Band40a_5MHz_16QAM_LCH_2307.5MHz_RB_25_0_NTNV




Band40a_5MHz_16QAM_MCH_2310MHz_RB_25_0_NTNV




Band40a_5MHz_16QAM_HCH_2312.5MHz_RB_25_0_NTNV



Band40a_10MHz_QPSK_MCH_2310MHz_RB_50_0_NTNV



Band40a_10MHz_16QAM_MCH_2310MHz_RB_50_0_NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B40a_5MHz


Band: 40a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2307.5	25	0	7.70	<=13	Pass
	2310	25	0	7.58	<=13	Pass
	2312.5	25	0	7.66	<=13	Pass
16QAM	2307.5	25	0	8.36	<=13	Pass
	2310	25	0	8.29	<=13	Pass
	2312.5	25	0	8.17	<=13	Pass

5.1.2 B40a_10MHz


Band: 40a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	2310	50	0	7.68	<=13	Pass
16QAM	2310	50	0	8.34	<=13	Pass

5.2 Test Graph


5.2.1 B40a_5MHz




Band40a_5MHz_QPSK_HCH_2312.5MHz_RB_25_0_NTNV




Band40a_5MHz_16QAM_LCH_2307.5MHz_RB_25_0_NTNV



Band40a_5MHz_16QAM_MCH_2310MHz_RB_25_0_NTNV




Band40a_5MHz_16QAM_HCH_2312.5MHz_RB_25_0_NTNV




5.2.2 B40a_10MHz

Band40a 10MHz QPSK MCH 2310MHz RB 50 0 NTV



Band40a 10MHz 16QAM MCH 2310MHz RB 50 0 NTV



6. Spurious Emission

6.1 Test Result

6.1.1 B40a_5MHz

Band: 40a / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2307.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2310	1	0	Refer To Test Graph		Pass
	2312.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
16QAM	2307.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	2310	1	0	Refer To Test Graph		Pass
	2312.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass


6.1.2 B40a_10MHz

Band: 40a / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	2310	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2310	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
16QAM	2310	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	2310	1	49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

6.2 Test Graph


6.2.1 B40a_5MHz

Band40a 5MHz QPSK LCH 2307.5MHz RB 1 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2287.880	-73.62	-40	Pass
2288	2292	1	CHP	2	2291.980	-72.51	-37	Pass
2292	2296	1	CHP	3	2296.000	-66.93	-31	Pass
2296	2300	1	CHP	4	2299.990	-55.26	-25	Pass
2300	2304	1	CHP	5	2303.500	-45.65	-13	Pass
2304	2305	0.01	/	6	2304.985	-33.91	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.230	-73.02	-13	Pass
2316	2320	1	CHP	8	2316.500	-61.99	-13	Pass
2320	2324	1	CHP	9	2322.500	-68.23	-25	Pass
2324	2328	1	CHP	10	2324.005	-72.70	-31	Pass
2328	2337	1	CHP	11	2329.890	-73.61	-37	Pass
2337	2341	1	CHP	12	2337.260	-74.81	-31	Pass
2341	2345	1	CHP	13	2341.035	-75.06	-25	Pass


Band40a 5MHz QPSK LCH 2307.5MHz RB 1 0 NTNV




Band40a_5MHz_QPSK_LCH_2307.5MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_LCH_2307.5MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_LCH_2307.5MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_LCH_2307.5MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_LCH_2307.5MHz_RB_25_0_NTNV




Band40a_5MHz_QPSK_MCH_2310MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_MCH_2310MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_MCH_2310MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_MCH_2310MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_MCH_2310MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_HCH_2312.5MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_HCH_2312.5MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_HCH_2312.5MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_HCH_2312.5MHz_RB_1_0_NTNV



Band40a_5MHz_QPSK_HCH_2312.5MHz_RB_1_0_NTNV




Band40a_5MHz_QPSK_HCH_2312.5MHz_RB_1_24_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2287.945	-71.44	-40	Pass
2288	2292	1	CHP	2	2291.985	-70.43	-37	Pass
2292	2296	1	CHP	3	2296.000	-68.14	-31	Pass
2296	2300	1	CHP	4	2297.565	-63.74	-25	Pass
2300	2304	1	CHP	5	2303.500	-58.25	-13	Pass
2304	2305	0.01	/	6	2304.990	-70.25	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.005	-32.26	-13	Pass
2316	2320	1	CHP	8	2316.515	-39.59	-13	Pass
2320	2324	1	CHP	9	2323.175	-49.32	-25	Pass
2324	2328	1	CHP	10	2324.005	-59.76	-31	Pass
2328	2337	1	CHP	11	2328.005	-67.01	-37	Pass
2337	2341	1	CHP	12	2339.100	-68.37	-31	Pass
2341	2345	1	CHP	13	2341.005	-68.87	-25	Pass

Band40a_5MHz_QPSK_HCH_2312.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2286.648	-71.99	-40	Pass
2288	2292	1	CHP	2	2290.218	-71.13	-37	Pass
2292	2296	1	CHP	3	2295.978	-68.99	-31	Pass
2296	2300	1	CHP	4	2299.999	-60.51	-25	Pass
2300	2304	1	CHP	5	2303.494	-51.31	-13	Pass
2304	2305	0.053	CHP	6	2304.664	-60.73	-13	Pass
2305	2315	0.053	CHP	/	/	/	/	/
2315	2316	0.053	CHP	7	2315.014	-37.74	-13	Pass
2316	2320	1	CHP	8	2316.514	-32.06	-13	Pass
2320	2324	1	CHP	9	2320.009	-50.55	-25	Pass
2324	2328	1	CHP	10	2324.014	-60.98	-31	Pass
2328	2337	1	CHP	11	2328.004	-67.62	-37	Pass
2337	2341	1	CHP	12	2337.875	-69.31	-31	Pass
2341	2345	1	CHP	13	2341.280	-69.44	-25	Pass

Band40a_5MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2287.785	-74.13	-40	Pass
2288	2292	1	CHP	2	2291.960	-72.97	-37	Pass
2292	2296	1	CHP	3	2296.000	-68.23	-31	Pass
2296	2300	1	CHP	4	2300.000	-54.82	-25	Pass
2300	2304	1	CHP	5	2303.500	-45.58	-13	Pass
2304	2305	0.01	/	6	2304.995	-35.88	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.125	-73.51	-13	Pass
2316	2320	1	CHP	8	2316.500	-61.92	-13	Pass
2320	2324	1	CHP	9	2322.530	-69.84	-25	Pass
2324	2328	1	CHP	10	2324.180	-73.17	-31	Pass
2328	2337	1	CHP	11	2328.860	-74.12	-37	Pass
2337	2341	1	CHP	12	2337.170	-75.28	-31	Pass
2341	2345	1	CHP	13	2341.575	-75.50	-25	Pass


Band40a_5MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV



Band40a_5MHz_16QAM_LCH_2307.5MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_LCH_2307.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2286.333	-64.24	-40	Pass
2288	2292	1	CHP	2	2291.988	-62.05	-37	Pass
2292	2296	1	CHP	3	2293.473	-60.76	-31	Pass
2296	2300	1	CHP	4	2299.999	-51.21	-25	Pass
2300	2304	1	CHP	5	2303.494	-42.01	-13	Pass
2304	2305	0.055	CHP	6	2304.994	-40.86	-13	Pass
2305	2315	0.055	CHP	/	/	/	/	/
2315	2316	0.055	CHP	7	2315.389	-59.10	-13	Pass
2316	2320	1	CHP	8	2316.514	-53.26	-13	Pass
2320	2324	1	CHP	9	2320.009	-58.83	-25	Pass
2324	2328	1	CHP	10	2326.639	-60.24	-31	Pass
2328	2337	1	CHP	11	2330.180	-63.44	-37	Pass
2337	2341	1	CHP	12	2337.770	-69.87	-31	Pass
2341	2345	1	CHP	13	2341.100	-71.14	-25	Pass


Band40a_5MHz_16QAM_MCH_2310MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_MCH_2310MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_MCH_2310MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_MCH_2310MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_MCH_2310MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_HCH_2312.5MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_HCH_2312.5MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_HCH_2312.5MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_HCH_2312.5MHz_RB_1_0_NTNV



Band40a_5MHz_16QAM_HCH_2312.5MHz_RB_1_0_NTNV




Band40a_5MHz_16QAM_HCH_2312.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2287.680	-71.95	-40	Pass
2288	2292	1	CHP	2	2292.000	-71.03	-37	Pass
2292	2296	1	CHP	3	2295.790	-69.06	-31	Pass
2296	2300	1	CHP	4	2299.815	-66.08	-25	Pass
2300	2304	1	CHP	5	2303.500	-58.97	-13	Pass
2304	2305	0.01	/	6	2304.995	-71.26	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.005	-33.59	-13	Pass
2316	2320	1	CHP	8	2316.500	-40.67	-13	Pass
2320	2324	1	CHP	9	2323.170	-52.81	-25	Pass
2324	2328	1	CHP	10	2324.005	-62.45	-31	Pass
2328	2337	1	CHP	11	2328.050	-68.36	-37	Pass
2337	2341	1	CHP	12	2339.510	-69.12	-31	Pass
2341	2345	1	CHP	13	2341.120	-69.41	-25	Pass


Band40a_5MHz_16QAM_HCH_2312.5MHz_RB_25_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2287.953	-72.13	-40	Pass
2288	2292	1	CHP	2	2291.913	-71.22	-37	Pass
2292	2296	1	CHP	3	2295.978	-68.56	-31	Pass
2296	2300	1	CHP	4	2299.999	-61.41	-25	Pass
2300	2304	1	CHP	5	2303.494	-52.01	-13	Pass
2304	2305	0.053	CHP	6	2304.844	-60.82	-13	Pass
2305	2315	0.053	CHP	/	/	/	/	/
2315	2316	0.053	CHP	7	2315.014	-39.24	-13	Pass
2316	2320	1	CHP	8	2316.559	-33.16	-13	Pass
2320	2324	1	CHP	9	2320.009	-50.06	-25	Pass
2324	2328	1	CHP	10	2324.014	-61.06	-31	Pass
2328	2337	1	CHP	11	2328.004	-67.76	-37	Pass
2337	2341	1	CHP	12	2339.420	-69.95	-31	Pass
2341	2345	1	CHP	13	2343.065	-70.10	-25	Pass


6.2.2 B40a_10MHz

Band40a 10MHz QPSK LCH 2310MHz RB 1 0 NTV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
2190	2288	1	CHP	1	2287.875	-48.66	-40	Pass
2288	2292	1	CHP	2	2288.005	-48.66	-37	Pass
2292	2296	1	CHP	3	2296.000	-54.49	-31	Pass
2296	2300	1	CHP	4	2299.990	-48.94	-25	Pass
2300	2304	1	CHP	5	2301.260	-41.04	-13	Pass
2304	2305	0.01	/	6	2304.995	-35.04	-13	Pass
2305	2315	0.01	/	/	/	/	/	/
2315	2316	0.01	/	7	2315.105	-67.03	-13	Pass
2316	2320	1	CHP	8	2318.825	-51.30	-13	Pass
2320	2324	1	CHP	9	2323.015	-31.21	-25	Pass
2324	2328	1	CHP	10	2324.005	-53.58	-31	Pass
2328	2337	1	CHP	11	2328.005	-64.52	-37	Pass
2337	2341	1	CHP	12	2340.960	-60.14	-31	Pass
2341	2345	1	CHP	13	2341.005	-60.15	-25	Pass

Band40a 10MHz QPSK LCH 2310MHz RB 1 0 NTV



Band40a_10MHz_QPSK_LCH_2310MHz_RB_1_0_NTNV



Band40a_10MHz_QPSK_LCH_2310MHz_RB_1_0_NTNV

