

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	21.61	-2.37	17.09	<=38.45	Pass
			2	21.45	-2.37	16.93	<=38.45	Pass
			5	21.63	-2.37	17.11	<=38.45	Pass
		3	0	21.62	-2.37	17.10	<=38.45	Pass
			2	21.50	-2.37	16.98	<=38.45	Pass
			3	21.57	-2.37	17.05	<=38.45	Pass
		6	0	20.78	-2.37	16.26	<=38.45	Pass
	836.5	1	0	21.61	-2.37	17.09	<=38.45	Pass
			2	21.59	-2.37	17.07	<=38.45	Pass
			5	21.58	-2.37	17.06	<=38.45	Pass
		3	0	21.46	-2.37	16.94	<=38.45	Pass
			2	21.53	-2.37	17.01	<=38.45	Pass
			3	21.42	-2.37	16.90	<=38.45	Pass
		6	0	20.70	-2.37	16.18	<=38.45	Pass
	848.3	1	0	21.54	-2.37	17.02	<=38.45	Pass
			2	21.52	-2.37	17.00	<=38.45	Pass
			5	21.52	-2.37	17.00	<=38.45	Pass
		3	0	21.61	-2.37	17.09	<=38.45	Pass
			2	21.40	-2.37	16.88	<=38.45	Pass
			3	21.53	-2.37	17.01	<=38.45	Pass
		6	0	20.66	-2.37	16.14	<=38.45	Pass
16QAM	824.7	1	0	20.87	-2.37	16.35	<=38.45	Pass
			2	20.91	-2.37	16.39	<=38.45	Pass
			5	20.93	-2.37	16.41	<=38.45	Pass
		3	0	20.58	-2.37	16.06	<=38.45	Pass
			2	20.68	-2.37	16.16	<=38.45	Pass
			3	20.55	-2.37	16.03	<=38.45	Pass
		6	0	19.87	-2.37	15.35	<=38.45	Pass
	836.5	1	0	20.72	-2.37	16.20	<=38.45	Pass
			2	20.83	-2.37	16.31	<=38.45	Pass
			5	21.01	-2.37	16.49	<=38.45	Pass
		3	0	20.69	-2.37	16.17	<=38.45	Pass
			2	20.55	-2.37	16.03	<=38.45	Pass
			3	20.59	-2.37	16.07	<=38.45	Pass
		6	0	19.77	-2.37	15.25	<=38.45	Pass
	848.3	1	0	20.85	-2.37	16.33	<=38.45	Pass
			2	21.05	-2.37	16.53	<=38.45	Pass
			5	20.96	-2.37	16.44	<=38.45	Pass
		3	0	20.64	-2.37	16.12	<=38.45	Pass
			2	20.63	-2.37	16.11	<=38.45	Pass
			3	20.62	-2.37	16.10	<=38.45	Pass
		6	0	19.76	-2.37	15.24	<=38.45	Pass
64QAM	824.7	1	0	19.86	-2.37	15.34	<=38.45	Pass
			2	19.81	-2.37	15.29	<=38.45	Pass
			5	19.98	-2.37	15.46	<=38.45	Pass
		3	0	19.86	-2.37	15.34	<=38.45	Pass
			2	19.78	-2.37	15.26	<=38.45	Pass
			3	19.84	-2.37	15.32	<=38.45	Pass
		6	0	18.65	-2.37	14.13	<=38.45	Pass

	836.5	1	0	19.90	-2.37	15.38	<=38.45	Pass
			2	19.91	-2.37	15.39	<=38.45	Pass
			5	19.74	-2.37	15.22	<=38.45	Pass
		3	0	19.84	-2.37	15.32	<=38.45	Pass
			2	19.81	-2.37	15.29	<=38.45	Pass
			3	19.83	-2.37	15.31	<=38.45	Pass
		6	0	18.65	-2.37	14.13	<=38.45	Pass
	848.3	1	0	19.73	-2.37	15.21	<=38.45	Pass
			2	19.74	-2.37	15.22	<=38.45	Pass
			5	19.76	-2.37	15.24	<=38.45	Pass
		3	0	19.76	-2.37	15.24	<=38.45	Pass
			2	19.78	-2.37	15.26	<=38.45	Pass
			3	19.77	-2.37	15.25	<=38.45	Pass
		6	0	18.65	-2.37	14.13	<=38.45	Pass
256QAM	824.7	1	0	16.83	-2.37	12.31	<=38.45	Pass
			2	16.77	-2.37	12.25	<=38.45	Pass
			5	16.65	-2.37	12.13	<=38.45	Pass
		3	0	16.81	-2.37	12.29	<=38.45	Pass
			2	16.79	-2.37	12.27	<=38.45	Pass
			3	16.79	-2.37	12.27	<=38.45	Pass
		6	0	16.60	-2.37	12.08	<=38.45	Pass
	836.5	1	0	16.78	-2.37	12.26	<=38.45	Pass
			2	16.75	-2.37	12.23	<=38.45	Pass
			5	16.82	-2.37	12.30	<=38.45	Pass
		3	0	16.71	-2.37	12.19	<=38.45	Pass
			2	16.76	-2.37	12.24	<=38.45	Pass
			3	16.75	-2.37	12.23	<=38.45	Pass
		6	0	16.39	-2.37	11.87	<=38.45	Pass
	848.3	1	0	16.74	-2.37	12.22	<=38.45	Pass
			2	16.68	-2.37	12.16	<=38.45	Pass
			5	16.70	-2.37	12.18	<=38.45	Pass
		3	0	16.70	-2.37	12.18	<=38.45	Pass
			2	16.67	-2.37	12.15	<=38.45	Pass
			3	16.69	-2.37	12.17	<=38.45	Pass
		6	0	16.64	-2.37	12.12	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	21.65	-2.37	17.13	<=38.45	Pass
			7	21.57	-2.37	17.05	<=38.45	Pass
			14	21.66	-2.37	17.14	<=38.45	Pass
		8	0	20.78	-2.37	16.26	<=38.45	Pass
			4	20.70	-2.37	16.18	<=38.45	Pass
			7	20.74	-2.37	16.22	<=38.45	Pass
		15	0	20.77	-2.37	16.25	<=38.45	Pass
	836.5	1	0	21.59	-2.37	17.07	<=38.45	Pass
			7	21.63	-2.37	17.11	<=38.45	Pass
			14	21.60	-2.37	17.08	<=38.45	Pass
		8	0	20.76	-2.37	16.24	<=38.45	Pass
			4	20.74	-2.37	16.22	<=38.45	Pass
			7	20.71	-2.37	16.19	<=38.45	Pass
		15	0	20.73	-2.37	16.21	<=38.45	Pass
	847.5	1	0	21.57	-2.37	17.05	<=38.45	Pass

		8	7	21.61	-2.37	17.09	<=38.45	Pass
			14	21.19	-2.37	16.67	<=38.45	Pass
			0	20.70	-2.37	16.18	<=38.45	Pass
			4	20.62	-2.37	16.10	<=38.45	Pass
			7	20.67	-2.37	16.15	<=38.45	Pass
		15	0	20.63	-2.37	16.11	<=38.45	Pass
16QAM	825.5	1	0	20.96	-2.37	16.44	<=38.45	Pass
			7	21.03	-2.37	16.51	<=38.45	Pass
			14	20.80	-2.37	16.28	<=38.45	Pass
		8	0	19.78	-2.37	15.26	<=38.45	Pass
			4	19.73	-2.37	15.21	<=38.45	Pass
			7	19.76	-2.37	15.24	<=38.45	Pass
		15	0	19.69	-2.37	15.17	<=38.45	Pass
	836.5	1	0	20.65	-2.37	16.13	<=38.45	Pass
			7	20.76	-2.37	16.24	<=38.45	Pass
			14	20.76	-2.37	16.24	<=38.45	Pass
		8	0	19.81	-2.37	15.29	<=38.45	Pass
			4	19.78	-2.37	15.26	<=38.45	Pass
			7	19.79	-2.37	15.27	<=38.45	Pass
		15	0	19.81	-2.37	15.29	<=38.45	Pass
	847.5	1	0	20.72	-2.37	16.20	<=38.45	Pass
			7	20.72	-2.37	16.20	<=38.45	Pass
			14	20.69	-2.37	16.17	<=38.45	Pass
		8	0	19.72	-2.37	15.20	<=38.45	Pass
			4	19.71	-2.37	15.19	<=38.45	Pass
			7	19.71	-2.37	15.19	<=38.45	Pass
		15	0	19.64	-2.37	15.12	<=38.45	Pass
64QAM	825.5	1	0	19.95	-2.37	15.43	<=38.45	Pass
			7	19.72	-2.37	15.20	<=38.45	Pass
			14	19.87	-2.37	15.35	<=38.45	Pass
		8	0	18.81	-2.37	14.29	<=38.45	Pass
			4	18.80	-2.37	14.28	<=38.45	Pass
			7	18.74	-2.37	14.22	<=38.45	Pass
		15	0	18.75	-2.37	14.23	<=38.45	Pass
	836.5	1	0	19.70	-2.37	15.18	<=38.45	Pass
			7	19.89	-2.37	15.37	<=38.45	Pass
			14	19.58	-2.37	15.06	<=38.45	Pass
		8	0	18.80	-2.37	14.28	<=38.45	Pass
			4	18.77	-2.37	14.25	<=38.45	Pass
			7	18.74	-2.37	14.22	<=38.45	Pass
		15	0	18.63	-2.37	14.11	<=38.45	Pass
	847.5	1	0	19.58	-2.37	15.06	<=38.45	Pass
			7	19.71	-2.37	15.19	<=38.45	Pass
			14	19.32	-2.37	14.80	<=38.45	Pass
		8	0	18.72	-2.37	14.20	<=38.45	Pass
			4	18.69	-2.37	14.17	<=38.45	Pass
			7	18.66	-2.37	14.14	<=38.45	Pass
		15	0	18.57	-2.37	14.05	<=38.45	Pass
256QAM	825.5	1	0	16.83	-2.37	12.31	<=38.45	Pass
			7	16.74	-2.37	12.22	<=38.45	Pass
			14	16.80	-2.37	12.28	<=38.45	Pass
		8	0	16.73	-2.37	12.21	<=38.45	Pass
			4	16.73	-2.37	12.21	<=38.45	Pass
			7	16.69	-2.37	12.17	<=38.45	Pass
		15	0	16.71	-2.37	12.19	<=38.45	Pass
	836.5	1	0	16.79	-2.37	12.27	<=38.45	Pass
			7	16.74	-2.37	12.22	<=38.45	Pass
			14	16.76	-2.37	12.24	<=38.45	Pass
		8	0	16.70	-2.37	12.18	<=38.45	Pass

		15	4	16.68	-2.37	12.16	<=38.45	Pass
			7	16.69	-2.37	12.17	<=38.45	Pass
			0	16.64	-2.37	12.12	<=38.45	Pass
	847.5	1	0	16.65	-2.37	12.13	<=38.45	Pass
			7	16.66	-2.37	12.14	<=38.45	Pass
			14	16.57	-2.37	12.05	<=38.45	Pass
		8	0	16.67	-2.37	12.15	<=38.45	Pass
			4	16.48	-2.37	11.96	<=38.45	Pass
			7	16.63	-2.37	12.11	<=38.45	Pass
		15	0	16.62	-2.37	12.10	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	826.5	1	0	21.67	-2.37	17.15	<=38.45	Pass
			13	21.58	-2.37	17.06	<=38.45	Pass
			24	21.77	-2.37	17.25	<=38.45	Pass
		12	0	20.80	-2.37	16.28	<=38.45	Pass
			6	20.75	-2.37	16.23	<=38.45	Pass
			13	20.76	-2.37	16.24	<=38.45	Pass
		25	0	20.83	-2.37	16.31	<=38.45	Pass
	836.5	1	0	21.62	-2.37	17.10	<=38.45	Pass
			13	21.60	-2.37	17.08	<=38.45	Pass
			24	21.68	-2.37	17.16	<=38.45	Pass
		12	0	20.75	-2.37	16.23	<=38.45	Pass
			6	20.75	-2.37	16.23	<=38.45	Pass
			13	20.71	-2.37	16.19	<=38.45	Pass
		25	0	20.79	-2.37	16.27	<=38.45	Pass
	846.5	1	0	21.70	-2.37	17.18	<=38.45	Pass
			13	21.63	-2.37	17.11	<=38.45	Pass
			24	21.62	-2.37	17.10	<=38.45	Pass
		12	0	20.65	-2.37	16.13	<=38.45	Pass
			6	20.71	-2.37	16.19	<=38.45	Pass
			13	20.67	-2.37	16.15	<=38.45	Pass
		25	0	20.75	-2.37	16.23	<=38.45	Pass
16QAM	826.5	1	0	20.84	-2.37	16.32	<=38.45	Pass
			13	21.08	-2.37	16.56	<=38.45	Pass
			24	21.07	-2.37	16.55	<=38.45	Pass
		12	0	19.79	-2.37	15.27	<=38.45	Pass
			6	19.76	-2.37	15.24	<=38.45	Pass
			13	19.78	-2.37	15.26	<=38.45	Pass
		25	0	19.81	-2.37	15.29	<=38.45	Pass
	836.5	1	0	20.98	-2.37	16.46	<=38.45	Pass
			13	20.61	-2.37	16.09	<=38.45	Pass
			24	20.96	-2.37	16.44	<=38.45	Pass
		12	0	19.77	-2.37	15.25	<=38.45	Pass
			6	19.79	-2.37	15.27	<=38.45	Pass
			13	19.77	-2.37	15.25	<=38.45	Pass
		25	0	19.77	-2.37	15.25	<=38.45	Pass
	846.5	1	0	20.65	-2.37	16.13	<=38.45	Pass
			13	21.03	-2.37	16.51	<=38.45	Pass
			24	20.89	-2.37	16.37	<=38.45	Pass
		12	0	19.75	-2.37	15.23	<=38.45	Pass
			6	19.71	-2.37	15.19	<=38.45	Pass

			13	19.66	-2.37	15.14	<=38.45	Pass	
		25	0	19.72	-2.37	15.20	<=38.45	Pass	
64QAM	826.5	1	0	19.82	-2.37	15.30	<=38.45	Pass	
			13	19.87	-2.37	15.35	<=38.45	Pass	
			24	19.89	-2.37	15.37	<=38.45	Pass	
			0	18.84	-2.37	14.32	<=38.45	Pass	
		12	6	18.83	-2.37	14.31	<=38.45	Pass	
			13	18.80	-2.37	14.28	<=38.45	Pass	
			25	0	18.76	-2.37	14.24	<=38.45	Pass
		836.5	1	0	19.58	-2.37	15.06	<=38.45	Pass
				13	19.88	-2.37	15.36	<=38.45	Pass
				24	19.51	-2.37	14.99	<=38.45	Pass
	12		0	18.78	-2.37	14.26	<=38.45	Pass	
			6	18.78	-2.37	14.26	<=38.45	Pass	
			13	18.80	-2.37	14.28	<=38.45	Pass	
	25		0	18.64	-2.37	14.12	<=38.45	Pass	
	846.5	1	0	19.21	-2.37	14.69	<=38.45	Pass	
			13	19.80	-2.37	15.28	<=38.45	Pass	
			24	19.57	-2.37	15.05	<=38.45	Pass	
		12	0	18.73	-2.37	14.21	<=38.45	Pass	
			6	18.75	-2.37	14.23	<=38.45	Pass	
			13	18.70	-2.37	14.18	<=38.45	Pass	
		25	0	18.72	-2.37	14.20	<=38.45	Pass	
	256QAM	826.5	1	0	16.82	-2.37	12.30	<=38.45	Pass
				13	16.74	-2.37	12.22	<=38.45	Pass
24				16.86	-2.37	12.34	<=38.45	Pass	
12			0	16.75	-2.37	12.23	<=38.45	Pass	
			6	16.62	-2.37	12.10	<=38.45	Pass	
			13	16.74	-2.37	12.22	<=38.45	Pass	
25			0	16.79	-2.37	12.27	<=38.45	Pass	
836.5		1	0	16.80	-2.37	12.28	<=38.45	Pass	
			13	16.81	-2.37	12.29	<=38.45	Pass	
			24	16.77	-2.37	12.25	<=38.45	Pass	
		12	0	16.73	-2.37	12.21	<=38.45	Pass	
			6	16.57	-2.37	12.05	<=38.45	Pass	
			13	16.43	-2.37	11.91	<=38.45	Pass	
		25	0	16.72	-2.37	12.20	<=38.45	Pass	
846.5		1	0	16.83	-2.37	12.31	<=38.45	Pass	
			13	16.70	-2.37	12.18	<=38.45	Pass	
			24	16.78	-2.37	12.26	<=38.45	Pass	
		12	0	16.69	-2.37	12.17	<=38.45	Pass	
			6	16.64	-2.37	12.12	<=38.45	Pass	
			13	16.61	-2.37	12.09	<=38.45	Pass	
		25	0	16.69	-2.37	12.17	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15									

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	21.56	-2.37	17.04	<=38.45	Pass
			25	21.63	-2.37	17.11	<=38.45	Pass
			49	21.71	-2.37	17.19	<=38.45	Pass
		25	0	20.77	-2.37	16.25	<=38.45	Pass
			13	20.80	-2.37	16.28	<=38.45	Pass
			25	20.76	-2.37	16.24	<=38.45	Pass

		50	0	20.76	-2.37	16.24	<=38.45	Pass
	836.5	1	0	21.62	-2.37	17.10	<=38.45	Pass
			25	21.29	-2.37	16.77	<=38.45	Pass
			49	21.30	-2.37	16.78	<=38.45	Pass
		25	0	20.71	-2.37	16.19	<=38.45	Pass
			13	20.76	-2.37	16.24	<=38.45	Pass
			25	20.46	-2.37	15.94	<=38.45	Pass
	50	0	20.69	-2.37	16.17	<=38.45	Pass	
	844	1	0	21.62	-2.37	17.10	<=38.45	Pass
			25	21.65	-2.37	17.13	<=38.45	Pass
			49	21.58	-2.37	17.06	<=38.45	Pass
		25	0	20.77	-2.37	16.25	<=38.45	Pass
			13	20.72	-2.37	16.20	<=38.45	Pass
			25	20.67	-2.37	16.15	<=38.45	Pass
	50	0	20.70	-2.37	16.18	<=38.45	Pass	
16QAM	829	1	0	20.70	-2.37	16.18	<=38.45	Pass
			25	20.93	-2.37	16.41	<=38.45	Pass
			49	20.79	-2.37	16.27	<=38.45	Pass
		25	0	19.76	-2.37	15.24	<=38.45	Pass
			13	19.78	-2.37	15.26	<=38.45	Pass
			25	19.77	-2.37	15.25	<=38.45	Pass
	50	0	19.76	-2.37	15.24	<=38.45	Pass	
	836.5	1	0	20.97	-2.37	16.45	<=38.45	Pass
			25	20.86	-2.37	16.34	<=38.45	Pass
			49	20.92	-2.37	16.40	<=38.45	Pass
		25	0	19.73	-2.37	15.21	<=38.45	Pass
			13	19.75	-2.37	15.23	<=38.45	Pass
			25	19.19	-2.37	14.67	<=38.45	Pass
	50	0	19.69	-2.37	15.17	<=38.45	Pass	
	844	1	0	20.93	-2.37	16.41	<=38.45	Pass
			25	21.00	-2.37	16.48	<=38.45	Pass
			49	20.83	-2.37	16.31	<=38.45	Pass
		25	0	19.68	-2.37	15.16	<=38.45	Pass
			13	19.57	-2.37	15.05	<=38.45	Pass
			25	19.59	-2.37	15.07	<=38.45	Pass
	50	0	19.67	-2.37	15.15	<=38.45	Pass	
64QAM	829	1	0	19.64	-2.37	15.12	<=38.45	Pass
			25	20.02	-2.37	15.50	<=38.45	Pass
			49	19.85	-2.37	15.33	<=38.45	Pass
		25	0	18.77	-2.37	14.25	<=38.45	Pass
			13	18.78	-2.37	14.26	<=38.45	Pass
			25	18.74	-2.37	14.22	<=38.45	Pass
	50	0	18.75	-2.37	14.23	<=38.45	Pass	
	836.5	1	0	19.81	-2.37	15.29	<=38.45	Pass
			25	19.82	-2.37	15.30	<=38.45	Pass
			49	19.85	-2.37	15.33	<=38.45	Pass
		25	0	18.71	-2.37	14.19	<=38.45	Pass
			13	18.67	-2.37	14.15	<=38.45	Pass
			25	18.38	-2.37	13.86	<=38.45	Pass
	50	0	18.70	-2.37	14.18	<=38.45	Pass	
	844	1	0	19.72	-2.37	15.20	<=38.45	Pass
			25	19.88	-2.37	15.36	<=38.45	Pass
			49	19.63	-2.37	15.11	<=38.45	Pass
		25	0	18.73	-2.37	14.21	<=38.45	Pass
13			18.71	-2.37	14.19	<=38.45	Pass	
25			18.59	-2.37	14.07	<=38.45	Pass	
50	0	18.67	-2.37	14.15	<=38.45	Pass		
256QAM	829	1	0	16.84	-2.37	12.32	<=38.45	Pass
			25	16.75	-2.37	12.23	<=38.45	Pass

		25	49	16.79	-2.37	12.27	<=38.45	Pass
			0	16.76	-2.37	12.24	<=38.45	Pass
			13	16.74	-2.37	12.22	<=38.45	Pass
			25	16.74	-2.37	12.22	<=38.45	Pass
		50	0	16.71	-2.37	12.19	<=38.45	Pass
	836.5	1	0	16.83	-2.37	12.31	<=38.45	Pass
			25	16.68	-2.37	12.16	<=38.45	Pass
			49	16.71	-2.37	12.19	<=38.45	Pass
		25	0	16.66	-2.37	12.14	<=38.45	Pass
			13	16.33	-2.37	11.81	<=38.45	Pass
			25	16.21	-2.37	11.69	<=38.45	Pass
		50	0	16.65	-2.37	12.13	<=38.45	Pass
		844	1	0	16.74	-2.37	12.22	<=38.45
	25			16.81	-2.37	12.29	<=38.45	Pass
	49			16.73	-2.37	12.21	<=38.45	Pass
	25		0	16.72	-2.37	12.20	<=38.45	Pass
			13	16.71	-2.37	12.19	<=38.45	Pass
			25	16.64	-2.37	12.12	<=38.45	Pass
	50		0	16.67	-2.37	12.15	<=38.45	Pass
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	831.5	1	0	21.53	-2.37	17.01	<=38.45	Pass
			38	21.75	-2.37	17.23	<=38.45	Pass
			74	21.64	-2.37	17.12	<=38.45	Pass
		36	0	20.78	-2.37	16.26	<=38.45	Pass
			18	20.74	-2.37	16.22	<=38.45	Pass
			39	20.73	-2.37	16.21	<=38.45	Pass
		75	0	20.78	-2.37	16.26	<=38.45	Pass
	836.5	1	0	21.72	-2.37	17.20	<=38.45	Pass
			38	21.32	-2.37	16.80	<=38.45	Pass
			74	21.57	-2.37	17.05	<=38.45	Pass
		36	0	20.66	-2.37	16.14	<=38.45	Pass
			18	20.66	-2.37	16.14	<=38.45	Pass
			39	20.62	-2.37	16.10	<=38.45	Pass
		75	0	20.72	-2.37	16.20	<=38.45	Pass
	841.5	1	0	21.57	-2.37	17.05	<=38.45	Pass
			38	21.59	-2.37	17.07	<=38.45	Pass
			74	21.59	-2.37	17.07	<=38.45	Pass
		36	0	20.62	-2.37	16.10	<=38.45	Pass
			18	20.67	-2.37	16.15	<=38.45	Pass
			39	20.66	-2.37	16.14	<=38.45	Pass
		75	0	20.69	-2.37	16.17	<=38.45	Pass
16QAM	831.5	1	0	20.93	-2.37	16.41	<=38.45	Pass
			38	21.06	-2.37	16.54	<=38.45	Pass
			74	20.92	-2.37	16.40	<=38.45	Pass
		36	0	19.76	-2.37	15.24	<=38.45	Pass
			18	19.71	-2.37	15.19	<=38.45	Pass
			39	19.33	-2.37	14.81	<=38.45	Pass
		75	0	19.76	-2.37	15.24	<=38.45	Pass
	836.5	1	0	20.98	-2.37	16.46	<=38.45	Pass
			38	20.76	-2.37	16.24	<=38.45	Pass
			74	20.70	-2.37	16.18	<=38.45	Pass

		36	0	19.65	-2.37	15.13	<=38.45	Pass			
			18	19.49	-2.37	14.97	<=38.45	Pass			
			39	19.66	-2.37	15.14	<=38.45	Pass			
		75	0	19.70	-2.37	15.18	<=38.45	Pass			
			841.5	1	0	20.90	-2.37	16.38	<=38.45	Pass	
					38	21.01	-2.37	16.49	<=38.45	Pass	
		74			20.87	-2.37	16.35	<=38.45	Pass		
		36		0	19.62	-2.37	15.10	<=38.45	Pass		
				18	19.69	-2.37	15.17	<=38.45	Pass		
	39			19.65	-2.37	15.13	<=38.45	Pass			
	75	0	19.74	-2.37	15.22	<=38.45	Pass				
	64QAM	831.5	1	0	19.94	-2.37	15.42	<=38.45	Pass		
38				19.92	-2.37	15.40	<=38.45	Pass			
74				19.79	-2.37	15.27	<=38.45	Pass			
36			0	18.69	-2.37	14.17	<=38.45	Pass			
			18	18.74	-2.37	14.22	<=38.45	Pass			
			39	18.73	-2.37	14.21	<=38.45	Pass			
			75	0	18.76	-2.37	14.24	<=38.45	Pass		
			836.5	1	0	19.97	-2.37	15.45	<=38.45	Pass	
					38	19.92	-2.37	15.40	<=38.45	Pass	
74		19.68			-2.37	15.16	<=38.45	Pass			
36		0		18.67	-2.37	14.15	<=38.45	Pass			
		18		18.73	-2.37	14.21	<=38.45	Pass			
		39		18.66	-2.37	14.14	<=38.45	Pass			
75		0	18.68	-2.37	14.16	<=38.45	Pass				
841.5		1	0	19.79	-2.37	15.27	<=38.45	Pass			
			38	19.83	-2.37	15.31	<=38.45	Pass			
			74	19.77	-2.37	15.25	<=38.45	Pass			
		36	0	18.51	-2.37	13.99	<=38.45	Pass			
			18	18.74	-2.37	14.22	<=38.45	Pass			
			39	18.69	-2.37	14.17	<=38.45	Pass			
			75	0	18.72	-2.37	14.20	<=38.45	Pass		
			256QAM	831.5	1	0	16.83	-2.37	12.31	<=38.45	Pass
						38	16.73	-2.37	12.21	<=38.45	Pass
74		16.72				-2.37	12.20	<=38.45	Pass		
36	0	16.71			-2.37	12.19	<=38.45	Pass			
	18	16.27			-2.37	11.75	<=38.45	Pass			
	39	16.62			-2.37	12.10	<=38.45	Pass			
	75	0			16.74	-2.37	12.22	<=38.45	Pass		
	836.5	1			0	16.55	-2.37	12.03	<=38.45	Pass	
					38	16.78	-2.37	12.26	<=38.45	Pass	
74				16.71	-2.37	12.19	<=38.45	Pass			
36		0		16.65	-2.37	12.13	<=38.45	Pass			
		18		16.68	-2.37	12.16	<=38.45	Pass			
		39	16.62	-2.37	12.10	<=38.45	Pass				
75	0	16.67	-2.37	12.15	<=38.45	Pass					
841.5	1	0	16.77	-2.37	12.25	<=38.45	Pass				
		38	16.75	-2.37	12.23	<=38.45	Pass				
		74	16.72	-2.37	12.20	<=38.45	Pass				
	36	0	16.72	-2.37	12.20	<=38.45	Pass				
		18	16.68	-2.37	12.16	<=38.45	Pass				
		39	16.65	-2.37	12.13	<=38.45	Pass				
75	0	16.74	-2.37	12.22	<=38.45	Pass					
Note1: ERP=Conducted Power+Antenna Gain-2.15											

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	3.4	-9.200	-0.0110	-2.5 to 2.5	Pass
					3.8	-6.900	-0.0082	-2.5 to 2.5	Pass
					4.45	-7.300	-0.0087	-2.5 to 2.5	Pass
				-30	3.8	-6.100	-0.0073	-2.5 to 2.5	Pass
				-20	3.8	-6.700	-0.0080	-2.5 to 2.5	Pass
				-10	3.8	-1.800	-0.0022	-2.5 to 2.5	Pass
				0	3.8	-4.200	-0.0050	-2.5 to 2.5	Pass
				10	3.8	-7.700	-0.0092	-2.5 to 2.5	Pass
				30	3.8	-1.500	-0.0018	-2.5 to 2.5	Pass
				40	3.8	-2.700	-0.0032	-2.5 to 2.5	Pass
				50	3.8	-6.800	-0.0081	-2.5 to 2.5	Pass

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW


Band: 26b / NTN							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.108	/	Pass
	16QAM	836.5	6	0	1.113	/	Pass
3	QPSK	836.5	15	0	2.716	/	Pass
	16QAM	836.5	15	0	2.716	/	Pass
5	QPSK	836.5	25	0	4.531	/	Pass
	16QAM	836.5	25	0	4.530	/	Pass
10	QPSK	836.5	50	0	9.051	/	Pass
	16QAM	836.5	50	0	9.001	/	Pass
15	QPSK	836.5	75	0	13.555	/	Pass
	16QAM	836.5	75	0	13.535	/	Pass

3.1.2 Band26b_XDB


Band: 26b / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.308	/	Pass
	16QAM	836.5	6	0	1.319	/	Pass
3	QPSK	836.5	15	0	2.994	/	Pass
	16QAM	836.5	15	0	3.008	/	Pass
5	QPSK	836.5	25	0	5.067	/	Pass
	16QAM	836.5	25	0	5.012	/	Pass
10	QPSK	836.5	50	0	9.943	/	Pass
	16QAM	836.5	50	0	9.871	/	Pass
15	QPSK	836.5	75	0	15.017	/	Pass
	16QAM	836.5	75	0	15.000	/	Pass

3.2 Test Graph


3.2.1 Band26b_OBW




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




3.2.2 Band26b_XDB




Band26b 3MHz QPSK MCH 836.5MHz RB 15 0 NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b 5MHz QPSK MCH 836.5MHz RB 25 0 NTN




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTN




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



4. Peak-Average Ratio


4.1 Test Result

4.1.1 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	5.92	<=13	Pass
16QAM	836.5	75	0	6.54	<=13	Pass
64QAM	836.5	75	0	6.75	<=13	Pass
256QAM	836.5	75	0	6.75	<=13	Pass

4.2 Test Graph


4.2.1 B26b_15MHz



Band26b 15MHz 64QAM MCH 836.5MHz RB 75 0 NTN



Band26b 15MHz 256QAM MCH 836.5MHz RB 75 0 NTN



5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B26b_10MHz


Band: 26b / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
		841.5	1	0	Refer To Test Graph	
	74			Refer To Test Graph		Pass
	75		0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B26b_1.4MHz




Band26b 1.4MHz QPSK LCH 824.7MHz RB 6 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.945	-38.77	-13	Pass
823	824	0.013	CHP	2	823.990	-31.67	-13	Pass
824	827	0.013	CHP	/	/	/	/	/


Band26b 1.4MHz QPSK MCH 836.5MHz RB 1 0 NTNV



Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 0 NTNV




Band26b 1.4MHz QPSK HCH 848.3MHz RB 1 5 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-32.31	-13	Pass
850	852	0.1	CHP	2	850.052	-50.53	-13	Pass

Band26b 1.4MHz QPSK HCH 848.3MHz RB 6 0 NTN




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-34.92	-13	Pass
850	852	0.1	CHP	2	850.055	-37.56	-13	Pass

5.2.2 B26b_3MHz




Band26b 3MHz QPSK LCH 825.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.836	-32.75	-13	Pass
823	824	0.03	/	2	823.994	-32.08	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b 3MHz QPSK HCH 847.5MHz RB 1 0 NTNV




Band26b 3MHz QPSK HCH 847.5MHz RB 1 14 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-30.52	-13	Pass
850	852	0.1	CHP	2	850.072	-45.79	-13	Pass

Band26b 3MHz QPSK HCH 847.5MHz RB 15 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.018	-32.25	-13	Pass
850	852	0.1	CHP	2	850.056	-38.49	-13	Pass

5.2.3 B26b_5MHz




Band26b 5MHz QPSK LCH 826.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.930	-34.56	-13	Pass
823	824	0.051	CHP	2	823.990	-31.51	-13	Pass
824	829	0.051	CHP	/	/	/	/	/


Band26b 5MHz QPSK MCH 836.5MHz RB 1 0 NTNV



Band26b 5MHz QPSK HCH 846.5MHz RB 1 0 NTNV




Band26b 5MHz QPSK HCH 846.5MHz RB 1 24 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-31.66	-13	Pass
850	854	0.1	CHP	2	850.842	-47.33	-13	Pass

Band26b 5MHz QPSK HCH 846.5MHz RB 25 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.051	CHP	/	/	/	/	/
849	850	0.051	CHP	1	849.010	-32.67	-13	Pass
850	854	0.1	CHP	2	850.070	-37.20	-13	Pass

5.2.4 B26b_10MHz




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	822.732	-37.79	-13	Pass
823	824	0.099	CHP	2	823.992	-34.76	-13	Pass
824	834	0.099	CHP	/	/	/	/	/


Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b 10MHz QPSK HCH 844MHz RB 1 0 NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-36.64	-13	Pass
850	859	0.1	CHP	2	850.085	-48.92	-13	Pass

Band26b 10MHz QPSK HCH 844MHz RB 50 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.099	CHP	/	/	/	/	/
849	850	0.099	CHP	1	849.008	-35.93	-13	Pass
850	859	0.1	CHP	2	850.253	-39.04	-13	Pass

5.2.5 B26b_15MHz




Band26b 15MHz QPSK LCH 831.5MHz RB 75 0 NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	821.960	-40.30	-13	Pass
823	824	0.15	CHP	2	823.970	-36.74	-13	Pass
824	839	0.15	CHP	/	/	/	/	/


Band26b 15MHz QPSK MCH 836.5MHz RB 1 0 NTNV



Band26b 15MHz QPSK HCH 841.5MHz RB 1 0 NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.012	-41.20	-13	Pass
850	864	0.1	CHP	2	852.574	-48.73	-13	Pass

Band26b 15MHz QPSK HCH 841.5MHz RB 75 0 NTN



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.15	CHP	/	/	/	/	/
849	850	0.15	CHP	1	849.030	-38.40	-13	Pass
850	864	0.1	/	2	850.530	-40.33	-13	Pass

6. Field Strength of Spurious Radiation

LTE Band 26b(824-849MHz)-Low channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1649.5	-69.01	-13	-56.01	-71.89	2.62	5.5	Horizontal	Pass
2474.25	-68.11	-13	-55.11	-70.81	3.06	5.76	Horizontal	Pass
3299.0	-67.05	-13	-54.05	-71.42	3.3	7.67	Horizontal	Pass
1649.5	-68.47	-13	-55.47	-71.35	2.62	5.5	Vertical	Pass
2474.25	-64.03	-13	-51.03	-66.73	3.06	5.76	Vertical	Pass
3299.0	-67.01	-13	-54.01	-71.38	3.3	7.67	Vertical	Pass

LTE Band 26b(824-849MHz)-Middle channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1659.5	-70.76	-13	-57.76	-73.62	2.62	5.48	Horizontal	Pass
2489.25	-69.8	-13	-56.8	-72.52	3.07	5.79	Horizontal	Pass
3319.0	-67.44	-13	-54.44	-71.85	3.31	7.72	Horizontal	Pass
1659.5	-71.41	-13	-58.41	-74.27	2.62	5.48	Vertical	Pass
2489.25	-66.97	-13	-53.97	-69.69	3.07	5.79	Vertical	Pass
3319.0	-67.57	-13	-54.57	-71.98	3.31	7.72	Vertical	Pass

LTE Band 26b(824-849MHz)-High channel, Modulation: QPSK, Bandwidth:15MHz, 1RB#0								
Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	Cable Loss (dB)	Antenna Gain (dBi)	Polarization (H/V)	Result
1669.5	-72.29	-13	-59.29	-75.11	2.63	5.45	Horizontal	Pass
2504.5	-69.63	-13	-56.63	-72.38	3.08	5.83	Horizontal	Pass
3339.0	-67.46	-13	-54.46	-71.91	3.32	7.77	Horizontal	Pass
1669.5	-72.06	-13	-59.06	-74.88	2.63	5.45	Vertical	Pass
2504.5	-69.07	-13	-56.07	-71.82	3.08	5.83	Vertical	Pass
3339.0	-66.99	-13	-53.99	-71.44	3.32	7.77	Vertical	Pass