

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	Gain (dBi)	E(I)RP (dBm)	Limit (dBm)	Verdict
Band26(814-824)	1.4MHz	QPSK	26697	1RB#0	22.73	0.7	21.28	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#2	22.77	0.7	21.32	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	1RB#5	22.56	0.7	21.11	50	PASS
Band26(814-824)	1.4MHz	QPSK	26697	6RB#0	21.98	0.7	20.53	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#0	22.64	0.7	21.19	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#2	22.54	0.7	21.09	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	1RB#5	22.71	0.7	21.26	50	PASS
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	22.04	0.7	20.59	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#0	22.68	0.7	21.23	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#2	22.73	0.7	21.28	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	1RB#5	22.66	0.7	21.21	50	PASS
Band26(814-824)	1.4MHz	QPSK	26783	6RB#0	22.05	0.7	20.6	50	PASS
Band26(814-824)	1.4MHz	64QAM	26697	1RB#0	20.89	0.7	19.44	50	PASS
Band26(814-824)	1.4MHz	64QAM	26697	1RB#2	21.04	0.7	19.59	50	PASS
Band26(814-824)	1.4MHz	64QAM	26697	1RB#5	20.89	0.7	19.44	50	PASS
Band26(814-824)	1.4MHz	64QAM	26697	6RB#0	20.03	0.7	18.58	50	PASS
Band26(814-824)	1.4MHz	64QAM	26740	1RB#0	21.11	0.7	19.66	50	PASS
Band26(814-824)	1.4MHz	64QAM	26740	1RB#2	21.08	0.7	19.63	50	PASS
Band26(814-824)	1.4MHz	64QAM	26740	1RB#5	21.03	0.7	19.58	50	PASS
Band26(814-824)	1.4MHz	64QAM	26740	6RB#0	20.01	0.7	18.56	50	PASS
Band26(814-824)	1.4MHz	64QAM	26783	1RB#0	20.93	0.7	19.48	50	PASS
Band26(814-824)	1.4MHz	64QAM	26783	1RB#2	20.9	0.7	19.45	50	PASS

Band26(814-824)	1.4MHz	64QAM	26783	1RB#5	21.13	0.7	19.68	50	PASS
Band26(814-824)	1.4MHz	64QAM	26783	6RB#0	19.93	0.7	18.48	50	PASS
Band26(814-824)	1.4MHz	256QAM	26697	1RB#0	18	0.7	16.55	50	PASS
Band26(814-824)	1.4MHz	256QAM	26697	1RB#2	17.9	0.7	16.45	50	PASS
Band26(814-824)	1.4MHz	256QAM	26697	1RB#5	17.82	0.7	16.37	50	PASS
Band26(814-824)	1.4MHz	256QAM	26697	6RB#0	17.89	0.7	16.44	50	PASS
Band26(814-824)	1.4MHz	256QAM	26740	1RB#0	17.94	0.7	16.49	50	PASS
Band26(814-824)	1.4MHz	256QAM	26740	1RB#2	18.21	0.7	16.76	50	PASS
Band26(814-824)	1.4MHz	256QAM	26740	1RB#5	18.03	0.7	16.58	50	PASS
Band26(814-824)	1.4MHz	256QAM	26740	6RB#0	17.88	0.7	16.43	50	PASS
Band26(814-824)	1.4MHz	256QAM	26783	1RB#0	18.1	0.7	16.65	50	PASS
Band26(814-824)	1.4MHz	256QAM	26783	1RB#2	18.1	0.7	16.65	50	PASS
Band26(814-824)	1.4MHz	256QAM	26783	1RB#5	17.83	0.7	16.38	50	PASS
Band26(814-824)	1.4MHz	256QAM	26783	6RB#0	18.1	0.7	16.65	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#0	21.97	0.7	20.52	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#2	21.99	0.7	20.54	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	1RB#5	21.96	0.7	20.51	50	PASS
Band26(814-824)	1.4MHz	16QAM	26697	6RB#0	21.1	0.7	19.65	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#0	21.98	0.7	20.53	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#2	21.86	0.7	20.41	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	1RB#5	21.91	0.7	20.46	50	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	21.01	0.7	19.56	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#0	21.94	0.7	20.49	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#2	21.96	0.7	20.51	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	1RB#5	21.91	0.7	20.46	50	PASS
Band26(814-824)	1.4MHz	16QAM	26783	6RB#0	21	0.7	19.55	50	PASS

Band26(814-824)	3MHz	QPSK	26705	1RB#0	22.58	0.7	21.13	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#8	22.79	0.7	21.34	50	PASS
Band26(814-824)	3MHz	QPSK	26705	1RB#14	22.54	0.7	21.09	50	PASS
Band26(814-824)	3MHz	QPSK	26705	15RB#0	22.01	0.7	20.56	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#0	22.63	0.7	21.18	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#8	22.67	0.7	21.22	50	PASS
Band26(814-824)	3MHz	QPSK	26740	1RB#14	22.62	0.7	21.17	50	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	22.07	0.7	20.62	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#0	22.63	0.7	21.18	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#8	22.6	0.7	21.15	50	PASS
Band26(814-824)	3MHz	QPSK	26775	1RB#14	22.58	0.7	21.13	50	PASS
Band26(814-824)	3MHz	QPSK	26775	15RB#0	22.03	0.7	20.58	50	PASS
Band26(814-824)	3MHz	64QAM	26705	1RB#0	20.95	0.7	19.5	50	PASS
Band26(814-824)	3MHz	64QAM	26705	1RB#8	21.24	0.7	19.79	50	PASS
Band26(814-824)	3MHz	64QAM	26705	1RB#14	21.08	0.7	19.63	50	PASS
Band26(814-824)	3MHz	64QAM	26705	15RB#0	20.05	0.7	18.6	50	PASS
Band26(814-824)	3MHz	64QAM	26740	1RB#0	20.77	0.7	19.32	50	PASS
Band26(814-824)	3MHz	64QAM	26740	1RB#8	21.11	0.7	19.66	50	PASS
Band26(814-824)	3MHz	64QAM	26740	1RB#14	20.94	0.7	19.49	50	PASS
Band26(814-824)	3MHz	64QAM	26740	15RB#0	20.04	0.7	18.59	50	PASS
Band26(814-824)	3MHz	64QAM	26775	1RB#0	20.97	0.7	19.52	50	PASS
Band26(814-824)	3MHz	64QAM	26775	1RB#8	21.09	0.7	19.64	50	PASS
Band26(814-824)	3MHz	64QAM	26775	1RB#14	21.05	0.7	19.6	50	PASS
Band26(814-824)	3MHz	64QAM	26775	15RB#0	20.02	0.7	18.57	50	PASS
Band26(814-824)	3MHz	256QAM	26705	1RB#0	17.73	0.7	16.28	50	PASS
Band26(814-824)	3MHz	256QAM	26705	1RB#8	18.33	0.7	16.88	50	PASS

Band26(814-824)	3MHz	256QAM	26705	1RB#14	17.87	0.7	16.42	50	PASS
Band26(814-824)	3MHz	256QAM	26705	15RB#0	18.08	0.7	16.63	50	PASS
Band26(814-824)	3MHz	256QAM	26740	1RB#0	17.74	0.7	16.29	50	PASS
Band26(814-824)	3MHz	256QAM	26740	1RB#8	18.3	0.7	16.85	50	PASS
Band26(814-824)	3MHz	256QAM	26740	1RB#14	17.93	0.7	16.48	50	PASS
Band26(814-824)	3MHz	256QAM	26740	15RB#0	18.04	0.7	16.59	50	PASS
Band26(814-824)	3MHz	256QAM	26775	1RB#0	17.88	0.7	16.43	50	PASS
Band26(814-824)	3MHz	256QAM	26775	1RB#8	18.01	0.7	16.56	50	PASS
Band26(814-824)	3MHz	256QAM	26775	1RB#14	18.05	0.7	16.6	50	PASS
Band26(814-824)	3MHz	256QAM	26775	15RB#0	18.11	0.7	16.66	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#0	21.92	0.7	20.47	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#8	22.15	0.7	20.7	50	PASS
Band26(814-824)	3MHz	16QAM	26705	1RB#14	21.78	0.7	20.33	50	PASS
Band26(814-824)	3MHz	16QAM	26705	15RB#0	21.04	0.7	19.59	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#0	21.72	0.7	20.27	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#8	22.03	0.7	20.58	50	PASS
Band26(814-824)	3MHz	16QAM	26740	1RB#14	21.81	0.7	20.36	50	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	21.04	0.7	19.59	50	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#0	21.88	0.7	20.43	50	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#8	22.17	0.7	20.72	50	PASS
Band26(814-824)	3MHz	16QAM	26775	1RB#14	21.92	0.7	20.47	50	PASS
Band26(814-824)	3MHz	16QAM	26775	15RB#0	21.07	0.7	19.62	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#0	22.67	0.7	21.22	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#12	22.77	0.7	21.32	50	PASS
Band26(814-824)	5MHz	QPSK	26715	1RB#24	22.65	0.7	21.2	50	PASS
Band26(814-824)	5MHz	QPSK	26715	25RB#0	22.07	0.7	20.62	50	PASS

Band26(814-824)	5MHz	QPSK	26740	1RB#0	22.7	0.7	21.25	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#12	22.71	0.7	21.26	50	PASS
Band26(814-824)	5MHz	QPSK	26740	1RB#24	22.77	0.7	21.32	50	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	22.06	0.7	20.61	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#0	22.65	0.7	21.2	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#12	22.8	0.7	21.35	50	PASS
Band26(814-824)	5MHz	QPSK	26765	1RB#24	22.72	0.7	21.27	50	PASS
Band26(814-824)	5MHz	QPSK	26765	25RB#0	22.05	0.7	20.6	50	PASS
Band26(814-824)	5MHz	64QAM	26715	1RB#0	21.15	0.7	19.7	50	PASS
Band26(814-824)	5MHz	64QAM	26715	1RB#12	21.09	0.7	19.64	50	PASS
Band26(814-824)	5MHz	64QAM	26715	1RB#24	20.95	0.7	19.5	50	PASS
Band26(814-824)	5MHz	64QAM	26715	25RB#0	20.03	0.7	18.58	50	PASS
Band26(814-824)	5MHz	64QAM	26740	1RB#0	21.05	0.7	19.6	50	PASS
Band26(814-824)	5MHz	64QAM	26740	1RB#12	20.91	0.7	19.46	50	PASS
Band26(814-824)	5MHz	64QAM	26740	1RB#24	20.94	0.7	19.49	50	PASS
Band26(814-824)	5MHz	64QAM	26740	25RB#0	20.1	0.7	18.65	50	PASS
Band26(814-824)	5MHz	64QAM	26765	1RB#0	20.89	0.7	19.44	50	PASS
Band26(814-824)	5MHz	64QAM	26765	1RB#12	21.05	0.7	19.6	50	PASS
Band26(814-824)	5MHz	64QAM	26765	1RB#24	20.86	0.7	19.41	50	PASS
Band26(814-824)	5MHz	64QAM	26765	25RB#0	20.1	0.7	18.65	50	PASS
Band26(814-824)	5MHz	256QAM	26715	1RB#0	18.08	0.7	16.63	50	PASS
Band26(814-824)	5MHz	256QAM	26715	1RB#12	18.04	0.7	16.59	50	PASS
Band26(814-824)	5MHz	256QAM	26715	1RB#24	18.06	0.7	16.61	50	PASS
Band26(814-824)	5MHz	256QAM	26715	25RB#0	18.08	0.7	16.63	50	PASS
Band26(814-824)	5MHz	256QAM	26740	1RB#0	18.04	0.7	16.59	50	PASS
Band26(814-824)	5MHz	256QAM	26740	1RB#12	18.22	0.7	16.77	50	PASS

Band26(814-824)	5MHz	256QAM	26740	1RB#24	18	0.7	16.55	50	PASS
Band26(814-824)	5MHz	256QAM	26740	25RB#0	18.07	0.7	16.62	50	PASS
Band26(814-824)	5MHz	256QAM	26765	1RB#0	18.04	0.7	16.59	50	PASS
Band26(814-824)	5MHz	256QAM	26765	1RB#12	18.1	0.7	16.65	50	PASS
Band26(814-824)	5MHz	256QAM	26765	1RB#24	18.03	0.7	16.58	50	PASS
Band26(814-824)	5MHz	256QAM	26765	25RB#0	18.11	0.7	16.66	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#0	21.81	0.7	20.36	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#12	22.09	0.7	20.64	50	PASS
Band26(814-824)	5MHz	16QAM	26715	1RB#24	21.9	0.7	20.45	50	PASS
Band26(814-824)	5MHz	16QAM	26715	25RB#0	21.05	0.7	19.6	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#0	21.86	0.7	20.41	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#12	22.06	0.7	20.61	50	PASS
Band26(814-824)	5MHz	16QAM	26740	1RB#24	22.02	0.7	20.57	50	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	21.06	0.7	19.61	50	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#0	21.97	0.7	20.52	50	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#12	22.05	0.7	20.6	50	PASS
Band26(814-824)	5MHz	16QAM	26765	1RB#24	21.96	0.7	20.51	50	PASS
Band26(814-824)	5MHz	16QAM	26765	25RB#0	21.04	0.7	19.59	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#0	22.65	0.7	21.2	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#24	22.84	0.7	21.39	50	PASS
Band26(814-824)	10MHz	QPSK	26740	1RB#49	22.71	0.7	21.26	50	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	22.12	0.7	20.67	50	PASS
Band26(814-824)	10MHz	64QAM	26740	1RB#0	21.2	0.7	19.75	50	PASS
Band26(814-824)	10MHz	64QAM	26740	1RB#24	20.97	0.7	19.52	50	PASS
Band26(814-824)	10MHz	64QAM	26740	1RB#49	21.13	0.7	19.68	50	PASS
Band26(814-824)	10MHz	64QAM	26740	50RB#0	20.09	0.7	18.64	50	PASS


Band26(814-824)	10MHz	256QAM	26740	1RB#0	17.94	0.7	16.49	50	PASS
Band26(814-824)	10MHz	256QAM	26740	1RB#24	17.96	0.7	16.51	50	PASS
Band26(814-824)	10MHz	256QAM	26740	1RB#49	17.99	0.7	16.54	50	PASS
Band26(814-824)	10MHz	256QAM	26740	50RB#0	18.06	0.7	16.61	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#0	22.09	0.7	20.64	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#24	22.22	0.7	20.77	50	PASS
Band26(814-824)	10MHz	16QAM	26740	1RB#49	21.94	0.7	20.49	50	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	21.07	0.7	19.62	50	PASS


Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	4.71	13	PASS
Band26(814-824)	1.4MHz	64QAM	26740	6RB#0	6.17	13	PASS
Band26(814-824)	1.4MHz	256QAM	26740	6RB#0	6.84	13	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	5.61	13	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	4.47	13	PASS
Band26(814-824)	3MHz	64QAM	26740	15RB#0	6.31	13	PASS
Band26(814-824)	3MHz	256QAM	26740	15RB#0	6.74	13	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	5.73	13	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	4.57	13	PASS
Band26(814-824)	5MHz	64QAM	26740	25RB#0	6.30	13	PASS
Band26(814-824)	5MHz	256QAM	26740	25RB#0	6.71	13	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	5.58	13	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	4.67	13	PASS
Band26(814-824)	10MHz	64QAM	26740	50RB#0	6.32	13	PASS
Band26(814-824)	10MHz	256QAM	26740	50RB#0	6.71	13	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	5.69	13	PASS

Test Graphs







26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26(814-824)	1.4MHz	QPSK	26740	6RB#0	1.0993	1.375	PASS
Band26(814-824)	1.4MHz	64QAM	26740	6RB#0	1.0963	1.371	PASS
Band26(814-824)	1.4MHz	256QAM	26740	6RB#0	1.0956	1.315	PASS
Band26(814-824)	1.4MHz	16QAM	26740	6RB#0	1.0969	1.359	PASS
Band26(814-824)	3MHz	QPSK	26740	15RB#0	2.6981	3.023	PASS
Band26(814-824)	3MHz	64QAM	26740	15RB#0	2.6877	2.990	PASS
Band26(814-824)	3MHz	256QAM	26740	15RB#0	2.7009	3.028	PASS
Band26(814-824)	3MHz	16QAM	26740	15RB#0	2.6982	3.067	PASS
Band26(814-824)	5MHz	QPSK	26740	25RB#0	4.5089	5.164	PASS
Band26(814-824)	5MHz	64QAM	26740	25RB#0	4.5165	5.139	PASS
Band26(814-824)	5MHz	256QAM	26740	25RB#0	4.5049	5.152	PASS
Band26(814-824)	5MHz	16QAM	26740	25RB#0	4.5090	5.107	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	8.9794	10.06	PASS
Band26(814-824)	10MHz	64QAM	26740	50RB#0	9.0053	10.10	PASS
Band26(814-824)	10MHz	256QAM	26740	50RB#0	8.9963	9.897	PASS
Band26(814-824)	10MHz	16QAM	26740	50RB#0	8.9986	10.04	PASS

Test Graphs






Band26(814-824)-5MHz-QPSK-26740-25RB#0-PASS




Band26(814-824)-5MHz-64QAM-26740-25RB#0-PASS



Band26(814-824)-5MHz-256QAM-26740-25RB#0-PASS




Band26(814-824)-5MHz-16QAM-26740-25RB#0-PASS



Band26(814-824)-10MHz-QPSK-26740-50RB#0-PASS



Band26(814-824)-10MHz-64QAM-26740-50RB#0-PASS




Band26(814-824)-10MHz-256QAM-26740-50RB#0-PASS



Band26(814-824)-10MHz-16QAM-26740-50RB#0-PASS

Band Edge


Test Graphs




Band26(814-824)-3MHz-QPSK-26705-1RB#0-PASS




Band26(814-824)-3MHz-QPSK-26705-1RB#14-PASS




Band26(814-824)-3MHz-QPSK-26705-15RB#0-PASS




Band26(814-824)-3MHz-QPSK-26775-1RB#0-PASS




Band26(814-824)-3MHz-QPSK-26775-1RB#14-PASS




Band26(814-824)-3MHz-QPSK-26775-15RB#0-PASS



Band26(814-824)-5MHz-QPSK-26715-1RB#0-PASS



Band26(814-824)-5MHz-QPSK-26715-1RB#24-PASS



Band26(814-824)-5MHz-QPSK-26715-25RB#0-PASS


Band26(814-824)-5MHz-QPSK-26765-1RB#0-PASS




Band26(814-824)-5MHz-QPSK-26765-1RB#24-PASS




Band26(814-824)-5MHz-QPSK-26765-25RB#0-PASS



Band26(814-824)-10MHz-QPSK-26740-1RB#0-PASS



Band26(814-824)-10MHz-QPSK-26740-1RB#49-PASS



Band26(814-824)-10MHz-QPSK-26740-50RB#0-PASS


Conducted Spurious Emission

Test Graphs




Band26(814-824)-1.4MHz-QPSK-26697-1RB#0-0.009~0.15-PASS

Band26(814-824)-1.4MHz-QPSK-26697-1RB#0-0.15~30-PASS



Band26(814-824)-1.4MHz-QPSK-26697-1RB#0-30~1000-PASS

Band26(814-824)-1.4MHz-QPSK-26697-1RB#0-1000~3000-PASS




Band26(814-824)-1.4MHz-QPSK-26697-1RB#0-3000~10000-PAS

Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-0.009~0.15-PASS

S




Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-0.15~30-PASS



Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-30~1000-PASS



Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-1000~3000-PASS




Band26(814-824)-1.4MHz-QPSK-26740-1RB#0-3000~10000-PASS
S



Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-0.009~0.15-PASS




Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-0.15~30-PASS



Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-30~1000-PASS




Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-1000~3000-PASS




Band26(814-824)-1.4MHz-QPSK-26783-1RB#0-3000~10000-PAS
S




Band26(814-824)-3MHz-QPSK-26705-1RB#0-0.009~0.15-PASS



Band26(814-824)-3MHz-QPSK-26705-1RB#0-0.15~30-PASS




Band26(814-824)-3MHz-QPSK-26705-1RB#0-30~1000-PASS




Band26(814-824)-3MHz-QPSK-26705-1RB#0-1000~3000-PASS

Band26(814-824)-3MHz-QPSK-26705-1RB#0-3000~10000-PASS



Band26(814-824)-3MHz-QPSK-26740-1RB#0-0.009~0.15-PASS

Band26(814-824)-3MHz-QPSK-26740-1RB#0-0.15~30-PASS



Band26(814-824)-3MHz-QPSK-26740-1RB#0-30~1000-PASS

Band26(814-824)-3MHz-QPSK-26740-1RB#0-1000~3000-PASS




Band26(814-824)-3MHz-QPSK-26740-1RB#0-3000~10000-PASS



Band26(814-824)-3MHz-QPSK-26775-1RB#0-0.009~0.15-PASS




Band26(814-824)-3MHz-QPSK-26775-1RB#0-0.15~30-PASS




Band26(814-824)-3MHz-QPSK-26775-1RB#0-30~1000-PASS



Band26(814-824)-3MHz-QPSK-26775-1RB#0-1000~3000-PASS




Band26(814-824)-3MHz-QPSK-26775-1RB#0-3000~10000-PASS




Band26(814-824)-5MHz-QPSK-26715-1RB#0-0.009~0.15-PASS

Band26(814-824)-5MHz-QPSK-26715-1RB#0-0.15~30-PASS





Band26(814-824)-5MHz-QPSK-26715-1RB#0-30~1000-PASS

Band26(814-824)-5MHz-QPSK-26715-1RB#0-1000~3000-PASS




Band26(814-824)-5MHz-QPSK-26715-1RB#0-3000~10000-PASS

Band26(814-824)-5MHz-QPSK-26740-1RB#0-0.009~0.15-PASS




Band26(814-824)-5MHz-QPSK-26740-1RB#0-0.15~30-PASS

Band26(814-824)-5MHz-QPSK-26740-1RB#0-30~1000-PASS




Band26(814-824)-5MHz-QPSK-26740-1RB#0-1000~3000-PASS

Band26(814-824)-5MHz-QPSK-26740-1RB#0-3000~10000-PASS




Band26(814-824)-5MHz-QPSK-26765-1RB#0-0.009~0.15-PASS

Band26(814-824)-5MHz-QPSK-26765-1RB#0-0.15~30-PASS




Band26(814-824)-5MHz-QPSK-26765-1RB#0-30~1000-PASS

Band26(814-824)-5MHz-QPSK-26765-1RB#0-1000~3000-PASS



Band26(814-824)-5MHz-QPSK-26765-1RB#0-3000~10000-PASS

Band26(814-824)-10MHz-QPSK-26740-1RB#0-0.009~0.15-PASS




Band26(814-824)-10MHz-QPSK-26740-1RB#0-0.15~30-PASS

Band26(814-824)-10MHz-QPSK-26740-1RB#0-30~1000-PASS



Band26(814-824)-10MHz-QPSK-26740-1RB#0-1000~3000-PASS



Band26(814-824)-10MHz-QPSK-26740-1RB#0-3000~10000-PAS

S

Frequency Stability

Test Result

Voltage													
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band26(814-824)	10MHz	QPSK	26740	50RB#0	VN	NT	-1.14	-0.001392	±2.5	---	---	---	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	VL	NT	1.04	0.001270	±2.5	---	---	---	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	VH	NT	-1.26	-0.001538	±2.5	---	---	---	PASS

Temperature													
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	-30	-2.59	-0.003162	±2.5	---	---	---	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	-20	-1.91	-0.002332	±2.5	---	---	---	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	-10	2.82	0.003443	±2.5	---	---	---	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	0	-3.69	-0.004505	±2.5	---	---	---	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	10	-2.04	-0.002491	±2.5	---	---	---	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	20	1.95	0.002381	±2.5	---	---	---	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	30	-3.10	-0.003785	±2.5	---	---	---	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	40	-3.24	-0.003956	±2.5	---	---	---	PASS
Band26(814-824)	10MHz	QPSK	26740	50RB#0	NV	50	1.22	0.001490	±2.5	---	---	---	PASS

----- THE END -----