

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result (dBm)	Gain (dBi)	E(I)RP (dBm)	Limit (dBm)	Verdict
Band26(824-849)	1.4MHz	QPSK	26797	1RB#0	22.66	0.7	21.21	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#2	22.72	0.7	21.27	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	1RB#5	22.65	0.7	21.2	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26797	6RB#0	22.02	0.7	20.57	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#0	22.68	0.7	21.23	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#2	22.69	0.7	21.24	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	1RB#5	22.8	0.7	21.35	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	21.99	0.7	20.54	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#0	22.77	0.7	21.32	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#2	22.69	0.7	21.24	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	1RB#5	22.74	0.7	21.29	38.45	PASS
Band26(824-849)	1.4MHz	QPSK	27033	6RB#0	22.09	0.7	20.64	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#0	21.12	0.7	19.67	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#2	21.08	0.7	19.63	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	1RB#5	21.13	0.7	19.68	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26797	6RB#0	19.96	0.7	18.51	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#0	21.12	0.7	19.67	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#2	21.02	0.7	19.57	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	1RB#5	21.15	0.7	19.7	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	26915	6RB#0	19.95	0.7	18.5	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#0	21.31	0.7	19.86	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	1RB#2	21.15	0.7	19.7	38.45	PASS

Band26(824-849)	1.4MHz	64QAM	27033	1RB#5	21.14	0.7	19.69	38.45	PASS
Band26(824-849)	1.4MHz	64QAM	27033	6RB#0	19.92	0.7	18.47	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#0	17.96	0.7	16.51	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#2	17.92	0.7	16.47	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	1RB#5	18.13	0.7	16.68	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26797	6RB#0	18.07	0.7	16.62	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#0	17.9	0.7	16.45	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#2	18.04	0.7	16.59	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	1RB#5	17.76	0.7	16.31	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	26915	6RB#0	18	0.7	16.55	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#0	17.63	0.7	16.18	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#2	17.97	0.7	16.52	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	1RB#5	17.96	0.7	16.51	38.45	PASS
Band26(824-849)	1.4MHz	256QAM	27033	6RB#0	18.04	0.7	16.59	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#0	21.98	0.7	20.53	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#2	22.08	0.7	20.63	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	1RB#5	21.85	0.7	20.4	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26797	6RB#0	20.85	0.7	19.4	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#0	22.02	0.7	20.57	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#2	21.9	0.7	20.45	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	1RB#5	21.95	0.7	20.5	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	20.94	0.7	19.49	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#0	22.23	0.7	20.78	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#2	22.07	0.7	20.62	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	1RB#5	22.07	0.7	20.62	38.45	PASS
Band26(824-849)	1.4MHz	16QAM	27033	6RB#0	21.12	0.7	19.67	38.45	PASS

Band26(824-849)	3MHz	QPSK	26805	1RB#0	22.72	0.7	21.27	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#8	22.8	0.7	21.35	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	1RB#14	22.77	0.7	21.32	38.45	PASS
Band26(824-849)	3MHz	QPSK	26805	15RB#0	22.04	0.7	20.59	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#0	22.6	0.7	21.15	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#8	22.95	0.7	21.5	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	1RB#14	22.7	0.7	21.25	38.45	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	21.98	0.7	20.53	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#0	22.65	0.7	21.2	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#8	22.73	0.7	21.28	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	1RB#14	22.66	0.7	21.21	38.45	PASS
Band26(824-849)	3MHz	QPSK	27025	15RB#0	22.08	0.7	20.63	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#0	20.98	0.7	19.53	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#8	21.17	0.7	19.72	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	1RB#14	21.1	0.7	19.65	38.45	PASS
Band26(824-849)	3MHz	64QAM	26805	15RB#0	20.12	0.7	18.67	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#0	21.27	0.7	19.82	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#8	21.26	0.7	19.81	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	1RB#14	21.1	0.7	19.65	38.45	PASS
Band26(824-849)	3MHz	64QAM	26915	15RB#0	20.01	0.7	18.56	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#0	21.02	0.7	19.57	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#8	21.27	0.7	19.82	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	1RB#14	21.09	0.7	19.64	38.45	PASS
Band26(824-849)	3MHz	64QAM	27025	15RB#0	20.06	0.7	18.61	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	1RB#0	17.89	0.7	16.44	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	1RB#8	18.36	0.7	16.91	38.45	PASS

Band26(824-849)	3MHz	256QAM	26805	1RB#14	17.96	0.7	16.51	38.45	PASS
Band26(824-849)	3MHz	256QAM	26805	15RB#0	18.11	0.7	16.66	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	1RB#0	17.78	0.7	16.33	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	1RB#8	18.27	0.7	16.82	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	1RB#14	17.94	0.7	16.49	38.45	PASS
Band26(824-849)	3MHz	256QAM	26915	15RB#0	18	0.7	16.55	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	1RB#0	18.08	0.7	16.63	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	1RB#8	18.03	0.7	16.58	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	1RB#14	17.99	0.7	16.54	38.45	PASS
Band26(824-849)	3MHz	256QAM	27025	15RB#0	18.09	0.7	16.64	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#0	21.92	0.7	20.47	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#8	22.11	0.7	20.66	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	1RB#14	21.87	0.7	20.42	38.45	PASS
Band26(824-849)	3MHz	16QAM	26805	15RB#0	21.06	0.7	19.61	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#0	21.96	0.7	20.51	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#8	22.12	0.7	20.67	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	1RB#14	22.13	0.7	20.68	38.45	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	21.01	0.7	19.56	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#0	21.95	0.7	20.5	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#8	22.31	0.7	20.86	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	1RB#14	21.89	0.7	20.44	38.45	PASS
Band26(824-849)	3MHz	16QAM	27025	15RB#0	21.06	0.7	19.61	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#0	22.74	0.7	21.29	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#12	22.73	0.7	21.28	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	1RB#24	22.72	0.7	21.27	38.45	PASS
Band26(824-849)	5MHz	QPSK	26815	25RB#0	22.03	0.7	20.58	38.45	PASS

Band26(824-849)	5MHz	QPSK	26915	1RB#0	22.7	0.7	21.25	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#12	22.65	0.7	21.2	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	1RB#24	22.8	0.7	21.35	38.45	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	22.01	0.7	20.56	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#0	22.76	0.7	21.31	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#12	22.83	0.7	21.38	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	1RB#24	22.76	0.7	21.31	38.45	PASS
Band26(824-849)	5MHz	QPSK	27015	25RB#0	22.07	0.7	20.62	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#0	20.97	0.7	19.52	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#12	21.15	0.7	19.7	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	1RB#24	20.88	0.7	19.43	38.45	PASS
Band26(824-849)	5MHz	64QAM	26815	25RB#0	20.06	0.7	18.61	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#0	21.01	0.7	19.56	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#12	21.02	0.7	19.57	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	1RB#24	21.16	0.7	19.71	38.45	PASS
Band26(824-849)	5MHz	64QAM	26915	25RB#0	20	0.7	18.55	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#0	21.02	0.7	19.57	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#12	21.2	0.7	19.75	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	1RB#24	21	0.7	19.55	38.45	PASS
Band26(824-849)	5MHz	64QAM	27015	25RB#0	20.06	0.7	18.61	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#0	17.93	0.7	16.48	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#12	18.03	0.7	16.58	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	1RB#24	17.86	0.7	16.41	38.45	PASS
Band26(824-849)	5MHz	256QAM	26815	25RB#0	18.01	0.7	16.56	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#0	18.19	0.7	16.74	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	1RB#12	18.2	0.7	16.75	38.45	PASS

Band26(824-849)	5MHz	256QAM	26915	1RB#24	18.11	0.7	16.66	38.45	PASS
Band26(824-849)	5MHz	256QAM	26915	25RB#0	18	0.7	16.55	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#0	18.11	0.7	16.66	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#12	18.31	0.7	16.86	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	1RB#24	18.11	0.7	16.66	38.45	PASS
Band26(824-849)	5MHz	256QAM	27015	25RB#0	18.07	0.7	16.62	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#0	21.95	0.7	20.5	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#12	22.03	0.7	20.58	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	1RB#24	22.09	0.7	20.64	38.45	PASS
Band26(824-849)	5MHz	16QAM	26815	25RB#0	21.04	0.7	19.59	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#0	22.06	0.7	20.61	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#12	22.32	0.7	20.87	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	1RB#24	22.23	0.7	20.78	38.45	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	21.03	0.7	19.58	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#0	21.96	0.7	20.51	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#12	22.09	0.7	20.64	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	1RB#24	22.14	0.7	20.69	38.45	PASS
Band26(824-849)	5MHz	16QAM	27015	25RB#0	21.03	0.7	19.58	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#0	22.69	0.7	21.24	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#24	22.72	0.7	21.27	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	1RB#49	22.68	0.7	21.23	38.45	PASS
Band26(824-849)	10MHz	QPSK	26840	50RB#0	22.06	0.7	20.61	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#0	22.75	0.7	21.3	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#24	22.68	0.7	21.23	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	1RB#49	22.62	0.7	21.17	38.45	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	22.05	0.7	20.6	38.45	PASS

Band26(824-849)	10MHz	QPSK	26990	1RB#0	22.7	0.7	21.25	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#24	22.75	0.7	21.3	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	1RB#49	22.84	0.7	21.39	38.45	PASS
Band26(824-849)	10MHz	QPSK	26990	50RB#0	22.14	0.7	20.69	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#0	21.18	0.7	19.73	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#24	21.02	0.7	19.57	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	1RB#49	21.04	0.7	19.59	38.45	PASS
Band26(824-849)	10MHz	64QAM	26840	50RB#0	20.07	0.7	18.62	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#0	21.24	0.7	19.79	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#24	21.27	0.7	19.82	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	1RB#49	21.02	0.7	19.57	38.45	PASS
Band26(824-849)	10MHz	64QAM	26915	50RB#0	19.96	0.7	18.51	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#0	21.01	0.7	19.56	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#24	21.11	0.7	19.66	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	1RB#49	20.94	0.7	19.49	38.45	PASS
Band26(824-849)	10MHz	64QAM	26990	50RB#0	20.14	0.7	18.69	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#0	17.86	0.7	16.41	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#24	18.02	0.7	16.57	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	1RB#49	18.06	0.7	16.61	38.45	PASS
Band26(824-849)	10MHz	256QAM	26840	50RB#0	18.05	0.7	16.6	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#0	18.17	0.7	16.72	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#24	18.17	0.7	16.72	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	1RB#49	18.12	0.7	16.67	38.45	PASS
Band26(824-849)	10MHz	256QAM	26915	50RB#0	18.05	0.7	16.6	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#0	17.91	0.7	16.46	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	1RB#24	18.21	0.7	16.76	38.45	PASS

Band26(824-849)	10MHz	256QAM	26990	1RB#49	17.94	0.7	16.49	38.45	PASS
Band26(824-849)	10MHz	256QAM	26990	50RB#0	18.14	0.7	16.69	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#0	22.22	0.7	20.77	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#24	22.32	0.7	20.87	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	1RB#49	22.05	0.7	20.6	38.45	PASS
Band26(824-849)	10MHz	16QAM	26840	50RB#0	21.09	0.7	19.64	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#0	21.81	0.7	20.36	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#24	22.06	0.7	20.61	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	1RB#49	22.06	0.7	20.61	38.45	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	21.05	0.7	19.6	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#0	22.07	0.7	20.62	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#24	21.99	0.7	20.54	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	1RB#49	22.14	0.7	20.69	38.45	PASS
Band26(824-849)	10MHz	16QAM	26990	50RB#0	21.14	0.7	19.69	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#0	22.68	0.7	21.23	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#38	22.74	0.7	21.29	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	1RB#74	22.76	0.7	21.31	38.45	PASS
Band26(824-849)	15MHz	QPSK	26865	75RB#0	21.92	0.7	20.47	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#0	22.76	0.7	21.31	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#38	22.67	0.7	21.22	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	1RB#74	22.64	0.7	21.19	38.45	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	21.95	0.7	20.5	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#0	22.73	0.7	21.28	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#38	22.76	0.7	21.31	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	1RB#74	22.73	0.7	21.28	38.45	PASS
Band26(824-849)	15MHz	QPSK	26965	75RB#0	21.98	0.7	20.53	38.45	PASS

Band26(824-849)	15MHz	64QAM	26865	1RB#0	21.02	0.7	19.57	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#38	20.93	0.7	19.48	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	1RB#74	20.84	0.7	19.39	38.45	PASS
Band26(824-849)	15MHz	64QAM	26865	75RB#0	19.95	0.7	18.5	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#0	21.06	0.7	19.61	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#38	21.2	0.7	19.75	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	1RB#74	20.97	0.7	19.52	38.45	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	20.02	0.7	18.57	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#0	21.16	0.7	19.71	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#38	21.15	0.7	19.7	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	1RB#74	21.22	0.7	19.77	38.45	PASS
Band26(824-849)	15MHz	64QAM	26965	75RB#0	19.98	0.7	18.53	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#0	17.98	0.7	16.53	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#38	17.85	0.7	16.4	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	1RB#74	17.99	0.7	16.54	38.45	PASS
Band26(824-849)	15MHz	256QAM	26865	75RB#0	17.96	0.7	16.51	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#0	17.77	0.7	16.32	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#38	18.08	0.7	16.63	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	1RB#74	17.85	0.7	16.4	38.45	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	17.96	0.7	16.51	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#0	18.04	0.7	16.59	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#38	18.04	0.7	16.59	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	1RB#74	18.07	0.7	16.62	38.45	PASS
Band26(824-849)	15MHz	256QAM	26965	75RB#0	18.07	0.7	16.62	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#0	21.98	0.7	20.53	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	1RB#38	21.82	0.7	20.37	38.45	PASS


Band26(824-849)	15MHz	16QAM	26865	1RB#74	21.84	0.7	20.39	38.45	PASS
Band26(824-849)	15MHz	16QAM	26865	75RB#0	20.94	0.7	19.49	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#0	21.9	0.7	20.45	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#38	21.92	0.7	20.47	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	1RB#74	21.96	0.7	20.51	38.45	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	20.97	0.7	19.52	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#0	21.97	0.7	20.52	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#38	22.05	0.7	20.6	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	1RB#74	22.07	0.7	20.62	38.45	PASS
Band26(824-849)	15MHz	16QAM	26965	75RB#0	21.05	0.7	19.6	38.45	PASS


Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	5.04	13	PASS
Band26(824-849)	1.4MHz	64QAM	26915	6RB#0	6.44	13	PASS
Band26(824-849)	1.4MHz	256QAM	26915	6RB#0	6.82	13	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	5.93	13	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	4.61	13	PASS
Band26(824-849)	3MHz	64QAM	26915	15RB#0	6.47	13	PASS
Band26(824-849)	3MHz	256QAM	26915	15RB#0	6.79	13	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	5.94	13	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	4.70	13	PASS
Band26(824-849)	5MHz	64QAM	26915	25RB#0	6.46	13	PASS
Band26(824-849)	5MHz	256QAM	26915	25RB#0	6.77	13	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	5.76	13	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	4.73	13	PASS
Band26(824-849)	10MHz	64QAM	26915	50RB#0	6.43	13	PASS
Band26(824-849)	10MHz	256QAM	26915	50RB#0	6.74	13	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	5.79	13	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	4.83	13	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	6.52	13	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	6.74	13	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	5.99	13	PASS

Test Graphs









Band26(824-849)-15MHz-QPSK-26915-75RB#0-PASS



Band26(824-849)-15MHz-64QAM-26915-75RB#0-PASS



Band26(824-849)-15MHz-256QAM-26915-75RB#0-PASS




Band26(824-849)-15MHz-16QAM-26915-75RB#0-PASS


26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26(824-849)	1.4MHz	QPSK	26915	6RB#0	1.0991	1.351	PASS
Band26(824-849)	1.4MHz	64QAM	26915	6RB#0	1.1019	1.354	PASS
Band26(824-849)	1.4MHz	256QAM	26915	6RB#0	1.0976	1.312	PASS
Band26(824-849)	1.4MHz	16QAM	26915	6RB#0	1.0963	1.356	PASS
Band26(824-849)	3MHz	QPSK	26915	15RB#0	2.6946	3.036	PASS
Band26(824-849)	3MHz	64QAM	26915	15RB#0	2.6968	3.047	PASS
Band26(824-849)	3MHz	256QAM	26915	15RB#0	2.6956	3.026	PASS
Band26(824-849)	3MHz	16QAM	26915	15RB#0	2.7010	3.027	PASS
Band26(824-849)	5MHz	QPSK	26915	25RB#0	4.5152	5.129	PASS
Band26(824-849)	5MHz	64QAM	26915	25RB#0	4.5084	5.091	PASS
Band26(824-849)	5MHz	256QAM	26915	25RB#0	4.5165	5.062	PASS
Band26(824-849)	5MHz	16QAM	26915	25RB#0	4.5061	5.129	PASS
Band26(824-849)	10MHz	QPSK	26915	50RB#0	8.9991	10.02	PASS
Band26(824-849)	10MHz	64QAM	26915	50RB#0	8.9988	10.02	PASS
Band26(824-849)	10MHz	256QAM	26915	50RB#0	8.9925	10.08	PASS
Band26(824-849)	10MHz	16QAM	26915	50RB#0	8.9862	10.02	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	13.458	14.79	PASS
Band26(824-849)	15MHz	64QAM	26915	75RB#0	13.475	14.88	PASS
Band26(824-849)	15MHz	256QAM	26915	75RB#0	13.466	14.82	PASS
Band26(824-849)	15MHz	16QAM	26915	75RB#0	13.480	14.89	PASS

Test Graphs







Band26(824-849)-5MHz-QPSK-26915-25RB#0-PASS



Band26(824-849)-5MHz-64QAM-26915-25RB#0-PASS




Band26(824-849)-5MHz-256QAM-26915-25RB#0-PASS




Band26(824-849)-5MHz-16QAM-26915-25RB#0-PASS




Band26(824-849)-10MHz-QPSK-26915-50RB#0-PASS





Band26(824-849)-10MHz-64QAM-26915-50RB#0-PASS



Band26(824-849)-10MHz-256QAM-26915-50RB#0-PASS




Band26(824-849)-10MHz-16QAM-26915-50RB#0-PASS



Band Edge

Test Graphs



Band26(824-849)-3MHz-QPSK-26805-1RB#0-PASS



Band26(824-849)-3MHz-QPSK-26805-1RB#14-PASS



Band26(824-849)-3MHz-QPSK-26805-15RB#0-PASS



Band26(824-849)-3MHz-QPSK-27025-1RB#0-PASS




Band26(824-849)-3MHz-QPSK-27025-1RB#14-PASS



Band26(824-849)-3MHz-QPSK-27025-15RB#0-PASS



Band26(824-849)-5MHz-QPSK-26815-1RB#0-PASS





Band26(824-849)-5MHz-QPSK-26815-1RB#24-PASS




Band26(824-849)-5MHz-QPSK-26815-25RB#0-PASS

Band26(824-849)-5MHz-QPSK-27015-1RB#0-PASS





Band26(824-849)-15MHz-QPSK-26865-1RB#0-PASS




Band26(824-849)-15MHz-QPSK-26865-1RB#74-PASS



Band26(824-849)-15MHz-QPSK-26865-75RB#0-PASS



Band26(824-849)-15MHz-QPSK-26965-1RB#0-PASS




Band26(824-849)-15MHz-QPSK-26965-1RB#74-PASS



Band26(824-849)-15MHz-QPSK-26965-75RB#0-PASS


Conducted Spurious Emission

Test Graphs





Band26(824-849)-1.4MHz-QPSK-26797-1RB#0-0.009~0.15-PASS

Band26(824-849)-1.4MHz-QPSK-26797-1RB#0-0.15~30-PASS



Band26(824-849)-1.4MHz-QPSK-26797-1RB#0-30~1000-PASS


Band26(824-849)-1.4MHz-QPSK-26797-1RB#0-1000~3000-PASS




Band26(824-849)-1.4MHz-QPSK-26797-1RB#0-3000~10000-PAS

Band26(824-849)-1.4MHz-QPSK-26915-1RB#0-0.009~0.15-PASS

S




Band26(824-849)-1.4MHz-QPSK-26915-1RB#0-0.15~30-PASS



Band26(824-849)-1.4MHz-QPSK-26915-1RB#0-30~1000-PASS




Band26(824-849)-1.4MHz-QPSK-26915-1RB#0-1000~3000-PASS



Band26(824-849)-1.4MHz-QPSK-26915-1RB#0-3000~10000-PASS

S



Band26(824-849)-1.4MHz-QPSK-27033-1RB#0-0.009~0.15-PASS




Band26(824-849)-1.4MHz-QPSK-27033-1RB#0-0.15~30-PASS



Band26(824-849)-1.4MHz-QPSK-27033-1RB#0-30~1000-PASS



Band26(824-849)-1.4MHz-QPSK-27033-1RB#0-1000~3000-PASS




Band26(824-849)-1.4MHz-QPSK-27033-1RB#0-3000~10000-PASS
S



Band26(824-849)-3MHz-QPSK-26805-1RB#0-0.009~0.15-PASS




Band26(824-849)-3MHz-QPSK-26805-1RB#0-0.15~30-PASS



Band26(824-849)-3MHz-QPSK-26805-1RB#0-30~1000-PASS



Band26(824-849)-3MHz-QPSK-26805-1RB#0-1000~3000-PASS



Band26(824-849)-3MHz-QPSK-26805-1RB#0-3000~10000-PASS



Band26(824-849)-3MHz-QPSK-26915-1RB#0-0.009~0.15-PASS




Band26(824-849)-3MHz-QPSK-26915-1RB#0-0.15~30-PASS



Band26(824-849)-3MHz-QPSK-26915-1RB#0-30~1000-PASS



Band26(824-849)-3MHz-QPSK-26915-1RB#0-1000~3000-PASS




Band26(824-849)-3MHz-QPSK-26915-1RB#0-3000~10000-PASS



Band26(824-849)-3MHz-QPSK-27025-1RB#0-0.009~0.15-PASS




Band26(824-849)-3MHz-QPSK-27025-1RB#0-0.15~30-PASS




Band26(824-849)-3MHz-QPSK-27025-1RB#0-30~1000-PASS



Band26(824-849)-3MHz-QPSK-27025-1RB#0-1000~3000-PASS




Band26(824-849)-3MHz-QPSK-27025-1RB#0-3000~10000-PASS





Band26(824-849)-5MHz-QPSK-26815-1RB#0-0.009~0.15-PASS

Band26(824-849)-5MHz-QPSK-26815-1RB#0-0.15~30-PASS




Band26(824-849)-5MHz-QPSK-26815-1RB#0-30~1000-PASS

Band26(824-849)-5MHz-QPSK-26815-1RB#0-1000~3000-PASS




Band26(824-849)-5MHz-QPSK-26815-1RB#0-3000~10000-PASS

Band26(824-849)-5MHz-QPSK-26915-1RB#0-0.009~0.15-PASS



Band26(824-849)-5MHz-QPSK-26915-1RB#0-0.15~30-PASS

Band26(824-849)-5MHz-QPSK-26915-1RB#0-30~1000-PASS



Band26(824-849)-5MHz-QPSK-26915-1RB#0-1000~3000-PASS

Band26(824-849)-5MHz-QPSK-26915-1RB#0-3000~10000-PASS



Band26(824-849)-5MHz-QPSK-27015-1RB#0-0.009~0.15-PASS


Band26(824-849)-5MHz-QPSK-27015-1RB#0-0.15~30-PASS




Band26(824-849)-5MHz-QPSK-27015-1RB#0-30~1000-PASS



Band26(824-849)-5MHz-QPSK-27015-1RB#0-1000~3000-PASS




Band26(824-849)-5MHz-QPSK-27015-1RB#0-3000~10000-PASS




Band26(824-849)-10MHz-QPSK-26840-1RB#0-0.009~0.15-PASS



Band26(824-849)-10MHz-QPSK-26840-1RB#0-0.15~30-PASS



Band26(824-849)-10MHz-QPSK-26840-1RB#0-30~1000-PASS



Band26(824-849)-10MHz-QPSK-26840-1RB#0-1000~3000-PASS


Band26(824-849)-10MHz-QPSK-26840-1RB#0-3000~10000-PAS

S




Band26(824-849)-10MHz-QPSK-26915-1RB#0-0.009~0.15-PASS

Band26(824-849)-10MHz-QPSK-26915-1RB#0-0.15~30-PASS




Band26(824-849)-10MHz-QPSK-26915-1RB#0-30~1000-PASS

Band26(824-849)-10MHz-QPSK-26915-1RB#0-1000~3000-PASS




Band26(824-849)-10MHz-QPSK-26915-1RB#0-3000~10000-PAS
S

Band26(824-849)-10MHz-QPSK-26990-1RB#0-0.009~0.15-PASS




Band26(824-849)-10MHz-QPSK-26990-1RB#0-0.15~30-PASS

Band26(824-849)-10MHz-QPSK-26990-1RB#0-30~1000-PASS




Band26(824-849)-10MHz-QPSK-26990-1RB#0-1000~3000-PASS

Band26(824-849)-10MHz-QPSK-26990-1RB#0-3000~10000-PAS
S




Band26(824-849)-15MHz-QPSK-26865-1RB#0-0.009~0.15-PASS

Band26(824-849)-15MHz-QPSK-26865-1RB#0-0.15~30-PASS



Band26(824-849)-15MHz-QPSK-26865-1RB#0-30~1000-PASS

Band26(824-849)-15MHz-QPSK-26865-1RB#0-1000~3000-PASS




Band26(824-849)-15MHz-QPSK-26865-1RB#0-3000~10000-PAS

Band26(824-849)-15MHz-QPSK-26915-1RB#0-0.009~0.15-PASS

S




Band26(824-849)-15MHz-QPSK-26915-1RB#0-0.15~30-PASS




Band26(824-849)-15MHz-QPSK-26915-1RB#0-30~1000-PASS




Band26(824-849)-15MHz-QPSK-26915-1RB#0-1000~3000-PASS



Band26(824-849)-15MHz-QPSK-26915-1RB#0-3000~10000-PAS
S



Band26(824-849)-15MHz-QPSK-26965-1RB#0-0.009~0.15-PASS




Band26(824-849)-15MHz-QPSK-26965-1RB#0-0.15~30-PASS



Band26(824-849)-15MHz-QPSK-26965-1RB#0-30~1000-PASS



Band26(824-849)-15MHz-QPSK-26965-1RB#0-1000~3000-PASS



Band26(824-849)-15MHz-QPSK-26965-1RB#0-3000~10000-PAS

Frequency Stability

Test Result

Voltage													
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band26(824-849)	15MHz	QPSK	26915	75RB#0	VN	NT	-2.41	-0.002881	±2.5	---	---	---	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	VL	NT	-2.22	-0.002654	±2.5	---	---	---	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	VH	NT	-2.55	-0.003048	±2.5	---	---	---	PASS

Temperature													
Band	Bandwidth	Modulation	Channel	RB Configuration	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-30	-3.08	-0.003682	±2.5	---	---	---	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-20	-2.11	-0.002522	±2.5	---	---	---	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	-10	-2.85	-0.003407	±2.5	---	---	---	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	0	-2.84	-0.003395	±2.5	---	---	---	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	10	-3.05	-0.003646	±2.5	---	---	---	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	20	-2.24	-0.002678	±2.5	---	---	---	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	30	-3.24	-0.003873	±2.5	---	---	---	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	40	-2.85	-0.003407	±2.5	---	---	---	PASS
Band26(824-849)	15MHz	QPSK	26915	75RB#0	NV	50	-2.07	-0.002475	±2.5	---	---	---	PASS

----- THE END -----