

Test Data For SISO

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	Gain (dBi)	E(I)RP (dBm)	Limit (dBm)	Verdict
n2	15	5	DFT-BPSK	L	Inner_1RB_Left	22.29	1.6	23.89	33	PASS
n2	15	5	DFT-BPSK	L	Inner_1RB_Right	22.38	1.6	23.98	33	PASS
n2	15	5	DFT-BPSK	L	Inner_Full	22.67	1.6	24.27	33	PASS
n2	15	5	DFT-BPSK	L	Outer_Full	22.4	1.6	24	33	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Left	22.35	1.6	23.95	33	PASS
n2	15	5	DFT-QPSK	L	Inner_1RB_Right	22.44	1.6	24.04	33	PASS
n2	15	5	DFT-QPSK	L	Inner_Full	22.39	1.6	23.99	33	PASS
n2	15	5	DFT-QPSK	L	Outer_Full	22.65	1.6	24.25	33	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Left	21.58	1.6	23.18	33	PASS
n2	15	5	DFT-16QAM	L	Inner_1RB_Right	21.59	1.6	23.19	33	PASS
n2	15	5	DFT-16QAM	L	Inner_Full	21.73	1.6	23.33	33	PASS
n2	15	5	DFT-16QAM	L	Outer_Full	20.67	1.6	22.27	33	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Left	20.32	1.6	21.92	33	PASS
n2	15	5	DFT-64QAM	L	Inner_1RB_Right	20.31	1.6	21.91	33	PASS
n2	15	5	DFT-64QAM	L	Inner_Full	20.24	1.6	21.84	33	PASS
n2	15	5	DFT-64QAM	L	Outer_Full	20.14	1.6	21.74	33	PASS
n2	15	5	DFT-256QAM	L	Inner_1RB_Left	17.67	1.6	19.27	33	PASS
n2	15	5	DFT-256QAM	L	Inner_1RB_Right	17.67	1.6	19.27	33	PASS
n2	15	5	DFT-256QAM	L	Inner_Full	18.22	1.6	19.82	33	PASS
n2	15	5	DFT-256QAM	L	Outer_Full	18.12	1.6	19.72	33	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Left	22.5	1.6	24.1	33	PASS
n2	15	5	DFT-BPSK	M	Inner_1RB_Right	22.55	1.6	24.15	33	PASS
n2	15	5	DFT-BPSK	M	Inner_Full	22.6	1.6	24.2	33	PASS
n2	15	5	DFT-BPSK	M	Outer_Full	22.67	1.6	24.27	33	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Left	22.47	1.6	24.07	33	PASS
n2	15	5	DFT-QPSK	M	Inner_1RB_Right	22.53	1.6	24.13	33	PASS
n2	15	5	DFT-QPSK	M	Inner_Full	22.53	1.6	24.13	33	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	22.44	1.6	24.04	33	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Left	21.73	1.6	23.33	33	PASS
n2	15	5	DFT-16QAM	M	Inner_1RB_Right	21.79	1.6	23.39	33	PASS
n2	15	5	DFT-16QAM	M	Inner_Full	21.87	1.6	23.47	33	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	20.86	1.6	22.46	33	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Left	20.56	1.6	22.16	33	PASS
n2	15	5	DFT-64QAM	M	Inner_1RB_Right	20.53	1.6	22.13	33	PASS

n2	15	5	DFT-64QAM	M	Inner_Full	20.37	1.6	21.97	33	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	20.39	1.6	21.99	33	PASS
n2	15	5	DFT-256QAM	M	Inner_1RB_Left	17.85	1.6	19.45	33	PASS
n2	15	5	DFT-256QAM	M	Inner_1RB_Right	17.77	1.6	19.37	33	PASS
n2	15	5	DFT-256QAM	M	Inner_Full	18.35	1.6	19.95	33	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	18.34	1.6	19.94	33	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Left	22.75	1.6	24.35	33	PASS
n2	15	5	DFT-BPSK	H	Inner_1RB_Right	22.81	1.6	24.41	33	PASS
n2	15	5	DFT-BPSK	H	Inner_Full	22.81	1.6	24.41	33	PASS
n2	15	5	DFT-BPSK	H	Outer_Full	22.58	1.6	24.18	33	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Left	22.77	1.6	24.37	33	PASS
n2	15	5	DFT-QPSK	H	Inner_1RB_Right	22.86	1.6	24.46	33	PASS
n2	15	5	DFT-QPSK	H	Inner_Full	22.81	1.6	24.41	33	PASS
n2	15	5	DFT-QPSK	H	Outer_Full	22.69	1.6	24.29	33	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Left	21.93	1.6	23.53	33	PASS
n2	15	5	DFT-16QAM	H	Inner_1RB_Right	22.1	1.6	23.7	33	PASS
n2	15	5	DFT-16QAM	H	Inner_Full	22.05	1.6	23.65	33	PASS
n2	15	5	DFT-16QAM	H	Outer_Full	21.07	1.6	22.67	33	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Left	20.78	1.6	22.38	33	PASS
n2	15	5	DFT-64QAM	H	Inner_1RB_Right	20.72	1.6	22.32	33	PASS
n2	15	5	DFT-64QAM	H	Inner_Full	20.53	1.6	22.13	33	PASS
n2	15	5	DFT-64QAM	H	Outer_Full	20.64	1.6	22.24	33	PASS
n2	15	5	DFT-256QAM	H	Inner_1RB_Left	18.01	1.6	19.61	33	PASS
n2	15	5	DFT-256QAM	H	Inner_1RB_Right	17.94	1.6	19.54	33	PASS
n2	15	5	DFT-256QAM	H	Inner_Full	18.4	1.6	20	33	PASS
n2	15	5	DFT-256QAM	H	Outer_Full	18.57	1.6	20.17	33	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Left	22.66	1.6	24.26	33	PASS
n2	15	10	DFT-BPSK	L	Inner_1RB_Right	22.64	1.6	24.24	33	PASS
n2	15	10	DFT-BPSK	L	Inner_Full	22.68	1.6	24.28	33	PASS
n2	15	10	DFT-BPSK	L	Outer_Full	22.35	1.6	23.95	33	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Left	22.64	1.6	24.24	33	PASS
n2	15	10	DFT-QPSK	L	Inner_1RB_Right	22.63	1.6	24.23	33	PASS
n2	15	10	DFT-QPSK	L	Inner_Full	22.62	1.6	24.22	33	PASS
n2	15	10	DFT-QPSK	L	Outer_Full	22.83	1.6	24.43	33	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Left	21.76	1.6	23.36	33	PASS
n2	15	10	DFT-16QAM	L	Inner_1RB_Right	21.83	1.6	23.43	33	PASS
n2	15	10	DFT-16QAM	L	Inner_Full	21.91	1.6	23.51	33	PASS
n2	15	10	DFT-16QAM	L	Outer_Full	20.86	1.6	22.46	33	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Left	20.45	1.6	22.05	33	PASS
n2	15	10	DFT-64QAM	L	Inner_1RB_Right	20.62	1.6	22.22	33	PASS
n2	15	10	DFT-64QAM	L	Inner_Full	20.41	1.6	22.01	33	PASS

n2	15	10	DFT-64QAM	L	Outer_Full	20.4	1.6	22	33	PASS
n2	15	10	DFT-256QAM	L	Inner_1RB_Left	17.83	1.6	19.43	33	PASS
n2	15	10	DFT-256QAM	L	Inner_1RB_Right	17.89	1.6	19.49	33	PASS
n2	15	10	DFT-256QAM	L	Inner_Full	18.34	1.6	19.94	33	PASS
n2	15	10	DFT-256QAM	L	Outer_Full	18.36	1.6	19.96	33	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Left	22.71	1.6	24.31	33	PASS
n2	15	10	DFT-BPSK	M	Inner_1RB_Right	22.65	1.6	24.25	33	PASS
n2	15	10	DFT-BPSK	M	Inner_Full	22.68	1.6	24.28	33	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	22.36	1.6	23.96	33	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Left	22.7	1.6	24.3	33	PASS
n2	15	10	DFT-QPSK	M	Inner_1RB_Right	22.66	1.6	24.26	33	PASS
n2	15	10	DFT-QPSK	M	Inner_Full	22.71	1.6	24.31	33	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	22.66	1.6	24.26	33	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Left	21.83	1.6	23.43	33	PASS
n2	15	10	DFT-16QAM	M	Inner_1RB_Right	21.8	1.6	23.4	33	PASS
n2	15	10	DFT-16QAM	M	Inner_Full	21.89	1.6	23.49	33	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	20.94	1.6	22.54	33	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Left	20.62	1.6	22.22	33	PASS
n2	15	10	DFT-64QAM	M	Inner_1RB_Right	20.52	1.6	22.12	33	PASS
n2	15	10	DFT-64QAM	M	Inner_Full	20.45	1.6	22.05	33	PASS
n2	15	10	DFT-64QAM	M	Outer_Full	20.5	1.6	22.1	33	PASS
n2	15	10	DFT-256QAM	M	Inner_1RB_Left	17.88	1.6	19.48	33	PASS
n2	15	10	DFT-256QAM	M	Inner_1RB_Right	17.77	1.6	19.37	33	PASS
n2	15	10	DFT-256QAM	M	Inner_Full	18.43	1.6	20.03	33	PASS
n2	15	10	DFT-256QAM	M	Outer_Full	18.35	1.6	19.95	33	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Left	22.79	1.6	24.39	33	PASS
n2	15	10	DFT-BPSK	H	Inner_1RB_Right	22.87	1.6	24.47	33	PASS
n2	15	10	DFT-BPSK	H	Inner_Full	22.85	1.6	24.45	33	PASS
n2	15	10	DFT-BPSK	H	Outer_Full	22.55	1.6	24.15	33	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Left	22.82	1.6	24.42	33	PASS
n2	15	10	DFT-QPSK	H	Inner_1RB_Right	22.91	1.6	24.51	33	PASS
n2	15	10	DFT-QPSK	H	Inner_Full	22.85	1.6	24.45	33	PASS
n2	15	10	DFT-QPSK	H	Outer_Full	22.67	1.6	24.27	33	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Left	21.85	1.6	23.45	33	PASS
n2	15	10	DFT-16QAM	H	Inner_1RB_Right	21.99	1.6	23.59	33	PASS
n2	15	10	DFT-16QAM	H	Inner_Full	22.08	1.6	23.68	33	PASS
n2	15	10	DFT-16QAM	H	Outer_Full	21.04	1.6	22.64	33	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Left	20.66	1.6	22.26	33	PASS
n2	15	10	DFT-64QAM	H	Inner_1RB_Right	20.7	1.6	22.3	33	PASS
n2	15	10	DFT-64QAM	H	Inner_Full	20.6	1.6	22.2	33	PASS
n2	15	10	DFT-64QAM	H	Outer_Full	20.61	1.6	22.21	33	PASS

n2	15	10	DFT-256QAM	H	Inner_1RB_Left	17.95	1.6	19.55	33	PASS
n2	15	10	DFT-256QAM	H	Inner_1RB_Right	18.05	1.6	19.65	33	PASS
n2	15	10	DFT-256QAM	H	Inner_Full	18.57	1.6	20.17	33	PASS
n2	15	10	DFT-256QAM	H	Outer_Full	18.57	1.6	20.17	33	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Left	22.55	1.6	24.15	33	PASS
n2	15	15	DFT-BPSK	L	Inner_1RB_Right	22.6	1.6	24.2	33	PASS
n2	15	15	DFT-BPSK	L	Inner_Full	22.64	1.6	24.24	33	PASS
n2	15	15	DFT-BPSK	L	Outer_Full	22.26	1.6	23.86	33	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Left	22.55	1.6	24.15	33	PASS
n2	15	15	DFT-QPSK	L	Inner_1RB_Right	22.61	1.6	24.21	33	PASS
n2	15	15	DFT-QPSK	L	Inner_Full	22.61	1.6	24.21	33	PASS
n2	15	15	DFT-QPSK	L	Outer_Full	22.75	1.6	24.35	33	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Left	21.71	1.6	23.31	33	PASS
n2	15	15	DFT-16QAM	L	Inner_1RB_Right	21.75	1.6	23.35	33	PASS
n2	15	15	DFT-16QAM	L	Inner_Full	21.72	1.6	23.32	33	PASS
n2	15	15	DFT-16QAM	L	Outer_Full	20.92	1.6	22.52	33	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Left	20.46	1.6	22.06	33	PASS
n2	15	15	DFT-64QAM	L	Inner_1RB_Right	20.48	1.6	22.08	33	PASS
n2	15	15	DFT-64QAM	L	Inner_Full	20.32	1.6	21.92	33	PASS
n2	15	15	DFT-64QAM	L	Outer_Full	20.36	1.6	21.96	33	PASS
n2	15	15	DFT-256QAM	L	Inner_1RB_Left	17.74	1.6	19.34	33	PASS
n2	15	15	DFT-256QAM	L	Inner_1RB_Right	17.82	1.6	19.42	33	PASS
n2	15	15	DFT-256QAM	L	Inner_Full	18.18	1.6	19.78	33	PASS
n2	15	15	DFT-256QAM	L	Outer_Full	18.16	1.6	19.76	33	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Left	22.72	1.6	24.32	33	PASS
n2	15	15	DFT-BPSK	M	Inner_1RB_Right	22.58	1.6	24.18	33	PASS
n2	15	15	DFT-BPSK	M	Inner_Full	22.72	1.6	24.32	33	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	22.64	1.6	24.24	33	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Left	22.71	1.6	24.31	33	PASS
n2	15	15	DFT-QPSK	M	Inner_1RB_Right	22.62	1.6	24.22	33	PASS
n2	15	15	DFT-QPSK	M	Inner_Full	22.68	1.6	24.28	33	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	22.56	1.6	24.16	33	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Left	21.92	1.6	23.52	33	PASS
n2	15	15	DFT-16QAM	M	Inner_1RB_Right	21.77	1.6	23.37	33	PASS
n2	15	15	DFT-16QAM	M	Inner_Full	21.82	1.6	23.42	33	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	20.88	1.6	22.48	33	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Left	20.6	1.6	22.2	33	PASS
n2	15	15	DFT-64QAM	M	Inner_1RB_Right	20.45	1.6	22.05	33	PASS
n2	15	15	DFT-64QAM	M	Inner_Full	20.39	1.6	21.99	33	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	20.38	1.6	21.98	33	PASS
n2	15	15	DFT-256QAM	M	Inner_1RB_Left	17.84	1.6	19.44	33	PASS

n2	15	15	DFT-256QAM	M	Inner_1RB_Right	17.71	1.6	19.31	33	PASS
n2	15	15	DFT-256QAM	M	Inner_Full	18.29	1.6	19.89	33	PASS
n2	15	15	DFT-256QAM	M	Outer_Full	18.33	1.6	19.93	33	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Left	22.68	1.6	24.28	33	PASS
n2	15	15	DFT-BPSK	H	Inner_1RB_Right	22.89	1.6	24.49	33	PASS
n2	15	15	DFT-BPSK	H	Inner_Full	22.82	1.6	24.42	33	PASS
n2	15	15	DFT-BPSK	H	Outer_Full	22.45	1.6	24.05	33	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Left	22.68	1.6	24.28	33	PASS
n2	15	15	DFT-QPSK	H	Inner_1RB_Right	22.85	1.6	24.45	33	PASS
n2	15	15	DFT-QPSK	H	Inner_Full	22.84	1.6	24.44	33	PASS
n2	15	15	DFT-QPSK	H	Outer_Full	22.69	1.6	24.29	33	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Left	21.9	1.6	23.5	33	PASS
n2	15	15	DFT-16QAM	H	Inner_1RB_Right	22.01	1.6	23.61	33	PASS
n2	15	15	DFT-16QAM	H	Inner_Full	22.01	1.6	23.61	33	PASS
n2	15	15	DFT-16QAM	H	Outer_Full	21.01	1.6	22.61	33	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Left	20.63	1.6	22.23	33	PASS
n2	15	15	DFT-64QAM	H	Inner_1RB_Right	20.73	1.6	22.33	33	PASS
n2	15	15	DFT-64QAM	H	Inner_Full	20.6	1.6	22.2	33	PASS
n2	15	15	DFT-64QAM	H	Outer_Full	20.52	1.6	22.12	33	PASS
n2	15	15	DFT-256QAM	H	Inner_1RB_Left	17.83	1.6	19.43	33	PASS
n2	15	15	DFT-256QAM	H	Inner_1RB_Right	18.01	1.6	19.61	33	PASS
n2	15	15	DFT-256QAM	H	Inner_Full	18.4	1.6	20	33	PASS
n2	15	15	DFT-256QAM	H	Outer_Full	18.46	1.6	20.06	33	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Left	22.54	1.6	24.14	33	PASS
n2	15	20	DFT-BPSK	L	Inner_1RB_Right	22.71	1.6	24.31	33	PASS
n2	15	20	DFT-BPSK	L	Inner_Full	22.62	1.6	24.22	33	PASS
n2	15	20	DFT-BPSK	L	Outer_Full	22.6	1.6	24.2	33	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Left	22.54	1.6	24.14	33	PASS
n2	15	20	DFT-QPSK	L	Inner_1RB_Right	22.72	1.6	24.32	33	PASS
n2	15	20	DFT-QPSK	L	Inner_Full	22.59	1.6	24.19	33	PASS
n2	15	20	DFT-QPSK	L	Outer_Full	22.71	1.6	24.31	33	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Left	21.7	1.6	23.3	33	PASS
n2	15	20	DFT-16QAM	L	Inner_1RB_Right	21.88	1.6	23.48	33	PASS
n2	15	20	DFT-16QAM	L	Inner_Full	21.79	1.6	23.39	33	PASS
n2	15	20	DFT-16QAM	L	Outer_Full	20.77	1.6	22.37	33	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Left	20.46	1.6	22.06	33	PASS
n2	15	20	DFT-64QAM	L	Inner_1RB_Right	20.61	1.6	22.21	33	PASS
n2	15	20	DFT-64QAM	L	Inner_Full	20.38	1.6	21.98	33	PASS
n2	15	20	DFT-64QAM	L	Outer_Full	20.38	1.6	21.98	33	PASS
n2	15	20	DFT-256QAM	L	Inner_1RB_Left	17.65	1.6	19.25	33	PASS
n2	15	20	DFT-256QAM	L	Inner_1RB_Right	17.82	1.6	19.42	33	PASS

n2	15	20	DFT-256QAM	L	Inner_Full	18.25	1.6	19.85	33	PASS
n2	15	20	DFT-256QAM	L	Outer_Full	18.26	1.6	19.86	33	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Left	22.68	1.6	24.28	33	PASS
n2	15	20	DFT-BPSK	M	Inner_1RB_Right	22.58	1.6	24.18	33	PASS
n2	15	20	DFT-BPSK	M	Inner_Full	22.65	1.6	24.25	33	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	22.44	1.6	24.04	33	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Left	22.68	1.6	24.28	33	PASS
n2	15	20	DFT-QPSK	M	Inner_1RB_Right	22.61	1.6	24.21	33	PASS
n2	15	20	DFT-QPSK	M	Inner_Full	22.61	1.6	24.21	33	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	22.72	1.6	24.32	33	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Left	21.84	1.6	23.44	33	PASS
n2	15	20	DFT-16QAM	M	Inner_1RB_Right	21.77	1.6	23.37	33	PASS
n2	15	20	DFT-16QAM	M	Inner_Full	21.82	1.6	23.42	33	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	20.77	1.6	22.37	33	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Left	20.61	1.6	22.21	33	PASS
n2	15	20	DFT-64QAM	M	Inner_1RB_Right	20.45	1.6	22.05	33	PASS
n2	15	20	DFT-64QAM	M	Inner_Full	20.45	1.6	22.05	33	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	20.35	1.6	21.95	33	PASS
n2	15	20	DFT-256QAM	M	Inner_1RB_Left	17.8	1.6	19.4	33	PASS
n2	15	20	DFT-256QAM	M	Inner_1RB_Right	17.65	1.6	19.25	33	PASS
n2	15	20	DFT-256QAM	M	Inner_Full	18.31	1.6	19.91	33	PASS
n2	15	20	DFT-256QAM	M	Outer_Full	18.36	1.6	19.96	33	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Left	22.6	1.6	24.2	33	PASS
n2	15	20	DFT-BPSK	H	Inner_1RB_Right	22.8	1.6	24.4	33	PASS
n2	15	20	DFT-BPSK	H	Inner_Full	22.71	1.6	24.31	33	PASS
n2	15	20	DFT-BPSK	H	Outer_Full	22.46	1.6	24.06	33	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Left	22.65	1.6	24.25	33	PASS
n2	15	20	DFT-QPSK	H	Inner_1RB_Right	22.76	1.6	24.36	33	PASS
n2	15	20	DFT-QPSK	H	Inner_Full	22.71	1.6	24.31	33	PASS
n2	15	20	DFT-QPSK	H	Outer_Full	22.69	1.6	24.29	33	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Left	21.77	1.6	23.37	33	PASS
n2	15	20	DFT-16QAM	H	Inner_1RB_Right	21.92	1.6	23.52	33	PASS
n2	15	20	DFT-16QAM	H	Inner_Full	21.98	1.6	23.58	33	PASS
n2	15	20	DFT-16QAM	H	Outer_Full	20.95	1.6	22.55	33	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Left	20.48	1.6	22.08	33	PASS
n2	15	20	DFT-64QAM	H	Inner_1RB_Right	20.63	1.6	22.23	33	PASS
n2	15	20	DFT-64QAM	H	Inner_Full	20.56	1.6	22.16	33	PASS
n2	15	20	DFT-64QAM	H	Outer_Full	20.51	1.6	22.11	33	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Left	17.72	1.6	19.32	33	PASS
n2	15	20	DFT-256QAM	H	Inner_1RB_Right	17.98	1.6	19.58	33	PASS
n2	15	20	DFT-256QAM	H	Inner_Full	18.43	1.6	20.03	33	PASS

n2	15	20	DFT-256QAM	H	Outer_Full	18.42	1.6	20.02	33	PASS
n2	15	25	DFT-BPSK	L	Inner_1RB_Left	22.52	1.6	24.12	33	PASS
n2	15	25	DFT-BPSK	L	Inner_1RB_Right	22.65	1.6	24.25	33	PASS
n2	15	25	DFT-BPSK	L	Inner_Full	22.6	1.6	24.2	33	PASS
n2	15	25	DFT-BPSK	L	Outer_Full	22.64	1.6	24.24	33	PASS
n2	15	25	DFT-QPSK	L	Inner_1RB_Left	22.59	1.6	24.19	33	PASS
n2	15	25	DFT-QPSK	L	Inner_1RB_Right	22.73	1.6	24.33	33	PASS
n2	15	25	DFT-QPSK	L	Inner_Full	22.56	1.6	24.16	33	PASS
n2	15	25	DFT-QPSK	L	Outer_Full	22.62	1.6	24.22	33	PASS
n2	15	25	DFT-16QAM	L	Inner_1RB_Left	21.82	1.6	23.42	33	PASS
n2	15	25	DFT-16QAM	L	Inner_1RB_Right	21.84	1.6	23.44	33	PASS
n2	15	25	DFT-16QAM	L	Inner_Full	21.82	1.6	23.42	33	PASS
n2	15	25	DFT-16QAM	L	Outer_Full	20.76	1.6	22.36	33	PASS
n2	15	25	DFT-64QAM	L	Inner_1RB_Left	20.45	1.6	22.05	33	PASS
n2	15	25	DFT-64QAM	L	Inner_1RB_Right	20.58	1.6	22.18	33	PASS
n2	15	25	DFT-64QAM	L	Inner_Full	20.41	1.6	22.01	33	PASS
n2	15	25	DFT-64QAM	L	Outer_Full	20.25	1.6	21.85	33	PASS
n2	15	25	DFT-256QAM	L	Inner_1RB_Left	17.8	1.6	19.4	33	PASS
n2	15	25	DFT-256QAM	L	Inner_1RB_Right	17.91	1.6	19.51	33	PASS
n2	15	25	DFT-256QAM	L	Inner_Full	18.24	1.6	19.84	33	PASS
n2	15	25	DFT-256QAM	L	Outer_Full	18.28	1.6	19.88	33	PASS
n2	15	25	DFT-BPSK	M	Inner_1RB_Left	22.8	1.6	24.4	33	PASS
n2	15	25	DFT-BPSK	M	Inner_1RB_Right	22.66	1.6	24.26	33	PASS
n2	15	25	DFT-BPSK	M	Inner_Full	22.66	1.6	24.26	33	PASS
n2	15	25	DFT-BPSK	M	Outer_Full	22.62	1.6	24.22	33	PASS
n2	15	25	DFT-QPSK	M	Inner_1RB_Left	22.82	1.6	24.42	33	PASS
n2	15	25	DFT-QPSK	M	Inner_1RB_Right	22.71	1.6	24.31	33	PASS
n2	15	25	DFT-QPSK	M	Inner_Full	22.61	1.6	24.21	33	PASS
n2	15	25	DFT-QPSK	M	Outer_Full	22.66	1.6	24.26	33	PASS
n2	15	25	DFT-16QAM	M	Inner_1RB_Left	21.91	1.6	23.51	33	PASS
n2	15	25	DFT-16QAM	M	Inner_1RB_Right	21.82	1.6	23.42	33	PASS
n2	15	25	DFT-16QAM	M	Inner_Full	21.85	1.6	23.45	33	PASS
n2	15	25	DFT-16QAM	M	Outer_Full	20.89	1.6	22.49	33	PASS
n2	15	25	DFT-64QAM	M	Inner_1RB_Left	20.6	1.6	22.2	33	PASS
n2	15	25	DFT-64QAM	M	Inner_1RB_Right	20.51	1.6	22.11	33	PASS
n2	15	25	DFT-64QAM	M	Inner_Full	20.46	1.6	22.06	33	PASS
n2	15	25	DFT-64QAM	M	Outer_Full	20.39	1.6	21.99	33	PASS
n2	15	25	DFT-256QAM	M	Inner_1RB_Left	17.93	1.6	19.53	33	PASS
n2	15	25	DFT-256QAM	M	Inner_1RB_Right	17.93	1.6	19.53	33	PASS
n2	15	25	DFT-256QAM	M	Inner_Full	18.33	1.6	19.93	33	PASS
n2	15	25	DFT-256QAM	M	Outer_Full	18.34	1.6	19.94	33	PASS

n2	15	25	DFT-BPSK	H	Inner_1RB_Left	22.66	1.6	24.26	33	PASS
n2	15	25	DFT-BPSK	H	Inner_1RB_Right	22.82	1.6	24.42	33	PASS
n2	15	25	DFT-BPSK	H	Inner_Full	22.79	1.6	24.39	33	PASS
n2	15	25	DFT-BPSK	H	Outer_Full	22.4	1.6	24	33	PASS
n2	15	25	DFT-QPSK	H	Inner_1RB_Left	22.69	1.6	24.29	33	PASS
n2	15	25	DFT-QPSK	H	Inner_1RB_Right	22.86	1.6	24.46	33	PASS
n2	15	25	DFT-QPSK	H	Inner_Full	22.74	1.6	24.34	33	PASS
n2	15	25	DFT-QPSK	H	Outer_Full	22.67	1.6	24.27	33	PASS
n2	15	25	DFT-16QAM	H	Inner_1RB_Left	21.9	1.6	23.5	33	PASS
n2	15	25	DFT-16QAM	H	Inner_1RB_Right	22.02	1.6	23.62	33	PASS
n2	15	25	DFT-16QAM	H	Inner_Full	21.98	1.6	23.58	33	PASS
n2	15	25	DFT-16QAM	H	Outer_Full	20.94	1.6	22.54	33	PASS
n2	15	25	DFT-64QAM	H	Inner_1RB_Left	20.51	1.6	22.11	33	PASS
n2	15	25	DFT-64QAM	H	Inner_1RB_Right	20.75	1.6	22.35	33	PASS
n2	15	25	DFT-64QAM	H	Inner_Full	20.51	1.6	22.11	33	PASS
n2	15	25	DFT-64QAM	H	Outer_Full	20.44	1.6	22.04	33	PASS
n2	15	25	DFT-256QAM	H	Inner_1RB_Left	17.87	1.6	19.47	33	PASS
n2	15	25	DFT-256QAM	H	Inner_1RB_Right	17.98	1.6	19.58	33	PASS
n2	15	25	DFT-256QAM	H	Inner_Full	18.47	1.6	20.07	33	PASS
n2	15	25	DFT-256QAM	H	Outer_Full	18.46	1.6	20.06	33	PASS
n2	15	30	DFT-BPSK	L	Inner_1RB_Left	22.64	1.6	24.24	33	PASS
n2	15	30	DFT-BPSK	L	Inner_1RB_Right	22.73	1.6	24.33	33	PASS
n2	15	30	DFT-BPSK	L	Inner_Full	22.68	1.6	24.28	33	PASS
n2	15	30	DFT-BPSK	L	Outer_Full	22.43	1.6	24.03	33	PASS
n2	15	30	DFT-QPSK	L	Inner_1RB_Left	22.65	1.6	24.25	33	PASS
n2	15	30	DFT-QPSK	L	Inner_1RB_Right	22.71	1.6	24.31	33	PASS
n2	15	30	DFT-QPSK	L	Inner_Full	22.67	1.6	24.27	33	PASS
n2	15	30	DFT-QPSK	L	Outer_Full	22.61	1.6	24.21	33	PASS
n2	15	30	DFT-16QAM	L	Inner_1RB_Left	21.77	1.6	23.37	33	PASS
n2	15	30	DFT-16QAM	L	Inner_1RB_Right	21.8	1.6	23.4	33	PASS
n2	15	30	DFT-16QAM	L	Inner_Full	21.86	1.6	23.46	33	PASS
n2	15	30	DFT-16QAM	L	Outer_Full	20.91	1.6	22.51	33	PASS
n2	15	30	DFT-64QAM	L	Inner_1RB_Left	20.52	1.6	22.12	33	PASS
n2	15	30	DFT-64QAM	L	Inner_1RB_Right	20.56	1.6	22.16	33	PASS
n2	15	30	DFT-64QAM	L	Inner_Full	20.47	1.6	22.07	33	PASS
n2	15	30	DFT-64QAM	L	Outer_Full	20.47	1.6	22.07	33	PASS
n2	15	30	DFT-256QAM	L	Inner_1RB_Left	17.83	1.6	19.43	33	PASS
n2	15	30	DFT-256QAM	L	Inner_1RB_Right	17.89	1.6	19.49	33	PASS
n2	15	30	DFT-256QAM	L	Inner_Full	18.44	1.6	20.04	33	PASS
n2	15	30	DFT-256QAM	L	Outer_Full	18.35	1.6	19.95	33	PASS
n2	15	30	DFT-BPSK	M	Inner_1RB_Left	22.74	1.6	24.34	33	PASS

n2	15	30	DFT-BPSK	M	Inner_1RB_Right	22.72	1.6	24.32	33	PASS
n2	15	30	DFT-BPSK	M	Inner_Full	22.64	1.6	24.24	33	PASS
n2	15	30	DFT-BPSK	M	Outer_Full	22.39	1.6	23.99	33	PASS
n2	15	30	DFT-QPSK	M	Inner_1RB_Left	22.77	1.6	24.37	33	PASS
n2	15	30	DFT-QPSK	M	Inner_1RB_Right	22.73	1.6	24.33	33	PASS
n2	15	30	DFT-QPSK	M	Inner_Full	22.61	1.6	24.21	33	PASS
n2	15	30	DFT-QPSK	M	Outer_Full	22.5	1.6	24.1	33	PASS
n2	15	30	DFT-16QAM	M	Inner_1RB_Left	21.94	1.6	23.54	33	PASS
n2	15	30	DFT-16QAM	M	Inner_1RB_Right	21.8	1.6	23.4	33	PASS
n2	15	30	DFT-16QAM	M	Inner_Full	21.89	1.6	23.49	33	PASS
n2	15	30	DFT-16QAM	M	Outer_Full	20.92	1.6	22.52	33	PASS
n2	15	30	DFT-64QAM	M	Inner_1RB_Left	20.68	1.6	22.28	33	PASS
n2	15	30	DFT-64QAM	M	Inner_1RB_Right	20.51	1.6	22.11	33	PASS
n2	15	30	DFT-64QAM	M	Inner_Full	20.44	1.6	22.04	33	PASS
n2	15	30	DFT-64QAM	M	Outer_Full	20.39	1.6	21.99	33	PASS
n2	15	30	DFT-256QAM	M	Inner_1RB_Left	17.98	1.6	19.58	33	PASS
n2	15	30	DFT-256QAM	M	Inner_1RB_Right	17.97	1.6	19.57	33	PASS
n2	15	30	DFT-256QAM	M	Inner_Full	18.42	1.6	20.02	33	PASS
n2	15	30	DFT-256QAM	M	Outer_Full	18.36	1.6	19.96	33	PASS
n2	15	30	DFT-BPSK	H	Inner_1RB_Left	22.6	1.6	24.2	33	PASS
n2	15	30	DFT-BPSK	H	Inner_1RB_Right	22.84	1.6	24.44	33	PASS
n2	15	30	DFT-BPSK	H	Inner_Full	22.75	1.6	24.35	33	PASS
n2	15	30	DFT-BPSK	H	Outer_Full	22.47	1.6	24.07	33	PASS
n2	15	30	DFT-QPSK	H	Inner_1RB_Left	22.78	1.6	24.38	33	PASS
n2	15	30	DFT-QPSK	H	Inner_1RB_Right	22.87	1.6	24.47	33	PASS
n2	15	30	DFT-QPSK	H	Inner_Full	22.73	1.6	24.33	33	PASS
n2	15	30	DFT-QPSK	H	Outer_Full	22.63	1.6	24.23	33	PASS
n2	15	30	DFT-16QAM	H	Inner_1RB_Left	21.84	1.6	23.44	33	PASS
n2	15	30	DFT-16QAM	H	Inner_1RB_Right	22.03	1.6	23.63	33	PASS
n2	15	30	DFT-16QAM	H	Inner_Full	21.96	1.6	23.56	33	PASS
n2	15	30	DFT-16QAM	H	Outer_Full	20.98	1.6	22.58	33	PASS
n2	15	30	DFT-64QAM	H	Inner_1RB_Left	20.6	1.6	22.2	33	PASS
n2	15	30	DFT-64QAM	H	Inner_1RB_Right	20.68	1.6	22.28	33	PASS
n2	15	30	DFT-64QAM	H	Inner_Full	20.5	1.6	22.1	33	PASS
n2	15	30	DFT-64QAM	H	Outer_Full	20.45	1.6	22.05	33	PASS
n2	15	30	DFT-256QAM	H	Inner_1RB_Left	17.83	1.6	19.43	33	PASS
n2	15	30	DFT-256QAM	H	Inner_1RB_Right	18.07	1.6	19.67	33	PASS
n2	15	30	DFT-256QAM	H	Inner_Full	18.47	1.6	20.07	33	PASS
n2	15	30	DFT-256QAM	H	Outer_Full	18.51	1.6	20.11	33	PASS
n2	15	35	DFT-BPSK	L	Inner_1RB_Left	22.5	1.6	24.1	33	PASS
n2	15	35	DFT-BPSK	L	Inner_1RB_Right	22.51	1.6	24.11	33	PASS

n2	15	35	DFT-BPSK	L	Inner_Full	22.64	1.6	24.24	33	PASS
n2	15	35	DFT-BPSK	L	Outer_Full	22.4	1.6	24	33	PASS
n2	15	35	DFT-QPSK	L	Inner_1RB_Left	22.5	1.6	24.1	33	PASS
n2	15	35	DFT-QPSK	L	Inner_1RB_Right	22.51	1.6	24.11	33	PASS
n2	15	35	DFT-QPSK	L	Inner_Full	22.71	1.6	24.31	33	PASS
n2	15	35	DFT-QPSK	L	Outer_Full	22.58	1.6	24.18	33	PASS
n2	15	35	DFT-16QAM	L	Inner_1RB_Left	21.71	1.6	23.31	33	PASS
n2	15	35	DFT-16QAM	L	Inner_1RB_Right	21.76	1.6	23.36	33	PASS
n2	15	35	DFT-16QAM	L	Inner_Full	21.95	1.6	23.55	33	PASS
n2	15	35	DFT-16QAM	L	Outer_Full	20.84	1.6	22.44	33	PASS
n2	15	35	DFT-64QAM	L	Inner_1RB_Left	20.4	1.6	22	33	PASS
n2	15	35	DFT-64QAM	L	Inner_1RB_Right	20.49	1.6	22.09	33	PASS
n2	15	35	DFT-64QAM	L	Inner_Full	20.48	1.6	22.08	33	PASS
n2	15	35	DFT-64QAM	L	Outer_Full	20.48	1.6	22.08	33	PASS
n2	15	35	DFT-256QAM	L	Inner_1RB_Left	17.75	1.6	19.35	33	PASS
n2	15	35	DFT-256QAM	L	Inner_1RB_Right	17.85	1.6	19.45	33	PASS
n2	15	35	DFT-256QAM	L	Inner_Full	18.42	1.6	20.02	33	PASS
n2	15	35	DFT-256QAM	L	Outer_Full	18.38	1.6	19.98	33	PASS
n2	15	35	DFT-BPSK	M	Inner_1RB_Left	22.63	1.6	24.23	33	PASS
n2	15	35	DFT-BPSK	M	Inner_1RB_Right	22.63	1.6	24.23	33	PASS
n2	15	35	DFT-BPSK	M	Inner_Full	22.65	1.6	24.25	33	PASS
n2	15	35	DFT-BPSK	M	Outer_Full	22.37	1.6	23.97	33	PASS
n2	15	35	DFT-QPSK	M	Inner_1RB_Left	22.57	1.6	24.17	33	PASS
n2	15	35	DFT-QPSK	M	Inner_1RB_Right	22.65	1.6	24.25	33	PASS
n2	15	35	DFT-QPSK	M	Inner_Full	22.61	1.6	24.21	33	PASS
n2	15	35	DFT-QPSK	M	Outer_Full	22.41	1.6	24.01	33	PASS
n2	15	35	DFT-16QAM	M	Inner_1RB_Left	21.86	1.6	23.46	33	PASS
n2	15	35	DFT-16QAM	M	Inner_1RB_Right	21.81	1.6	23.41	33	PASS
n2	15	35	DFT-16QAM	M	Inner_Full	21.85	1.6	23.45	33	PASS
n2	15	35	DFT-16QAM	M	Outer_Full	20.83	1.6	22.43	33	PASS
n2	15	35	DFT-64QAM	M	Inner_1RB_Left	20.43	1.6	22.03	33	PASS
n2	15	35	DFT-64QAM	M	Inner_1RB_Right	20.57	1.6	22.17	33	PASS
n2	15	35	DFT-64QAM	M	Inner_Full	20.44	1.6	22.04	33	PASS
n2	15	35	DFT-64QAM	M	Outer_Full	20.48	1.6	22.08	33	PASS
n2	15	35	DFT-256QAM	M	Inner_1RB_Left	17.8	1.6	19.4	33	PASS
n2	15	35	DFT-256QAM	M	Inner_1RB_Right	17.94	1.6	19.54	33	PASS
n2	15	35	DFT-256QAM	M	Inner_Full	18.45	1.6	20.05	33	PASS
n2	15	35	DFT-256QAM	M	Outer_Full	18.38	1.6	19.98	33	PASS
n2	15	35	DFT-BPSK	H	Inner_1RB_Left	22.6	1.6	24.2	33	PASS
n2	15	35	DFT-BPSK	H	Inner_1RB_Right	22.67	1.6	24.27	33	PASS
n2	15	35	DFT-BPSK	H	Inner_Full	22.61	1.6	24.21	33	PASS

n2	15	35	DFT-BPSK	H	Outer_Full	22.36	1.6	23.96	33	PASS
n2	15	35	DFT-QPSK	H	Inner_1RB_Left	22.58	1.6	24.18	33	PASS
n2	15	35	DFT-QPSK	H	Inner_1RB_Right	22.71	1.6	24.31	33	PASS
n2	15	35	DFT-QPSK	H	Inner_Full	22.59	1.6	24.19	33	PASS
n2	15	35	DFT-QPSK	H	Outer_Full	22.57	1.6	24.17	33	PASS
n2	15	35	DFT-16QAM	H	Inner_1RB_Left	21.83	1.6	23.43	33	PASS
n2	15	35	DFT-16QAM	H	Inner_1RB_Right	21.96	1.6	23.56	33	PASS
n2	15	35	DFT-16QAM	H	Inner_Full	21.79	1.6	23.39	33	PASS
n2	15	35	DFT-16QAM	H	Outer_Full	20.91	1.6	22.51	33	PASS
n2	15	35	DFT-64QAM	H	Inner_1RB_Left	20.57	1.6	22.17	33	PASS
n2	15	35	DFT-64QAM	H	Inner_1RB_Right	20.67	1.6	22.27	33	PASS
n2	15	35	DFT-64QAM	H	Inner_Full	20.26	1.6	21.86	33	PASS
n2	15	35	DFT-64QAM	H	Outer_Full	20.36	1.6	21.96	33	PASS
n2	15	35	DFT-256QAM	H	Inner_1RB_Left	17.79	1.6	19.39	33	PASS
n2	15	35	DFT-256QAM	H	Inner_1RB_Right	17.94	1.6	19.54	33	PASS
n2	15	35	DFT-256QAM	H	Inner_Full	18.39	1.6	19.99	33	PASS
n2	15	35	DFT-256QAM	H	Outer_Full	18.42	1.6	20.02	33	PASS
n2	15	40	DFT-BPSK	L	Inner_1RB_Left	22.56	1.6	24.16	33	PASS
n2	15	40	DFT-BPSK	L	Inner_1RB_Right	22.58	1.6	24.18	33	PASS
n2	15	40	DFT-BPSK	L	Inner_Full	22.65	1.6	24.25	33	PASS
n2	15	40	DFT-BPSK	L	Outer_Full	22.49	1.6	24.09	33	PASS
n2	15	40	DFT-QPSK	L	Inner_1RB_Left	22.64	1.6	24.24	33	PASS
n2	15	40	DFT-QPSK	L	Inner_1RB_Right	22.53	1.6	24.13	33	PASS
n2	15	40	DFT-QPSK	L	Inner_Full	22.69	1.6	24.29	33	PASS
n2	15	40	DFT-QPSK	L	Outer_Full	22.52	1.6	24.12	33	PASS
n2	15	40	DFT-16QAM	L	Inner_1RB_Left	21.71	1.6	23.31	33	PASS
n2	15	40	DFT-16QAM	L	Inner_1RB_Right	21.82	1.6	23.42	33	PASS
n2	15	40	DFT-16QAM	L	Inner_Full	21.95	1.6	23.55	33	PASS
n2	15	40	DFT-16QAM	L	Outer_Full	20.9	1.6	22.5	33	PASS
n2	15	40	DFT-64QAM	L	Inner_1RB_Left	20.38	1.6	21.98	33	PASS
n2	15	40	DFT-64QAM	L	Inner_1RB_Right	20.36	1.6	21.96	33	PASS
n2	15	40	DFT-64QAM	L	Inner_Full	20.45	1.6	22.05	33	PASS
n2	15	40	DFT-64QAM	L	Outer_Full	20.43	1.6	22.03	33	PASS
n2	15	40	DFT-256QAM	L	Inner_1RB_Left	17.72	1.6	19.32	33	PASS
n2	15	40	DFT-256QAM	L	Inner_1RB_Right	17.77	1.6	19.37	33	PASS
n2	15	40	DFT-256QAM	L	Inner_Full	18.41	1.6	20.01	33	PASS
n2	15	40	DFT-256QAM	L	Outer_Full	18.35	1.6	19.95	33	PASS
n2	15	40	DFT-BPSK	M	Inner_1RB_Left	22.65	1.6	24.25	33	PASS
n2	15	40	DFT-BPSK	M	Inner_1RB_Right	22.69	1.6	24.29	33	PASS
n2	15	40	DFT-BPSK	M	Inner_Full	22.59	1.6	24.19	33	PASS
n2	15	40	DFT-BPSK	M	Outer_Full	22.49	1.6	24.09	33	PASS

n2	15	40	DFT-QPSK	M	Inner_1RB_Left	22.73	1.6	24.33	33	PASS
n2	15	40	DFT-QPSK	M	Inner_1RB_Right	22.81	1.6	24.41	33	PASS
n2	15	40	DFT-QPSK	M	Inner_Full	22.69	1.6	24.29	33	PASS
n2	15	40	DFT-QPSK	M	Outer_Full	22.53	1.6	24.13	33	PASS
n2	15	40	DFT-16QAM	M	Inner_1RB_Left	21.8	1.6	23.4	33	PASS
n2	15	40	DFT-16QAM	M	Inner_1RB_Right	21.76	1.6	23.36	33	PASS
n2	15	40	DFT-16QAM	M	Inner_Full	21.9	1.6	23.5	33	PASS
n2	15	40	DFT-16QAM	M	Outer_Full	20.9	1.6	22.5	33	PASS
n2	15	40	DFT-64QAM	M	Inner_1RB_Left	20.45	1.6	22.05	33	PASS
n2	15	40	DFT-64QAM	M	Inner_1RB_Right	20.57	1.6	22.17	33	PASS
n2	15	40	DFT-64QAM	M	Inner_Full	20.45	1.6	22.05	33	PASS
n2	15	40	DFT-64QAM	M	Outer_Full	20.44	1.6	22.04	33	PASS
n2	15	40	DFT-256QAM	M	Inner_1RB_Left	17.69	1.6	19.29	33	PASS
n2	15	40	DFT-256QAM	M	Inner_1RB_Right	17.82	1.6	19.42	33	PASS
n2	15	40	DFT-256QAM	M	Inner_Full	18.37	1.6	19.97	33	PASS
n2	15	40	DFT-256QAM	M	Outer_Full	18.35	1.6	19.95	33	PASS
n2	15	40	DFT-BPSK	H	Inner_1RB_Left	22.8	1.6	24.4	33	PASS
n2	15	40	DFT-BPSK	H	Inner_1RB_Right	22.73	1.6	24.33	33	PASS
n2	15	40	DFT-BPSK	H	Inner_Full	22.67	1.6	24.27	33	PASS
n2	15	40	DFT-BPSK	H	Outer_Full	22.44	1.6	24.04	33	PASS
n2	15	40	DFT-QPSK	H	Inner_1RB_Left	22.8	1.6	24.4	33	PASS
n2	15	40	DFT-QPSK	H	Inner_1RB_Right	22.77	1.6	24.37	33	PASS
n2	15	40	DFT-QPSK	H	Inner_Full	22.64	1.6	24.24	33	PASS
n2	15	40	DFT-QPSK	H	Outer_Full	22.53	1.6	24.13	33	PASS
n2	15	40	DFT-16QAM	H	Inner_1RB_Left	21.89	1.6	23.49	33	PASS
n2	15	40	DFT-16QAM	H	Inner_1RB_Right	21.94	1.6	23.54	33	PASS
n2	15	40	DFT-16QAM	H	Inner_Full	21.86	1.6	23.46	33	PASS
n2	15	40	DFT-16QAM	H	Outer_Full	20.95	1.6	22.55	33	PASS
n2	15	40	DFT-64QAM	H	Inner_1RB_Left	20.53	1.6	22.13	33	PASS
n2	15	40	DFT-64QAM	H	Inner_1RB_Right	20.64	1.6	22.24	33	PASS
n2	15	40	DFT-64QAM	H	Inner_Full	20.4	1.6	22	33	PASS
n2	15	40	DFT-64QAM	H	Outer_Full	20.47	1.6	22.07	33	PASS
n2	15	40	DFT-256QAM	H	Inner_1RB_Left	17.85	1.6	19.45	33	PASS
n2	15	40	DFT-256QAM	H	Inner_1RB_Right	17.92	1.6	19.52	33	PASS
n2	15	40	DFT-256QAM	H	Inner_Full	18.35	1.6	19.95	33	PASS
n2	15	40	DFT-256QAM	H	Outer_Full	18.38	1.6	19.98	33	PASS

Peak-to-Average Ratio


Peak-to-Average Ratio(CCDF)

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result(dB)	Limit(dB)	Verdict
n2	15	5	DFT-BPSK	M	Outer_Full	3.98	≤13	PASS
n2	15	5	DFT-QPSK	M	Outer_Full	5.08	≤13	PASS
n2	15	5	DFT-16QAM	M	Outer_Full	5.96	≤13	PASS
n2	15	5	DFT-64QAM	M	Outer_Full	6.18	≤13	PASS
n2	15	5	DFT-256QAM	M	Outer_Full	6.4	≤13	PASS
n2	15	10	DFT-BPSK	M	Outer_Full	4.1	≤13	PASS
n2	15	10	DFT-QPSK	M	Outer_Full	5.14	≤13	PASS
n2	15	10	DFT-16QAM	M	Outer_Full	5.94	≤13	PASS
n2	15	10	DFT-64QAM	M	Outer_Full	6.08	≤13	PASS
n2	15	10	DFT-256QAM	M	Outer_Full	6.44	≤13	PASS
n2	15	15	DFT-BPSK	M	Outer_Full	4.08	≤13	PASS
n2	15	15	DFT-QPSK	M	Outer_Full	5.22	≤13	PASS
n2	15	15	DFT-16QAM	M	Outer_Full	5.92	≤13	PASS
n2	15	15	DFT-64QAM	M	Outer_Full	6.08	≤13	PASS
n2	15	15	DFT-256QAM	M	Outer_Full	6.6	≤13	PASS
n2	15	20	DFT-BPSK	M	Outer_Full	4.14	≤13	PASS
n2	15	20	DFT-QPSK	M	Outer_Full	5.2	≤13	PASS
n2	15	20	DFT-16QAM	M	Outer_Full	6.1	≤13	PASS
n2	15	20	DFT-64QAM	M	Outer_Full	6.14	≤13	PASS
n2	15	20	DFT-256QAM	M	Outer_Full	6.72	≤13	PASS
n2	15	25	DFT-BPSK	M	Outer_Full	4.44	≤13	PASS
n2	15	25	DFT-QPSK	M	Outer_Full	5.4	≤13	PASS
n2	15	25	DFT-16QAM	M	Outer_Full	6.04	≤13	PASS
n2	15	25	DFT-64QAM	M	Outer_Full	6.34	≤13	PASS
n2	15	25	DFT-256QAM	M	Outer_Full	6.7	≤13	PASS
n2	15	30	DFT-BPSK	M	Outer_Full	4.24	≤13	PASS
n2	15	30	DFT-QPSK	M	Outer_Full	5.3	≤13	PASS
n2	15	30	DFT-16QAM	M	Outer_Full	6.18	≤13	PASS
n2	15	30	DFT-64QAM	M	Outer_Full	6.34	≤13	PASS
n2	15	30	DFT-256QAM	M	Outer_Full	6.56	≤13	PASS
n2	15	35	DFT-BPSK	M	Outer_Full	4.38	≤13	PASS
n2	15	35	DFT-QPSK	M	Outer_Full	5.3	≤13	PASS
n2	15	35	DFT-16QAM	M	Outer_Full	6.1	≤13	PASS
n2	15	35	DFT-64QAM	M	Outer_Full	6.34	≤13	PASS
n2	15	35	DFT-256QAM	M	Outer_Full	6.62	≤13	PASS
n2	15	40	DFT-BPSK	M	Outer_Full	4.38	≤13	PASS

n2	15	40	DFT-QPSK	M	Outer_Full	5.26	≤13	PASS
n2	15	40	DFT-16QAM	M	Outer_Full	6.08	≤13	PASS
n2	15	40	DFT-64QAM	M	Outer_Full	6.48	≤13	PASS
n2	15	40	DFT-256QAM	M	Outer_Full	6.6	≤13	PASS


Test Graphs




NTV-n2-PC3-15-5-M-DFT-BPSK-Outer_Full-PASS




NTV-n2-PC3-15-5-M-DFT-QPSK-Outer_Full-PASS




NTV-n2-PC3-15-5-M-DFT-16QAM-Outer_Full-PASS




NTV-n2-PC3-15-5-M-DFT-64QAM-Outer_Full-PASS




NTV-n2-PC3-15-5-M-DFT-256QAM-Outer_Full-PASS




NTV-n2-PC3-15-10-M-DFT-BPSK-Outer_Full-PASS




NTV-n2-PC3-15-10-M-DFT-QPSK-Outer_Full-PASS




NTV-n2-PC3-15-10-M-DFT-16QAM-Outer_Full-PASS




NTNV-n2-PC3-15-10-M-DFT-64QAM-Outer_Full-PASS




NTNV-n2-PC3-15-10-M-DFT-256QAM-Outer_Full-PASS




NTNV-n2-PC3-15-15-M-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-15-M-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-15-M-DFT-16QAM-Outer_Full-PASS




NTNV-n2-PC3-15-15-M-DFT-64QAM-Outer_Full-PASS




NTNV-n2-PC3-15-15-M-DFT-256QAM-Outer_Full-PASS




NTNV-n2-PC3-15-20-M-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-20-M-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-20-M-DFT-16QAM-Outer_Full-PASS




NTNV-n2-PC3-15-20-M-DFT-64QAM-Outer_Full-PASS




NTNV-n2-PC3-15-20-M-DFT-256QAM-Outer_Full-PASS




NTNV-n2-PC3-15-25-M-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-25-M-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-25-M-DFT-16QAM-Outer_Full-PASS




NTNV-n2-PC3-15-25-M-DFT-64QAM-Outer_Full-PASS




NTNV-n2-PC3-15-25-M-DFT-256QAM-Outer_Full-PASS




NTNV-n2-PC3-15-30-M-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-30-M-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-30-M-DFT-16QAM-Outer_Full-PASS




NTNV-n2-PC3-15-30-M-DFT-64QAM-Outer_Full-PASS




NTNV-n2-PC3-15-30-M-DFT-256QAM-Outer_Full-PASS




NTNV-n2-PC3-15-35-M-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-35-M-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-35-M-DFT-16QAM-Outer_Full-PASS




NTNV-n2-PC3-15-35-M-DFT-64QAM-Outer_Full-PASS




NTNV-n2-PC3-15-35-M-DFT-256QAM-Outer_Full-PASS




NTNV-n2-PC3-15-40-M-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-40-M-DFT-QPSK-Outer_Full-PASS



NTNV-n2-PC3-15-40-M-DFT-16QAM-Outer_Full-PASS



NTNV-n2-PC3-15-40-M-DFT-64QAM-Outer_Full-PASS




NTNV-n2-PC3-15-40-M-DFT-256QAM-Outer_Full-PASS

26dB Bandwidth and Occupied Bandwidth


Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n2	15	5	CP-QPSK	M	Outer_Full	4.487	5.230	PASS
n2	15	5	CP-16QAM	M	Outer_Full	4.536	5.190	PASS
n2	15	5	CP-64QAM	M	Outer_Full	4.487	5.090	PASS
n2	15	5	CP-256QAM	M	Outer_Full	4.49	5.140	PASS
n2	15	10	CP-QPSK	M	Outer_Full	9.31	10.160	PASS
n2	15	10	CP-16QAM	M	Outer_Full	9.317	10.180	PASS
n2	15	10	CP-64QAM	M	Outer_Full	9.301	10.020	PASS
n2	15	10	CP-256QAM	M	Outer_Full	9.365	10.180	PASS
n2	15	15	CP-QPSK	M	Outer_Full	14.154	15.210	PASS
n2	15	15	CP-16QAM	M	Outer_Full	14.148	15.240	PASS
n2	15	15	CP-64QAM	M	Outer_Full	14.197	15.060	PASS
n2	15	15	CP-256QAM	M	Outer_Full	14.129	15.270	PASS
n2	15	20	CP-QPSK	M	Outer_Full	19.006	20.360	PASS
n2	15	20	CP-16QAM	M	Outer_Full	18.999	20.440	PASS
n2	15	20	CP-64QAM	M	Outer_Full	19.015	20.280	PASS
n2	15	20	CP-256QAM	M	Outer_Full	19.012	20.560	PASS
n2	15	25	CP-QPSK	M	Outer_Full	23.81	25.250	PASS
n2	15	25	CP-16QAM	M	Outer_Full	23.837	25.150	PASS
n2	15	25	CP-64QAM	M	Outer_Full	23.801	25.200	PASS
n2	15	25	CP-256QAM	M	Outer_Full	23.831	25.150	PASS
n2	15	30	CP-QPSK	M	Outer_Full	28.591	30.120	PASS
n2	15	30	CP-16QAM	M	Outer_Full	28.62	30.060	PASS
n2	15	30	CP-64QAM	M	Outer_Full	28.572	30.120	PASS
n2	15	30	CP-256QAM	M	Outer_Full	28.589	30.360	PASS
n2	15	35	CP-QPSK	M	Outer_Full	33.571	35.000	PASS
n2	15	35	CP-16QAM	M	Outer_Full	33.621	35.070	PASS
n2	15	35	CP-64QAM	M	Outer_Full	33.607	35.140	PASS
n2	15	35	CP-256QAM	M	Outer_Full	33.499	35.140	PASS
n2	15	40	CP-QPSK	M	Outer_Full	38.76	41.280	PASS
n2	15	40	CP-16QAM	M	Outer_Full	38.7	41.280	PASS
n2	15	40	CP-64QAM	M	Outer_Full	38.878	41.280	PASS
n2	15	40	CP-256QAM	M	Outer_Full	38.707	41.200	PASS

Test Graphs




NTVN-n2-PC3-15-5-M-CP-QPSK-Outet_Full-Ant1-PASS




NTVN-n2-PC3-15-5-M-CP-16QAM-Outet_Full-Ant1-PASS




NTVN-n2-PC3-15-5-M-CP-64QAM-Outet_Full-Ant1-PASS




NTVN-n2-PC3-15-5-M-CP-256QAM-Outet_Full-Ant1-PASS




NTVN-n2-PC3-15-10-M-CP-QPSK-Outet_Full-Ant1-PASS




NTVN-n2-PC3-15-10-M-CP-16QAM-Outet_Full-Ant1-PASS



NTVN-n2-PC3-15-10-M-CP-64QAM-Outet_Full-Ant1-PASS




NTVN-n2-PC3-15-10-M-CP-256QAM-Outet_Full-Ant1-PASS




NTNV-n2-PC3-15-15-M-CP-QPSK-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-15-M-CP-16QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-15-M-CP-64QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-15-M-CP-256QAM-Outer Full-Ant1-PASS



NTNV-n2-PC3-15-20-M-CP-QPSK-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-20-M-CP-16QAM-Outer Full-Ant1-PASS



NTNV-n2-PC3-15-20-M-CP-64QAM-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-20-M-CP-256QAM-Outer_Full-Ant1-PASS




NTNV-n2-PC3-15-25-M-CP-QPSK-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-25-M-CP-16QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-25-M-CP-64QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-25-M-CP-256QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-30-M-CP-QPSK-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-30-M-CP-16QAM-Outer Full-Ant1-PASS



NTNV-n2-PC3-15-30-M-CP-64QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-30-M-CP-256QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-35-M-CP-QPSK-Outer Full-Ant1-PASS



NTNV-n2-PC3-15-35-M-CP-16QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-35-M-CP-64QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-35-M-CP-256QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-40-M-CP-QPSK-Outer Full-Ant1-PASS



NTNV-n2-PC3-15-40-M-CP-16QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-40-M-CP-64QAM-Outer Full-Ant1-PASS




NTNV-n2-PC3-15-40-M-CP-256QAM-Outer Full-Ant1-PASS

Band Edge


Test Graphs




NTNV-n2-PC3-15-5-L-DFT-BPSK-Edge_1RB_Left-PASS



NTNV-n2-PC3-15-5-L-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-5-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n2-PC3-15-5-L-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-5-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n2-PC3-15-5-H-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-5-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n2-PC3-15-5-H-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-10-L-DFT-BPSK-Edge_1RB_Left-PASS



NTNV-n2-PC3-15-10-L-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-10-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n2-PC3-15-10-L-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-10-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n2-PC3-15-10-H-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-10-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n2-PC3-15-10-H-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-15-L-DFT-BPSK-Edge_1RB_Left-PASS



NTNV-n2-PC3-15-15-L-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-15-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n2-PC3-15-15-L-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-15-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n2-PC3-15-15-H-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-15-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n2-PC3-15-15-H-DFT-QPSK-Outer_Full-PASS




NTV-n2-PC3-15-20-L-DFT-BPSK-Edge_1RB_Left-PASS




NTV-n2-PC3-15-20-L-DFT-BPSK-Outer_Full-PASS




NTV-n2-PC3-15-20-L-DFT-QPSK-Edge_1RB_Left-PASS




NTV-n2-PC3-15-20-L-DFT-QPSK-Outer_Full-PASS




NTV-n2-PC3-15-20-H-DFT-BPSK-Edge_1RB_Right-PASS




NTV-n2-PC3-15-20-H-DFT-BPSK-Outer_Full-PASS




NTV-n2-PC3-15-20-H-DFT-QPSK-Edge_1RB_Right-PASS




NTV-n2-PC3-15-20-H-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-25-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n2-PC3-15-25-L-DFT-BPSK-Outer_Full-PASS




NTNV-n2-PC3-15-25-L-DFT-QPSK-Edge_1RB_Left-PASS



NTNV-n2-PC3-15-25-L-DFT-QPSK-Outer_Full-PASS




NTNV-n2-PC3-15-25-H-DFT-BPSK-Edge_1RB_Right-PASS



NTNV-n2-PC3-15-25-H-DFT-BPSK-Outer_Full-PASS



NTNV-n2-PC3-15-25-H-DFT-QPSK-Edge_1RB_Right-PASS



NTNV-n2-PC3-15-25-H-DFT-QPSK-Outer_Full-PASS