

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power	Gain (dBi)	E(I)RP	Limit (dBm)	Verdict
n14	15	5	DFT-BPSK	L	Inner_1RB_Left	23.13	0.1	21.08	34.8	PASS
n14	15	5	DFT-BPSK	L	Inner_1RB_Right	23.09	0.1	21.04	34.8	PASS
n14	15	5	DFT-BPSK	L	Inner_Full	23.32	0.1	21.27	34.8	PASS
n14	15	5	DFT-BPSK	L	Outer_Full	22.94	0.1	20.89	34.8	PASS
n14	15	5	DFT-QPSK	L	Inner_1RB_Left	23.09	0.1	21.04	34.8	PASS
n14	15	5	DFT-QPSK	L	Inner_1RB_Right	23.03	0.1	20.98	34.8	PASS
n14	15	5	DFT-QPSK	L	Inner_Full	23.17	0.1	21.12	34.8	PASS
n14	15	5	DFT-QPSK	L	Outer_Full	22.91	0.1	20.86	34.8	PASS
n14	15	5	DFT-16QAM	L	Inner_1RB_Left	22.58	0.1	20.53	34.8	PASS
n14	15	5	DFT-16QAM	L	Inner_1RB_Right	22.53	0.1	20.48	34.8	PASS
n14	15	5	DFT-16QAM	L	Inner_Full	22.43	0.1	20.38	34.8	PASS
n14	15	5	DFT-16QAM	L	Outer_Full	21.63	0.1	19.58	34.8	PASS
n14	15	5	DFT-64QAM	L	Inner_1RB_Left	21.05	0.1	19	34.8	PASS
n14	15	5	DFT-64QAM	L	Inner_1RB_Right	21.02	0.1	18.97	34.8	PASS
n14	15	5	DFT-64QAM	L	Inner_Full	21.18	0.1	19.13	34.8	PASS
n14	15	5	DFT-64QAM	L	Outer_Full	20.91	0.1	18.86	34.8	PASS
n14	15	5	DFT-256QAM	L	Inner_1RB_Left	19.29	0.1	17.24	34.8	PASS
n14	15	5	DFT-256QAM	L	Inner_1RB_Right	19.21	0.1	17.16	34.8	PASS
n14	15	5	DFT-256QAM	L	Inner_Full	19.05	0.1	17	34.8	PASS
n14	15	5	DFT-256QAM	L	Outer_Full	18.91	0.1	16.86	34.8	PASS
n14	15	5	DFT-BPSK	M	Inner_1RB_Left	23.18	0.1	21.13	34.8	PASS
n14	15	5	DFT-BPSK	M	Inner_1RB_Right	23.19	0.1	21.14	34.8	PASS
n14	15	5	DFT-BPSK	M	Inner_Full	23.29	0.1	21.24	34.8	PASS
n14	15	5	DFT-BPSK	M	Outer_Full	22.97	0.1	20.92	34.8	PASS
n14	15	5	DFT-QPSK	M	Inner_1RB_Left	23.42	0.1	21.37	34.8	PASS
n14	15	5	DFT-QPSK	M	Inner_1RB_Right	23.38	0.1	21.33	34.8	PASS
n14	15	5	DFT-QPSK	M	Inner_Full	23.16	0.1	21.11	34.8	PASS
n14	15	5	DFT-QPSK	M	Outer_Full	22.96	0.1	20.91	34.8	PASS
n14	15	5	DFT-16QAM	M	Inner_1RB_Left	22.16	0.1	20.11	34.8	PASS
n14	15	5	DFT-16QAM	M	Inner_1RB_Right	22.27	0.1	20.22	34.8	PASS
n14	15	5	DFT-16QAM	M	Inner_Full	22.65	0.1	20.6	34.8	PASS
n14	15	5	DFT-16QAM	M	Outer_Full	21.45	0.1	19.4	34.8	PASS
n14	15	5	DFT-64QAM	M	Inner_1RB_Left	21.1	0.1	19.05	34.8	PASS
n14	15	5	DFT-64QAM	M	Inner_1RB_Right	21.03	0.1	18.98	34.8	PASS
n14	15	5	DFT-64QAM	M	Inner_Full	21.07	0.1	19.02	34.8	PASS
n14	15	5	DFT-64QAM	M	Outer_Full	21.02	0.1	18.97	34.8	PASS

n14	15	5	DFT-256QAM	M	Inner_1RB_Left	19.08	0.1	17.03	34.8	PASS
n14	15	5	DFT-256QAM	M	Inner_1RB_Right	19.01	0.1	16.96	34.8	PASS
n14	15	5	DFT-256QAM	M	Inner_Full	18.82	0.1	16.77	34.8	PASS
n14	15	5	DFT-256QAM	M	Outer_Full	19.02	0.1	16.97	34.8	PASS
n14	15	5	DFT-BPSK	H	Inner_1RB_Left	23.3	0.1	21.25	34.8	PASS
n14	15	5	DFT-BPSK	H	Inner_1RB_Right	22.95	0.1	20.9	34.8	PASS
n14	15	5	DFT-BPSK	H	Inner_Full	23.3	0.1	21.25	34.8	PASS
n14	15	5	DFT-BPSK	H	Outer_Full	22.98	0.1	20.93	34.8	PASS
n14	15	5	DFT-QPSK	H	Inner_1RB_Left	22.95	0.1	20.9	34.8	PASS
n14	15	5	DFT-QPSK	H	Inner_1RB_Right	22.98	0.1	20.93	34.8	PASS
n14	15	5	DFT-QPSK	H	Inner_Full	23.36	0.1	21.31	34.8	PASS
n14	15	5	DFT-QPSK	H	Outer_Full	22.44	0.1	20.39	34.8	PASS
n14	15	5	DFT-16QAM	H	Inner_1RB_Left	22.25	0.1	20.2	34.8	PASS
n14	15	5	DFT-16QAM	H	Inner_1RB_Right	22.24	0.1	20.19	34.8	PASS
n14	15	5	DFT-16QAM	H	Inner_Full	22.56	0.1	20.51	34.8	PASS
n14	15	5	DFT-16QAM	H	Outer_Full	21.48	0.1	19.43	34.8	PASS
n14	15	5	DFT-64QAM	H	Inner_1RB_Left	20.89	0.1	18.84	34.8	PASS
n14	15	5	DFT-64QAM	H	Inner_1RB_Right	20.73	0.1	18.68	34.8	PASS
n14	15	5	DFT-64QAM	H	Inner_Full	20.97	0.1	18.92	34.8	PASS
n14	15	5	DFT-64QAM	H	Outer_Full	20.97	0.1	18.92	34.8	PASS
n14	15	5	DFT-256QAM	H	Inner_1RB_Left	18.99	0.1	16.94	34.8	PASS
n14	15	5	DFT-256QAM	H	Inner_1RB_Right	18.7	0.1	16.65	34.8	PASS
n14	15	5	DFT-256QAM	H	Inner_Full	19	0.1	16.95	34.8	PASS
n14	15	5	DFT-256QAM	H	Outer_Full	18.91	0.1	16.86	34.8	PASS
n14	15	10	DFT-BPSK	L	Inner_1RB_Left	23.11	0.1	21.06	34.8	PASS
n14	15	10	DFT-BPSK	L	Inner_1RB_Right	23.16	0.1	21.11	34.8	PASS
n14	15	10	DFT-BPSK	L	Inner_Full	23.23	0.1	21.18	34.8	PASS
n14	15	10	DFT-BPSK	L	Outer_Full	22.91	0.1	20.86	34.8	PASS
n14	15	10	DFT-QPSK	L	Inner_1RB_Left	22.98	0.1	20.93	34.8	PASS
n14	15	10	DFT-QPSK	L	Inner_1RB_Right	22.92	0.1	20.87	34.8	PASS
n14	15	10	DFT-QPSK	L	Inner_Full	23.24	0.1	21.19	34.8	PASS
n14	15	10	DFT-QPSK	L	Outer_Full	22.89	0.1	20.84	34.8	PASS
n14	15	10	DFT-16QAM	L	Inner_1RB_Left	22.55	0.1	20.5	34.8	PASS
n14	15	10	DFT-16QAM	L	Inner_1RB_Right	22.6	0.1	20.55	34.8	PASS
n14	15	10	DFT-16QAM	L	Inner_Full	22.41	0.1	20.36	34.8	PASS
n14	15	10	DFT-16QAM	L	Outer_Full	21.56	0.1	19.51	34.8	PASS
n14	15	10	DFT-64QAM	L	Inner_1RB_Left	20.48	0.1	18.43	34.8	PASS
n14	15	10	DFT-64QAM	L	Inner_1RB_Right	20.57	0.1	18.52	34.8	PASS
n14	15	10	DFT-64QAM	L	Inner_Full	21.01	0.1	18.96	34.8	PASS
n14	15	10	DFT-64QAM	L	Outer_Full	20.95	0.1	18.9	34.8	PASS
n14	15	10	DFT-256QAM	L	Inner_1RB_Left	18.78	0.1	16.73	34.8	PASS

n14	15	10	DFT-256QAM	L	Inner_1RB_Right	18.89	0.1	16.84	34.8	PASS
n14	15	10	DFT-256QAM	L	Inner_Full	19.04	0.1	16.99	34.8	PASS
n14	15	10	DFT-256QAM	L	Outer_Full	19.02	0.1	16.97	34.8	PASS

Peak-to-Average Ratio

Peak-to-Average Ratio(CCDF)

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (dB)	Limit (dB)	Verdict
n14	15	5	DFT-BPSK	M	Outer_Full	4.14	≤13	PASS
n14	15	5	DFT-QPSK	M	Outer_Full	5.53	≤13	PASS
n14	15	5	DFT-16QAM	M	Outer_Full	6.26	≤13	PASS
n14	15	5	DFT-64QAM	M	Outer_Full	6.28	≤13	PASS
n14	15	5	DFT-256QAM	M	Outer_Full	6.84	≤13	PASS
n14	15	10	DFT-BPSK	M	Outer_Full	4.15	≤13	PASS
n14	15	10	DFT-QPSK	M	Outer_Full	5.44	≤13	PASS
n14	15	10	DFT-16QAM	M	Outer_Full	6.43	≤13	PASS
n14	15	10	DFT-64QAM	M	Outer_Full	6.41	≤13	PASS
n14	15	10	DFT-256QAM	M	Outer_Full	6.87	≤13	PASS

Test Graphs



NTNV-n14-PC3-15-5-M-DFT-BPSK-Outer_Full-PASS



NTNV-n14-PC3-15-5-M-DFT-QPSK-Outer_Full-PASS



NTNV-n14-PC3-15-5-M-DFT-16QAM-Outer_Full-PASS



NTNV-n14-PC3-15-5-M-DFT-64QAM-Outer_Full-PASS



NTNV-n14-PC3-15-5-M-DFT-256QAM-Outer_Full-PASS



NTNV-n14-PC3-15-10-M-DFT-BPSK-Outer_Full-PASS



NTNV-n14-PC3-15-10-M-DFT-QPSK-Outer_Full-PASS



NTNV-n14-PC3-15-10-M-DFT-16QAM-Outer_Full-PASS



NTNV-n14-PC3-15-10-M-DFT-64QAM-Outer_Full-PASS



NTNV-n14-PC3-15-10-M-DFT-256QAM-Outer_Full-PASS

26dB Bandwidth and Occupied Bandwidth

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n14	15	5	CP-QPSK	M	Outer_Full	4.4851	5.126	PASS
n14	15	5	CP-16QAM	M	Outer_Full	4.4735	4.949	PASS
n14	15	5	CP-64QAM	M	Outer_Full	4.4709	4.986	PASS
n14	15	5	CP-256QAM	M	Outer_Full	4.4765	4.951	PASS
n14	15	10	CP-QPSK	M	Outer_Full	9.2863	10.24	PASS
n14	15	10	CP-16QAM	M	Outer_Full	9.2976	10.26	PASS
n14	15	10	CP-64QAM	M	Outer_Full	9.3156	10.21	PASS
n14	15	10	CP-256QAM	M	Outer_Full	9.3025	10.09	PASS

Test Graphs



NTNV-n14-PC3-15-5-M-CP-QPSK-Outet_Full-Ant1-PASS



NTNV-n14-PC3-15-5-M-CP-16QAM-Outet_Full-Ant1-PASS



NTNV-n14-PC3-15-5-M-CP-64QAM-Outet_Full-Ant1-PASS



NTNV-n14-PC3-15-5-M-CP-256QAM-Outet_Full-Ant1-PASS



NTNV-n14-PC3-15-10-M-CP-QPSK-Outet_Full-Ant1-PASS



NTNV-n14-PC3-15-10-M-CP-16QAM-Outet_Full-Ant1-PASS



NTNV-n14-PC3-15-10-M-CP-64QAM-Outet_Full-Ant1-PASS



NTNV-n14-PC3-15-10-M-CP-256QAM-Outet_Full-Ant1-PASS

Spectrum Emission Mask

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result(dBm)	Margin(dB)	Limit (dBm)	Verdict
n14	15	5	DFT-BPSK	L	Edge_1RB_Left	-56.53	38.08	≤-18.45	PASS
n14	15	5	DFT-BPSK	L	Edge_1RB_Left	-18.87	10.42	≤-8.45	PASS
n14	15	5	DFT-BPSK	L	Edge_1RB_Left	-63.25	54.80	≤-8.45	PASS
n14	15	5	DFT-BPSK	L	Edge_1RB_Left	-69.50	51.05	≤-18.45	PASS
n14	15	5	DFT-BPSK	L	Outer_Full	-42.55	26.59	≤-15.96	PASS
n14	15	5	DFT-BPSK	L	Outer_Full	-28.99	23.02	≤-5.97	PASS
n14	15	5	DFT-BPSK	L	Outer_Full	-26.49	20.52	≤-5.97	PASS
n14	15	5	DFT-BPSK	L	Outer_Full	-45.47	29.51	≤-15.96	PASS
n14	15	5	DFT-QPSK	L	Edge_1RB_Left	-55.26	37.25	≤-18.01	PASS
n14	15	5	DFT-QPSK	L	Edge_1RB_Left	-19.36	11.35	≤-8.01	PASS
n14	15	5	DFT-QPSK	L	Edge_1RB_Left	-65.35	57.34	≤-8.01	PASS
n14	15	5	DFT-QPSK	L	Edge_1RB_Left	-68.50	50.49	≤-18.01	PASS
n14	15	5	DFT-QPSK	L	Outer_Full	-40.01	23.54	≤-16.47	PASS
n14	15	5	DFT-QPSK	L	Outer_Full	-27.68	21.21	≤-6.47	PASS
n14	15	5	DFT-QPSK	L	Outer_Full	-27.23	20.76	≤-6.47	PASS
n14	15	5	DFT-QPSK	L	Outer_Full	-42.94	26.46	≤-16.48	PASS
n14	15	5	DFT-16QAM	L	Edge_1RB_Left	-58.24	40.27	≤-17.97	PASS
n14	15	5	DFT-16QAM	L	Edge_1RB_Left	-19.11	11.14	≤-7.97	PASS
n14	15	5	DFT-16QAM	L	Edge_1RB_Left	-65.62	57.65	≤-7.97	PASS
n14	15	5	DFT-16QAM	L	Edge_1RB_Left	-68.94	50.97	≤-17.97	PASS
n14	15	5	DFT-16QAM	L	Outer_Full	-42.52	25.04	≤-17.48	PASS
n14	15	5	DFT-16QAM	L	Outer_Full	-27.06	19.59	≤-7.47	PASS
n14	15	5	DFT-16QAM	L	Outer_Full	-28.06	20.58	≤-7.48	PASS
n14	15	5	DFT-16QAM	L	Outer_Full	-45.20	27.73	≤-17.47	PASS
n14	15	5	DFT-64QAM	L	Edge_1RB_Left	-59.56	40.20	≤-19.36	PASS
n14	15	5	DFT-64QAM	L	Edge_1RB_Left	-21.76	12.39	≤-9.37	PASS
n14	15	5	DFT-64QAM	L	Edge_1RB_Left	-67.12	57.76	≤-9.36	PASS
n14	15	5	DFT-64QAM	L	Edge_1RB_Left	-69.96	50.59	≤-19.37	PASS
n14	15	5	DFT-64QAM	L	Outer_Full	-43.08	25.07	≤-18.01	PASS
n14	15	5	DFT-64QAM	L	Outer_Full	-30.38	22.38	≤-8.00	PASS
n14	15	5	DFT-64QAM	L	Outer_Full	-30.26	22.25	≤-8.01	PASS
n14	15	5	DFT-64QAM	L	Outer_Full	-45.93	27.93	≤-18.00	PASS
n14	15	5	DFT-256QAM	L	Edge_1RB_Left	-60.92	39.96	≤-20.96	PASS
n14	15	5	DFT-256QAM	L	Edge_1RB_Left	-21.31	10.35	≤-10.96	PASS
n14	15	5	DFT-256QAM	L	Edge_1RB_Left	-66.27	55.31	≤-10.96	PASS
n14	15	5	DFT-256QAM	L	Edge_1RB_Left	-68.94	47.98	≤-20.96	PASS
n14	15	5	DFT-256QAM	L	Outer_Full	-45.32	25.30	≤-20.02	PASS

n14	15	5	DFT-256QAM	L	Outer_Full	-29.42	19.40	≤-10.02	PASS
n14	15	5	DFT-256QAM	L	Outer_Full	-31.16	21.14	≤-10.02	PASS
n14	15	5	DFT-256QAM	L	Outer_Full	-46.56	26.54	≤-20.02	PASS
n14	15	5	CP-QPSK	L	Edge_1RB_Left	-56.43	37.55	≤-18.88	PASS
n14	15	5	CP-QPSK	L	Edge_1RB_Left	-19.96	11.07	≤-8.89	PASS
n14	15	5	CP-QPSK	L	Edge_1RB_Left	-64.41	55.52	≤-8.89	PASS
n14	15	5	CP-QPSK	L	Edge_1RB_Left	-69.27	50.38	≤-18.89	PASS
n14	15	5	CP-QPSK	L	Outer_Full	-42.31	23.96	≤-18.35	PASS
n14	15	5	CP-QPSK	L	Outer_Full	-27.69	19.34	≤-8.35	PASS
n14	15	5	CP-QPSK	L	Outer_Full	-30.84	22.48	≤-8.36	PASS
n14	15	5	CP-QPSK	L	Outer_Full	-44.38	26.02	≤-18.36	PASS
n14	15	5	CP-16QAM	L	Edge_1RB_Left	-61.00	41.02	≤-19.98	PASS
n14	15	5	CP-16QAM	L	Edge_1RB_Left	-21.67	11.69	≤-9.98	PASS
n14	15	5	CP-16QAM	L	Edge_1RB_Left	-64.80	54.82	≤-9.98	PASS
n14	15	5	CP-16QAM	L	Edge_1RB_Left	-69.92	49.94	≤-19.98	PASS
n14	15	5	CP-16QAM	L	Outer_Full	-42.15	23.82	≤-18.33	PASS
n14	15	5	CP-16QAM	L	Outer_Full	-27.62	19.29	≤-8.33	PASS
n14	15	5	CP-16QAM	L	Outer_Full	-27.85	19.52	≤-8.33	PASS
n14	15	5	CP-16QAM	L	Outer_Full	-43.60	25.27	≤-18.33	PASS
n14	15	5	CP-64QAM	L	Edge_1RB_Left	-59.36	40.01	≤-19.35	PASS
n14	15	5	CP-64QAM	L	Edge_1RB_Left	-19.95	10.60	≤-9.35	PASS
n14	15	5	CP-64QAM	L	Edge_1RB_Left	-61.21	51.85	≤-9.36	PASS
n14	15	5	CP-64QAM	L	Edge_1RB_Left	-69.05	49.70	≤-19.35	PASS
n14	15	5	CP-64QAM	L	Outer_Full	-43.32	24.34	≤-18.98	PASS
n14	15	5	CP-64QAM	L	Outer_Full	-29.03	20.05	≤-8.98	PASS
n14	15	5	CP-64QAM	L	Outer_Full	-30.99	22.01	≤-8.98	PASS
n14	15	5	CP-64QAM	L	Outer_Full	-44.56	25.58	≤-18.98	PASS
n14	15	5	CP-256QAM	L	Edge_1RB_Left	-62.07	39.34	≤-22.73	PASS
n14	15	5	CP-256QAM	L	Edge_1RB_Left	-24.02	11.29	≤-12.73	PASS
n14	15	5	CP-256QAM	L	Edge_1RB_Left	-63.44	50.71	≤-12.73	PASS
n14	15	5	CP-256QAM	L	Edge_1RB_Left	-68.93	46.19	≤-22.74	PASS
n14	15	5	CP-256QAM	L	Outer_Full	-46.20	24.35	≤-21.85	PASS
n14	15	5	CP-256QAM	L	Outer_Full	-30.89	19.05	≤-11.84	PASS
n14	15	5	CP-256QAM	L	Outer_Full	-33.55	21.70	≤-11.85	PASS
n14	15	5	CP-256QAM	L	Outer_Full	-47.69	25.85	≤-21.84	PASS
n14	15	5	DFT-BPSK	M	Outer_Full	-42.39	26.40	≤-15.99	PASS
n14	15	5	DFT-BPSK	M	Outer_Full	-29.11	23.12	≤-5.99	PASS
n14	15	5	DFT-BPSK	M	Outer_Full	-26.47	20.48	≤-5.99	PASS
n14	15	5	DFT-BPSK	M	Outer_Full	-45.99	29.99	≤-16.00	PASS
n14	15	5	DFT-QPSK	M	Outer_Full	-40.26	23.74	≤-16.52	PASS
n14	15	5	DFT-QPSK	M	Outer_Full	-27.37	20.85	≤-6.52	PASS
n14	15	5	DFT-QPSK	M	Outer_Full	-29.04	22.52	≤-6.52	PASS

n14	15	5	DFT-QPSK	M	Outer_Full	-43.46	26.94	≤-16.52	PASS
n14	15	5	DFT-16QAM	M	Outer_Full	-42.72	25.22	≤-17.50	PASS
n14	15	5	DFT-16QAM	M	Outer_Full	-27.95	20.45	≤-7.50	PASS
n14	15	5	DFT-16QAM	M	Outer_Full	-29.21	21.72	≤-7.49	PASS
n14	15	5	DFT-16QAM	M	Outer_Full	-45.62	28.13	≤-17.49	PASS
n14	15	5	DFT-64QAM	M	Outer_Full	-43.21	25.19	≤-18.02	PASS
n14	15	5	DFT-64QAM	M	Outer_Full	-30.47	22.44	≤-8.03	PASS
n14	15	5	DFT-64QAM	M	Outer_Full	-28.26	20.23	≤-8.03	PASS
n14	15	5	DFT-64QAM	M	Outer_Full	-46.12	28.09	≤-18.03	PASS
n14	15	5	DFT-256QAM	M	Outer_Full	-45.38	25.34	≤-20.04	PASS
n14	15	5	DFT-256QAM	M	Outer_Full	-28.42	18.37	≤-10.05	PASS
n14	15	5	DFT-256QAM	M	Outer_Full	-31.57	21.52	≤-10.05	PASS
n14	15	5	DFT-256QAM	M	Outer_Full	-47.24	27.19	≤-20.05	PASS
n14	15	5	CP-QPSK	M	Outer_Full	-42.00	23.58	≤-18.42	PASS
n14	15	5	CP-QPSK	M	Outer_Full	-28.38	19.96	≤-8.42	PASS
n14	15	5	CP-QPSK	M	Outer_Full	-28.92	20.49	≤-8.43	PASS
n14	15	5	CP-QPSK	M	Outer_Full	-44.53	26.10	≤-18.43	PASS
n14	15	5	CP-16QAM	M	Outer_Full	-41.92	23.53	≤-18.39	PASS
n14	15	5	CP-16QAM	M	Outer_Full	-28.03	19.65	≤-8.38	PASS
n14	15	5	CP-16QAM	M	Outer_Full	-28.85	20.46	≤-8.39	PASS
n14	15	5	CP-16QAM	M	Outer_Full	-43.67	25.28	≤-18.39	PASS
n14	15	5	CP-64QAM	M	Outer_Full	-43.49	24.45	≤-19.04	PASS
n14	15	5	CP-64QAM	M	Outer_Full	-28.75	19.71	≤-9.04	PASS
n14	15	5	CP-64QAM	M	Outer_Full	-29.77	20.73	≤-9.04	PASS
n14	15	5	CP-64QAM	M	Outer_Full	-45.27	26.23	≤-19.04	PASS
n14	15	5	CP-256QAM	M	Outer_Full	-46.21	24.29	≤-21.92	PASS
n14	15	5	CP-256QAM	M	Outer_Full	-32.30	20.38	≤-11.92	PASS
n14	15	5	CP-256QAM	M	Outer_Full	-34.15	22.23	≤-11.92	PASS
n14	15	5	CP-256QAM	M	Outer_Full	-48.28	26.36	≤-21.92	PASS
n14	15	5	DFT-BPSK	H	Edge_1RB_Right	-68.40	49.89	≤-18.51	PASS
n14	15	5	DFT-BPSK	H	Edge_1RB_Right	-58.30	49.79	≤-8.51	PASS
n14	15	5	DFT-BPSK	H	Edge_1RB_Right	-20.99	12.48	≤-8.51	PASS
n14	15	5	DFT-BPSK	H	Edge_1RB_Right	-57.71	39.19	≤-18.52	PASS
n14	15	5	DFT-BPSK	H	Outer_Full	-41.41	25.37	≤-16.04	PASS
n14	15	5	DFT-BPSK	H	Outer_Full	-28.11	22.08	≤-6.03	PASS
n14	15	5	DFT-BPSK	H	Outer_Full	-26.36	20.32	≤-6.04	PASS
n14	15	5	DFT-BPSK	H	Outer_Full	-46.69	30.66	≤-16.03	PASS
n14	15	5	DFT-QPSK	H	Edge_1RB_Right	-68.23	50.21	≤-18.02	PASS
n14	15	5	DFT-QPSK	H	Edge_1RB_Right	-59.52	51.50	≤-8.02	PASS
n14	15	5	DFT-QPSK	H	Edge_1RB_Right	-19.76	11.74	≤-8.02	PASS
n14	15	5	DFT-QPSK	H	Edge_1RB_Right	-56.02	37.99	≤-18.03	PASS
n14	15	5	DFT-QPSK	H	Outer_Full	-39.33	22.74	≤-16.59	PASS


n14	15	5	DFT-QPSK	H	Outer_Full	-27.84	21.25	≤-6.59	PASS
n14	15	5	DFT-QPSK	H	Outer_Full	-27.84	21.25	≤-6.59	PASS
n14	15	5	DFT-QPSK	H	Outer_Full	-43.88	27.29	≤-16.59	PASS
n14	15	5	DFT-16QAM	H	Edge_1RB_Right	-68.50	50.56	≤-17.94	PASS
n14	15	5	DFT-16QAM	H	Edge_1RB_Right	-59.50	51.56	≤-7.94	PASS
n14	15	5	DFT-16QAM	H	Edge_1RB_Right	-20.26	12.32	≤-7.94	PASS
n14	15	5	DFT-16QAM	H	Edge_1RB_Right	-58.55	40.61	≤-17.94	PASS
n14	15	5	DFT-16QAM	H	Outer_Full	-41.81	24.36	≤-17.45	PASS
n14	15	5	DFT-16QAM	H	Outer_Full	-26.30	18.85	≤-7.45	PASS
n14	15	5	DFT-16QAM	H	Outer_Full	-28.58	21.13	≤-7.45	PASS
n14	15	5	DFT-16QAM	H	Outer_Full	-45.37	27.92	≤-17.45	PASS
n14	15	5	DFT-64QAM	H	Edge_1RB_Right	-68.97	49.55	≤-19.42	PASS
n14	15	5	DFT-64QAM	H	Edge_1RB_Right	-60.94	51.52	≤-9.42	PASS
n14	15	5	DFT-64QAM	H	Edge_1RB_Right	-24.40	14.98	≤-9.42	PASS
n14	15	5	DFT-64QAM	H	Edge_1RB_Right	-62.01	42.58	≤-19.43	PASS
n14	15	5	DFT-64QAM	H	Outer_Full	-42.69	24.62	≤-18.07	PASS
n14	15	5	DFT-64QAM	H	Outer_Full	-30.50	22.44	≤-8.06	PASS
n14	15	5	DFT-64QAM	H	Outer_Full	-29.38	21.32	≤-8.06	PASS
n14	15	5	DFT-64QAM	H	Outer_Full	-47.20	29.14	≤-18.06	PASS
n14	15	5	DFT-256QAM	H	Edge_1RB_Right	-68.17	47.20	≤-20.97	PASS
n14	15	5	DFT-256QAM	H	Edge_1RB_Right	-61.16	50.18	≤-10.98	PASS
n14	15	5	DFT-256QAM	H	Edge_1RB_Right	-24.30	13.32	≤-10.98	PASS
n14	15	5	DFT-256QAM	H	Edge_1RB_Right	-64.53	43.55	≤-20.98	PASS
n14	15	5	DFT-256QAM	H	Outer_Full	-44.92	24.83	≤-20.09	PASS
n14	15	5	DFT-256QAM	H	Outer_Full	-30.37	20.28	≤-10.09	PASS
n14	15	5	DFT-256QAM	H	Outer_Full	-33.00	22.92	≤-10.08	PASS
n14	15	5	DFT-256QAM	H	Outer_Full	-48.47	28.38	≤-20.09	PASS
n14	15	5	CP-QPSK	H	Edge_1RB_Right	-67.79	48.80	≤-18.99	PASS
n14	15	5	CP-QPSK	H	Edge_1RB_Right	-60.09	51.11	≤-8.98	PASS
n14	15	5	CP-QPSK	H	Edge_1RB_Right	-20.29	11.30	≤-8.99	PASS
n14	15	5	CP-QPSK	H	Edge_1RB_Right	-57.47	38.48	≤-18.99	PASS
n14	15	5	CP-QPSK	H	Outer_Full	-41.75	23.29	≤-18.46	PASS
n14	15	5	CP-QPSK	H	Outer_Full	-28.11	19.64	≤-8.47	PASS
n14	15	5	CP-QPSK	H	Outer_Full	-30.42	21.95	≤-8.47	PASS
n14	15	5	CP-QPSK	H	Outer_Full	-45.31	26.84	≤-18.47	PASS
n14	15	5	CP-16QAM	H	Edge_1RB_Right	-69.56	49.56	≤-20.00	PASS
n14	15	5	CP-16QAM	H	Edge_1RB_Right	-61.12	51.11	≤-10.01	PASS
n14	15	5	CP-16QAM	H	Edge_1RB_Right	-22.52	12.52	≤-10.00	PASS
n14	15	5	CP-16QAM	H	Edge_1RB_Right	-63.55	43.54	≤-20.01	PASS
n14	15	5	CP-16QAM	H	Outer_Full	-41.48	22.99	≤-18.49	PASS
n14	15	5	CP-16QAM	H	Outer_Full	-27.55	19.07	≤-8.48	PASS
n14	15	5	CP-16QAM	H	Outer_Full	-29.88	21.40	≤-8.48	PASS

n14	15	5	CP-16QAM	H	Outer_Full	-44.49	26.01	≤-18.48	PASS
n14	15	5	CP-64QAM	H	Edge_1RB_Right	-68.98	49.53	≤-19.45	PASS
n14	15	5	CP-64QAM	H	Edge_1RB_Right	-60.55	51.10	≤-9.45	PASS
n14	15	5	CP-64QAM	H	Edge_1RB_Right	-21.80	12.35	≤-9.45	PASS
n14	15	5	CP-64QAM	H	Edge_1RB_Right	-61.16	41.71	≤-19.45	PASS
n14	15	5	CP-64QAM	H	Outer_Full	-42.12	23.04	≤-19.08	PASS
n14	15	5	CP-64QAM	H	Outer_Full	-28.40	19.33	≤-9.07	PASS
n14	15	5	CP-64QAM	H	Outer_Full	-31.40	22.32	≤-9.08	PASS
n14	15	5	CP-64QAM	H	Outer_Full	-45.32	26.24	≤-19.08	PASS
n14	15	5	CP-256QAM	H	Edge_1RB_Right	-68.56	45.71	≤-22.85	PASS
n14	15	5	CP-256QAM	H	Edge_1RB_Right	-62.27	49.41	≤-12.86	PASS
n14	15	5	CP-256QAM	H	Edge_1RB_Right	-24.94	12.08	≤-12.86	PASS
n14	15	5	CP-256QAM	H	Edge_1RB_Right	-64.44	41.58	≤-22.86	PASS
n14	15	5	CP-256QAM	H	Outer_Full	-45.93	24.00	≤-21.93	PASS
n14	15	5	CP-256QAM	H	Outer_Full	-30.45	18.53	≤-11.92	PASS
n14	15	5	CP-256QAM	H	Outer_Full	-34.01	22.09	≤-11.92	PASS
n14	15	5	CP-256QAM	H	Outer_Full	-48.80	26.88	≤-21.92	PASS
n14	15	10	DFT-BPSK	L	Edge_1RB_Left	-67.94	48.75	≤-19.19	PASS
n14	15	10	DFT-BPSK	L	Edge_1RB_Left	-21.65	12.46	≤-9.19	PASS
n14	15	10	DFT-BPSK	L	Edge_1RB_Left	-67.74	58.55	≤-9.19	PASS
n14	15	10	DFT-BPSK	L	Edge_1RB_Left	-70.63	51.45	≤-19.18	PASS
n14	15	10	DFT-BPSK	L	Outer_Full	-46.98	30.98	≤-16.00	PASS
n14	15	10	DFT-BPSK	L	Outer_Full	-31.84	25.84	≤-6.00	PASS
n14	15	10	DFT-BPSK	L	Outer_Full	-42.54	36.55	≤-5.99	PASS
n14	15	10	DFT-BPSK	L	Outer_Full	-50.05	34.05	≤-16.00	PASS
n14	15	10	DFT-QPSK	L	Edge_1RB_Left	-67.36	48.71	≤-18.65	PASS
n14	15	10	DFT-QPSK	L	Edge_1RB_Left	-21.96	13.31	≤-8.65	PASS
n14	15	10	DFT-QPSK	L	Edge_1RB_Left	-67.15	58.50	≤-8.65	PASS
n14	15	10	DFT-QPSK	L	Edge_1RB_Left	-70.63	51.98	≤-18.65	PASS
n14	15	10	DFT-QPSK	L	Outer_Full	-45.22	28.64	≤-16.58	PASS
n14	15	10	DFT-QPSK	L	Outer_Full	-32.89	26.31	≤-6.58	PASS
n14	15	10	DFT-QPSK	L	Outer_Full	-42.83	36.26	≤-6.57	PASS
n14	15	10	DFT-QPSK	L	Outer_Full	-49.03	32.45	≤-16.58	PASS
n14	15	10	DFT-16QAM	L	Edge_1RB_Left	-67.44	48.81	≤-18.63	PASS
n14	15	10	DFT-16QAM	L	Edge_1RB_Left	-21.67	13.04	≤-8.63	PASS
n14	15	10	DFT-16QAM	L	Edge_1RB_Left	-66.19	57.56	≤-8.63	PASS
n14	15	10	DFT-16QAM	L	Edge_1RB_Left	-70.86	52.23	≤-18.63	PASS
n14	15	10	DFT-16QAM	L	Outer_Full	-46.22	28.70	≤-17.52	PASS
n14	15	10	DFT-16QAM	L	Outer_Full	-33.99	26.48	≤-7.51	PASS
n14	15	10	DFT-16QAM	L	Outer_Full	-42.23	34.72	≤-7.51	PASS
n14	15	10	DFT-16QAM	L	Outer_Full	-50.10	32.59	≤-17.51	PASS
n14	15	10	DFT-64QAM	L	Edge_1RB_Left	-69.42	49.33	≤-20.09	PASS

n14	15	10	DFT-64QAM	L	Edge_1RB_Left	-24.79	14.70	≤-10.09	PASS
n14	15	10	DFT-64QAM	L	Edge_1RB_Left	-69.29	59.20	≤-10.09	PASS
n14	15	10	DFT-64QAM	L	Edge_1RB_Left	-70.89	50.80	≤-20.09	PASS
n14	15	10	DFT-64QAM	L	Outer_Full	-47.25	29.28	≤-17.97	PASS
n14	15	10	DFT-64QAM	L	Outer_Full	-33.09	25.12	≤-7.97	PASS
n14	15	10	DFT-64QAM	L	Outer_Full	-44.07	36.09	≤-7.98	PASS
n14	15	10	DFT-64QAM	L	Outer_Full	-50.67	32.70	≤-17.97	PASS
n14	15	10	DFT-256QAM	L	Edge_1RB_Left	-68.25	46.60	≤-21.65	PASS
n14	15	10	DFT-256QAM	L	Edge_1RB_Left	-24.15	12.49	≤-11.66	PASS
n14	15	10	DFT-256QAM	L	Edge_1RB_Left	-68.97	57.32	≤-11.65	PASS
n14	15	10	DFT-256QAM	L	Edge_1RB_Left	-70.68	49.02	≤-21.66	PASS
n14	15	10	DFT-256QAM	L	Outer_Full	-48.36	28.28	≤-20.08	PASS
n14	15	10	DFT-256QAM	L	Outer_Full	-38.14	28.05	≤-10.09	PASS
n14	15	10	DFT-256QAM	L	Outer_Full	-47.54	37.45	≤-10.09	PASS
n14	15	10	DFT-256QAM	L	Outer_Full	-52.44	32.36	≤-20.08	PASS
n14	15	10	CP-QPSK	L	Edge_1RB_Left	-67.99	48.33	≤-19.66	PASS
n14	15	10	CP-QPSK	L	Edge_1RB_Left	-22.64	12.99	≤-9.65	PASS
n14	15	10	CP-QPSK	L	Edge_1RB_Left	-67.40	57.74	≤-9.66	PASS
n14	15	10	CP-QPSK	L	Edge_1RB_Left	-70.78	51.12	≤-19.66	PASS
n14	15	10	CP-QPSK	L	Outer_Full	-45.35	26.85	≤-18.50	PASS
n14	15	10	CP-QPSK	L	Outer_Full	-33.48	24.98	≤-8.50	PASS
n14	15	10	CP-QPSK	L	Outer_Full	-34.44	25.94	≤-8.50	PASS
n14	15	10	CP-QPSK	L	Outer_Full	-48.65	30.15	≤-18.50	PASS
n14	15	10	CP-16QAM	L	Edge_1RB_Left	-66.58	45.79	≤-20.79	PASS
n14	15	10	CP-16QAM	L	Edge_1RB_Left	-24.33	13.54	≤-10.79	PASS
n14	15	10	CP-16QAM	L	Edge_1RB_Left	-66.84	56.06	≤-10.78	PASS
n14	15	10	CP-16QAM	L	Edge_1RB_Left	-70.83	50.04	≤-20.79	PASS
n14	15	10	CP-16QAM	L	Outer_Full	-45.13	26.63	≤-18.50	PASS
n14	15	10	CP-16QAM	L	Outer_Full	-33.32	24.81	≤-8.51	PASS
n14	15	10	CP-16QAM	L	Outer_Full	-35.78	27.27	≤-8.51	PASS
n14	15	10	CP-16QAM	L	Outer_Full	-48.49	29.99	≤-18.50	PASS
n14	15	10	CP-64QAM	L	Edge_1RB_Left	-68.31	48.16	≤-20.15	PASS
n14	15	10	CP-64QAM	L	Edge_1RB_Left	-22.78	12.63	≤-10.15	PASS
n14	15	10	CP-64QAM	L	Edge_1RB_Left	-67.08	56.93	≤-10.15	PASS
n14	15	10	CP-64QAM	L	Edge_1RB_Left	-70.88	50.73	≤-20.15	PASS
n14	15	10	CP-64QAM	L	Outer_Full	-46.89	27.80	≤-19.09	PASS
n14	15	10	CP-64QAM	L	Outer_Full	-33.38	24.29	≤-9.09	PASS
n14	15	10	CP-64QAM	L	Outer_Full	-36.18	27.10	≤-9.08	PASS
n14	15	10	CP-64QAM	L	Outer_Full	-50.92	31.83	≤-19.09	PASS
n14	15	10	CP-256QAM	L	Edge_1RB_Left	-68.35	44.83	≤-23.52	PASS
n14	15	10	CP-256QAM	L	Edge_1RB_Left	-26.71	13.19	≤-13.52	PASS
n14	15	10	CP-256QAM	L	Edge_1RB_Left	-68.86	55.33	≤-13.53	PASS


n14	15	10	CP-256QAM	L	Edge_1RB_Left	-70.89	47.37	≤-23.52	PASS
n14	15	10	CP-256QAM	L	Outer_Full	-49.18	27.22	≤-21.96	PASS
n14	15	10	CP-256QAM	L	Outer_Full	-36.49	24.53	≤-11.96	PASS
n14	15	10	CP-256QAM	L	Outer_Full	-39.93	27.97	≤-11.96	PASS
n14	15	10	CP-256QAM	L	Outer_Full	-53.28	31.31	≤-21.97	PASS

Test Graphs




NTNT-n14-PC3-15-5-L-DFT-BPSK-Edge_1RB_Left--12.50--5.00-P

ASS




NTNT-n14-PC3-15-5-L-DFT-BPSK-Edge_1RB_Left--5.00--2.50-P

ASS




NTNT-n14-PC3-15-5-L-DFT-BPSK-Edge_1RB_Left-2.50-5.00-PAS

S




NTNT-n14-PC3-15-5-L-DFT-BPSK-Edge_1RB_Left-5.00-12.50-P


ASS




NTNT-n14-PC3-15-5-L-DFT-BPSK-Outer_Full--12.50--5.00-PASS




NTNT-n14-PC3-15-5-L-DFT-BPSK-Outer_Full--5.00--2.50-PASS




NTNT-n14-PC3-15-5-L-DFT-BPSK-Outer_Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-L-DFT-BPSK-Outer_Full-5.00-12.50-PASS




NTNT-n14-PC3-15-5-L-DFT-QPSK-Edge_1RB_Left--12.50--5.00-P
ASS




NTNT-n14-PC3-15-5-L-DFT-QPSK-Edge_1RB_Left--5.00--2.50-P
ASS




NTNT-n14-PC3-15-5-L-DFT-QPSK-Edge_1RB_Left-2.50-5.00-PA
SS




NTNT-n14-PC3-15-5-L-DFT-QPSK-Edge_1RB_Left-5.00-12.50-P
ASS




NTNT-n14-PC3-15-5-L-DFT-QPSK-Outer Full--12.50--5.00-PASS




NTNT-n14-PC3-15-5-L-DFT-QPSK-Outer Full--5.00--2.50-PASS




NTNT-n14-PC3-15-5-L-DFT-QPSK-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-L-DFT-QPSK-Outer Full-5.00-12.50-PASS




NTNT-n14-PC3-15-5-L-DFT-16QAM-Edge_1RB_Left--12.50--5.00
-PASS




NTNT-n14-PC3-15-5-L-DFT-16QAM-Edge_1RB_Left--5.00--2.50-
PASS




NTNT-n14-PC3-15-5-L-DFT-16QAM-Edge_1RB_Left-2.50-5.00-P
ASS




NTNT-n14-PC3-15-5-L-DFT-16QAM-Edge_1RB_Left-5.00-12.50-
PASS




NTNT-n14-PC3-15-5-L-DFT-16QAM-Outer_Full--12.50--5.00-PAS




NTNT-n14-PC3-15-5-L-DFT-16QAM-Outer_Full--5.00--2.50-PAS




NTNT-n14-PC3-15-5-L-DFT-16QAM-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-L-DFT-16QAM-Outer_Full-5.00-12.50-PAS




NTNT-n14-PC3-15-5-L-DFT-64QAM-Edge_1RB_Left--12.50--5.00
-PASS




NTNT-n14-PC3-15-5-L-DFT-64QAM-Edge_1RB_Left--5.00--2.50-
PASS




NTNT-n14-PC3-15-5-L-DFT-64QAM-Edge_1RB_Left-2.50-5.00-P
ASS




NTNT-n14-PC3-15-5-L-DFT-64QAM-Edge_1RB_Left-5.00-12.50-
PASS




NTNT-n14-PC3-15-5-L-DFT-64QAM-Outer_Full--12.50--5.00-PAS




NTNT-n14-PC3-15-5-L-DFT-64QAM-Outer_Full--5.00--2.50-PAS




NTNT-n14-PC3-15-5-L-DFT-64QAM-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-L-DFT-64QAM-Outer_Full-5.00-12.50-PAS




NTNT-n14-PC3-15-5-L-DFT-256QAM-Edge_1RB_Left--12.50--5.0
0-PASS




NTNT-n14-PC3-15-5-L-DFT-256QAM-Edge_1RB_Left--5.00--2.5
0-PASS




NTNT-n14-PC3-15-5-L-DFT-256QAM-Edge_1RB_Left-2.50-5.00-P
ASS




NTNT-n14-PC3-15-5-L-DFT-256QAM-Edge_1RB_Left-5.00-12.5
0-PASS




NTNT-n14-PC3-15-5-L-DFT-256QAM-Outer_Full--12.50--5.00-PA
SS




NTNT-n14-PC3-15-5-L-DFT-256QAM-Outer_Full--5.00--2.50-PA
SS




NTNT-n14-PC3-15-5-L-DFT-256QAM-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-L-DFT-256QAM-Outer_Full-5.00-12.50-PAS




NTNT-n14-PC3-15-5-L-CP-QPSK-Edge_1RB_Left--12.50--5.00-P
ASS




NTNT-n14-PC3-15-5-L-CP-QPSK-Edge_1RB_Left--5.00--2.50-P
ASS




NTNT-n14-PC3-15-5-L-CP-QPSK-Edge_1RB_Left-2.50-5.00-PAS




NTNT-n14-PC3-15-5-L-CP-QPSK-Edge_1RB_Left-5.00-12.50-PA




NTNT-n14-PC3-15-5-L-CP-QPSK-Outer Full--12.50--5.00-PASS




NTNT-n14-PC3-15-5-L-CP-QPSK-Outer Full--5.00--2.50-PASS




NTNT-n14-PC3-15-5-L-CP-QPSK-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-L-CP-QPSK-Outer Full-5.00-12.50-PASS




NTNT-n14-PC3-15-5-L-CP-16QAM-Edge_1RB_Left--12.50--5.00-PASS




NTNT-n14-PC3-15-5-L-CP-16QAM-Edge_1RB_Left--5.00--2.50-PASS




NTNT-n14-PC3-15-5-L-CP-16QAM-Edge_1RB_Left-2.50-5.00-PASS




NTNT-n14-PC3-15-5-L-CP-16QAM-Edge_1RB_Left-5.00-12.50-PASS




NTNT-n14-PC3-15-5-L-CP-16QAM-Outer_Full--12.50--5.00-PASS




NTNT-n14-PC3-15-5-L-CP-16QAM-Outer_Full--5.00--2.50-PASS




NTNT-n14-PC3-15-5-L-CP-16QAM-Outer_Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-L-CP-16QAM-Outer_Full-5.00-12.50-PASS




NTNT-n14-PC3-15-5-L-CP-64QAM-Edge_1RB_Left--12.50--5.00-
PASS




NTNT-n14-PC3-15-5-L-CP-64QAM-Edge_1RB_Left--5.00--2.50-
PASS




NTNT-n14-PC3-15-5-L-CP-64QAM-Edge_1RB_Left-2.50-5.00-PA
SS




NTNT-n14-PC3-15-5-L-CP-64QAM-Edge_1RB_Left-5.00-12.50-P
ASS




NTNT-n14-PC3-15-5-L-CP-64QAM-Outer Full--12.50--5.00-PASS




NTNT-n14-PC3-15-5-L-CP-64QAM-Outer Full--5.00--2.50-PASS




NTNT-n14-PC3-15-5-L-CP-64QAM-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-L-CP-64QAM-Outer Full-5.00-12.50-PASS




NTNT-n14-PC3-15-5-L-CP-256QAM-Edge_1RB_Left--12.50--5.00
-PASS




NTNT-n14-PC3-15-5-L-CP-256QAM-Edge_1RB_Left--5.00--2.50-
PASS




NTNT-n14-PC3-15-5-L-CP-256QAM-Edge_1RB_Left-2.50-5.00-P
ASS




NTNT-n14-PC3-15-5-L-CP-256QAM-Edge_1RB_Left-5.00-12.50-
PASS




NTNT-n14-PC3-15-5-L-CP-256QAM-Outer_Full--12.50--5.00-PAS




NTNT-n14-PC3-15-5-L-CP-256QAM-Outer_Full--5.00--2.50-PAS




NTNT-n14-PC3-15-5-L-CP-256QAM-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-L-CP-256QAM-Outer_Full-5.00-12.50-PAS




NTNT-n14-PC3-15-5-M-DFT-BPSK-Outer Full--12.50--5.00-PASS




NTNT-n14-PC3-15-5-M-DFT-BPSK-Outer Full--5.00--2.50-PASS




NTNT-n14-PC3-15-5-M-DFT-BPSK-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-M-DFT-BPSK-Outer Full-5.00-12.50-PASS




NTNT-n14-PC3-15-5-M-DFT-QPSK-Outer Full--12.50--5.00-PASS




NTNT-n14-PC3-15-5-M-DFT-QPSK-Outer Full--5.00--2.50-PASS



NTNT-n14-PC3-15-5-M-DFT-QPSK-Outer_Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-M-DFT-QPSK-Outer_Full-5.00-12.50-PASS




NTNT-n14-PC3-15-5-M-DFT-16QAM-Outer_Full--12.50--5.00-PAS

S




NTNT-n14-PC3-15-5-M-DFT-16QAM-Outer_Full--5.00--2.50-PAS

5




NTNT-n14-PC3-15-5-M-DFT-16QAM-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-M-DFT-16QAM-Outer Full-5.00-12.50-PAS

5




NTNT-n14-PC3-15-5-M-DFT-64QAM-Outer_Full--12.50--5.00-PAS

S




NTNT-n14-PC3-15-5-M-DFT-64QAM-Outer_Full--5.00--2.50-PAS

9




NTNT-n14-PC3-15-5-M-DFT-64QAM-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-M-DFT-64QAM-Outer Full-5.00-12.50-PAS


5




NTNT-n14-PC3-15-5-M-DFT-256QAM-Outer_Full--12.50--5.00-PA
SS




NTNT-n14-PC3-15-5-M-DFT-256QAM-Outer_Full--5.00--2.50-PA




NTNT-n14-PC3-15-5-M-DFT-256QAM-Outer Full-2.50-5.00-PASS




NTNT-n14-PC3-15-5-M-DFT-256QAM-Outer_Full-5.00-12.50-PA
SS




NTNT-n14-PC3-15-5-M-CP-QPSK-Outer Full--12.50--5.00-PASS





NTNT-n14-PC3-15-5-M-CP-QPSK-Outer Full--5.00--2.50-PASS



NTNT-n14-PC3-15-5-M-CP-QPSK-Outer Full-2.50-5.00-PASS





NTNT-n14-PC3-15-5-M-CP-QPSK-Outer Full-5.00-12.50-PASS





NTNT-n14-PC3-15-5-M-CP-16QAM-Outer_Full--12.50--5.00-PASS

NTNT-n14-PC3-15-5-M-CP-16QAM-Outer_Full--5.00--2.50-PASS





NTNT-n14-PC3-15-5-M-CP-16QAM-Outer_Full-2.50-5.00-PASS

NTNT-n14-PC3-15-5-M-CP-16QAM-Outer_Full-5.00-12.50-PASS




NTNT-n14-PC3-15-5-M-CP-64QAM-Outer_Full--12.50--5.00-PASS

NTNT-n14-PC3-15-5-M-CP-64QAM-Outer_Full--5.00--2.50-PASS




NTNT-n14-PC3-15-5-M-CP-64QAM-Outer_Full-2.50-5.00-PASS

NTNT-n14-PC3-15-5-M-CP-64QAM-Outer_Full-5.00-12.50-PASS




NTNT-n14-PC3-15-5-M-CP-256QAM-Outer_Full--12.50--5.00-PAS

S




NTNT-n14-PC3-15-5-M-CP-256QAM-Outer_Full--5.00--2.50-PAS

co




NTNT-n14-PC3-15-5-M-CP-256QAM-Outer Full-2.50-5.00-PASS

5




NTNT-n14-PC3-15-5-M-CP-256QAM-Outer Full-5.00-12.50-PAS

5




NTNT-n14-PC3-15-5-H-DFT-BPSK-Edge_1RB_Right--12.50--5.00

-PASS




NTNT-n14-PC3-15-5-H-DFT-BPSK-Edge_1RB_Right--5.00--2.50

-PASS




NTNT-n14-PC3-15-5-H-DFT-BPSK-Edge 1RB Right-2.50-5.00-P

ASS




NTNT-n14-PC3-15-5-H-DFT-BPSK-Edge 1RB Right-5.00-12.50-


PASS




NTNT-n14-PC3-15-5-H-DFT-BPSK-Outer_Full--12.50--5.00-PASS







NTNT-n14-PC3-15-5-H-DFT-BPSK-Outer_Full--5.00--2.50-PASS



NTNT-n14-PC3-15-5-H-DFT-BPSK-Outer_Full-2.50-5.00-PASS



NTNT-n14-PC3-15-5-H-DFT-BPSK-Outer_Full-5.00-12.50-PASS

NTNT-n14-PC3-15-5-H-DFT-QPSK-Edge_1RB_Right--12.50--5.00
-PASSNTNT-n14-PC3-15-5-H-DFT-QPSK-Edge_1RB_Right--5.00--2.50
-PASSNTNT-n14-PC3-15-5-H-DFT-QPSK-Edge_1RB_Right-2.50-5.00-P
ASSNTNT-n14-PC3-15-5-H-DFT-QPSK-Edge_1RB_Right-5.00-12.50
-PASS