

Test Data For SISO

Effective (Isotropic) Radiated Power Output Data

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	Gain (dBi)	E(I)RP (dBm)	Limit (dBm)	Verdict
n77(3700-3980)	30	10	DFT-BPSK	L	Inner_1RB_Left	26	-0.64	25.36	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	L	Inner_1RB_Right	25.96	-0.64	25.32	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	L	Inner_Full	26.43	-0.64	25.79	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	L	Outer_Full	25.8	-0.64	25.16	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	L	Inner_1RB_Left	26.48	-0.64	25.84	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	L	Inner_1RB_Right	26.52	-0.64	25.88	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	L	Inner_Full	26.46	-0.64	25.82	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	L	Outer_Full	25.38	-0.64	24.74	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	L	Inner_1RB_Left	25.26	-0.64	24.62	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	L	Inner_1RB_Right	25.29	-0.64	24.65	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	L	Inner_Full	25.46	-0.64	24.82	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	L	Outer_Full	24.39	-0.64	23.75	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	L	Inner_1RB_Left	24.2	-0.64	23.56	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	L	Inner_1RB_Right	24.23	-0.64	23.59	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	L	Inner_Full	23.99	-0.64	23.35	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	L	Outer_Full	23.91	-0.64	23.27	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	L	Inner_1RB_Left	21.85	-0.64	21.21	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	L	Inner_1RB_Right	21.97	-0.64	21.33	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	L	Inner_Full	21.94	-0.64	21.3	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	L	Outer_Full	21.81	-0.64	21.17	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	M	Inner_1RB_Left	26.68	-0.64	26.04	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	M	Inner_1RB_Right	26.6	-0.64	25.96	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	M	Inner_Full	26.62	-0.64	25.98	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	M	Outer_Full	26.04	-0.64	25.4	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	M	Inner_1RB_Left	26.77	-0.64	26.13	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	M	Inner_1RB_Right	26.7	-0.64	26.06	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	M	Inner_Full	26.67	-0.64	26.03	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	M	Outer_Full	25.51	-0.64	24.87	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	M	Inner_1RB_Left	25.64	-0.64	25	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	M	Inner_1RB_Right	25.56	-0.64	24.92	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	M	Inner_Full	25.6	-0.64	24.96	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	M	Outer_Full	24.58	-0.64	23.94	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	M	Inner_1RB_Left	24.22	-0.64	23.58	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	M	Inner_1RB_Right	24.12	-0.64	23.48	30	PASS

n77(3700-3980)	30	10	DFT-64QAM	M	Inner_Full	24.06	-0.64	23.42	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	M	Outer_Full	23.98	-0.64	23.34	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	M	Inner_1RB_Left	21.91	-0.64	21.27	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	M	Inner_1RB_Right	21.83	-0.64	21.19	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	M	Inner_Full	22.05	-0.64	21.41	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	M	Outer_Full	22.06	-0.64	21.42	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	H	Inner_1RB_Left	26.68	-0.64	26.04	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	H	Inner_1RB_Right	26.68	-0.64	26.04	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	H	Inner_Full	26.83	-0.64	26.19	30	PASS
n77(3700-3980)	30	10	DFT-BPSK	H	Outer_Full	26.15	-0.64	25.51	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	H	Inner_1RB_Left	26.89	-0.64	26.25	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	H	Inner_1RB_Right	26.9	-0.64	26.26	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	H	Inner_Full	26.78	-0.64	26.14	30	PASS
n77(3700-3980)	30	10	DFT-QPSK	H	Outer_Full	25.77	-0.64	25.13	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	H	Inner_1RB_Left	25.43	-0.64	24.79	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	H	Inner_1RB_Right	25.46	-0.64	24.82	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	H	Inner_Full	25.78	-0.64	25.14	30	PASS
n77(3700-3980)	30	10	DFT-16QAM	H	Outer_Full	24.58	-0.64	23.94	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	H	Inner_1RB_Left	23.69	-0.64	23.05	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	H	Inner_1RB_Right	23.8	-0.64	23.16	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	H	Inner_Full	24.21	-0.64	23.57	30	PASS
n77(3700-3980)	30	10	DFT-64QAM	H	Outer_Full	24.2	-0.64	23.56	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	H	Inner_1RB_Left	22.35	-0.64	21.71	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	H	Inner_1RB_Right	22.38	-0.64	21.74	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	H	Inner_Full	22.15	-0.64	21.51	30	PASS
n77(3700-3980)	30	10	DFT-256QAM	H	Outer_Full	22.29	-0.64	21.65	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	L	Inner_1RB_Left	26.29	-0.64	25.65	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	L	Inner_1RB_Right	26.18	-0.64	25.54	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	L	Inner_Full	26.5	-0.64	25.86	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	L	Outer_Full	25.73	-0.64	25.09	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	L	Inner_1RB_Left	26.14	-0.64	25.5	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	L	Inner_1RB_Right	26.09	-0.64	25.45	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	L	Inner_Full	26.43	-0.64	25.79	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	L	Outer_Full	25.26	-0.64	24.62	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	L	Inner_1RB_Left	25.28	-0.64	24.64	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	L	Inner_1RB_Right	25.24	-0.64	24.6	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	L	Inner_Full	25.27	-0.64	24.63	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	L	Outer_Full	24.21	-0.64	23.57	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	L	Inner_1RB_Left	23.73	-0.64	23.09	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	L	Inner_1RB_Right	23.73	-0.64	23.09	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	L	Inner_Full	23.78	-0.64	23.14	30	PASS

n77(3700-3980)	30	15	DFT-64QAM	L	Outer_Full	23.74	-0.64	23.1	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	L	Inner_1RB_Left	21.98	-0.64	21.34	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	L	Inner_1RB_Right	21.88	-0.64	21.24	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	L	Inner_Full	21.71	-0.64	21.07	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	L	Outer_Full	21.74	-0.64	21.1	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	M	Inner_1RB_Left	26.82	-0.64	26.18	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	M	Inner_1RB_Right	26.64	-0.64	26	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	M	Inner_Full	26.54	-0.64	25.9	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	M	Outer_Full	25.96	-0.64	25.32	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	M	Inner_1RB_Left	26.54	-0.64	25.9	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	M	Inner_1RB_Right	26.37	-0.64	25.73	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	M	Inner_Full	26.6	-0.64	25.96	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	M	Outer_Full	25.49	-0.64	24.85	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	M	Inner_1RB_Left	25.63	-0.64	24.99	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	M	Inner_1RB_Right	25.34	-0.64	24.7	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	M	Inner_Full	25.67	-0.64	25.03	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	M	Outer_Full	24.47	-0.64	23.83	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	M	Inner_1RB_Left	24.24	-0.64	23.6	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	M	Inner_1RB_Right	24.08	-0.64	23.44	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	M	Inner_Full	23.84	-0.64	23.2	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	M	Outer_Full	23.97	-0.64	23.33	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	M	Inner_1RB_Left	22.11	-0.64	21.47	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	M	Inner_1RB_Right	21.81	-0.64	21.17	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	M	Inner_Full	21.99	-0.64	21.35	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	M	Outer_Full	21.98	-0.64	21.34	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	H	Inner_1RB_Left	27	-0.64	26.36	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	H	Inner_1RB_Right	27	-0.64	26.36	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	H	Inner_Full	26.85	-0.64	26.21	30	PASS
n77(3700-3980)	30	15	DFT-BPSK	H	Outer_Full	26.05	-0.64	25.41	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	H	Inner_1RB_Left	26.96	-0.64	26.32	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	H	Inner_1RB_Right	26.83	-0.64	26.19	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	H	Inner_Full	26.78	-0.64	26.14	30	PASS
n77(3700-3980)	30	15	DFT-QPSK	H	Outer_Full	25.7	-0.64	25.06	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	H	Inner_1RB_Left	25.65	-0.64	25.01	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	H	Inner_1RB_Right	25.51	-0.64	24.87	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	H	Inner_Full	25.65	-0.64	25.01	30	PASS
n77(3700-3980)	30	15	DFT-16QAM	H	Outer_Full	24.52	-0.64	23.88	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	H	Inner_1RB_Left	24.34	-0.64	23.7	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	H	Inner_1RB_Right	24.22	-0.64	23.58	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	H	Inner_Full	24	-0.64	23.36	30	PASS
n77(3700-3980)	30	15	DFT-64QAM	H	Outer_Full	24.04	-0.64	23.4	30	PASS

n77(3700-3980)	30	15	DFT-256QAM	H	Inner_1RB_Left	22.27	-0.64	21.63	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	H	Inner_1RB_Right	22.13	-0.64	21.49	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	H	Inner_Full	22.14	-0.64	21.5	30	PASS
n77(3700-3980)	30	15	DFT-256QAM	H	Outer_Full	22.14	-0.64	21.5	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Inner_1RB_Left	26.3	-0.64	25.66	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Inner_1RB_Right	26.28	-0.64	25.64	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Inner_Full	26.35	-0.64	25.71	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	25.85	-0.64	25.21	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Inner_1RB_Left	25.92	-0.64	25.28	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Inner_1RB_Right	25.8	-0.64	25.16	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Inner_Full	26.37	-0.64	25.73	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	25.27	-0.64	24.63	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	L	Inner_1RB_Left	24.95	-0.64	24.31	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	L	Inner_1RB_Right	24.91	-0.64	24.27	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	L	Inner_Full	25.25	-0.64	24.61	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	L	Outer_Full	24.26	-0.64	23.62	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	L	Inner_1RB_Left	23.75	-0.64	23.11	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	L	Inner_1RB_Right	23.6	-0.64	22.96	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	L	Inner_Full	23.8	-0.64	23.16	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	L	Outer_Full	23.72	-0.64	23.08	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	L	Inner_1RB_Left	21.84	-0.64	21.2	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	L	Inner_1RB_Right	21.73	-0.64	21.09	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	L	Inner_Full	21.69	-0.64	21.05	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	L	Outer_Full	21.78	-0.64	21.14	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Inner_1RB_Left	26.61	-0.64	25.97	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Inner_1RB_Right	26.41	-0.64	25.77	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Inner_Full	26.58	-0.64	25.94	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	25.96	-0.64	25.32	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Inner_1RB_Left	26.56	-0.64	25.92	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Inner_1RB_Right	26.31	-0.64	25.67	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Inner_Full	26.53	-0.64	25.89	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	25.54	-0.64	24.9	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	M	Inner_1RB_Left	25.47	-0.64	24.83	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	M	Inner_1RB_Right	25.19	-0.64	24.55	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	M	Inner_Full	25.43	-0.64	24.79	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	M	Outer_Full	24.51	-0.64	23.87	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	M	Inner_1RB_Left	24.2	-0.64	23.56	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	M	Inner_1RB_Right	23.94	-0.64	23.3	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	M	Inner_Full	23.97	-0.64	23.33	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	M	Outer_Full	23.87	-0.64	23.23	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	M	Inner_1RB_Left	22.33	-0.64	21.69	30	PASS

n77(3700-3980)	30	20	DFT-256QAM	M	Inner_1RB_Right	22.17	-0.64	21.53	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	M	Inner_Full	21.93	-0.64	21.29	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	M	Outer_Full	21.98	-0.64	21.34	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Inner_1RB_Left	26.66	-0.64	26.02	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Inner_1RB_Right	26.62	-0.64	25.98	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Inner_Full	26.73	-0.64	26.09	30	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	26.35	-0.64	25.71	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Inner_1RB_Left	26.59	-0.64	25.95	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Inner_1RB_Right	26.74	-0.64	26.1	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Inner_Full	26.85	-0.64	26.21	30	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	25.71	-0.64	25.07	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	H	Inner_1RB_Left	25.67	-0.64	25.03	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	H	Inner_1RB_Right	25.71	-0.64	25.07	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	H	Inner_Full	25.66	-0.64	25.02	30	PASS
n77(3700-3980)	30	20	DFT-16QAM	H	Outer_Full	24.58	-0.64	23.94	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	H	Inner_1RB_Left	23.77	-0.64	23.13	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	H	Inner_1RB_Right	23.72	-0.64	23.08	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	H	Inner_Full	24.11	-0.64	23.47	30	PASS
n77(3700-3980)	30	20	DFT-64QAM	H	Outer_Full	24.11	-0.64	23.47	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	H	Inner_1RB_Left	22.28	-0.64	21.64	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	H	Inner_1RB_Right	22.24	-0.64	21.6	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	H	Inner_Full	22.26	-0.64	21.62	30	PASS
n77(3700-3980)	30	20	DFT-256QAM	H	Outer_Full	22.07	-0.64	21.43	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	L	Inner_1RB_Left	26.46	-0.64	25.82	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	L	Inner_1RB_Right	26.37	-0.64	25.73	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	L	Inner_Full	26.3	-0.64	25.66	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	L	Outer_Full	25.73	-0.64	25.09	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	L	Inner_1RB_Left	26.64	-0.64	26	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	L	Inner_1RB_Right	26.49	-0.64	25.85	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	L	Inner_Full	26.31	-0.64	25.67	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	L	Outer_Full	25.24	-0.64	24.6	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	L	Inner_1RB_Left	25.38	-0.64	24.74	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	L	Inner_1RB_Right	25.26	-0.64	24.62	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	L	Inner_Full	25.16	-0.64	24.52	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	L	Outer_Full	24.22	-0.64	23.58	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	L	Inner_1RB_Left	23.46	-0.64	22.82	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	L	Inner_1RB_Right	23.4	-0.64	22.76	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	L	Inner_Full	23.76	-0.64	23.12	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	L	Outer_Full	23.83	-0.64	23.19	30	PASS
n77(3700-3980)	30	25	DFT-256QAM	L	Inner_1RB_Left	21.73	-0.64	21.09	30	PASS
n77(3700-3980)	30	25	DFT-256QAM	L	Inner_1RB_Right	21.62	-0.64	20.98	30	PASS

n77(3700-3980)	30	25	DFT-256QAM	L	Inner_Full	21.66	-0.64	21.02	30	PASS
n77(3700-3980)	30	25	DFT-256QAM	L	Outer_Full	21.78	-0.64	21.14	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	M	Inner_1RB_Left	26.69	-0.64	26.05	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	M	Inner_1RB_Right	26.47	-0.64	25.83	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	M	Inner_Full	26.56	-0.64	25.92	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	M	Outer_Full	25.97	-0.64	25.33	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	M	Inner_1RB_Left	26.98	-0.64	26.34	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	M	Inner_1RB_Right	26.78	-0.64	26.14	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	M	Inner_Full	26.52	-0.64	25.88	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	M	Outer_Full	25.51	-0.64	24.87	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	M	Inner_1RB_Left	25.65	-0.64	25.01	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	M	Inner_1RB_Right	25.48	-0.64	24.84	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	M	Inner_Full	25.48	-0.64	24.84	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	M	Outer_Full	24.57	-0.64	23.93	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	M	Inner_1RB_Left	24.1	-0.64	23.46	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	M	Inner_1RB_Right	23.89	-0.64	23.25	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	M	Inner_Full	23.98	-0.64	23.34	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	M	Outer_Full	23.88	-0.64	23.24	30	PASS
n77(3700-3980)	30	25	DFT-256QAM	M	Inner_1RB_Left	22.05	-0.64	21.41	30	PASS
n77(3700-3980)	30	25	DFT-256QAM	M	Inner_1RB_Right	21.76	-0.64	21.12	30	PASS
n77(3700-3980)	30	25	DFT-256QAM	M	Inner_Full	21.99	-0.64	21.35	30	PASS
n77(3700-3980)	30	25	DFT-256QAM	M	Outer_Full	21.92	-0.64	21.28	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	H	Inner_1RB_Left	26.68	-0.64	26.04	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	H	Inner_1RB_Right	26.82	-0.64	26.18	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	H	Inner_Full	26.74	-0.64	26.1	30	PASS
n77(3700-3980)	30	25	DFT-BPSK	H	Outer_Full	26.14	-0.64	25.5	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	H	Inner_1RB_Left	26.73	-0.64	26.09	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	H	Inner_1RB_Right	26.76	-0.64	26.12	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	H	Inner_Full	26.8	-0.64	26.16	30	PASS
n77(3700-3980)	30	25	DFT-QPSK	H	Outer_Full	25.58	-0.64	24.94	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	H	Inner_1RB_Left	25.82	-0.64	25.18	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	H	Inner_1RB_Right	25.93	-0.64	25.29	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	H	Inner_Full	25.64	-0.64	25	30	PASS
n77(3700-3980)	30	25	DFT-16QAM	H	Outer_Full	24.63	-0.64	23.99	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	H	Inner_1RB_Left	24.28	-0.64	23.64	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	H	Inner_1RB_Right	24.31	-0.64	23.67	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	H	Inner_Full	24.04	-0.64	23.4	30	PASS
n77(3700-3980)	30	25	DFT-64QAM	H	Outer_Full	24.08	-0.64	23.44	30	PASS
n77(3700-3980)	30	25	DFT-256QAM	H	Inner_1RB_Left	22.29	-0.64	21.65	30	PASS
n77(3700-3980)	30	25	DFT-256QAM	H	Inner_1RB_Right	22.1	-0.64	21.46	30	PASS
n77(3700-3980)	30	25	DFT-256QAM	H	Inner_Full	22.13	-0.64	21.49	30	PASS

n77(3700-3980)	30	25	DFT-256QAM	H	Outer_Full	21.97	-0.64	21.33	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Inner_1RB_Left	26.39	-0.64	25.75	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Inner_1RB_Right	26.29	-0.64	25.65	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Inner_Full	26.28	-0.64	25.64	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	25.75	-0.64	25.11	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Inner_1RB_Left	26.34	-0.64	25.7	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Inner_1RB_Right	26.25	-0.64	25.61	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Inner_Full	26.29	-0.64	25.65	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	25.26	-0.64	24.62	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	L	Inner_1RB_Left	25.03	-0.64	24.39	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	L	Inner_1RB_Right	24.92	-0.64	24.28	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	L	Inner_Full	25.18	-0.64	24.54	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	L	Outer_Full	24.37	-0.64	23.73	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	L	Inner_1RB_Left	24.02	-0.64	23.38	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	L	Inner_1RB_Right	24.02	-0.64	23.38	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	L	Inner_Full	23.7	-0.64	23.06	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	L	Outer_Full	23.74	-0.64	23.1	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	L	Inner_1RB_Left	22.05	-0.64	21.41	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	L	Inner_1RB_Right	21.91	-0.64	21.27	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	L	Inner_Full	21.77	-0.64	21.13	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	L	Outer_Full	21.7	-0.64	21.06	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Inner_1RB_Left	26.82	-0.64	26.18	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Inner_1RB_Right	26.64	-0.64	26	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Inner_Full	26.58	-0.64	25.94	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	25.99	-0.64	25.35	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Inner_1RB_Left	26.5	-0.64	25.86	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Inner_1RB_Right	26.36	-0.64	25.72	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Inner_Full	26.53	-0.64	25.89	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	25.54	-0.64	24.9	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	M	Inner_1RB_Left	25.92	-0.64	25.28	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	M	Inner_1RB_Right	25.67	-0.64	25.03	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	M	Inner_Full	25.51	-0.64	24.87	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	M	Outer_Full	24.55	-0.64	23.91	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	M	Inner_1RB_Left	24.37	-0.64	23.73	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	M	Inner_1RB_Right	24.13	-0.64	23.49	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	M	Inner_Full	23.93	-0.64	23.29	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	M	Outer_Full	23.97	-0.64	23.33	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	M	Inner_1RB_Left	22.19	-0.64	21.55	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	M	Inner_1RB_Right	21.83	-0.64	21.19	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	M	Inner_Full	21.97	-0.64	21.33	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	M	Outer_Full	22.1	-0.64	21.46	30	PASS

n77(3700-3980)	30	30	DFT-BPSK	H	Inner_1RB_Left	26.75	-0.64	26.11	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Inner_1RB_Right	26.78	-0.64	26.14	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Inner_Full	26.75	-0.64	26.11	30	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	26.17	-0.64	25.53	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Inner_1RB_Left	26.85	-0.64	26.21	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Inner_1RB_Right	26.96	-0.64	26.32	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Inner_Full	26.68	-0.64	26.04	30	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	25.72	-0.64	25.08	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	H	Inner_1RB_Left	25.64	-0.64	25	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	H	Inner_1RB_Right	25.74	-0.64	25.1	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	H	Inner_Full	25.59	-0.64	24.95	30	PASS
n77(3700-3980)	30	30	DFT-16QAM	H	Outer_Full	24.67	-0.64	24.03	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	H	Inner_1RB_Left	23.75	-0.64	23.11	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	H	Inner_1RB_Right	23.97	-0.64	23.33	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	H	Inner_Full	24.04	-0.64	23.4	30	PASS
n77(3700-3980)	30	30	DFT-64QAM	H	Outer_Full	24.17	-0.64	23.53	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	H	Inner_1RB_Left	22.17	-0.64	21.53	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	H	Inner_1RB_Right	22.29	-0.64	21.65	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	H	Inner_Full	22.04	-0.64	21.4	30	PASS
n77(3700-3980)	30	30	DFT-256QAM	H	Outer_Full	22.1	-0.64	21.46	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Inner_1RB_Left	26.3	-0.64	25.66	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Inner_1RB_Right	26.24	-0.64	25.6	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Inner_Full	26.3	-0.64	25.66	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	25.85	-0.64	25.21	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Inner_1RB_Left	26.3	-0.64	25.66	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Inner_1RB_Right	26.24	-0.64	25.6	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Inner_Full	26.34	-0.64	25.7	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	25.39	-0.64	24.75	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	L	Inner_1RB_Left	25.22	-0.64	24.58	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	L	Inner_1RB_Right	25.06	-0.64	24.42	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	L	Inner_Full	25.16	-0.64	24.52	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	L	Outer_Full	24.25	-0.64	23.61	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	L	Inner_1RB_Left	23.65	-0.64	23.01	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	L	Inner_1RB_Right	23.59	-0.64	22.95	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	L	Inner_Full	23.74	-0.64	23.1	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	L	Outer_Full	23.76	-0.64	23.12	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	L	Inner_1RB_Left	21.54	-0.64	20.9	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	L	Inner_1RB_Right	21.51	-0.64	20.87	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	L	Inner_Full	21.69	-0.64	21.05	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	L	Outer_Full	21.73	-0.64	21.09	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Inner_1RB_Left	26.36	-0.64	25.72	30	PASS

n77(3700-3980)	30	40	DFT-BPSK	M	Inner_1RB_Right	26.36	-0.64	25.72	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Inner_Full	26.6	-0.64	25.96	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	26.14	-0.64	25.5	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Inner_1RB_Left	26.48	-0.64	25.84	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Inner_1RB_Right	26.5	-0.64	25.86	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Inner_Full	26.55	-0.64	25.91	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	25.56	-0.64	24.92	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	M	Inner_1RB_Left	25.75	-0.64	25.11	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	M	Inner_1RB_Right	25.66	-0.64	25.02	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	M	Inner_Full	25.53	-0.64	24.89	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	M	Outer_Full	24.48	-0.64	23.84	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	M	Inner_1RB_Left	23.96	-0.64	23.32	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	M	Inner_1RB_Right	23.94	-0.64	23.3	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	M	Inner_Full	24.07	-0.64	23.43	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	M	Outer_Full	23.98	-0.64	23.34	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	M	Inner_1RB_Left	21.99	-0.64	21.35	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	M	Inner_1RB_Right	21.75	-0.64	21.11	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	M	Inner_Full	21.96	-0.64	21.32	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	M	Outer_Full	22.03	-0.64	21.39	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Inner_1RB_Left	26.59	-0.64	25.95	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Inner_1RB_Right	26.88	-0.64	26.24	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Inner_Full	26.75	-0.64	26.11	30	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	26.18	-0.64	25.54	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Inner_1RB_Left	26.44	-0.64	25.8	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Inner_1RB_Right	26.74	-0.64	26.1	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Inner_Full	26.63	-0.64	25.99	30	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	25.76	-0.64	25.12	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	H	Inner_1RB_Left	25.61	-0.64	24.97	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	H	Inner_1RB_Right	25.77	-0.64	25.13	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	H	Inner_Full	25.55	-0.64	24.91	30	PASS
n77(3700-3980)	30	40	DFT-16QAM	H	Outer_Full	24.58	-0.64	23.94	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	H	Inner_1RB_Left	23.96	-0.64	23.32	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	H	Inner_1RB_Right	24.18	-0.64	23.54	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	H	Inner_Full	24.04	-0.64	23.4	30	PASS
n77(3700-3980)	30	40	DFT-64QAM	H	Outer_Full	24.09	-0.64	23.45	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	H	Inner_1RB_Left	21.89	-0.64	21.25	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	H	Inner_1RB_Right	22.12	-0.64	21.48	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	H	Inner_Full	22.09	-0.64	21.45	30	PASS
n77(3700-3980)	30	40	DFT-256QAM	H	Outer_Full	22.08	-0.64	21.44	30	PASS
n77(3700-3980)	30	50	DFT-BPSK	L	Inner_1RB_Left	26.47	-0.64	25.83	30	PASS
n77(3700-3980)	30	50	DFT-BPSK	L	Inner_1RB_Right	26.37	-0.64	25.73	30	PASS

n77(3700-3980)	30	50	DFT-BPSK	L	Inner_Full	26.51	-0.64	25.87	30	PASS
n77(3700-3980)	30	50	DFT-BPSK	L	Outer_Full	25.84	-0.64	25.2	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	L	Inner_1RB_Left	26.47	-0.64	25.83	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	L	Inner_1RB_Right	26.3	-0.64	25.66	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	L	Inner_Full	26.51	-0.64	25.87	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	L	Outer_Full	25.35	-0.64	24.71	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	L	Inner_1RB_Left	25.26	-0.64	24.62	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	L	Inner_1RB_Right	25.07	-0.64	24.43	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	L	Inner_Full	25.44	-0.64	24.8	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	L	Outer_Full	24.44	-0.64	23.8	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	L	Inner_1RB_Left	24.13	-0.64	23.49	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	L	Inner_1RB_Right	23.87	-0.64	23.23	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	L	Inner_Full	23.83	-0.64	23.19	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	L	Outer_Full	23.95	-0.64	23.31	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	L	Inner_1RB_Left	22	-0.64	21.36	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	L	Inner_1RB_Right	21.86	-0.64	21.22	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	L	Inner_Full	21.87	-0.64	21.23	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	L	Outer_Full	21.89	-0.64	21.25	30	PASS
n77(3700-3980)	30	50	DFT-BPSK	M	Inner_1RB_Left	26.62	-0.64	25.98	30	PASS
n77(3700-3980)	30	50	DFT-BPSK	M	Inner_1RB_Right	26.67	-0.64	26.03	30	PASS
n77(3700-3980)	30	50	DFT-BPSK	M	Inner_Full	26.66	-0.64	26.02	30	PASS
n77(3700-3980)	30	50	DFT-BPSK	M	Outer_Full	26.09	-0.64	25.45	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	M	Inner_1RB_Left	26.62	-0.64	25.98	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	M	Inner_1RB_Right	26.65	-0.64	26.01	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	M	Inner_Full	26.71	-0.64	26.07	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	M	Outer_Full	25.62	-0.64	24.98	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	M	Inner_1RB_Left	25.7	-0.64	25.06	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	M	Inner_1RB_Right	25.56	-0.64	24.92	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	M	Inner_Full	25.56	-0.64	24.92	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	M	Outer_Full	24.69	-0.64	24.05	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	M	Inner_1RB_Left	24.25	-0.64	23.61	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	M	Inner_1RB_Right	24.2	-0.64	23.56	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	M	Inner_Full	24.08	-0.64	23.44	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	M	Outer_Full	24.13	-0.64	23.49	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	M	Inner_1RB_Left	22.23	-0.64	21.59	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	M	Inner_1RB_Right	22.06	-0.64	21.42	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	M	Inner_Full	22.17	-0.64	21.53	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	M	Outer_Full	22.1	-0.64	21.46	30	PASS
n77(3700-3980)	30	50	DFT-BPSK	H	Inner_1RB_Left	26.67	-0.64	26.03	30	PASS
n77(3700-3980)	30	50	DFT-BPSK	H	Inner_1RB_Right	26.87	-0.64	26.23	30	PASS
n77(3700-3980)	30	50	DFT-BPSK	H	Inner_Full	26.81	-0.64	26.17	30	PASS

n77(3700-3980)	30	50	DFT-BPSK	H	Outer_Full	26.26	-0.64	25.62	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	H	Inner_1RB_Left	26.66	-0.64	26.02	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	H	Inner_1RB_Right	26.94	-0.64	26.3	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	H	Inner_Full	26.8	-0.64	26.16	30	PASS
n77(3700-3980)	30	50	DFT-QPSK	H	Outer_Full	25.76	-0.64	25.12	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	H	Inner_1RB_Left	25.45	-0.64	24.81	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	H	Inner_1RB_Right	25.74	-0.64	25.1	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	H	Inner_Full	25.83	-0.64	25.19	30	PASS
n77(3700-3980)	30	50	DFT-16QAM	H	Outer_Full	24.78	-0.64	24.14	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	H	Inner_1RB_Left	23.67	-0.64	23.03	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	H	Inner_1RB_Right	23.96	-0.64	23.32	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	H	Inner_Full	24.32	-0.64	23.68	30	PASS
n77(3700-3980)	30	50	DFT-64QAM	H	Outer_Full	24.19	-0.64	23.55	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	H	Inner_1RB_Left	22.21	-0.64	21.57	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	H	Inner_1RB_Right	22.4	-0.64	21.76	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	H	Inner_Full	22.25	-0.64	21.61	30	PASS
n77(3700-3980)	30	50	DFT-256QAM	H	Outer_Full	22.27	-0.64	21.63	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Inner_1RB_Left	26.27	-0.64	25.63	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Inner_1RB_Right	26.02	-0.64	25.38	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Inner_Full	26.28	-0.64	25.64	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	25.72	-0.64	25.08	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Inner_1RB_Left	26.13	-0.64	25.49	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Inner_1RB_Right	25.98	-0.64	25.34	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Inner_Full	26.21	-0.64	25.57	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	25.24	-0.64	24.6	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	L	Inner_1RB_Left	25.13	-0.64	24.49	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	L	Inner_1RB_Right	24.98	-0.64	24.34	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	L	Inner_Full	25.18	-0.64	24.54	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	L	Outer_Full	24.22	-0.64	23.58	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	L	Inner_1RB_Left	23.49	-0.64	22.85	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	L	Inner_1RB_Right	23.35	-0.64	22.71	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	L	Inner_Full	23.71	-0.64	23.07	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	L	Outer_Full	23.64	-0.64	23	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	L	Inner_1RB_Left	21.47	-0.64	20.83	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	L	Inner_1RB_Right	21.27	-0.64	20.63	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	L	Inner_Full	21.66	-0.64	21.02	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	L	Outer_Full	21.58	-0.64	20.94	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Inner_1RB_Left	26.51	-0.64	25.87	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Inner_1RB_Right	26.33	-0.64	25.69	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Inner_Full	26.46	-0.64	25.82	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	26.01	-0.64	25.37	30	PASS

n77(3700-3980)	30	60	DFT-QPSK	M	Inner_1RB_Left	26.43	-0.64	25.79	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Inner_1RB_Right	26.36	-0.64	25.72	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Inner_Full	26.44	-0.64	25.8	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	25.56	-0.64	24.92	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	M	Inner_1RB_Left	25.52	-0.64	24.88	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	M	Inner_1RB_Right	25.36	-0.64	24.72	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	M	Inner_Full	25.42	-0.64	24.78	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	M	Outer_Full	24.41	-0.64	23.77	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	M	Inner_1RB_Left	23.89	-0.64	23.25	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	M	Inner_1RB_Right	23.85	-0.64	23.21	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	M	Inner_Full	23.83	-0.64	23.19	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	M	Outer_Full	23.88	-0.64	23.24	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	M	Inner_1RB_Left	21.82	-0.64	21.18	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	M	Inner_1RB_Right	21.66	-0.64	21.02	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	M	Inner_Full	21.89	-0.64	21.25	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	M	Outer_Full	21.94	-0.64	21.3	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Inner_1RB_Left	26.32	-0.64	25.68	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Inner_1RB_Right	26.74	-0.64	26.1	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Inner_Full	26.62	-0.64	25.98	30	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	26.02	-0.64	25.38	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Inner_1RB_Left	26.22	-0.64	25.58	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Inner_1RB_Right	26.62	-0.64	25.98	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Inner_Full	26.7	-0.64	26.06	30	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	25.49	-0.64	24.85	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	H	Inner_1RB_Left	25.19	-0.64	24.55	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	H	Inner_1RB_Right	25.59	-0.64	24.95	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	H	Inner_Full	25.45	-0.64	24.81	30	PASS
n77(3700-3980)	30	60	DFT-16QAM	H	Outer_Full	24.44	-0.64	23.8	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	H	Inner_1RB_Left	23.77	-0.64	23.13	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	H	Inner_1RB_Right	24.29	-0.64	23.65	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	H	Inner_Full	24.07	-0.64	23.43	30	PASS
n77(3700-3980)	30	60	DFT-64QAM	H	Outer_Full	23.95	-0.64	23.31	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	H	Inner_1RB_Left	21.59	-0.64	20.95	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	H	Inner_1RB_Right	22.02	-0.64	21.38	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	H	Inner_Full	21.88	-0.64	21.24	30	PASS
n77(3700-3980)	30	60	DFT-256QAM	H	Outer_Full	22.05	-0.64	21.41	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	L	Inner_1RB_Left	26.33	-0.64	25.69	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	L	Inner_1RB_Right	26	-0.64	25.36	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	L	Inner_Full	26.35	-0.64	25.71	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	L	Outer_Full	25.75	-0.64	25.11	30	PASS
n77(3700-3980)	30	70	DFT-QPSK	L	Inner_1RB_Left	26.24	-0.64	25.6	30	PASS

n77(3700-3980)	30	70	DFT-QPSK	L	Inner_1RB_Right	25.94	-0.64	25.3	30	PASS
n77(3700-3980)	30	70	DFT-QPSK	L	Inner_Full	26.26	-0.64	25.62	30	PASS
n77(3700-3980)	30	70	DFT-QPSK	L	Outer_Full	25.07	-0.64	24.43	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	L	Inner_1RB_Left	25.12	-0.64	24.48	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	L	Inner_1RB_Right	24.79	-0.64	24.15	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	L	Inner_Full	25.12	-0.64	24.48	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	L	Outer_Full	24.19	-0.64	23.55	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	L	Inner_1RB_Left	23.82	-0.64	23.18	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	L	Inner_1RB_Right	23.59	-0.64	22.95	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	L	Inner_Full	23.78	-0.64	23.14	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	L	Outer_Full	23.68	-0.64	23.04	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	L	Inner_1RB_Left	21.86	-0.64	21.22	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	L	Inner_1RB_Right	21.59	-0.64	20.95	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	L	Inner_Full	21.59	-0.64	20.95	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	L	Outer_Full	21.7	-0.64	21.06	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	M	Inner_1RB_Left	26.52	-0.64	25.88	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	M	Inner_1RB_Right	26.22	-0.64	25.58	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	M	Inner_Full	26.48	-0.64	25.84	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	M	Outer_Full	25.87	-0.64	25.23	30	PASS
n77(3700-3980)	30	70	DFT-QPSK	M	Inner_1RB_Left	26.59	-0.64	25.95	30	PASS
n77(3700-3980)	30	70	DFT-QPSK	M	Inner_1RB_Right	26.32	-0.64	25.68	30	PASS
n77(3700-3980)	30	70	DFT-QPSK	M	Inner_Full	26.54	-0.64	25.9	30	PASS
n77(3700-3980)	30	70	DFT-QPSK	M	Outer_Full	25.42	-0.64	24.78	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	M	Inner_1RB_Left	25.48	-0.64	24.84	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	M	Inner_1RB_Right	25.21	-0.64	24.57	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	M	Inner_Full	25.36	-0.64	24.72	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	M	Outer_Full	24.38	-0.64	23.74	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	M	Inner_1RB_Left	24.11	-0.64	23.47	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	M	Inner_1RB_Right	23.85	-0.64	23.21	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	M	Inner_Full	23.97	-0.64	23.33	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	M	Outer_Full	23.86	-0.64	23.22	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	M	Inner_1RB_Left	22.09	-0.64	21.45	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	M	Inner_1RB_Right	21.92	-0.64	21.28	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	M	Inner_Full	21.87	-0.64	21.23	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	M	Outer_Full	21.97	-0.64	21.33	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	H	Inner_1RB_Left	26.2	-0.64	25.56	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	H	Inner_1RB_Right	26.58	-0.64	25.94	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	H	Inner_Full	26.49	-0.64	25.85	30	PASS
n77(3700-3980)	30	70	DFT-BPSK	H	Outer_Full	26.01	-0.64	25.37	30	PASS
n77(3700-3980)	30	70	DFT-QPSK	H	Inner_1RB_Left	26.24	-0.64	25.6	30	PASS
n77(3700-3980)	30	70	DFT-QPSK	H	Inner_1RB_Right	26.65	-0.64	26.01	30	PASS

n77(3700-3980)	30	70	DFT-QPSK	H	Inner_Full	26.55	-0.64	25.91	30	PASS
n77(3700-3980)	30	70	DFT-QPSK	H	Outer_Full	25.53	-0.64	24.89	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	H	Inner_1RB_Left	25.12	-0.64	24.48	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	H	Inner_1RB_Right	25.54	-0.64	24.9	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	H	Inner_Full	25.52	-0.64	24.88	30	PASS
n77(3700-3980)	30	70	DFT-16QAM	H	Outer_Full	24.4	-0.64	23.76	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	H	Inner_1RB_Left	23.36	-0.64	22.72	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	H	Inner_1RB_Right	23.78	-0.64	23.14	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	H	Inner_Full	23.97	-0.64	23.33	30	PASS
n77(3700-3980)	30	70	DFT-64QAM	H	Outer_Full	24.01	-0.64	23.37	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	H	Inner_1RB_Left	21.79	-0.64	21.15	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	H	Inner_1RB_Right	22.2	-0.64	21.56	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	H	Inner_Full	21.97	-0.64	21.33	30	PASS
n77(3700-3980)	30	70	DFT-256QAM	H	Outer_Full	21.89	-0.64	21.25	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Inner_1RB_Left	26.34	-0.64	25.7	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Inner_1RB_Right	26.14	-0.64	25.5	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Inner_Full	26.19	-0.64	25.55	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	25.7	-0.64	25.06	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Inner_1RB_Left	26.29	-0.64	25.65	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Inner_1RB_Right	26.01	-0.64	25.37	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Inner_Full	26.2	-0.64	25.56	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	25.22	-0.64	24.58	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	L	Inner_1RB_Left	25.31	-0.64	24.67	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	L	Inner_1RB_Right	25.03	-0.64	24.39	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	L	Inner_Full	25.06	-0.64	24.42	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	L	Outer_Full	24.2	-0.64	23.56	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	L	Inner_1RB_Left	23.68	-0.64	23.04	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	L	Inner_1RB_Right	23.39	-0.64	22.75	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	L	Inner_Full	23.68	-0.64	23.04	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	L	Outer_Full	23.68	-0.64	23.04	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	L	Inner_1RB_Left	21.57	-0.64	20.93	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	L	Inner_1RB_Right	21.29	-0.64	20.65	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	L	Inner_Full	21.53	-0.64	20.89	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	L	Outer_Full	21.54	-0.64	20.9	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Inner_1RB_Left	26.45	-0.64	25.81	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Inner_1RB_Right	26.27	-0.64	25.63	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Inner_Full	26.63	-0.64	25.99	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	25.93	-0.64	25.29	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Inner_1RB_Left	26.46	-0.64	25.82	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Inner_1RB_Right	26.29	-0.64	25.65	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Inner_Full	26.48	-0.64	25.84	30	PASS

n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	25.45	-0.64	24.81	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	M	Inner_1RB_Left	25.53	-0.64	24.89	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	M	Inner_1RB_Right	25.28	-0.64	24.64	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	M	Inner_Full	25.48	-0.64	24.84	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	M	Outer_Full	24.44	-0.64	23.8	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	M	Inner_1RB_Left	24.02	-0.64	23.38	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	M	Inner_1RB_Right	23.76	-0.64	23.12	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	M	Inner_Full	23.88	-0.64	23.24	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	M	Outer_Full	23.89	-0.64	23.25	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	M	Inner_1RB_Left	21.88	-0.64	21.24	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	M	Inner_1RB_Right	21.51	-0.64	20.87	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	M	Inner_Full	21.77	-0.64	21.13	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	M	Outer_Full	21.81	-0.64	21.17	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Inner_1RB_Left	26.4	-0.64	25.76	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Inner_1RB_Right	26.71	-0.64	26.07	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Inner_Full	26.44	-0.64	25.8	30	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	26.04	-0.64	25.4	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Inner_1RB_Left	26.37	-0.64	25.73	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Inner_1RB_Right	26.71	-0.64	26.07	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Inner_Full	26.44	-0.64	25.8	30	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	25.49	-0.64	24.85	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	H	Inner_1RB_Left	25.42	-0.64	24.78	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	H	Inner_1RB_Right	25.8	-0.64	25.16	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	H	Inner_Full	25.39	-0.64	24.75	30	PASS
n77(3700-3980)	30	80	DFT-16QAM	H	Outer_Full	24.46	-0.64	23.82	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	H	Inner_1RB_Left	23.92	-0.64	23.28	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	H	Inner_1RB_Right	24.27	-0.64	23.63	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	H	Inner_Full	23.96	-0.64	23.32	30	PASS
n77(3700-3980)	30	80	DFT-64QAM	H	Outer_Full	23.81	-0.64	23.17	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	H	Inner_1RB_Left	21.66	-0.64	21.02	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	H	Inner_1RB_Right	22.08	-0.64	21.44	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	H	Inner_Full	21.84	-0.64	21.2	30	PASS
n77(3700-3980)	30	80	DFT-256QAM	H	Outer_Full	21.83	-0.64	21.19	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	L	Inner_1RB_Left	26.34	-0.64	25.7	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	L	Inner_1RB_Right	26.28	-0.64	25.64	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	L	Inner_Full	26.22	-0.64	25.58	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	L	Outer_Full	25.7	-0.64	25.06	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	L	Inner_1RB_Left	26.35	-0.64	25.71	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	L	Inner_1RB_Right	26.3	-0.64	25.66	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	L	Inner_Full	26.14	-0.64	25.5	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	L	Outer_Full	25.14	-0.64	24.5	30	PASS

n77(3700-3980)	30	90	DFT-16QAM	L	Inner_1RB_Left	25.03	-0.64	24.39	30	PASS
n77(3700-3980)	30	90	DFT-16QAM	L	Inner_1RB_Right	25.08	-0.64	24.44	30	PASS
n77(3700-3980)	30	90	DFT-16QAM	L	Inner_Full	25	-0.64	24.36	30	PASS
n77(3700-3980)	30	90	DFT-16QAM	L	Outer_Full	24.13	-0.64	23.49	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	L	Inner_1RB_Left	23.95	-0.64	23.31	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	L	Inner_1RB_Right	23.79	-0.64	23.15	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	L	Inner_Full	23.63	-0.64	22.99	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	L	Outer_Full	23.62	-0.64	22.98	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	L	Inner_1RB_Left	21.87	-0.64	21.23	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	L	Inner_1RB_Right	21.81	-0.64	21.17	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	L	Inner_Full	21.44	-0.64	20.8	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	L	Outer_Full	21.55	-0.64	20.91	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	M	Inner_1RB_Left	26.57	-0.64	25.93	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	M	Inner_1RB_Right	26.32	-0.64	25.68	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	M	Inner_Full	26.55	-0.64	25.91	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	M	Outer_Full	25.99	-0.64	25.35	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	M	Inner_1RB_Left	26.53	-0.64	25.89	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	M	Inner_1RB_Right	26.22	-0.64	25.58	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	M	Inner_Full	26.49	-0.64	25.85	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	M	Outer_Full	25.53	-0.64	24.89	30	PASS
n77(3700-3980)	30	90	DFT-16QAM	M	Inner_1RB_Left	25.44	-0.64	24.8	30	PASS
n77(3700-3980)	30	90	DFT-16QAM	M	Inner_1RB_Right	25.22	-0.64	24.58	30	PASS
n77(3700-3980)	30	90	DFT-16QAM	M	Inner_Full	25.36	-0.64	24.72	30	PASS
n77(3700-3980)	30	90	DFT-16QAM	M	Outer_Full	24.37	-0.64	23.73	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	M	Inner_1RB_Left	24.05	-0.64	23.41	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	M	Inner_1RB_Right	23.75	-0.64	23.11	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	M	Inner_Full	23.91	-0.64	23.27	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	M	Outer_Full	23.86	-0.64	23.22	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	M	Inner_1RB_Left	22.02	-0.64	21.38	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	M	Inner_1RB_Right	21.92	-0.64	21.28	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	M	Inner_Full	21.82	-0.64	21.18	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	M	Outer_Full	21.88	-0.64	21.24	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	H	Inner_1RB_Left	26.21	-0.64	25.57	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	H	Inner_1RB_Right	26.74	-0.64	26.1	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	H	Inner_Full	26.35	-0.64	25.71	30	PASS
n77(3700-3980)	30	90	DFT-BPSK	H	Outer_Full	25.97	-0.64	25.33	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	H	Inner_1RB_Left	26.33	-0.64	25.69	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	H	Inner_1RB_Right	26.73	-0.64	26.09	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	H	Inner_Full	26.6	-0.64	25.96	30	PASS
n77(3700-3980)	30	90	DFT-QPSK	H	Outer_Full	25.51	-0.64	24.87	30	PASS
n77(3700-3980)	30	90	DFT-16QAM	H	Inner_1RB_Left	25.12	-0.64	24.48	30	PASS

n77(3700-3980)	30	90	DFT-16QAM	H	Inner_1RB_Right	25.62	-0.64	24.98	30	PASS
n77(3700-3980)	30	90	DFT-16QAM	H	Inner_Full	25.48	-0.64	24.84	30	PASS
n77(3700-3980)	30	90	DFT-16QAM	H	Outer_Full	24.36	-0.64	23.72	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	H	Inner_1RB_Left	23.35	-0.64	22.71	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	H	Inner_1RB_Right	23.85	-0.64	23.21	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	H	Inner_Full	23.71	-0.64	23.07	30	PASS
n77(3700-3980)	30	90	DFT-64QAM	H	Outer_Full	23.95	-0.64	23.31	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	H	Inner_1RB_Left	21.89	-0.64	21.25	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	H	Inner_1RB_Right	22.26	-0.64	21.62	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	H	Inner_Full	21.98	-0.64	21.34	30	PASS
n77(3700-3980)	30	90	DFT-256QAM	H	Outer_Full	21.75	-0.64	21.11	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Inner_1RB_Left	26.22	-0.64	25.58	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Inner_1RB_Right	26.39	-0.64	25.75	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Inner_Full	26.02	-0.64	25.38	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	25.62	-0.64	24.98	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Inner_1RB_Left	26.15	-0.64	25.51	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Inner_1RB_Right	26.26	-0.64	25.62	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Inner_Full	26.03	-0.64	25.39	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	25.15	-0.64	24.51	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	L	Inner_1RB_Left	25.18	-0.64	24.54	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	L	Inner_1RB_Right	25.3	-0.64	24.66	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	L	Inner_Full	25.16	-0.64	24.52	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	L	Outer_Full	24.11	-0.64	23.47	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	L	Inner_1RB_Left	23.56	-0.64	22.92	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	L	Inner_1RB_Right	23.76	-0.64	23.12	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	L	Inner_Full	23.54	-0.64	22.9	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	L	Outer_Full	23.61	-0.64	22.97	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	L	Inner_1RB_Left	21.56	-0.64	20.92	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	L	Inner_1RB_Right	21.66	-0.64	21.02	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	L	Inner_Full	21.47	-0.64	20.83	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	L	Outer_Full	21.6	-0.64	20.96	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Inner_1RB_Left	26.25	-0.64	25.61	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Inner_1RB_Right	26.15	-0.64	25.51	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Inner_Full	26.37	-0.64	25.73	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	25.91	-0.64	25.27	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Inner_1RB_Left	26.37	-0.64	25.73	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Inner_1RB_Right	26.18	-0.64	25.54	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Inner_Full	26.42	-0.64	25.78	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	25.36	-0.64	24.72	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	M	Inner_1RB_Left	25.48	-0.64	24.84	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	M	Inner_1RB_Right	25.37	-0.64	24.73	30	PASS

n77(3700-3980)	30	100	DFT-16QAM	M	Inner_Full	25.4	-0.64	24.76	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	M	Outer_Full	24.4	-0.64	23.76	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	M	Inner_1RB_Left	23.96	-0.64	23.32	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	M	Inner_1RB_Right	23.75	-0.64	23.11	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	M	Inner_Full	23.96	-0.64	23.32	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	M	Outer_Full	23.88	-0.64	23.24	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	M	Inner_1RB_Left	21.75	-0.64	21.11	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	M	Inner_1RB_Right	21.47	-0.64	20.83	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	M	Inner_Full	21.94	-0.64	21.3	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	M	Outer_Full	21.81	-0.64	21.17	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Inner_1RB_Left	26.21	-0.64	25.57	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Inner_1RB_Right	26.64	-0.64	26	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Inner_Full	26.35	-0.64	25.71	30	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	25.92	-0.64	25.28	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Inner_1RB_Left	26.16	-0.64	25.52	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Inner_1RB_Right	26.64	-0.64	26	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Inner_Full	26.41	-0.64	25.77	30	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	25.39	-0.64	24.75	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	H	Inner_1RB_Left	25.22	-0.64	24.58	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	H	Inner_1RB_Right	25.71	-0.64	25.07	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	H	Inner_Full	25.48	-0.64	24.84	30	PASS
n77(3700-3980)	30	100	DFT-16QAM	H	Outer_Full	24.44	-0.64	23.8	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	H	Inner_1RB_Left	23.82	-0.64	23.18	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	H	Inner_1RB_Right	24.31	-0.64	23.67	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	H	Inner_Full	23.81	-0.64	23.17	30	PASS
n77(3700-3980)	30	100	DFT-64QAM	H	Outer_Full	23.94	-0.64	23.3	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	H	Inner_1RB_Left	21.57	-0.64	20.93	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	H	Inner_1RB_Right	22.11	-0.64	21.47	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	H	Inner_Full	21.82	-0.64	21.18	30	PASS
n77(3700-3980)	30	100	DFT-256QAM	H	Outer_Full	21.94	-0.64	21.3	30	PASS

Peak-to-Average Ratio


Peak-to-Average Ratio(CCDF)

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (dB)	Limit (dB)	Verdict
n77(3700-3980)	30	10	DFT-BPSK	M	Outer_Full	4.65	≤13	PASS
n77(3700-3980)	30	10	DFT-QPSK	M	Outer_Full	5.86	≤13	PASS
n77(3700-3980)	30	10	DFT-16QAM	M	Outer_Full	6.44	≤13	PASS
n77(3700-3980)	30	10	DFT-64QAM	M	Outer_Full	6.66	≤13	PASS
n77(3700-3980)	30	10	DFT-256QAM	M	Outer_Full	6.94	≤13	PASS
n77(3700-3980)	30	15	DFT-BPSK	M	Outer_Full	4.59	≤13	PASS
n77(3700-3980)	30	15	DFT-QPSK	M	Outer_Full	5.89	≤13	PASS
n77(3700-3980)	30	15	DFT-16QAM	M	Outer_Full	6.63	≤13	PASS
n77(3700-3980)	30	15	DFT-64QAM	M	Outer_Full	6.81	≤13	PASS
n77(3700-3980)	30	15	DFT-256QAM	M	Outer_Full	6.96	≤13	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	4.54	≤13	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	5.75	≤13	PASS
n77(3700-3980)	30	20	DFT-16QAM	M	Outer_Full	6.69	≤13	PASS
n77(3700-3980)	30	20	DFT-64QAM	M	Outer_Full	6.77	≤13	PASS
n77(3700-3980)	30	20	DFT-256QAM	M	Outer_Full	6.94	≤13	PASS
n77(3700-3980)	30	25	DFT-BPSK	M	Outer_Full	4.72	≤13	PASS
n77(3700-3980)	30	25	DFT-QPSK	M	Outer_Full	5.88	≤13	PASS
n77(3700-3980)	30	25	DFT-16QAM	M	Outer_Full	6.59	≤13	PASS
n77(3700-3980)	30	25	DFT-64QAM	M	Outer_Full	6.79	≤13	PASS
n77(3700-3980)	30	25	DFT-256QAM	M	Outer_Full	6.8	≤13	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	4.61	≤13	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	5.81	≤13	PASS
n77(3700-3980)	30	30	DFT-16QAM	M	Outer_Full	6.54	≤13	PASS
n77(3700-3980)	30	30	DFT-64QAM	M	Outer_Full	6.84	≤13	PASS
n77(3700-3980)	30	30	DFT-256QAM	M	Outer_Full	6.85	≤13	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	4.76	≤13	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	5.74	≤13	PASS
n77(3700-3980)	30	40	DFT-16QAM	M	Outer_Full	6.52	≤13	PASS
n77(3700-3980)	30	40	DFT-64QAM	M	Outer_Full	6.74	≤13	PASS
n77(3700-3980)	30	40	DFT-256QAM	M	Outer_Full	6.89	≤13	PASS
n77(3700-3980)	30	50	DFT-BPSK	M	Outer_Full	4.59	≤13	PASS
n77(3700-3980)	30	50	DFT-QPSK	M	Outer_Full	5.78	≤13	PASS
n77(3700-3980)	30	50	DFT-16QAM	M	Outer_Full	6.56	≤13	PASS
n77(3700-3980)	30	50	DFT-64QAM	M	Outer_Full	6.81	≤13	PASS
n77(3700-3980)	30	50	DFT-256QAM	M	Outer_Full	6.87	≤13	PASS

n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	4.68	≤13	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	5.82	≤13	PASS
n77(3700-3980)	30	60	DFT-16QAM	M	Outer_Full	6.56	≤13	PASS
n77(3700-3980)	30	60	DFT-64QAM	M	Outer_Full	6.79	≤13	PASS
n77(3700-3980)	30	60	DFT-256QAM	M	Outer_Full	6.84	≤13	PASS
n77(3700-3980)	30	70	DFT-BPSK	M	Outer_Full	4.6	≤13	PASS
n77(3700-3980)	30	70	DFT-QPSK	M	Outer_Full	5.85	≤13	PASS
n77(3700-3980)	30	70	DFT-16QAM	M	Outer_Full	6.59	≤13	PASS
n77(3700-3980)	30	70	DFT-64QAM	M	Outer_Full	6.81	≤13	PASS
n77(3700-3980)	30	70	DFT-256QAM	M	Outer_Full	6.9	≤13	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	4.55	≤13	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	5.76	≤13	PASS
n77(3700-3980)	30	80	DFT-16QAM	M	Outer_Full	6.52	≤13	PASS
n77(3700-3980)	30	80	DFT-64QAM	M	Outer_Full	6.79	≤13	PASS
n77(3700-3980)	30	80	DFT-256QAM	M	Outer_Full	6.88	≤13	PASS
n77(3700-3980)	30	90	DFT-BPSK	M	Outer_Full	4.73	≤13	PASS
n77(3700-3980)	30	90	DFT-QPSK	M	Outer_Full	5.8	≤13	PASS
n77(3700-3980)	30	90	DFT-16QAM	M	Outer_Full	6.56	≤13	PASS
n77(3700-3980)	30	90	DFT-64QAM	M	Outer_Full	6.76	≤13	PASS
n77(3700-3980)	30	90	DFT-256QAM	M	Outer_Full	6.88	≤13	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	4.63	≤13	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	5.79	≤13	PASS
n77(3700-3980)	30	100	DFT-16QAM	M	Outer_Full	6.58	≤13	PASS
n77(3700-3980)	30	100	DFT-64QAM	M	Outer_Full	6.77	≤13	PASS
n77(3700-3980)	30	100	DFT-256QAM	M	Outer_Full	6.87	≤13	PASS

Test Graphs



NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-10-M-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-10-M-DFT-16QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-10-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-10-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-15-M-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-15-M-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-15-M-DFT-16QAM-Outer_Full-PASS



NTNV-h77(3700-3980)-PC2-30-15-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-15-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-20-M-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-20-M-DFT-QPSK-Outer_Full-PASS




NTNV-h77(3700-3980)-PC2-30-20-M-DFT-16QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-20-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-20-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-25-M-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-25-M-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-25-M-DFT-16QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-25-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-25-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-30-M-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-30-M-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-30-M-DFT-16QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-30-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-30-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-40-M-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-40-M-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-40-M-DFT-16QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-40-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-40-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-50-M-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-50-M-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-50-M-DFT-16QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-50-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-50-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-60-M-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-60-M-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-60-M-DFT-16QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-60-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-60-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-70-M-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-70-M-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-70-M-DFT-16QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-70-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-70-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-80-M-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-80-M-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-80-M-DFT-16QAM-Outer_Full-PASS




NTNV-h77(3700-3980)-PC2-30-80-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-80-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-90-M-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-90-M-DFT-QPSK-Outer_Full-PASS




NTNV-h77(3700-3980)-PC2-30-90-M-DFT-16QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-90-M-DFT-64QAM-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-90-M-DFT-256QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-100-M-DFT-QPSK-Outer Full-PASS



NTNV-n77(3700-3980)-PC2-30-100-M-DFT-16QAM-Outer Full-PASS



NTNV-n77(3700-3980)-PC2-30-100-M-DFT-64QAM-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-100-M-DFT-256QAM-Outer_Full-PASS

26dB Bandwidth and Occupied Bandwidth

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
n77(3700-3980)	30	10	CP-QPSK	M	Outer_Full	8.6030	10.12	PASS
n77(3700-3980)	30	10	CP-16QAM	M	Outer_Full	8.6192	10.01	PASS
n77(3700-3980)	30	10	CP-64QAM	M	Outer_Full	8.6705	10.11	PASS
n77(3700-3980)	30	10	CP-256QAM	M	Outer_Full	8.6330	10.03	PASS
n77(3700-3980)	30	15	CP-QPSK	M	Outer_Full	13.647	15.34	PASS
n77(3700-3980)	30	15	CP-16QAM	M	Outer_Full	13.608	15.29	PASS
n77(3700-3980)	30	15	CP-64QAM	M	Outer_Full	13.644	15.22	PASS
n77(3700-3980)	30	15	CP-256QAM	M	Outer_Full	13.659	15.42	PASS
n77(3700-3980)	30	20	CP-QPSK	M	Outer_Full	18.302	20.13	PASS
n77(3700-3980)	30	20	CP-16QAM	M	Outer_Full	18.288	20.21	PASS
n77(3700-3980)	30	20	CP-64QAM	M	Outer_Full	18.244	20.00	PASS
n77(3700-3980)	30	20	CP-256QAM	M	Outer_Full	18.262	19.98	PASS
n77(3700-3980)	30	25	CP-QPSK	M	Outer_Full	23.249	25.26	PASS
n77(3700-3980)	30	25	CP-16QAM	M	Outer_Full	23.248	25.10	PASS
n77(3700-3980)	30	25	CP-64QAM	M	Outer_Full	23.272	25.19	PASS
n77(3700-3980)	30	25	CP-256QAM	M	Outer_Full	23.217	25.28	PASS
n77(3700-3980)	30	30	CP-QPSK	M	Outer_Full	27.866	30.19	PASS
n77(3700-3980)	30	30	CP-16QAM	M	Outer_Full	28.006	30.12	PASS
n77(3700-3980)	30	30	CP-64QAM	M	Outer_Full	27.943	29.87	PASS
n77(3700-3980)	30	30	CP-256QAM	M	Outer_Full	27.900	30.12	PASS
n77(3700-3980)	30	40	CP-QPSK	M	Outer_Full	37.938	40.36	PASS
n77(3700-3980)	30	40	CP-16QAM	M	Outer_Full	37.891	40.40	PASS
n77(3700-3980)	30	40	CP-64QAM	M	Outer_Full	37.864	40.32	PASS
n77(3700-3980)	30	40	CP-256QAM	M	Outer_Full	37.865	40.34	PASS
n77(3700-3980)	30	50	CP-QPSK	M	Outer_Full	47.505	50.29	PASS
n77(3700-3980)	30	50	CP-16QAM	M	Outer_Full	47.538	50.22	PASS
n77(3700-3980)	30	50	CP-64QAM	M	Outer_Full	47.465	50.20	PASS
n77(3700-3980)	30	50	CP-256QAM	M	Outer_Full	47.431	50.14	PASS
n77(3700-3980)	30	60	CP-QPSK	M	Outer_Full	57.882	60.97	PASS
n77(3700-3980)	30	60	CP-16QAM	M	Outer_Full	57.760	61.03	PASS
n77(3700-3980)	30	60	CP-64QAM	M	Outer_Full	57.865	61.01	PASS
n77(3700-3980)	30	60	CP-256QAM	M	Outer_Full	57.857	60.92	PASS
n77(3700-3980)	30	70	CP-QPSK	M	Outer_Full	67.603	70.84	PASS
n77(3700-3980)	30	70	CP-16QAM	M	Outer_Full	67.429	70.79	PASS
n77(3700-3980)	30	70	CP-64QAM	M	Outer_Full	67.453	70.93	PASS
n77(3700-3980)	30	70	CP-256QAM	M	Outer_Full	67.533	70.84	PASS

n77(3700-3980)	30	80	CP-QPSK	M	Outer_Full	77.371	81.00	PASS
n77(3700-3980)	30	80	CP-16QAM	M	Outer_Full	77.542	81.24	PASS
n77(3700-3980)	30	80	CP-64QAM	M	Outer_Full	77.466	81.11	PASS
n77(3700-3980)	30	80	CP-256QAM	M	Outer_Full	77.431	81.14	PASS
n77(3700-3980)	30	90	CP-QPSK	M	Outer_Full	87.434	91.32	PASS
n77(3700-3980)	30	90	CP-16QAM	M	Outer_Full	87.400	91.44	PASS
n77(3700-3980)	30	90	CP-64QAM	M	Outer_Full	87.473	91.33	PASS
n77(3700-3980)	30	90	CP-256QAM	M	Outer_Full	87.341	91.50	PASS
n77(3700-3980)	30	100	CP-QPSK	M	Outer_Full	97.688	101.9	PASS
n77(3700-3980)	30	100	CP-16QAM	M	Outer_Full	97.568	101.9	PASS
n77(3700-3980)	30	100	CP-64QAM	M	Outer_Full	97.527	102.1	PASS
n77(3700-3980)	30	100	CP-256QAM	M	Outer_Full	97.358	101.8	PASS

Test Graphs



NTNV-n77(3700-3980)-PC2-30-10-M-CP-QPSK-Outter_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-10-M-CP-16QAM-Outter_Full-Ant1-PAS

S




NTNV-n77(3700-3980)-PC2-30-10-M-CP-64QAM-Outter_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-10-M-CP-256QAM-Outter_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-15-M-CP-QPSK-Outter_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-15-M-CP-16QAM-Outter_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-15-M-CP-64QAM-Outter_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-15-M-CP-256QAM-Outter_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-20-M-CP-QPSK-Outet_Full-Ant1-PAS

S




NTNV-n77(3700-3980)-PC2-30-20-M-CP-16QAM-Outet_Full-Ant1-PAS

S




NTNV-n77(3700-3980)-PC2-30-20-M-CP-64QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-20-M-CP-256QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-25-M-CP-QPSK-Outet_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-25-M-CP-16QAM-Outet_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-25-M-CP-64QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-25-M-CP-256QAM-Outet_Full-Ant1-PA

SS




NTNV-n77(3700-3980)-PC2-30-30-M-CP-QPSK-Outet_Full-Ant1-PAS

S




NTNV-n77(3700-3980)-PC2-30-30-M-CP-16QAM-Outet_Full-Ant1-PAS

S




NTNV-n77(3700-3980)-PC2-30-30-M-CP-64QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-30-M-CP-256QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-40-M-CP-QPSK-Outet_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-40-M-CP-16QAM-Outet_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-40-M-CP-64QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-40-M-CP-256QAM-Outet_Full-Ant1-PA

SS




NTNV-n77(3700-3980)-PC2-30-50-M-CP-QPSK-Outet_Full-Ant1-PAS

S




NTNV-n77(3700-3980)-PC2-30-50-M-CP-16QAM-Outet_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-50-M-CP-64QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-50-M-CP-256QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-60-M-CP-QPSK-Outet_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-60-M-CP-16QAM-Outet_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-60-M-CP-64QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-60-M-CP-256QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-70-M-CP-QPSK-Outet_Full-Ant1-PAS

S




NTNV-n77(3700-3980)-PC2-30-70-M-CP-16QAM-Outet_Full-Ant1-PAS

S




NTNV-n77(3700-3980)-PC2-30-70-M-CP-64QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-70-M-CP-256QAM-Outet_Full-Ant1-PA

SS




NTNV-n77(3700-3980)-PC2-30-80-M-CP-QPSK-Outet_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-80-M-CP-16QAM-Outet_Full-Ant1-PAS

S




NTNV-n77(3700-3980)-PC2-30-80-M-CP-64QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-80-M-CP-256QAM-Outet_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-90-M-CP-QPSK-Outer_Full-Ant1-PAS

S




NTNV-n77(3700-3980)-PC2-30-90-M-CP-16QAM-Outer_Full-Ant1-PAS

S



NTNV-n77(3700-3980)-PC2-30-90-M-CP-64QAM-Outer_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-90-M-CP-256QAM-Outer_Full-Ant1-PA

SS




NTNV-n77(3700-3980)-PC2-30-100-M-CP-QPSK-Outer_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-100-M-CP-16QAM-Outer_Full-Ant1-PA

SS



NTNV-n77(3700-3980)-PC2-30-100-M-CP-64QAM-Outer_Full-Ant1-P

ASS



NTNV-n77(3700-3980)-PC2-30-100-M-CP-256QAM-Outer_Full-Ant1-P

ASS

Band Edge

Test Graphs



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Edge_1RB_Left-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Edge_1RB_Left-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-10-H-DFT-BPSK-Edge_1RB_Right-PASS



NTNV-n77(3700-3980)-PC2-30-10-H-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-10-H-DFT-QPSK-Edge_1RB_Right-PASS



NTNV-n77(3700-3980)-PC2-30-10-H-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-15-L-DFT-BPSK-Edge_1RB_Left-PASS



NTNV-n77(3700-3980)-PC2-30-15-L-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-15-L-DFT-QPSK-Edge_1RB_Left-PASS



NTNV-n77(3700-3980)-PC2-30-15-L-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-15-H-DFT-BPSK-Edge_1RB_Right-PASS



NTNV-n77(3700-3980)-PC2-30-15-H-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-15-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-15-H-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-20-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-20-L-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-20-L-DFT-QPSK-Edge_1RB_Left-PASS



NTNV-n77(3700-3980)-PC2-30-20-L-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-20-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-20-H-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-20-H-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-25-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-25-L-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-25-L-DFT-QPSK-Edge_1RB_Left-PASS



NTNV-n77(3700-3980)-PC2-30-25-L-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-25-H-DFT-BPSK-Edge_1RB_Right-PASS



NTNV-n77(3700-3980)-PC2-30-25-H-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-25-H-DFT-QPSK-Edge_1RB_Right-PASS



NTNV-n77(3700-3980)-PC2-30-25-H-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-PASS



NTNV-n77(3700-3980)-PC2-30-30-L-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-PASS



NTNV-n77(3700-3980)-PC2-30-30-L-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-30-H-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-30-H-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-40-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-40-L-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-40-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-40-L-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-40-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-40-H-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-40-H-DFT-QPSK-Edge_1RB_Right-PASS



NTNV-n77(3700-3980)-PC2-30-40-H-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-50-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-50-L-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-50-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-50-L-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-50-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-50-H-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-50-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-50-H-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-60-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-60-L-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-60-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-60-L-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-60-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-60-H-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-60-H-DFT-QPSK-Edge_1RB_Right-PASS



NTNV-n77(3700-3980)-PC2-30-60-H-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-70-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-70-L-DFT-BPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-70-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-70-L-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-70-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-70-H-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-70-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-70-H-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-80-L-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-80-L-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-90-L-DFT-BPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-90-L-DFT-BPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-90-L-DFT-QPSK-Edge_1RB_Left-PASS




NTNV-n77(3700-3980)-PC2-30-90-L-DFT-QPSK-Outer_Full-PASS




NTNV-n77(3700-3980)-PC2-30-90-H-DFT-BPSK-Edge_1RB_Right-PASS




NTNV-n77(3700-3980)-PC2-30-90-H-DFT-BPSK-Outer_Full-PASS





NTNV-n77(3700-3980)-PC2-30-90-H-DFT-QPSK-Edge_1RB_Right-PASS








NTNV-n77(3700-3980)-PC2-30-90-H-DFT-QPSK-Outer_Full-PASS



NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Edge_1RB_Left-PASS



NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Outer_Full-PASS
S


NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Edge_1RB_Left-PASS



NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Outer_Full-PASS
S

NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Edge_1RB_Right-PAS
S

NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Outer_Full-PAS
S

NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Edge_1RB_Right-PAS
S

NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Outer_Full-PAS
S

Conducted Spurious Emission


Test Graphs



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Left-0.00
9-0.15-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Left-0.15-
30-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Left-30-1
000-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Left-1000
-3000-PASS




NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Left-300
0-6000-PASS




NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Left-6000
-26000-PASS




NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Left-260
00-40000-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Right-0.0
09-0.15-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Right-0.15-30-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Right-30-1000-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Right-1000-3000-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Right-3000-6000-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Right-6000-26000-PASS




NTNV-n77(3700-3980)-PC2-30-10-L-DFT-BPSK-Inner_1RB_Right-26000-40000-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Left-0.09-0.15-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Left-0.15-30-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Left-30-1000-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Left-1000-3000-PASS




NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Left-300-0-6000-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Left-6000-26000-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Left-260-00-40000-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Right-0.0-09-0.15-PASS



NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Right-0.15-30-PASS




NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Right-30-1000-PASS


NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Right-10
00-3000-PASS

NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Right-300
0-6000-PASS

NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Right-60
00-26000-PASS

NTNV-n77(3700-3980)-PC2-30-10-L-DFT-QPSK-Inner_1RB_Right-260
00-40000-PASS

NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Left-0.0
09-0.15-PASS


NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Left-0.15
-30-PASS


NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Left-30-
1000-PASS

NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Left-100
0-3000-PASS


NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Left-300
0-6000-PASS

NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Left-600
0-26000-PASS

NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Left-260
00-40000-PASS

NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Right-0.0
09-0.15-PASS

NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Right-0.
15-30-PASS

NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Right-30-
1000-PASS

NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Right-1
000-3000-PASS

NTNV-n77(3700-3980)-PC2-30-10-M-DFT-BPSK-Inner_1RB_Right-30
00-6000-PASS