



Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Conducted power (dBm)	ERP(dBm) or EIRP(dBm)	Limit	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	22.30	21.30	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#2	22.59	21.59	33.01	PASS
Band2	1.4MHz	QPSK	18607	1RB#5	22.39	21.39	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#0	22.44	21.44	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#1	22.31	21.31	33.01	PASS
Band2	1.4MHz	QPSK	18607	3RB#3	22.33	21.33	33.01	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	21.38	20.38	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	22.24	21.24	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#2	22.23	21.23	33.01	PASS
Band2	1.4MHz	QPSK	18900	1RB#5	22.27	21.27	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#0	22.22	21.22	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#1	22.20	21.20	33.01	PASS
Band2	1.4MHz	QPSK	18900	3RB#3	22.22	21.22	33.01	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	21.28	20.28	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	22.40	21.40	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#2	22.32	21.32	33.01	PASS
Band2	1.4MHz	QPSK	19193	1RB#5	22.20	21.20	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#0	22.06	21.06	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#1	22.10	21.10	33.01	PASS
Band2	1.4MHz	QPSK	19193	3RB#3	22.12	21.12	33.01	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	21.16	20.16	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#0	21.20	20.20	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#2	22.00	21.00	33.01	PASS
Band2	1.4MHz	16QAM	18607	1RB#5	20.91	19.91	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#0	21.05	20.05	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#1	21.18	20.18	33.01	PASS
Band2	1.4MHz	16QAM	18607	3RB#3	21.04	20.04	33.01	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	20.38	19.38	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#0	21.66	20.66	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#2	22.11	21.11	33.01	PASS
Band2	1.4MHz	16QAM	18900	1RB#5	21.56	20.56	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#0	21.03	20.03	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#1	21.39	20.39	33.01	PASS
Band2	1.4MHz	16QAM	18900	3RB#3	21.15	20.15	33.01	PASS



Band2	1.4MHz	16QAM	18900	6RB#0	20.35	19.35	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#0	21.20	20.20	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#2	21.69	20.69	33.01	PASS
Band2	1.4MHz	16QAM	19193	1RB#5	20.94	19.94	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#0	21.04	20.04	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#1	21.18	20.18	33.01	PASS
Band2	1.4MHz	16QAM	19193	3RB#3	20.95	19.95	33.01	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	20.30	19.30	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#0	22.00	21.00	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#8	22.28	21.28	33.01	PASS
Band2	3MHz	QPSK	18615	1RB#14	22.00	21.00	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#0	21.21	20.21	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#4	21.14	20.14	33.01	PASS
Band2	3MHz	QPSK	18615	8RB#7	21.21	20.21	33.01	PASS
Band2	3MHz	QPSK	18615	15RB#0	21.18	20.18	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#0	22.06	21.06	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#8	22.23	21.23	33.01	PASS
Band2	3MHz	QPSK	18900	1RB#14	22.07	21.07	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#0	21.10	20.10	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#4	21.14	20.14	33.01	PASS
Band2	3MHz	QPSK	18900	8RB#7	21.19	20.19	33.01	PASS
Band2	3MHz	QPSK	18900	15RB#0	21.00	20.00	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#0	22.11	21.11	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#8	22.39	21.39	33.01	PASS
Band2	3MHz	QPSK	19185	1RB#14	22.26	21.26	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#0	21.12	20.12	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#4	21.18	20.18	33.01	PASS
Band2	3MHz	QPSK	19185	8RB#7	21.17	20.17	33.01	PASS
Band2	3MHz	QPSK	19185	15RB#0	21.11	20.11	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#0	21.06	20.06	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#8	21.67	20.67	33.01	PASS
Band2	3MHz	16QAM	18615	1RB#14	21.08	20.08	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#0	20.37	19.37	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#4	20.19	19.19	33.01	PASS
Band2	3MHz	16QAM	18615	8RB#7	20.33	19.33	33.01	PASS
Band2	3MHz	16QAM	18615	15RB#0	20.21	19.21	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#0	20.78	19.78	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#8	21.77	20.77	33.01	PASS
Band2	3MHz	16QAM	18900	1RB#14	20.85	19.85	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#0	20.27	19.27	33.01	PASS
Band2	3MHz	16QAM	18900	8RB#4	20.24	19.24	33.01	PASS



Band2	3MHz	16QAM	18900	8RB#7	20.27	19.27	33.01	PASS
Band2	3MHz	16QAM	18900	15RB#0	20.06	19.06	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#0	21.04	20.04	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#8	21.81	20.81	33.01	PASS
Band2	3MHz	16QAM	19185	1RB#14	21.06	20.06	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#0	20.35	19.35	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#4	20.20	19.20	33.01	PASS
Band2	3MHz	16QAM	19185	8RB#7	20.40	19.40	33.01	PASS
Band2	3MHz	16QAM	19185	15RB#0	20.00	19.00	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#0	22.50	21.50	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#12	22.10	21.10	33.01	PASS
Band2	5MHz	QPSK	18625	1RB#24	22.43	21.43	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#0	21.22	20.22	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#6	21.22	20.22	33.01	PASS
Band2	5MHz	QPSK	18625	12RB#13	21.22	20.22	33.01	PASS
Band2	5MHz	QPSK	18625	25RB#0	21.22	20.22	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#0	22.37	21.37	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#12	21.98	20.98	33.01	PASS
Band2	5MHz	QPSK	18900	1RB#24	22.36	21.36	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#0	21.09	20.09	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#6	21.11	20.11	33.01	PASS
Band2	5MHz	QPSK	18900	12RB#13	21.16	20.16	33.01	PASS
Band2	5MHz	QPSK	18900	25RB#0	21.07	20.07	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#0	22.23	21.23	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#12	22.16	21.16	33.01	PASS
Band2	5MHz	QPSK	19175	1RB#24	22.19	21.19	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#0	21.12	20.12	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#6	21.17	20.17	33.01	PASS
Band2	5MHz	QPSK	19175	12RB#13	21.15	20.15	33.01	PASS
Band2	5MHz	QPSK	19175	25RB#0	21.15	20.15	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#0	20.60	19.60	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#12	20.48	19.48	33.01	PASS
Band2	5MHz	16QAM	18625	1RB#24	20.60	19.60	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#0	20.27	19.27	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#6	20.18	19.18	33.01	PASS
Band2	5MHz	16QAM	18625	12RB#13	20.25	19.25	33.01	PASS
Band2	5MHz	16QAM	18625	25RB#0	20.37	19.37	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#0	20.49	19.49	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#12	20.40	19.40	33.01	PASS
Band2	5MHz	16QAM	18900	1RB#24	20.54	19.54	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#0	20.18	19.18	33.01	PASS



Band2	5MHz	16QAM	18900	12RB#6	20.02	19.02	33.01	PASS
Band2	5MHz	16QAM	18900	12RB#13	20.18	19.18	33.01	PASS
Band2	5MHz	16QAM	18900	25RB#0	20.23	19.23	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#0	20.79	19.79	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#12	21.16	20.16	33.01	PASS
Band2	5MHz	16QAM	19175	1RB#24	20.85	19.85	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#0	20.23	19.23	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#6	20.19	19.19	33.01	PASS
Band2	5MHz	16QAM	19175	12RB#13	20.26	19.26	33.01	PASS
Band2	5MHz	16QAM	19175	25RB#0	20.09	19.09	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#0	22.07	21.07	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#24	22.31	21.31	33.01	PASS
Band2	10MHz	QPSK	18650	1RB#49	22.05	21.05	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#0	21.19	20.19	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#12	21.21	20.21	33.01	PASS
Band2	10MHz	QPSK	18650	25RB#25	21.21	20.21	33.01	PASS
Band2	10MHz	QPSK	18650	50RB#0	21.20	20.20	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#0	22.08	21.08	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#24	22.25	21.25	33.01	PASS
Band2	10MHz	QPSK	18900	1RB#49	22.03	21.03	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#0	21.14	20.14	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#12	21.13	20.13	33.01	PASS
Band2	10MHz	QPSK	18900	25RB#25	21.13	20.13	33.01	PASS
Band2	10MHz	QPSK	18900	50RB#0	21.11	20.11	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#0	22.11	21.11	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#24	22.38	21.38	33.01	PASS
Band2	10MHz	QPSK	19150	1RB#49	22.27	21.27	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#0	21.15	20.15	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#12	21.18	20.18	33.01	PASS
Band2	10MHz	QPSK	19150	25RB#25	21.29	20.29	33.01	PASS
Band2	10MHz	QPSK	19150	50RB#0	21.18	20.18	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#0	21.17	20.17	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#24	21.64	20.64	33.01	PASS
Band2	10MHz	16QAM	18650	1RB#49	21.14	20.14	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#0	20.25	19.25	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#12	20.10	19.10	33.01	PASS
Band2	10MHz	16QAM	18650	25RB#25	20.15	19.15	33.01	PASS
Band2	10MHz	16QAM	18650	50RB#0	20.16	19.16	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#0	21.10	20.10	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#24	21.61	20.61	33.01	PASS
Band2	10MHz	16QAM	18900	1RB#49	21.12	20.12	33.01	PASS



Band2	10MHz	16QAM	18900	25RB#0	20.14	19.14	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#12	20.03	19.03	33.01	PASS
Band2	10MHz	16QAM	18900	25RB#25	20.13	19.13	33.01	PASS
Band2	10MHz	16QAM	18900	50RB#0	20.13	19.13	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#0	20.93	19.93	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#24	21.88	20.88	33.01	PASS
Band2	10MHz	16QAM	19150	1RB#49	21.06	20.06	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#0	20.29	19.29	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#12	20.27	19.27	33.01	PASS
Band2	10MHz	16QAM	19150	25RB#25	20.35	19.35	33.01	PASS
Band2	10MHz	16QAM	19150	50RB#0	20.28	19.28	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#0	22.06	21.06	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#38	22.35	21.35	33.01	PASS
Band2	15MHz	QPSK	18675	1RB#74	22.11	21.11	33.01	PASS
Band2	15MHz	QPSK	18675	38RB#0	21.26	20.26	33.01	PASS
Band2	15MHz	QPSK	18675	38RB#18	21.18	20.18	33.01	PASS
Band2	15MHz	QPSK	18675	38RB#37	21.19	20.19	33.01	PASS
Band2	15MHz	QPSK	18675	75RB#0	21.19	20.19	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#0	22.05	21.05	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#38	22.33	21.33	33.01	PASS
Band2	15MHz	QPSK	18900	1RB#74	22.02	21.02	33.01	PASS
Band2	15MHz	QPSK	18900	38RB#0	21.10	20.10	33.01	PASS
Band2	15MHz	QPSK	18900	38RB#18	21.15	20.15	33.01	PASS
Band2	15MHz	QPSK	18900	38RB#37	21.11	20.11	33.01	PASS
Band2	15MHz	QPSK	18900	75RB#0	21.10	20.10	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#0	21.81	20.81	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#38	22.26	21.26	33.01	PASS
Band2	15MHz	QPSK	19125	1RB#74	22.00	21.00	33.01	PASS
Band2	15MHz	QPSK	19125	38RB#0	21.19	20.19	33.01	PASS
Band2	15MHz	QPSK	19125	38RB#18	21.23	20.23	33.01	PASS
Band2	15MHz	QPSK	19125	38RB#37	21.18	20.18	33.01	PASS
Band2	15MHz	QPSK	19125	75RB#0	21.22	20.22	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#0	21.16	20.16	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#38	21.68	20.68	33.01	PASS
Band2	15MHz	16QAM	18675	1RB#74	21.12	20.12	33.01	PASS
Band2	15MHz	16QAM	18675	38RB#0	21.26	20.26	33.01	PASS
Band2	15MHz	16QAM	18675	38RB#18	20.17	19.17	33.01	PASS
Band2	15MHz	16QAM	18675	38RB#37	21.19	20.19	33.01	PASS
Band2	15MHz	16QAM	18675	75RB#0	20.18	19.18	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#0	21.18	20.18	33.01	PASS
Band2	15MHz	16QAM	18900	1RB#38	21.74	20.74	33.01	PASS



Band2	15MHz	16QAM	18900	1RB#74	21.10	20.10	33.01	PASS
Band2	15MHz	16QAM	18900	38RB#0	21.10	20.10	33.01	PASS
Band2	15MHz	16QAM	18900	38RB#18	20.10	19.10	33.01	PASS
Band2	15MHz	16QAM	18900	38RB#37	21.10	20.10	33.01	PASS
Band2	15MHz	16QAM	18900	75RB#0	20.09	19.09	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#0	21.03	20.03	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#38	21.98	20.98	33.01	PASS
Band2	15MHz	16QAM	19125	1RB#74	21.19	20.19	33.01	PASS
Band2	15MHz	16QAM	19125	38RB#0	21.19	20.19	33.01	PASS
Band2	15MHz	16QAM	19125	38RB#18	20.26	19.26	33.01	PASS
Band2	15MHz	16QAM	19125	38RB#37	21.22	20.22	33.01	PASS
Band2	15MHz	16QAM	19125	75RB#0	20.26	19.26	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#0	22.22	21.22	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#49	22.19	21.19	33.01	PASS
Band2	20MHz	QPSK	18700	1RB#99	22.30	21.30	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#0	21.21	20.21	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#25	21.17	20.17	33.01	PASS
Band2	20MHz	QPSK	18700	50RB#50	21.25	20.25	33.01	PASS
Band2	20MHz	QPSK	18700	100RB#0	21.20	20.20	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#0	22.26	21.26	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#49	22.15	21.15	33.01	PASS
Band2	20MHz	QPSK	18900	1RB#99	22.16	21.16	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#0	21.17	20.17	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#25	21.15	20.15	33.01	PASS
Band2	20MHz	QPSK	18900	50RB#50	21.18	20.18	33.01	PASS
Band2	20MHz	QPSK	18900	100RB#0	21.08	20.08	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#0	22.03	21.03	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#49	22.16	21.16	33.01	PASS
Band2	20MHz	QPSK	19100	1RB#99	22.10	21.10	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#0	21.14	20.14	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#25	21.15	20.15	33.01	PASS
Band2	20MHz	QPSK	19100	50RB#50	21.27	20.27	33.01	PASS
Band2	20MHz	QPSK	19100	100RB#0	21.15	20.15	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#0	20.72	19.72	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#49	20.56	19.56	33.01	PASS
Band2	20MHz	16QAM	18700	1RB#99	20.69	19.69	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#0	20.33	19.33	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#25	20.27	19.27	33.01	PASS
Band2	20MHz	16QAM	18700	50RB#50	20.31	19.31	33.01	PASS
Band2	20MHz	16QAM	18700	100RB#0	20.22	19.22	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#0	21.57	20.57	33.01	PASS



Band2	20MHz	16QAM	18900	1RB#49	21.37	20.37	33.01	PASS
Band2	20MHz	16QAM	18900	1RB#99	21.49	20.49	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#0	20.28	19.28	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#25	20.22	19.22	33.01	PASS
Band2	20MHz	16QAM	18900	50RB#50	20.16	19.16	33.01	PASS
Band2	20MHz	16QAM	18900	100RB#0	20.22	19.22	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#0	21.16	20.16	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#49	21.16	20.16	33.01	PASS
Band2	20MHz	16QAM	19100	1RB#99	21.32	20.32	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#0	20.38	19.38	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#25	20.18	19.18	33.01	PASS
Band2	20MHz	16QAM	19100	50RB#50	20.39	19.39	33.01	PASS
Band2	20MHz	16QAM	19100	100RB#0	20.20	19.20	33.01	PASS

$EIRP = P_T + G_T - LC$, $ERP = EIRP - 2.15$, where

P_T = Conducted output power(dBm);

G_T = gain of the transmitting antenna(dBi);



Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band2	1.4MHz	QPSK	18607	1RB#0	5.44	13	PASS
Band2	1.4MHz	QPSK	18607	6RB#0	5.58	13	PASS
Band2	1.4MHz	QPSK	18900	1RB#0	5.34	13	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	5.62	13	PASS
Band2	1.4MHz	QPSK	19193	1RB#0	4.50	13	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	4.92	13	PASS
Band2	3MHz	QPSK	18615	1RB#0	5.38	13	PASS
Band2	3MHz	QPSK	18615	15RB#0	5.72	13	PASS
Band2	3MHz	QPSK	18900	1RB#0	5.32	13	PASS
Band2	3MHz	QPSK	18900	15RB#0	5.68	13	PASS
Band2	3MHz	QPSK	19185	1RB#0	4.74	13	PASS
Band2	3MHz	QPSK	19185	15RB#0	5.02	13	PASS
Band2	5MHz	QPSK	18625	1RB#0	5.62	13	PASS
Band2	5MHz	QPSK	18625	25RB#0	5.70	13	PASS
Band2	5MHz	QPSK	18900	1RB#0	5.42	13	PASS
Band2	5MHz	QPSK	18900	25RB#0	5.70	13	PASS
Band2	5MHz	QPSK	19175	1RB#0	4.96	13	PASS
Band2	5MHz	QPSK	19175	25RB#0	5.32	13	PASS
Band2	10MHz	QPSK	18650	1RB#0	5.48	13	PASS
Band2	10MHz	QPSK	18650	50RB#0	5.76	13	PASS
Band2	10MHz	QPSK	18900	1RB#0	5.28	13	PASS
Band2	10MHz	QPSK	18900	50RB#0	5.66	13	PASS
Band2	10MHz	QPSK	19150	1RB#0	5.16	13	PASS
Band2	10MHz	QPSK	19150	50RB#0	5.46	13	PASS
Band2	15MHz	QPSK	18675	1RB#0	5.46	13	PASS
Band2	15MHz	QPSK	18675	75RB#0	5.94	13	PASS
Band2	15MHz	QPSK	18900	1RB#0	5.54	13	PASS
Band2	15MHz	QPSK	18900	75RB#0	5.76	13	PASS
Band2	15MHz	QPSK	19125	1RB#0	4.94	13	PASS
Band2	15MHz	QPSK	19125	75RB#0	5.70	13	PASS
Band2	20MHz	QPSK	18700	1RB#0	5.32	13	PASS
Band2	20MHz	QPSK	18700	100RB#0	5.68	13	PASS
Band2	20MHz	QPSK	18900	1RB#0	5.46	13	PASS
Band2	20MHz	QPSK	18900	100RB#0	5.54	13	PASS
Band2	20MHz	QPSK	19100	1RB#0	4.88	13	PASS




Band2	20MHz	QPSK	19100	100RB#0	5.54	13	PASS
-------	-------	------	-------	---------	------	----	------




Test Graphs




Band2-1.4MHz-QPSK-18607-1RB#0-PASS




Band2-1.4MHz-QPSK-18607-6RB#0-PASS




Band2-1.4MHz-QPSK-18900-1RB#0-PASS




Band2-1.4MHz-QPSK-18900-6RB#0-PASS




Band2-1.4MHz-QPSK-19193-1RB#0-PASS




Band2-1.4MHz-QPSK-19193-6RB#0-PASS




Band2-3MHz-QPSK-18615-1RB#0-PASS




Band2-3MHz-QPSK-18615-15RB#0-PASS




Band2-3MHz-QPSK-18900-1RB#0-PASS




Band2-3MHz-QPSK-18900-15RB#0-PASS




Band2-3MHz-QPSK-19185-1RB#0-PASS




Band2-3MHz-QPSK-19185-15RB#0-PASS




Band2-5MHz-QPSK-18625-1RB#0-PASS




Band2-5MHz-QPSK-18625-25RB#0-PASS




Band2-5MHz-QPSK-18900-1RB#0-PASS




Band2-5MHz-QPSK-18900-25RB#0-PASS




Band2-5MHz-QPSK-19175-1RB#0-PASS




Band2-5MHz-QPSK-19175-25RB#0-PASS




Band2-10MHz-QPSK-18650-1RB#0-PASS




Band2-10MHz-QPSK-18650-50RB#0-PASS




Band2-10MHz-QPSK-18900-1RB#0-PASS




Band2-10MHz-QPSK-18900-50RB#0-PASS




Band2-10MHz-QPSK-19150-1RB#0-PASS




Band2-10MHz-QPSK-19150-50RB#0-PASS




Band2-15MHz-QPSK-18675-1RB#0-PASS




Band2-15MHz-QPSK-18675-75RB#0-PASS




Band2-15MHz-QPSK-18900-1RB#0-PASS




Band2-15MHz-QPSK-18900-75RB#0-PASS




Band2-15MHz-QPSK-19125-1RB#0-PASS




Band2-15MHz-QPSK-19125-75RB#0-PASS




Band2-20MHz-QPSK-18700-1RB#0-PASS




Band2-20MHz-QPSK-18700-100RB#0-PASS




Band2-20MHz-QPSK-18900-1RB#0-PASS



Band2-20MHz-QPSK-18900-100RB#0-PASS



Band2-20MHz-QPSK-19100-1RB#0-PASS



Band2-20MHz-QPSK-19100-100RB#0-PASS



Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band2	1.4MHz	QPSK	18607	6RB#0	1.082	1.24	PASS
Band2	1.4MHz	QPSK	18900	6RB#0	1.084	1.21	PASS
Band2	1.4MHz	QPSK	19193	6RB#0	1.084	1.23	PASS
Band2	1.4MHz	16QAM	18607	6RB#0	2.969	3.00	PASS
Band2	1.4MHz	16QAM	18900	6RB#0	2.966	3.00	PASS
Band2	1.4MHz	16QAM	19193	6RB#0	2.963	3.00	PASS
Band2	3MHz	QPSK	18615	15RB#0	2.675	2.89	PASS
Band2	3MHz	QPSK	18900	15RB#0	2.676	2.86	PASS
Band2	3MHz	QPSK	19185	15RB#0	2.681	2.88	PASS
Band2	3MHz	16QAM	18615	15RB#0	5.939	6.00	PASS
Band2	3MHz	16QAM	18900	15RB#0	5.946	6.00	PASS
Band2	3MHz	16QAM	19185	15RB#0	5.812	6.00	PASS
Band2	5MHz	QPSK	18625	25RB#0	4.513	4.95	PASS
Band2	5MHz	QPSK	18900	25RB#0	4.498	4.94	PASS
Band2	5MHz	QPSK	19175	25RB#0	4.487	4.96	PASS
Band2	5MHz	16QAM	18625	25RB#0	9.866	10.00	PASS
Band2	5MHz	16QAM	18900	25RB#0	9.319	9.39	PASS
Band2	5MHz	16QAM	19175	25RB#0	8.992	6.77	PASS
Band2	10MHz	QPSK	18650	50RB#0	8.967	9.83	PASS
Band2	10MHz	QPSK	18900	50RB#0	8.976	9.77	PASS
Band2	10MHz	QPSK	19150	50RB#0	8.984	9.87	PASS
Band2	10MHz	16QAM	18650	50RB#0	8.999	9.87	PASS
Band2	10MHz	16QAM	18900	50RB#0	8.971	9.80	PASS
Band2	10MHz	16QAM	19150	50RB#0	8.997	9.77	PASS
Band2	15MHz	QPSK	18675	75RB#0	13.426	14.65	PASS
Band2	15MHz	QPSK	18900	75RB#0	13.431	14.80	PASS
Band2	15MHz	QPSK	19125	75RB#0	13.442	14.75	PASS
Band2	15MHz	16QAM	18675	75RB#0	13.455	14.30	PASS
Band2	15MHz	16QAM	18900	75RB#0	13.436	14.65	PASS
Band2	15MHz	16QAM	19125	75RB#0	13.44	14.85	PASS
Band2	20MHz	QPSK	18700	100RB#0	17.897	19.67	PASS
Band2	20MHz	QPSK	18900	100RB#0	17.897	19.53	PASS
Band2	20MHz	QPSK	19100	100RB#0	17.941	19.80	PASS
Band2	20MHz	16QAM	18700	100RB#0	17.885	19.60	PASS