




## 802.11a\_LCH\_5745MHz\_Ant1\_NTNV




## 802.11a\_LCH\_5745MHz\_Ant1\_NTNV



802.11a\_MCH\_5785MHz\_Ant1\_NTNV




802.11a\_MCH\_5785MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 20931.65        | -36.22      | -21.20      | 15.02       | Pass   | Peak   | 7  | 20931.65        | -45.13      | -41.20      | 3.93        | Pass   | AVG    |
| 2  | 21827.55        | -38.40      | -27.00      | 11.40       | Pass   | Peak   | 8  | 21827.55        | /           | -27.00      | /           | /      | AVG    |
| 3  | 23117           | -37.52      | -21.20      | 16.32       | Pass   | Peak   | 9  | 23117           | -47.68      | -41.20      | 6.48        | Pass   | AVG    |
| 4  | 24397.1         | -34.85      | -27.00      | 7.85        | Pass   | Peak   | 10 | 24397.1         | /           | -27.00      | /           | /      | AVG    |
| 5  | 25546.3         | -32.71      | -27.00      | 5.71        | Pass   | Peak   | 11 | 25546.3         | /           | -27.00      | /           | /      | AVG    |
| 6  | 26466.85        | -35.75      | -27.00      | 8.75        | Pass   | Peak   | 12 | 26466.85        | /           | -27.00      | /           | /      | AVG    |

802.11a\_HCH\_5825MHz\_Ant1\_NTNV




802.11a\_HCH\_5825MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 16867.8         | -37.58      | -27.00      | 10.58       | Pass   | Peak   | 7  | 16867.8         | /           | -27.00      | /           | /      | AVG    |
| 2  | 20315.4         | -34.85      | -21.20      | 13.65       | Pass   | Peak   | 8  | 20315.4         | -45.65      | -41.20      | 4.45        | Pass   | AVG    |
| 3  | 21703.45        | -37.33      | -27.00      | 10.33       | Pass   | Peak   | 9  | 21703.45        | /           | -27.00      | /           | /      | AVG    |
| 4  | 23756.2         | -36.54      | -21.20      | 15.34       | Pass   | Peak   | 10 | 23756.2         | -45.76      | -41.20      | 4.56        | Pass   | AVG    |
| 5  | 24907.95        | -32.74      | -27.00      | 5.74        | Pass   | Peak   | 11 | 24907.95        | /           | -27.00      | /           | /      | AVG    |
| 6  | 25955.15        | -34.18      | -27.00      | 7.18        | Pass   | Peak   | 12 | 25955.15        | /           | -27.00      | /           | /      | AVG    |

## 802.11a\_HCH\_5825MHz\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5850.000        | -39.01      | 27.00       | 66.01       | Pass   | Peak   | 3  | 5925.000        | -45.01      | -27.00      | 18.01       | Pass   | Peak   |
| 2  | 5850.240        | -34.08      | 26.45       | 60.53       | Pass   | Peak   |    |                 |             |             |             |        |        |


## 802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19384.65        | -38.35      | -21.20      | 17.15       | Pass   | Peak   | 7  | 19384.65        | -47.49      | -41.20      | 6.29        | Pass   | AVG    |
| 2  | 20937.6         | -35.74      | -21.20      | 14.54       | Pass   | Peak   | 8  | 20937.6         | -45.09      | -41.20      | 3.89        | Pass   | AVG    |
| 3  | 23645.7         | -37.00      | -21.20      | 15.80       | Pass   | Peak   | 9  | 23645.7         | -45.84      | -41.20      | 4.64        | Pass   | AVG    |
| 4  | 24509.3         | -34.82      | -27.00      | 7.82        | Pass   | Peak   | 10 | 24509.3         | /           | -27.00      | /           | /      | AVG    |
| 5  | 25440.05        | -32.29      | -27.00      | 5.29        | Pass   | Peak   | 11 | 25440.05        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26280.7         | -34.76      | -27.00      | 7.76        | Pass   | Peak   | 12 | 26280.7         | /           | -27.00      | /           | /      | AVG    |




## 802.11n(HT20)\_LCH\_5180MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 4950.500        | -49.89      | -21.20      | 28.69       | Pass   | Peak   | 7  | 4950.500        | -55.60      | -41.20      | 14.40       | Pass   | AVG    |
| 2  | 5018.000        | -48.29      | -21.20      | 27.09       | Pass   | Peak   | 8  | 5018.000        | -55.60      | -41.20      | 14.40       | Pass   | AVG    |
| 3  | 5060.500        | -48.41      | -21.20      | 27.21       | Pass   | Peak   | 9  | 5060.500        | -55.46      | -41.20      | 14.26       | Pass   | AVG    |
| 4  | 5088.500        | -47.52      | -21.20      | 26.32       | Pass   | Peak   | 10 | 5088.500        | -55.02      | -41.20      | 13.82       | Pass   | AVG    |
| 5  | 5119.500        | -46.28      | -21.20      | 25.08       | Pass   | Peak   | 11 | 5119.500        | -54.72      | -41.20      | 13.52       | Pass   | AVG    |
| 6  | 5150.000        | -39.60      | -21.20      | 18.40       | Pass   | Peak   | 12 | 5150.000        | -50.71      | -41.20      | 9.51        | Pass   | AVG    |

## 802.11n(HT20)\_MCH\_5200MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19467.1         | -35.58      | -21.20      | 14.38       | Pass   | Peak   | 7  | 19467.1         | -46.97      | -41.20      | 5.77        | Pass   | AVG    |
| 2  | 20946.1         | -35.49      | -21.20      | 14.29       | Pass   | Peak   | 8  | 20946.1         | -45.06      | -41.20      | 3.86        | Pass   | AVG    |
| 3  | 23610.85        | -36.98      | -21.20      | 15.78       | Pass   | Peak   | 9  | 23610.85        | -46.29      | -41.20      | 5.09        | Pass   | AVG    |
| 4  | 24380.95        | -34.60      | -27.00      | 7.60        | Pass   | Peak   | 10 | 24380.95        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25468.1         | -32.30      | -27.00      | 5.30        | Pass   | Peak   | 11 | 25468.1         | /           | -27.00      | /           | /      | AVG    |
| 6  | 26444.75        | -36.29      | -27.00      | 9.29        | Pass   | Peak   | 12 | 26444.75        | /           | -27.00      | /           | /      | AVG    |


## 802.11n(HT20)\_HCH\_5240MHz\_Ant1\_NTNV




## 802.11n(HT20)\_HCH\_5240MHz\_Ant1\_NTNV



802.11n(HT20)\_LCH\_5745MHz\_Ant1\_NTNV




802.11n(HT20)\_LCH\_5745MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19388.9         | -37.00      | -21.20      | 15.80       | Pass   | Peak   | 7  | 19388.9         | -47.65      | -41.20      | 6.45        | Pass   | AVG    |
| 2  | 20981.8         | -35.79      | -21.20      | 14.59       | Pass   | Peak   | 8  | 20981.8         | -44.83      | -41.20      | 3.63        | Pass   | AVG    |
| 3  | 23492.7         | -36.73      | -27.00      | 9.73        | Pass   | Peak   | 9  | 23492.7         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24388.6         | -34.96      | -27.00      | 7.96        | Pass   | Peak   | 10 | 24388.6         | /           | -27.00      | /           | /      | AVG    |
| 5  | 25405.2         | -32.29      | -27.00      | 5.29        | Pass   | Peak   | 11 | 25405.2         | /           | -27.00      | /           | /      | AVG    |
| 6  | 26171.05        | -35.94      | -27.00      | 8.94        | Pass   | Peak   | 12 | 26171.05        | /           | -27.00      | /           | /      | AVG    |

802.11n(HT20)\_LCH\_5745MHz\_Ant1\_NTNV




802.11n(HT20)\_MCH\_5785MHz\_Ant1\_NTNV






## 802.11n(HT20)\_MCH\_5785MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19496           | -37.54      | -21.20      | 16.34       | Pass   | Peak   | 7  | 19496           | -47.06      | -41.20      | 5.86        | Pass   | AVG    |
| 2  | 20963.95        | -35.86      | -21.20      | 14.66       | Pass   | Peak   | 8  | 20963.95        | -44.87      | -41.20      | 3.67        | Pass   | AVG    |
| 3  | 21757.85        | -38.33      | -27.00      | 11.33       | Pass   | Peak   | 9  | 21757.85        | /           | -27.00      | /           | /      | AVG    |
| 4  | 23723.9         | -36.43      | -21.20      | 15.23       | Pass   | Peak   | 10 | 23723.9         | -45.49      | -41.20      | 4.29        | Pass   | AVG    |
| 5  | 24941.95        | -32.66      | -27.00      | 5.66        | Pass   | Peak   | 11 | 24941.95        | /           | -27.00      | /           | /      | AVG    |
| 6  | 25982.35        | -34.41      | -27.00      | 7.41        | Pass   | Peak   | 12 | 25982.35        | /           | -27.00      | /           | /      | AVG    |

## 802.11n(HT20)\_HCH\_5825MHz\_Ant1\_NTNV




## 802.11n(HT20)\_HCH\_5825MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19394           | -37.85      | -21.20      | 16.65       | Pass   | Peak   | 7  | 19394           | -47.60      | -41.20      | 6.40        | Pass   | AVG    |
| 2  | 20901.9         | -36.00      | -21.20      | 14.80       | Pass   | Peak   | 8  | 20901.9         | -45.29      | -41.20      | 4.09        | Pass   | AVG    |
| 3  | 23470.6         | -36.70      | -27.00      | 9.70        | Pass   | Peak   | 9  | 23470.6         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24374.15        | -34.04      | -27.00      | 7.04        | Pass   | Peak   | 10 | 24374.15        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25480           | -32.49      | -27.00      | 5.49        | Pass   | Peak   | 11 | 25480           | /           | -27.00      | /           | /      | AVG    |
| 6  | 26442.2         | -35.99      | -27.00      | 8.99        | Pass   | Peak   | 12 | 26442.2         | /           | -27.00      | /           | /      | AVG    |

## 802.11n(HT20)\_HCH\_5825MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5850.000        | -38.00      | 27.00       | 65.00       | Pass   | Peak   | 3  | 5925.000        | -46.78      | -27.00      | 19.78       | Pass   | Peak   |
| 2  | 5852.760        | -34.18      | 20.71       | 54.89       | Pass   | Peak   |    |                 |             |             |             |        |        |


## 802.11n(HT40) LCH\_5190MHz\_Ant1\_NTNV




## 802.11n(HT40) LCH\_5190MHz\_Ant1\_NTNV



## 802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV




## 802.11n(HT40)\_HCH\_5230MHz\_Ant1\_NTNV






802.11n(HT40)\_LCH\_5755MHz\_Ant1\_NTNV




802.11n(HT40)\_LCH\_5755MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 20396.15        | -36.49      | -21.20      | 15.29       | Pass   | Peak   | 7  | 20396.15        | -45.24      | -41.20      | 4.04        | Pass   | AVG    |
| 2  | 22442.1         | -37.76      | -21.20      | 16.56       | Pass   | Peak   | 8  | 22442.1         | -47.77      | -41.20      | 6.57        | Pass   | AVG    |
| 3  | 23515.65        | -37.81      | -27.00      | 10.81       | Pass   | Peak   | 9  | 23515.65        | /           | -27.00      | /           | /      | AVG    |
| 4  | 24380.95        | -34.76      | -27.00      | 7.76        | Pass   | Peak   | 10 | 24380.95        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25389.9         | -32.60      | -27.00      | 5.60        | Pass   | Peak   | 11 | 25389.9         | /           | -27.00      | /           | /      | AVG    |
| 6  | 26228.85        | -35.15      | -27.00      | 8.15        | Pass   | Peak   | 12 | 26228.85        | /           | -27.00      | /           | /      | AVG    |


802.11n(HT40)\_LCH\_5755MHz\_Ant1\_NTNV



802.11n(HT40)\_HCH\_5795MHz\_Ant1\_NTNV




## 802.11n(HT40)\_HCH\_5795MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19488.35        | -37.25      | -21.20      | 16.05       | Pass   | Peak   | 7  | 19488.35        | -46.88      | -41.20      | 5.68        | Pass   | AVG    |
| 2  | 20973.3         | -36.33      | -21.20      | 15.13       | Pass   | Peak   | 8  | 20973.3         | -44.81      | -41.20      | 3.61        | Pass   | AVG    |
| 3  | 23579.4         | -36.44      | -27.00      | 9.44        | Pass   | Peak   | 9  | 23579.4         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24408.15        | -34.96      | -27.00      | 7.96        | Pass   | Peak   | 10 | 24408.15        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25491.05        | -32.77      | -27.00      | 5.77        | Pass   | Peak   | 11 | 25491.05        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26381.85        | -35.88      | -27.00      | 8.88        | Pass   | Peak   | 12 | 26381.85        | /           | -27.00      | /           | /      | AVG    |

## 802.11n(HT40)\_HCH\_5795MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5850.000        | -38.25      | 27.00       | 65.25       | Pass   | Peak   | 3  | 5925.000        | -47.23      | -27.00      | 20.23       | Pass   | Peak   |
| 2  | 5850.030        | -34.87      | 26.93       | 61.80       | Pass   | Peak   |    |                 |             |             |             |        |        |

802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 20381.7         | -36.04      | -21.20      | 14.84       | Pass   | Peak   | 7  | 20381.7         | -45.64      | -41.20      | 4.44        | Pass   | AVG    |
| 2  | 21654.15        | -37.82      | -27.00      | 10.82       | Pass   | Peak   | 8  | 21654.15        | /           | -27.00      | /           | /      | AVG    |
| 3  | 23538.6         | -37.24      | -27.00      | 10.24       | Pass   | Peak   | 9  | 23538.6         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24409.85        | -34.36      | -27.00      | 7.36        | Pass   | Peak   | 10 | 24409.85        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25423.05        | -33.09      | -27.00      | 6.09        | Pass   | Peak   | 11 | 25423.05        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26219.5         | -36.26      | -27.00      | 9.26        | Pass   | Peak   | 12 | 26219.5         | /           | -27.00      | /           | /      | AVG    |


802.11ac(VHT20)\_LCH\_5180MHz\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 4971.500        | -47.82      | -21.20      | 26.62       | Pass   | Peak   | 7  | 4971.500        | -55.26      | -41.20      | 14.06       | Pass   | AVG    |
| 2  | 5047.500        | -48.71      | -21.20      | 27.51       | Pass   | Peak   | 8  | 5047.500        | -55.49      | -41.20      | 14.29       | Pass   | AVG    |
| 3  | 5082.500        | -49.39      | -21.20      | 28.19       | Pass   | Peak   | 9  | 5082.500        | -54.89      | -41.20      | 13.69       | Pass   | AVG    |
| 4  | 5104.500        | -46.26      | -21.20      | 25.06       | Pass   | Peak   | 10 | 5104.500        | -54.80      | -41.20      | 13.60       | Pass   | AVG    |
| 5  | 5128.000        | -47.39      | -21.20      | 26.19       | Pass   | Peak   | 11 | 5128.000        | -54.38      | -41.20      | 13.18       | Pass   | AVG    |
| 6  | 5148.500        | -43.14      | -21.20      | 21.94       | Pass   | Peak   | 12 | 5148.500        | -51.00      | -41.20      | 9.80        | Pass   | AVG    |




## 802.11ac(VHT20)\_MCH\_5200MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19444.15        | -37.90      | -21.20      | 16.70       | Pass   | Peak   | 7  | 19444.15        | -46.98      | -41.20      | 5.78        | Pass   | AVG    |
| 2  | 20962.25        | -35.48      | -21.20      | 14.28       | Pass   | Peak   | 8  | 20962.25        | -45.00      | -41.20      | 3.80        | Pass   | AVG    |
| 3  | 21732.35        | -37.94      | -27.00      | 10.94       | Pass   | Peak   | 9  | 21732.35        | /           | -27.00      | /           | /      | AVG    |
| 4  | 24159.1         | -36.55      | -27.00      | 9.55        | Pass   | Peak   | 10 | 24159.1         | /           | -27.00      | /           | /      | AVG    |
| 5  | 24960.65        | -32.19      | -27.00      | 5.19        | Pass   | Peak   | 11 | 24960.65        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26008.7         | -33.85      | -27.00      | 6.85        | Pass   | Peak   | 12 | 26008.7         | /           | -27.00      | /           | /      | AVG    |

## 802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 20971.6         | -35.01      | -21.20      | 13.81       | Pass   | Peak   | 7  | 20971.6         | -45.20      | -41.20      | 4.00        | Pass   | AVG    |
| 2  | 22151.4         | -37.72      | -21.20      | 16.52       | Pass   | Peak   | 8  | 22151.4         | -48.38      | -41.20      | 7.18        | Pass   | AVG    |
| 3  | 23497.8         | -36.43      | -27.00      | 9.43        | Pass   | Peak   | 9  | 23497.8         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24403.05        | -34.34      | -27.00      | 7.34        | Pass   | Peak   | 10 | 24403.05        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25505.5         | -32.87      | -27.00      | 5.87        | Pass   | Peak   | 11 | 25505.5         | /           | -27.00      | /           | /      | AVG    |
| 6  | 26429.45        | -36.48      | -27.00      | 9.48        | Pass   | Peak   | 12 | 26429.45        | /           | -27.00      | /           | /      | AVG    |


## 802.11ac(VHT20)\_HCH\_5240MHz\_Ant1\_NTNV



## 802.11ac(VHT20)\_LCH\_5745MHz\_Ant1\_NTNV




## 802.11ac(VHT20)\_LCH\_5745MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19513           | -37.74      | -21.20      | 16.54       | Pass   | Peak   | 7  | 19513           | -47.28      | -41.20      | 6.08        | Pass   | AVG    |
| 2  | 20310.3         | -36.68      | -21.20      | 15.48       | Pass   | Peak   | 8  | 20310.3         | -46.20      | -41.20      | 5.00        | Pass   | AVG    |
| 3  | 21148.4         | -35.85      | -21.20      | 14.65       | Pass   | Peak   | 9  | 21148.4         | -46.40      | -41.20      | 5.20        | Pass   | AVG    |
| 4  | 23632.1         | -36.90      | -21.20      | 15.70       | Pass   | Peak   | 10 | 23632.1         | -46.25      | -41.20      | 5.05        | Pass   | AVG    |
| 5  | 24936.85        | -32.52      | -27.00      | 5.52        | Pass   | Peak   | 11 | 24936.85        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26018.9         | -34.44      | -27.00      | 7.44        | Pass   | Peak   | 12 | 26018.9         | /           | -27.00      | /           | /      | AVG    |

## 802.11ac(VHT20)\_LCH\_5745MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5650.000        | -44.29      | -27.00      | 17.29       | Pass   | Peak   | 3  | 5725.000        | -23.72      | 27.00       | 50.72       | Pass   | Peak   |
| 2  | 5724.405        | -23.10      | 25.64       | 48.74       | Pass   | Peak   |    |                 |             |             |             |        |        |

802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTNV




802.11ac(VHT20)\_MCH\_5785MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 16904.35        | -37.93      | -27.00      | 10.93       | Pass   | Peak   | 7  | 16904.35        | /           | -27.00      | /           | /      | AVG    |
| 2  | 20986.9         | -35.62      | -21.20      | 14.42       | Pass   | Peak   | 8  | 20986.9         | -45.11      | -41.20      | 3.91        | Pass   | AVG    |
| 3  | 23540.3         | -37.37      | -27.00      | 10.37       | Pass   | Peak   | 9  | 23540.3         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24408.15        | -34.69      | -27.00      | 7.69        | Pass   | Peak   | 10 | 24408.15        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25499.55        | -31.47      | -27.00      | 4.47        | Pass   | Peak   | 11 | 25499.55        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26283.25        | -36.63      | -27.00      | 9.63        | Pass   | Peak   | 12 | 26283.25        | /           | -27.00      | /           | /      | AVG    |



802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 1997.2          | -37.60      | -21.20      | 16.40       | Pass   | Peak   | 7  | 1997.2          | -48.11      | -41.20      | 6.91        | Pass   | AVG    |
| 2  | 20969.9         | -35.62      | -21.20      | 14.42       | Pass   | Peak   | 8  | 20969.9         | -45.09      | -41.20      | 3.89        | Pass   | AVG    |
| 3  | 23663.55        | -36.12      | -21.20      | 14.92       | Pass   | Peak   | 9  | 23663.55        | -46.16      | -41.20      | 4.96        | Pass   | AVG    |
| 4  | 24460           | -34.81      | -27.00      | 7.81        | Pass   | Peak   | 10 | 24460           | /           | -27.00      | /           | /      | AVG    |
| 5  | 25542.05        | -32.14      | -27.00      | 5.14        | Pass   | Peak   | 11 | 25542.05        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26395.45        | -36.68      | -27.00      | 9.68        | Pass   | Peak   | 12 | 26395.45        | /           | -27.00      | /           | /      | AVG    |


## 802.11ac(VHT20)\_HCH\_5825MHz\_Ant1\_NTNV



## 802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




## 802.11ac(VHT40)\_LCH\_5190MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5025.500        | -48.73      | -21.20      | 27.53       | Pass   | Peak   | 7  | 5025.500        | -55.09      | -41.20      | 13.89       | Pass   | AVG    |
| 2  | 5056.000        | -47.61      | -21.20      | 26.41       | Pass   | Peak   | 8  | 5056.000        | -54.42      | -41.20      | 13.22       | Pass   | AVG    |
| 3  | 5082.000        | -47.81      | -21.20      | 26.61       | Pass   | Peak   | 9  | 5082.000        | -54.36      | -41.20      | 13.16       | Pass   | AVG    |
| 4  | 5107.000        | -47.43      | -21.20      | 26.23       | Pass   | Peak   | 10 | 5107.000        | -53.62      | -41.20      | 12.42       | Pass   | AVG    |
| 5  | 5129.000        | -39.73      | -21.20      | 18.53       | Pass   | Peak   | 11 | 5129.000        | -51.16      | -41.20      | 9.96        | Pass   | AVG    |
| 6  | 5150.000        | -38.78      | -21.20      | 17.58       | Pass   | Peak   | 12 | 5150.000        | -46.10      | -41.20      | 4.90        | Pass   | AVG    |

## 802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19497.7         | -38.22      | -21.20      | 17.02       | Pass   | Peak   | 7  | 19497.7         | -46.89      | -41.20      | 5.69        | Pass   | AVG    |
| 2  | 20963.1         | -36.09      | -21.20      | 14.89       | Pass   | Peak   | 8  | 20963.1         | -44.88      | -41.20      | 3.68        | Pass   | AVG    |
| 3  | 21758.7         | -38.23      | -27.00      | 11.23       | Pass   | Peak   | 9  | 21758.7         | /           | -27.00      | /           | /      | AVG    |
| 4  | 23638.05        | -37.16      | -21.20      | 15.96       | Pass   | Peak   | 10 | 23638.05        | -46.10      | -41.20      | 4.90        | Pass   | AVG    |
| 5  | 24945.35        | -31.55      | -27.00      | 4.55        | Pass   | Peak   | 11 | 24945.35        | /           | -27.00      | /           | /      | AVG    |
| 6  | 25990.85        | -33.70      | -27.00      | 6.70        | Pass   | Peak   | 12 | 25990.85        | /           | -27.00      | /           | /      | AVG    |

## 802.11ac(VHT40)\_HCH\_5230MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5356.050        | -44.78      | -21.20      | 23.58       | Pass   | Peak   | 7  | 5356.050        | -53.18      | -41.20      | 11.98       | Pass   | AVG    |
| 2  | 5364.960        | -46.18      | -21.20      | 24.98       | Pass   | Peak   | 8  | 5364.960        | -54.08      | -41.20      | 12.88       | Pass   | AVG    |
| 3  | 5373.330        | -46.49      | -21.20      | 25.29       | Pass   | Peak   | 9  | 5373.330        | -53.63      | -41.20      | 12.43       | Pass   | AVG    |
| 4  | 5385.480        | -44.89      | -21.20      | 23.69       | Pass   | Peak   | 10 | 5385.480        | -53.96      | -41.20      | 12.76       | Pass   | AVG    |
| 5  | 5399.790        | -47.76      | -21.20      | 26.56       | Pass   | Peak   | 11 | 5399.790        | -54.13      | -41.20      | 12.93       | Pass   | AVG    |
| 6  | 5439.750        | -47.37      | -21.20      | 26.17       | Pass   | Peak   | 12 | 5439.750        | -53.98      | -41.20      | 12.78       | Pass   | AVG    |

## 802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV






## 802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19053.15        | -37.23      | -21.20      | 16.03       | Pass   | Peak   | 7  | 19053.15        | -48.37      | -41.20      | 7.17        | Pass   | AVG    |
| 2  | 21025.15        | -35.54      | -21.20      | 14.34       | Pass   | Peak   | 8  | 21025.15        | -44.71      | -41.20      | 3.51        | Pass   | AVG    |
| 3  | 23537.75        | -37.31      | -27.00      | 10.31       | Pass   | Peak   | 9  | 23537.75        | /           | -27.00      | /           | /      | AVG    |
| 4  | 24397.1         | -33.99      | -27.00      | 6.99        | Pass   | Peak   | 10 | 24397.1         | /           | -27.00      | /           | /      | AVG    |
| 5  | 25462.15        | -31.89      | -27.00      | 4.89        | Pass   | Peak   | 11 | 25462.15        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26407.35        | -35.79      | -27.00      | 8.79        | Pass   | Peak   | 12 | 26407.35        | /           | -27.00      | /           | /      | AVG    |

## 802.11ac(VHT40)\_LCH\_5755MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5650.000        | -44.17      | -27.00      | 17.17       | Pass   | Peak   | 3  | 5725.000        | -23.03      | 27.00       | 50.03       | Pass   | Peak   |
| 2  | 5723.660        | -16.04      | 23.94       | 39.98       | Pass   | Peak   |    |                 |             |             |             |        |        |

802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 20249.1         | -35.84      | -21.20      | 14.64       | Pass   | Peak   | 7  | 20249.1         | -46.08      | -41.20      | 4.88        | Pass   | AVG    |
| 2  | 21094.85        | -36.49      | -21.20      | 15.29       | Pass   | Peak   | 8  | 21094.85        | -45.52      | -41.20      | 4.32        | Pass   | AVG    |
| 3  | 23445.95        | -37.13      | -27.00      | 10.13       | Pass   | Peak   | 9  | 23445.95        | /           | -27.00      | /           | /      | AVG    |
| 4  | 24403.05        | -34.53      | -27.00      | 7.53        | Pass   | Peak   | 10 | 24403.05        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25411.15        | -32.81      | -27.00      | 5.81        | Pass   | Peak   | 11 | 25411.15        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26449.85        | -35.64      | -27.00      | 8.64        | Pass   | Peak   | 12 | 26449.85        | /           | -27.00      | /           | /      | AVG    |

## 802.11ac(VHT40)\_HCH\_5795MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5850.000        | -39.52      | 27.00       | 66.52       | Pass   | Peak   | 3  | 5925.000        | -45.10      | -27.00      | 18.10       | Pass   | Peak   |
| 2  | 5859.720        | -36.72      | 14.28       | 51.00       | Pass   | Peak   |    |                 |             |             |             |        |        |

## 802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 20096.95        | -38.02      | -21.20      | 16.82       | Pass   | Peak   | 7  | 20096.95        | -47.19      | -41.20      | 5.99        | Pass   | AVG    |
| 2  | 20973.3         | -36.37      | -21.20      | 15.17       | Pass   | Peak   | 8  | 20973.3         | -44.80      | -41.20      | 3.60        | Pass   | AVG    |
| 3  | 23513.95        | -37.29      | -27.00      | 10.29       | Pass   | Peak   | 9  | 23513.95        | /           | -27.00      | /           | /      | AVG    |
| 4  | 24389.45        | -34.73      | -27.00      | 7.73        | Pass   | Peak   | 10 | 24389.45        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25473.2         | -31.70      | -27.00      | 4.70        | Pass   | Peak   | 11 | 25473.2         | /           | -27.00      | /           | /      | AVG    |
| 6  | 26484.7         | -35.81      | -27.00      | 8.81        | Pass   | Peak   | 12 | 26484.7         | /           | -27.00      | /           | /      | AVG    |

## 802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 4971.500        | -49.18      | -21.20      | 27.98       | Pass   | Peak   | 7  | 4971.500        | -54.96      | -41.20      | 13.76       | Pass   | AVG    |
| 2  | 5006.000        | -47.94      | -21.20      | 26.74       | Pass   | Peak   | 8  | 5006.000        | -54.41      | -41.20      | 13.21       | Pass   | AVG    |
| 3  | 5046.500        | -45.06      | -21.20      | 23.86       | Pass   | Peak   | 9  | 5046.500        | -53.09      | -41.20      | 11.89       | Pass   | AVG    |
| 4  | 5080.000        | -43.20      | -21.20      | 22.00       | Pass   | Peak   | 10 | 5080.000        | -51.45      | -41.20      | 10.25       | Pass   | AVG    |
| 5  | 5113.000        | -39.07      | -21.20      | 17.87       | Pass   | Peak   | 11 | 5113.000        | -48.60      | -41.20      | 7.40        | Pass   | AVG    |
| 6  | 5146.000        | -36.82      | -21.20      | 15.62       | Pass   | Peak   | 12 | 5146.000        | -45.84      | -41.20      | 4.64        | Pass   | AVG    |


## 802.11ac(VHT80)\_MCH\_5210MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5350.500        | -45.60      | -21.20      | 24.40       | Pass   | Peak   | 5  | 5350.500        | -51.94      | -41.20      | 10.74       | Pass   | AVG    |
| 2  | 5386.500        | -45.98      | -21.20      | 24.78       | Pass   | Peak   | 6  | 5386.500        | -53.18      | -41.20      | 11.98       | Pass   | AVG    |
| 3  | 5424.500        | -46.15      | -21.20      | 24.95       | Pass   | Peak   | 7  | 5424.500        | -53.53      | -41.20      | 12.33       | Pass   | AVG    |
| 4  | 5455.500        | -46.32      | -21.20      | 25.12       | Pass   | Peak   | 8  | 5455.500        | -53.87      | -41.20      | 12.67       | Pass   | AVG    |



802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV




802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19405.9         | -37.89      | -21.20      | 16.69       | Pass   | Peak   | 7  | 19405.9         | -46.64      | -41.20      | 5.44        | Pass   | AVG    |
| 2  | 20975.85        | -35.79      | -21.20      | 14.59       | Pass   | Peak   | 8  | 20975.85        | -44.67      | -41.20      | 3.47        | Pass   | AVG    |
| 3  | 21783.35        | -38.01      | -27.00      | 11.01       | Pass   | Peak   | 9  | 21783.35        | /           | -27.00      | /           | /      | AVG    |
| 4  | 23935.55        | -37.00      | -21.20      | 15.80       | Pass   | Peak   | 10 | 23935.55        | -45.94      | -41.20      | 4.74        | Pass   | AVG    |
| 5  | 24940.25        | -31.91      | -27.00      | 4.91        | Pass   | Peak   | 11 | 24940.25        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26041           | -34.97      | -27.00      | 7.97        | Pass   | Peak   | 12 | 26041           | /           | -27.00      | /           | /      | AVG    |

802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5650.000        | -42.32      | -27.00      | 15.32       | Pass   | Peak   | 3  | 5725.000        | -27.76      | 27.00       | 54.76       | Pass   | Peak   |
| 2  | 5722.050        | -24.13      | 20.27       | 44.40       | Pass   | Peak   |    |                 |             |             |             |        |        |

802.11ac(VHT80)\_MCH\_5775MHz\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5850.000        | -31.64      | 27.00       | 58.64       | Pass   | AVG    | 3  | 5925.000        | -46.76      | -27.00      | 19.76       | Pass   | AVG    |
| 2  | 5860.100        | -30.44      | 14.17       | 44.61       | Pass   | AVG    |    |                 |             |             |             |        |        |

## 802.11ax(HEW20)\_LCH\_5180MHz\_SU\_ / \_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 20357.05        | -35.37      | -21.20      | 14.17       | Pass   | Peak   | 7  | 20357.05        | -45.66      | -41.20      | 4.46        | Pass   | AVG    |
| 2  | 21150.95        | -37.43      | -21.20      | 16.23       | Pass   | Peak   | 8  | 21150.95        | -46.31      | -41.20      | 5.11        | Pass   | AVG    |
| 3  | 23586.2         | -36.54      | -27.00      | 9.54        | Pass   | Peak   | 9  | 23586.2         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24446.4         | -34.65      | -27.00      | 7.65        | Pass   | Peak   | 10 | 24446.4         | /           | -27.00      | /           | /      | AVG    |
| 5  | 25387.35        | -32.67      | -27.00      | 5.67        | Pass   | Peak   | 11 | 25387.35        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26224.6         | -35.30      | -27.00      | 8.30        | Pass   | Peak   | 12 | 26224.6         | /           | -27.00      | /           | /      | AVG    |

## 802.11ax(HEW20)\_LCH\_5180MHz\_SU\_ / \_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 4991.500        | -49.19      | -21.20      | 27.99       | Pass   | Peak   | 7  | 4991.500        | -55.59      | -41.20      | 14.39       | Pass   | AVG    |
| 2  | 5038.500        | -47.77      | -21.20      | 26.57       | Pass   | Peak   | 8  | 5038.500        | -55.08      | -41.20      | 13.88       | Pass   | AVG    |
| 3  | 5078.000        | -49.01      | -21.20      | 27.81       | Pass   | Peak   | 9  | 5078.000        | -54.96      | -41.20      | 13.76       | Pass   | AVG    |
| 4  | 5106.000        | -47.74      | -21.20      | 26.54       | Pass   | Peak   | 10 | 5106.000        | -54.84      | -41.20      | 13.64       | Pass   | AVG    |
| 5  | 5129.000        | -45.51      | -21.20      | 24.31       | Pass   | Peak   | 11 | 5129.000        | -54.42      | -41.20      | 13.22       | Pass   | AVG    |
| 6  | 5149.000        | -40.95      | -21.20      | 19.75       | Pass   | Peak   | 12 | 5149.000        | -49.71      | -41.20      | 8.51        | Pass   | AVG    |

## 802.11ax(HEW20)\_MCH\_5200MHz\_SU\_/\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19411           | -37.68      | -21.20      | 16.48       | Pass   | Peak   | 7  | 19411           | -47.43      | -41.20      | 6.23        | Pass   | AVG    |
| 2  | 21015.8         | -35.87      | -21.20      | 14.67       | Pass   | Peak   | 8  | 21015.8         | -44.91      | -41.20      | 3.71        | Pass   | AVG    |
| 3  | 23655.9         | -35.69      | -21.20      | 14.49       | Pass   | Peak   | 9  | 23655.9         | -45.85      | -41.20      | 4.65        | Pass   | AVG    |
| 4  | 24432.8         | -34.53      | -27.00      | 7.53        | Pass   | Peak   | 10 | 24432.8         | /           | -27.00      | /           | /      | AVG    |
| 5  | 25455.35        | -31.86      | -27.00      | 4.86        | Pass   | Peak   | 11 | 25455.35        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26407.35        | -35.54      | -27.00      | 8.54        | Pass   | Peak   | 12 | 26407.35        | /           | -27.00      | /           | /      | AVG    |


## 802.11ax(HEW20)\_HCH\_5240MHz\_SU\_/\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19411           | -36.56      | -21.20      | 15.36       | Pass   | Peak   | 7  | 19411           | -47.41      | -41.20      | 6.21        | Pass   | AVG    |
| 2  | 20984.35        | -36.18      | -21.20      | 14.98       | Pass   | Peak   | 8  | 20984.35        | -44.98      | -41.20      | 3.78        | Pass   | AVG    |
| 3  | 23560.7         | -37.29      | -27.00      | 10.29       | Pass   | Peak   | 9  | 23560.7         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24424.3         | -34.60      | -27.00      | 7.60        | Pass   | Peak   | 10 | 24424.3         | /           | -27.00      | /           | /      | AVG    |
| 5  | 25539.5         | -32.06      | -27.00      | 5.06        | Pass   | Peak   | 11 | 25539.5         | /           | -27.00      | /           | /      | AVG    |
| 6  | 26469.4         | -35.95      | -27.00      | 8.95        | Pass   | Peak   | 12 | 26469.4         | /           | -27.00      | /           | /      | AVG    |




## 802.11ax(HEW20)\_HCH\_5240MHz\_SU / \_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5352.480        | -45.97      | -21.20      | 24.77       | Pass   | Peak   | 7  | 5352.480        | -54.39      | -41.20      | 13.19       | Pass   | AVG    |
| 2  | 5363.040        | -48.41      | -21.20      | 27.21       | Pass   | Peak   | 8  | 5363.040        | -54.70      | -41.20      | 13.50       | Pass   | AVG    |
| 3  | 5370.480        | -47.61      | -21.20      | 26.41       | Pass   | Peak   | 9  | 5370.480        | -54.92      | -41.20      | 13.72       | Pass   | AVG    |
| 4  | 5379.360        | -47.77      | -21.20      | 26.57       | Pass   | Peak   | 10 | 5379.360        | -54.85      | -41.20      | 13.65       | Pass   | AVG    |
| 5  | 5449.440        | -46.76      | -21.20      | 25.56       | Pass   | Peak   | 11 | 5449.440        | -54.62      | -41.20      | 13.42       | Pass   | AVG    |
| 6  | 5458.560        | -46.52      | -21.20      | 25.32       | Pass   | Peak   | 12 | 5458.560        | -55.00      | -41.20      | 13.80       | Pass   | AVG    |


## 802.11ax(HEW20)\_LCH\_5745MHz\_SU / \_Ant1\_NTNV




## 802.11ax(HEW20)\_LCH\_5745MHz\_SU\_ / Ant1\_NTNV




## 802.11ax(HEW20)\_LCH\_5745MHz\_SU\_ / Ant1\_NTNV



802.11ax(HEW20)\_MCH\_5785MHz\_SU\_/\_Ant1\_NTNV




802.11ax(HEW20)\_MCH\_5785MHz\_SU\_/\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19472.2         | -36.19      | -21.20      | 14.99       | Pass   | Peak   | 7  | 19472.2         | -47.26      | -41.20      | 6.06        | Pass   | AVG    |
| 2  | 20924.85        | -36.44      | -21.20      | 15.24       | Pass   | Peak   | 8  | 20924.85        | -45.22      | -41.20      | 4.02        | Pass   | AVG    |
| 3  | 23623.6         | -37.30      | -21.20      | 16.10       | Pass   | Peak   | 9  | 23623.6         | -46.27      | -41.20      | 5.07        | Pass   | AVG    |
| 4  | 24433.65        | -34.57      | -27.00      | 7.57        | Pass   | Peak   | 10 | 24433.65        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25476.6         | -32.10      | -27.00      | 5.10        | Pass   | Peak   | 11 | 25476.6         | /           | -27.00      | /           | /      | AVG    |
| 6  | 26474.5         | -36.31      | -27.00      | 9.31        | Pass   | Peak   | 12 | 26474.5         | /           | -27.00      | /           | /      | AVG    |

802.11ax(HEW20)\_HCH\_5825MHz\_SU\_/\_Ant1\_NTNV




802.11ax(HEW20)\_HCH\_5825MHz\_SU\_/\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19439.05        | -38.16      | -21.20      | 16.96       | Pass   | Peak   | 7  | 19439.05        | -47.54      | -41.20      | 6.34        | Pass   | AVG    |
| 2  | 20941           | -35.64      | -21.20      | 14.44       | Pass   | Peak   | 8  | 20941           | -45.39      | -41.20      | 4.19        | Pass   | AVG    |
| 3  | 23569.2         | -37.87      | -27.00      | 10.87       | Pass   | Peak   | 9  | 23569.2         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24402.2         | -33.88      | -27.00      | 6.88        | Pass   | Peak   | 10 | 24402.2         | /           | -27.00      | /           | /      | AVG    |
| 5  | 25458.75        | -33.12      | -27.00      | 6.12        | Pass   | Peak   | 11 | 25458.75        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26382.7         | -35.77      | -27.00      | 8.77        | Pass   | Peak   | 12 | 26382.7         | /           | -27.00      | /           | /      | AVG    |




## 802.11ax(HEW20)\_HCH\_5825MHz\_SU / \_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5850.000        | -31.08      | 27.00       | 58.08       | Pass   | Peak   | 3  | 5925.000        | -46.13      | -27.00      | 19.13       | Pass   | Peak   |
| 2  | 5851.080        | -30.34      | 24.54       | 54.88       | Pass   | Peak   |    |                 |             |             |             |        |        |

## 802.11ax(HEW40)\_LCH\_5190MHz\_SU / \_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 18902.7         | -36.66      | -21.20      | 15.46       | Pass   | Peak   | 7  | 18902.7         | -47.77      | -41.20      | 6.57        | Pass   | AVG    |
| 2  | 20125.85        | -37.97      | -21.20      | 16.77       | Pass   | Peak   | 8  | 20125.85        | -47.55      | -41.20      | 6.35        | Pass   | AVG    |
| 3  | 20982.65        | -35.54      | -21.20      | 14.34       | Pass   | Peak   | 9  | 20982.65        | -44.83      | -41.20      | 3.63        | Pass   | AVG    |
| 4  | 23759.6         | -36.45      | -21.20      | 15.25       | Pass   | Peak   | 10 | 23759.6         | -45.71      | -41.20      | 4.51        | Pass   | AVG    |
| 5  | 24950.45        | -33.07      | -27.00      | 6.07        | Pass   | Peak   | 11 | 24950.45        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26025.7         | -34.44      | -27.00      | 7.44        | Pass   | Peak   | 12 | 26025.7         | /           | -27.00      | /           | /      | AVG    |

## 802.11ax(HEW40)\_LCH\_5190MHz\_SU\_ / Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5011.000        | -48.46      | -21.20      | 27.26       | Pass   | Peak   | 7  | 5011.000        | -54.90      | -41.20      | 13.70       | Pass   | AVG    |
| 2  | 5049.000        | -48.63      | -21.20      | 27.43       | Pass   | Peak   | 8  | 5049.000        | -54.93      | -41.20      | 13.73       | Pass   | AVG    |
| 3  | 5073.000        | -45.45      | -21.20      | 24.25       | Pass   | Peak   | 9  | 5073.000        | -54.22      | -41.20      | 13.02       | Pass   | AVG    |
| 4  | 5108.000        | -46.37      | -21.20      | 25.17       | Pass   | Peak   | 10 | 5108.000        | -53.34      | -41.20      | 12.14       | Pass   | AVG    |
| 5  | 5129.000        | -42.91      | -21.20      | 21.71       | Pass   | Peak   | 11 | 5129.000        | -51.16      | -41.20      | 9.96        | Pass   | AVG    |
| 6  | 5149.500        | -32.82      | -21.20      | 11.62       | Pass   | Peak   | 12 | 5149.500        | -45.31      | -41.20      | 4.11        | Pass   | AVG    |

## 802.11ax(HEW40)\_HCH\_5230MHz\_SU\_ / Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 20989.45        | -36.18      | -21.20      | 14.98       | Pass   | Peak   | 7  | 20989.45        | -45.00      | -41.20      | 3.80        | Pass   | AVG    |
| 2  | 21775.7         | -38.18      | -27.00      | 11.18       | Pass   | Peak   | 8  | 21775.7         | /           | -27.00      | /           | /      | AVG    |
| 3  | 23572.6         | -37.48      | -27.00      | 10.48       | Pass   | Peak   | 9  | 23572.6         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24402.2         | -34.16      | -27.00      | 7.16        | Pass   | Peak   | 10 | 24402.2         | /           | -27.00      | /           | /      | AVG    |
| 5  | 25471.5         | -32.36      | -27.00      | 5.36        | Pass   | Peak   | 11 | 25471.5         | /           | -27.00      | /           | /      | AVG    |
| 6  | 26250.95        | -35.92      | -27.00      | 8.92        | Pass   | Peak   | 12 | 26250.95        | /           | -27.00      | /           | /      | AVG    |

## 802.11ax(HEW40)\_HCH\_5230MHz\_SU / \_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5350.380        | -45.52      | -21.20      | 24.32       | Pass   | Peak   | 7  | 5350.380        | -53.27      | -41.20      | 12.07       | Pass   | AVG    |
| 2  | 5359.830        | -46.07      | -21.20      | 24.87       | Pass   | Peak   | 8  | 5359.830        | -53.53      | -41.20      | 12.33       | Pass   | AVG    |
| 3  | 5369.010        | -46.03      | -21.20      | 24.83       | Pass   | Peak   | 9  | 5369.010        | -53.62      | -41.20      | 12.42       | Pass   | AVG    |
| 4  | 5381.970        | -46.30      | -21.20      | 25.10       | Pass   | Peak   | 10 | 5381.970        | -53.95      | -41.20      | 12.75       | Pass   | AVG    |
| 5  | 5397.090        | -46.25      | -21.20      | 25.05       | Pass   | Peak   | 11 | 5397.090        | -53.88      | -41.20      | 12.68       | Pass   | AVG    |
| 6  | 5406.270        | -47.65      | -21.20      | 26.45       | Pass   | Peak   | 12 | 5406.270        | -54.09      | -41.20      | 12.89       | Pass   | AVG    |


## 802.11ax(HEW40)\_LCH\_5755MHz\_SU / \_Ant1\_NTNV



## 802.11ax(HEW40)\_LCH\_5755MHz\_SU\_/\_Ant1\_NTNV




## 802.11ax(HEW40)\_LCH\_5755MHz\_SU\_/\_Ant1\_NTNV






802.11ax(HEW40)\_HCH\_5795MHz\_SU\_/\_Ant1\_NTNV




802.11ax(HEW40)\_HCH\_5795MHz\_SU\_/\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 20895.1         | -36.48      | -21.20      | 15.28       | Pass   | Peak   | 7  | 20895.1         | -45.58      | -41.20      | 4.38        | Pass   | AVG    |
| 2  | 21748.5         | -38.63      | -27.00      | 11.63       | Pass   | Peak   | 8  | 21748.5         | /           | -27.00      | /           | /      | AVG    |
| 3  | 23001.4         | -37.47      | -21.20      | 16.27       | Pass   | Peak   | 9  | 23001.4         | -47.82      | -41.20      | 6.62        | Pass   | AVG    |
| 4  | 24374.15        | -34.86      | -27.00      | 7.86        | Pass   | Peak   | 10 | 24374.15        | /           | -27.00      | /           | /      | AVG    |
| 5  | 25545.45        | -31.93      | -27.00      | 4.93        | Pass   | Peak   | 11 | 25545.45        | /           | -27.00      | /           | /      | AVG    |
| 6  | 26486.4         | -36.23      | -27.00      | 9.23        | Pass   | Peak   | 12 | 26486.4         | /           | -27.00      | /           | /      | AVG    |

## 802.11ax(HEW40)\_HCH\_5795MHz\_SU\_/\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5850.000        | -39.31      | 27.00       | 66.31       | Pass   | Peak   | 3  | 5925.000        | -47.08      | -27.00      | 20.08       | Pass   | Peak   |
| 2  | 5852.240        | -33.82      | 21.89       | 55.71       | Pass   | Peak   |    |                 |             |             |             |        |        |

## 802.11ax(HEW80)\_MCH\_5210MHz\_SU\_/\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 19492.6         | -37.52      | -21.20      | 16.32       | Pass   | Peak   | 7  | 19492.6         | -46.80      | -41.20      | 5.60        | Pass   | AVG    |
| 2  | 20992.85        | -34.99      | -21.20      | 13.79       | Pass   | Peak   | 8  | 20992.85        | -44.55      | -41.20      | 3.35        | Pass   | AVG    |
| 3  | 23397.5         | -36.47      | -27.00      | 9.47        | Pass   | Peak   | 9  | 23397.5         | /           | -27.00      | /           | /      | AVG    |
| 4  | 24415.8         | -34.10      | -27.00      | 7.10        | Pass   | Peak   | 10 | 24415.8         | /           | -27.00      | /           | /      | AVG    |
| 5  | 25468.1         | -31.54      | -27.00      | 4.54        | Pass   | Peak   | 11 | 25468.1         | /           | -27.00      | /           | /      | AVG    |
| 6  | 26302.8         | -35.02      | -27.00      | 8.02        | Pass   | Peak   | 12 | 26302.8         | /           | -27.00      | /           | /      | AVG    |

## 802.11ax(HEW80)\_MCH\_5210MHz\_SU\_/\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 4997.500        | -46.98      | -21.20      | 25.78       | Pass   | Peak   | 7  | 4997.500        | -54.69      | -41.20      | 13.49       | Pass   | AVG    |
| 2  | 5028.000        | -47.03      | -21.20      | 25.83       | Pass   | Peak   | 8  | 5028.000        | -53.29      | -41.20      | 12.09       | Pass   | AVG    |
| 3  | 5060.000        | -46.33      | -21.20      | 25.13       | Pass   | Peak   | 9  | 5060.000        | -52.25      | -41.20      | 11.05       | Pass   | AVG    |
| 4  | 5089.500        | -45.10      | -21.20      | 23.90       | Pass   | Peak   | 10 | 5089.500        | -50.88      | -41.20      | 9.68        | Pass   | AVG    |
| 5  | 5118.000        | -36.59      | -21.20      | 15.39       | Pass   | Peak   | 11 | 5118.000        | -47.88      | -41.20      | 6.68        | Pass   | AVG    |
| 6  | 5146.000        | -33.56      | -21.20      | 12.36       | Pass   | Peak   | 12 | 5146.000        | -45.12      | -41.20      | 3.92        | Pass   | AVG    |

## 802.11ax(HEW80)\_MCH\_5210MHz\_SU\_/\_Ant1\_NTNV




| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5355.000        | -44.73      | -21.20      | 23.53       | Pass   | Peak   | 4  | 5355.000        | -51.70      | -41.20      | 10.50       | Pass   | AVG    |
| 2  | 5388.500        | -44.87      | -21.20      | 23.67       | Pass   | Peak   | 5  | 5388.500        | -53.33      | -41.20      | 12.13       | Pass   | AVG    |
| 3  | 5440.000        | -46.49      | -21.20      | 25.29       | Pass   | Peak   | 6  | 5440.000        | -53.39      | -41.20      | 12.19       | Pass   | AVG    |

802.11ax(HEW80)\_MCH\_5775MHz\_SU\_/\_Ant1\_NTNV




802.11ax(HEW80)\_MCH\_5775MHz\_SU\_/\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5639.3          | -38.21      | -27.00      | 11.21       | Pass   | Peak   | 7  | 5639.3          | /           | -27.00      | /           | /      | AVG    |
| 2  | 20978.4         | -35.47      | -21.20      | 14.27       | Pass   | Peak   | 8  | 20978.4         | -45.04      | -41.20      | 3.84        | Pass   | AVG    |
| 3  | 22203.25        | -38.58      | -21.20      | 17.38       | Pass   | Peak   | 9  | 22203.25        | -48.42      | -41.20      | 7.22        | Pass   | AVG    |
| 4  | 23608.3         | -36.68      | -21.20      | 15.48       | Pass   | Peak   | 10 | 23608.3         | -45.99      | -41.20      | 4.79        | Pass   | AVG    |
| 5  | 24914.75        | -32.37      | -27.00      | 5.37        | Pass   | Peak   | 11 | 24914.75        | /           | -27.00      | /           | /      | AVG    |
| 6  | 25964.5         | -34.77      | -27.00      | 7.77        | Pass   | Peak   | 12 | 25964.5         | /           | -27.00      | /           | /      | AVG    |




## 802.11ax(HEW80)\_MCH\_5775MHz\_SU\_/\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5650.000        | -40.63      | -27.00      | 13.63       | Pass   | Peak   | 3  | 5725.000        | -25.47      | 27.00       | 52.47       | Pass   | Peak   |
| 2  | 5717.650        | -20.82      | 14.94       | 35.76       | Pass   | Peak   |    |                 |             |             |             |        |        |

## 802.11ax(HEW80)\_MCH\_5775MHz\_SU\_/\_Ant1\_NTNV



| No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark | No | Frequency (MHz) | Level (dBm) | Limit (dBm) | Margin (dB) | Status | Remark |
|----|-----------------|-------------|-------------|-------------|--------|--------|----|-----------------|-------------|-------------|-------------|--------|--------|
| 1  | 5850.000        | -33.39      | 27.00       | 60.39       | Pass   | AVG    | 3  | 5925.000        | -45.65      | -27.00      | 18.65       | Pass   | AVG    |
| 2  | 5860.100        | -29.76      | 14.17       | 43.93       | Pass   | AVG    |    |                 |             |             |             |        |        |

## 6. Frequency Stability

### 6.1 Test Result

#### 6.1.1 Ant1

| Ant1    |         |                 |    |        |                  |               |                          |              |         |
|---------|---------|-----------------|----|--------|------------------|---------------|--------------------------|--------------|---------|
| Mode    | TX Type | Frequency (MHz) | RU | RU Pos | Temperature (°C) | Voltage (VAC) | Measured Frequency (MHz) | Limit (MHz)  | Verdict |
| 802.11a | SISO    | 5180            | /  | /      | 20               | 102           | 5180.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 120           | 5180.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 138           | 5180.100                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5180.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 120           | 5180.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 120           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 120           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 120           | 5180.080                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 120           | 5179.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 120           | 5180.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 120           | 5180.040                 | 5150 to 5250 | Pass    |
|         |         | 5200            | /  | /      | 20               | 102           | 5200.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 120           | 5200.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 138           | 5200.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5200.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 120           | 5200.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 120           | 5200.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 120           | 5200.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 120           | 5200.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 120           | 5200.000                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 120           | 5199.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 120           | 5200.040                 | 5150 to 5250 | Pass    |
|         |         | 5240            | /  | /      | 20               | 102           | 5239.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 120           | 5239.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        |                  | 138           | 5240.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5240.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -20              | 120           | 5240.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | -10              | 120           | 5240.040                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 0                | 120           | 5240.060                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 10               | 120           | 5239.960                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 30               | 120           | 5239.980                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 40               | 120           | 5240.020                 | 5150 to 5250 | Pass    |
|         |         |                 |    |        | 50               | 120           | 5239.980                 | 5150 to 5250 | Pass    |
|         |         | 5745            | /  | /      | 20               | 102           | 5745.040                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        |                  | 120           | 5744.960                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        |                  | 138           | 5745.020                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5744.960                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        | -20              | 120           | 5745.040                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        | -10              | 120           | 5745.000                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        | 0                | 120           | 5745.020                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        | 10               | 120           | 5745.040                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        | 30               | 120           | 5745.040                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        | 40               | 120           | 5745.000                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        | 50               | 120           | 5744.980                 | 5725 to 5850 | Pass    |
|         |         | 5785            | /  | /      | 20               | 102           | 5785.000                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        |                  | 120           | 5785.020                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        |                  | 138           | 5785.000                 | 5725 to 5850 | Pass    |
|         |         |                 |    |        | -30              | 120           | 5784.980                 | 5725 to 5850 | Pass    |

|                   |      |      |   |   |     |     |          |              |      |
|-------------------|------|------|---|---|-----|-----|----------|--------------|------|
|                   |      |      |   |   | -20 | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 120 | 5785.060 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 120 | 5784.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 120 | 5784.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 120 | 5785.000 | 5725 to 5850 | Pass |
|                   |      | 5825 | / | / | 20  | 102 | 5825.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 120 | 5825.060 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 138 | 5825.060 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 120 | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 120 | 5824.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 120 | 5825.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 120 | 5825.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 120 | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 120 | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 120 | 5824.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 120 | 5825.020 | 5725 to 5850 | Pass |
| 802.11n<br>(HT20) | SISO | 5180 | / | / | 20  | 102 | 5180.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 120 | 5180.060 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 138 | 5180.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -30 | 120 | 5179.980 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -20 | 120 | 5179.980 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -10 | 120 | 5180.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 0   | 120 | 5180.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 10  | 120 | 5180.080 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 30  | 120 | 5180.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 40  | 120 | 5180.060 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 50  | 120 | 5180.040 | 5150 to 5250 | Pass |
|                   |      | 5200 | / | / | 20  | 102 | 5199.960 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 120 | 5200.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 138 | 5200.060 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -30 | 120 | 5200.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -20 | 120 | 5199.980 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -10 | 120 | 5199.980 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 0   | 120 | 5200.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 10  | 120 | 5200.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 30  | 120 | 5199.980 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 40  | 120 | 5200.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 50  | 120 | 5200.040 | 5150 to 5250 | Pass |
|                   |      | 5240 | / | / | 20  | 102 | 5240.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 120 | 5240.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 138 | 5240.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -30 | 120 | 5240.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -20 | 120 | 5239.960 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -10 | 120 | 5240.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 0   | 120 | 5239.920 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 10  | 120 | 5240.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 30  | 120 | 5240.020 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 40  | 120 | 5239.940 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 50  | 120 | 5240.020 | 5150 to 5250 | Pass |
|                   |      | 5745 | / | / | 20  | 102 | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 120 | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 138 | 5744.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 120 | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 120 | 5745.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 120 | 5745.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 120 | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 120 | 5745.040 | 5725 to 5850 | Pass |

|                   |      |      |   |   |     |     |          |              |      |
|-------------------|------|------|---|---|-----|-----|----------|--------------|------|
|                   |      |      |   |   | 30  | 120 | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 120 | 5744.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 120 | 5745.020 | 5725 to 5850 | Pass |
|                   |      | 5785 | / | / | 20  | 102 | 5785.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 120 | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 138 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 120 | 5784.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 120 | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 120 | 5785.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 120 | 5784.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 120 | 5784.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 120 | 5784.940 | 5725 to 5850 | Pass |
|                   |      | 5825 | / | / | 20  | 102 | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 120 | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 138 | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 120 | 5824.980 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 120 | 5824.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 120 | 5825.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 120 | 5824.920 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 120 | 5825.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 120 | 5824.940 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 120 | 5825.020 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 120 | 5825.000 | 5725 to 5850 | Pass |
| 802.11n<br>(HT40) | SISO | 5190 | / | / | 20  | 102 | 5189.960 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 120 | 5190.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 138 | 5189.960 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -30 | 120 | 5190.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -20 | 120 | 5190.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -10 | 120 | 5190.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 0   | 120 | 5190.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 10  | 120 | 5190.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 30  | 120 | 5190.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 40  | 120 | 5190.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 50  | 120 | 5190.040 | 5150 to 5250 | Pass |
|                   |      | 5230 | / | / | 20  | 102 | 5230.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 120 | 5230.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   |     | 138 | 5230.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -30 | 120 | 5230.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -20 | 120 | 5229.960 | 5150 to 5250 | Pass |
|                   |      |      |   |   | -10 | 120 | 5230.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 0   | 120 | 5230.040 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 10  | 120 | 5230.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 30  | 120 | 5230.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 40  | 120 | 5230.000 | 5150 to 5250 | Pass |
|                   |      |      |   |   | 50  | 120 | 5230.080 | 5150 to 5250 | Pass |
|                   |      | 5755 | / | / | 20  | 102 | 5755.040 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 120 | 5754.920 | 5725 to 5850 | Pass |
|                   |      |      |   |   |     | 138 | 5754.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -30 | 120 | 5755.000 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -20 | 120 | 5754.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | -10 | 120 | 5754.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 0   | 120 | 5754.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 10  | 120 | 5754.920 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 30  | 120 | 5755.080 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 40  | 120 | 5754.960 | 5725 to 5850 | Pass |
|                   |      |      |   |   | 50  | 120 | 5755.040 | 5725 to 5850 | Pass |
|                   |      | 5795 | / | / | 20  | 102 | 5795.040 | 5725 to 5850 | Pass |



|                     |      |      |   |   |     |     |          |              |      |
|---------------------|------|------|---|---|-----|-----|----------|--------------|------|
|                     |      |      |   |   |     | 120 | 5794.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5795.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5794.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5794.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5795.040 | 5725 to 5850 | Pass |
| 802.11ac<br>(VHT20) | SISO | 5180 | / | / | 20  | 102 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5179.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 120 | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5179.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 120 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 120 | 5180.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 120 | 5179.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 50  | 120 | 5180.000 | 5150 to 5250 | Pass |
|                     |      | 5200 | / | / | 20  | 102 | 5199.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5199.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5200.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5199.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 120 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5199.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 120 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 120 | 5199.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 120 | 5199.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 50  | 120 | 5199.960 | 5150 to 5250 | Pass |
|                     |      | 5240 | / | / | 20  | 102 | 5240.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5240.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5239.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5239.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 120 | 5239.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5239.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5240.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 10  | 120 | 5239.960 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 120 | 5239.980 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 40  | 120 | 5240.020 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 50  | 120 | 5240.020 | 5150 to 5250 | Pass |
|                     |      | 5745 | / | / | 20  | 102 | 5744.940 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5744.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5745.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5744.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5744.940 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5744.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5745.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5744.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5744.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5745.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5745.000 | 5725 to 5850 | Pass |
|                     |      | 5785 | / | / | 20  | 102 | 5784.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5784.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5784.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5784.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5784.960 | 5725 to 5850 | Pass |

|                     |      |      |   |   |     |     |          |              |      |
|---------------------|------|------|---|---|-----|-----|----------|--------------|------|
|                     |      |      |   |   | -10 | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5784.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 10  | 120 | 5784.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5784.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 40  | 120 | 5785.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5784.960 | 5725 to 5850 | Pass |
|                     |      | 5825 | / | / | 20  | 102 | 5824.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5824.980 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5824.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5824.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5824.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5824.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5825.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 50  | 120 | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5825.040 | 5725 to 5850 | Pass |
| 802.11ac<br>(VHT40) | SISO | 5190 | / | / | 20  | 102 | 5190.120 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5190.000 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5190.120 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 30  | 120 | 5190.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5190.040 | 5150 to 5250 | Pass |
|                     |      | 5230 | / | / | 20  | 102 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 138 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -30 | 120 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -20 | 120 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | -10 | 120 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   | 0   | 120 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5230.080 | 5150 to 5250 | Pass |
|                     |      |      |   |   |     | 120 | 5230.080 | 5150 to 5250 | Pass |
|                     |      | 5755 | / | / | 20  | 102 | 5755.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5755.080 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5754.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5755.040 | 5725 to 5850 | Pass |
|                     |      | 5795 | / | / | 20  | 102 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 138 | 5794.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -30 | 120 | 5794.920 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -20 | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | -10 | 120 | 5794.960 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 0   | 120 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.000 | 5725 to 5850 | Pass |
|                     |      |      |   |   |     | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |   |   | 30  | 120 | 5795.040 | 5725 to 5850 | Pass |

|                     |      |      |    |   |     |     |          |              |      |
|---------------------|------|------|----|---|-----|-----|----------|--------------|------|
| 802.11ac<br>(VHT80) | SISO | 5210 | /  | / | 40  | 120 | 5795.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 50  | 120 | 5794.960 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 20  | 102 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 120 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 138 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -30 | 120 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -20 | 120 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -10 | 120 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 0   | 120 | 5210.150 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 10  | 120 | 5210.075 | 5150 to 5250 | Pass |
|                     |      | 5775 | /  | / | 30  | 120 | 5210.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 40  | 120 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 50  | 120 | 5210.075 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 20  | 102 | 5774.925 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 120 | 5774.925 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 138 | 5775.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -30 | 120 | 5774.925 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -20 | 120 | 5774.925 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -10 | 120 | 5775.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 0   | 120 | 5774.925 | 5725 to 5850 | Pass |
| 802.11ax<br>(HEW20) | SISO | 5180 | SU | / | 20  | 102 | 5180.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 120 | 5180.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 138 | 5180.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -30 | 120 | 5180.100 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -20 | 120 | 5180.160 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -10 | 120 | 5179.980 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 0   | 120 | 5180.060 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 10  | 120 | 5180.160 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 30  | 120 | 5180.120 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 40  | 120 | 5180.120 | 5150 to 5250 | Pass |
|                     |      | 5200 | SU | / | 50  | 120 | 5180.160 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 20  | 102 | 5200.060 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 120 | 5200.140 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 138 | 5200.140 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -30 | 120 | 5200.160 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -20 | 120 | 5200.080 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -10 | 120 | 5200.120 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 0   | 120 | 5200.180 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 10  | 120 | 5200.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 30  | 120 | 5200.040 | 5150 to 5250 | Pass |
|                     |      | 5240 | SU | / | 40  | 120 | 5200.020 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 50  | 120 | 5200.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 20  | 102 | 5240.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 120 | 5240.140 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 138 | 5240.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -30 | 120 | 5240.100 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -20 | 120 | 5240.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -10 | 120 | 5240.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 0   | 120 | 5240.100 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 10  | 120 | 5240.120 | 5150 to 5250 | Pass |
|                     |      | 5745 | SU | / | 30  | 120 | 5240.140 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 40  | 120 | 5240.060 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 50  | 120 | 5240.020 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 20  | 102 | 5745.100 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 120 | 5745.160 | 5725 to 5850 | Pass |

|                     |      |      |    |   |     |     |          |              |      |
|---------------------|------|------|----|---|-----|-----|----------|--------------|------|
| 802.11ax<br>(HEW40) | SISO |      |    |   |     | 138 | 5745.100 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -30 | 120 | 5745.060 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -20 | 120 | 5745.060 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -10 | 120 | 5745.140 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 0   | 120 | 5745.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 10  | 120 | 5744.920 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 30  | 120 | 5745.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 40  | 120 | 5745.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 50  | 120 | 5745.100 | 5725 to 5850 | Pass |
|                     |      | 5785 | SU | / | 20  | 102 | 5785.140 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 120 | 5785.020 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 138 | 5785.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -30 | 120 | 5785.120 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -20 | 120 | 5785.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -10 | 120 | 5785.160 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 0   | 120 | 5785.100 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 10  | 120 | 5785.120 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 30  | 120 | 5785.120 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 40  | 120 | 5785.140 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 50  | 120 | 5785.040 | 5725 to 5850 | Pass |
|                     |      | 5825 | SU | / | 20  | 102 | 5825.100 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 120 | 5825.140 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 138 | 5825.100 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -30 | 120 | 5825.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -20 | 120 | 5825.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -10 | 120 | 5825.060 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 0   | 120 | 5825.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 10  | 120 | 5825.060 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 30  | 120 | 5825.080 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 40  | 120 | 5825.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | 50  | 120 | 5825.120 | 5725 to 5850 | Pass |
|                     |      | 5190 | SU | / | 20  | 102 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 120 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 138 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -30 | 120 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -20 | 120 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -10 | 120 | 5190.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 0   | 120 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 10  | 120 | 5190.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 30  | 120 | 5190.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 40  | 120 | 5190.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 50  | 120 | 5190.040 | 5150 to 5250 | Pass |
|                     |      | 5230 | SU | / | 20  | 102 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 120 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   |     | 138 | 5230.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -30 | 120 | 5230.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -20 | 120 | 5230.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | -10 | 120 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 0   | 120 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 10  | 120 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 30  | 120 | 5230.040 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 40  | 120 | 5230.000 | 5150 to 5250 | Pass |
|                     |      |      |    |   | 50  | 120 | 5230.000 | 5150 to 5250 | Pass |
|                     |      | 5755 | SU | / | 20  | 102 | 5754.960 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 120 | 5755.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   |     | 138 | 5755.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -30 | 120 | 5755.040 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -20 | 120 | 5755.000 | 5725 to 5850 | Pass |
|                     |      |      |    |   | -10 | 120 | 5755.000 | 5725 to 5850 | Pass |



|  |  |      |    |   |     |     |          |              |      |
|--|--|------|----|---|-----|-----|----------|--------------|------|
|  |  |      |    |   | 0   | 120 | 5755.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 10  | 120 | 5755.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 30  | 120 | 5755.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 40  | 120 | 5755.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 50  | 120 | 5755.040 | 5725 to 5850 | Pass |
|  |  | 5795 | SU | / | 20  | 102 | 5794.960 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 120 | 5795.040 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 138 | 5795.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | -30 | 120 | 5795.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | -20 | 120 | 5795.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | -10 | 120 | 5795.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 0   | 120 | 5795.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 10  | 120 | 5795.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 30  | 120 | 5795.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 40  | 120 | 5794.960 | 5725 to 5850 | Pass |
|  |  |      |    |   | 50  | 120 | 5795.000 | 5725 to 5850 | Pass |
|  |  | 5210 | SU | / | 20  | 102 | 5210.000 | 5150 to 5250 | Pass |
|  |  |      |    |   |     | 120 | 5210.000 | 5150 to 5250 | Pass |
|  |  |      |    |   |     | 138 | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | -30 | 120 | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | -20 | 120 | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | -10 | 120 | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | 0   | 120 | 5210.000 | 5150 to 5250 | Pass |
|  |  |      |    |   | 10  | 120 | 5210.150 | 5150 to 5250 | Pass |
|  |  |      |    |   | 30  | 120 | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | 40  | 120 | 5210.075 | 5150 to 5250 | Pass |
|  |  |      |    |   | 50  | 120 | 5210.075 | 5150 to 5250 | Pass |
|  |  | 5775 | SU | / | 20  | 102 | 5775.000 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 120 | 5774.925 | 5725 to 5850 | Pass |
|  |  |      |    |   |     | 138 | 5774.925 | 5725 to 5850 | Pass |
|  |  |      |    |   | -30 | 120 | 5775.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | -20 | 120 | 5774.925 | 5725 to 5850 | Pass |
|  |  |      |    |   | -10 | 120 | 5774.925 | 5725 to 5850 | Pass |
|  |  |      |    |   | 0   | 120 | 5775.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 10  | 120 | 5774.925 | 5725 to 5850 | Pass |
|  |  |      |    |   | 30  | 120 | 5775.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 40  | 120 | 5775.000 | 5725 to 5850 | Pass |
|  |  |      |    |   | 50  | 120 | 5775.000 | 5725 to 5850 | Pass |

## 7. Form731

### 7.1 Test Result

#### 7.1.1 Form731

| Lower Freq (MHz) | High Freq (MHz) | MAX Power (W) | MAX Power (dBm) |
|------------------|-----------------|---------------|-----------------|
| 5180             | 5240            | 0.0201        | 13.03           |
| 5745             | 5825            | 0.0270        | 14.32           |
| 5190             | 5230            | 0.0201        | 13.03           |
| 5755             | 5795            | 0.0275        | 14.39           |
| 5210             | 5210            | 0.0210        | 13.23           |