





Band66 QPSK BW=5MHz Channel=132647 RB Size=25 Position=#0



Band66 QPSK BW=10MHz Channel=132022 RB Size=50 Position=#0




Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0




Band66 QPSK BW=15MHz Channel=132047 RB Size=75 Position=#0



Band66 QPSK BW=15MHz Channel=132597 RB Size=75 Position=#0



Band66 QPSK BW=20MHz Channel=132072 RB Size=100 Position=#0




06 Out-of-band emissions

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band2	1.4	18607	6	#0	QPSK	19939.68	-40.28	-13	PASS
Band2	1.4	18900	6	#0	QPSK	16351.05	-40.76	-13	PASS
Band2	1.4	19193	6	#0	QPSK	19075.18	-40.68	-13	PASS
Band2	3	18615	15	#0	QPSK	19031.48	-39.73	-13	PASS
Band2	3	18900	15	#0	QPSK	19806.68	-40.63	-13	PASS
Band2	3	19185	15	#0	QPSK	19553.5	-40.31	-13	PASS
Band2	5	18625	25	#0	QPSK	19554.93	-40.79	-13	PASS
Band2	5	18900	25	#0	QPSK	19544.95	-39.88	-13	PASS
Band2	5	19175	25	#0	QPSK	15733.08	-40.35	-13	PASS
Band2	10	18650	50	#0	QPSK	19572.03	-39.82	-13	PASS
Band2	10	18900	50	#0	QPSK	19552.55	-40.14	-13	PASS
Band2	10	19150	50	#0	QPSK	19076.6	-40.28	-13	PASS
Band2	15	18675	75	#0	QPSK	19572.03	-39.75	-13	PASS
Band2	15	18900	75	#0	QPSK	19591.98	-39.73	-13	PASS
Band2	15	19125	75	#0	QPSK	19076.6	-39.99	-13	PASS
Band2	20	18700	100	#0	QPSK	19630.93	-39.7	-13	PASS
Band2	20	18900	100	#0	QPSK	19043.83	-38.76	-13	PASS
Band2	20	19100	100	#0	QPSK	16756.23	-40.08	-13	PASS
Band4	1.4	19957	6	#0	QPSK	19030.53	-40.46	-13	PASS
Band4	1.4	20175	6	#0	QPSK	16467.43	-39.57	-13	PASS
Band4	1.4	20393	6	#0	QPSK	1761.9	-37.41	-13	PASS
Band4	3	19965	15	#0	QPSK	19011.05	-40.36	-13	PASS
Band4	3	20175	15	#0	QPSK	1681.63	-30.58	-13	PASS
Band4	3	20385	15	#0	QPSK	16684.5	-40.09	-13	PASS
Band4	5	19975	25	#0	QPSK	18892.3	-40.6	-13	PASS
Band4	5	20175	25	#0	QPSK	1781.38	-36.62	-13	PASS
Band4	5	20375	25	#0	QPSK	19048.58	-40.46	-13	PASS
Band4	10	20000	50	#0	QPSK	19068.05	-40.71	-13	PASS
Band4	10	20175	50	#0	QPSK	19015.8	-40.18	-13	PASS
Band4	10	20350	50	#0	QPSK	19042.88	-40.6	-13	PASS
Band4	15	20025	75	#0	QPSK	19103.2	-39.98	-13	PASS
Band4	15	20175	75	#0	QPSK	19998.1	-40.04	-13	PASS
Band4	15	20325	75	#0	QPSK	19449.95	-41	-13	PASS
Band4	20	20050	100	#0	QPSK	18791.13	-40.61	-13	PASS
Band4	20	20175	100	#0	QPSK	19594.83	-41.08	-13	PASS
Band4	20	20300	100	#0	QPSK	19024.83	-40.53	-13	PASS
Band5	1.4	20407	6	#0	QPSK	1649.80	-39.25	-13	PASS
Band5	1.4	20525	6	#0	QPSK	2509.75	-37.33	-13	PASS
Band5	1.4	20643	6	#0	QPSK	2544.40	-38.14	-13	PASS

Band5	3	20415	15	#0	QPSK	1649.80	-43.70	-13	PASS
Band5	3	20525	15	#0	QPSK	2508.40	-42.68	-13	PASS
Band5	3	20635	15	#0	QPSK	2541.93	-41.22	-13	PASS
Band5	5	20425	25	#0	QPSK	2480.05	-43.96	-13	PASS
Band5	5	20525	25	#0	QPSK	2510.20	-42.76	-13	PASS
Band5	5	20625	25	#0	QPSK	2538.10	-43.84	-13	PASS
Band5	10	20450	50	#0	QPSK	5537.13	-45.33	-13	PASS
Band5	10	20525	50	#0	QPSK	2508.63	-45.24	-13	PASS
Band5	10	20600	50	#0	QPSK	3243.25	-44.67	-13	PASS
Band7	5	20775	25	#0	QPSK	25406.69	-35.77	-25	PASS
Band7	5	21100	25	#0	QPSK	25299.59	-35.46	-25	PASS
Band7	5	21425	25	#0	QPSK	25376.09	-35.57	-25	PASS
Band7	10	20800	50	#0	QPSK	26464.94	-34.75	-25	PASS
Band7	10	21100	50	#0	QPSK	26336.80	-35.71	-25	PASS
Band7	10	21400	50	#0	QPSK	25861.86	-35.12	-25	PASS
Band7	15	20825	75	#0	QPSK	25365.89	-35.64	-25	PASS
Band7	15	21100	75	#0	QPSK	25389.48	-36.03	-25	PASS
Band7	15	21375	75	#0	QPSK	26348.91	-35.98	-25	PASS
Band7	20	20850	100	#0	QPSK	26261.58	-35.22	-25	PASS
Band7	20	21100	100	#0	QPSK	25364.61	-35.88	-25	PASS
Band7	20	21350	100	#0	QPSK	26338.08	-35.56	-25	PASS
Band12	1.4	23017	6	#0	QPSK	2099.13	-36.37	-13	PASS
Band12	1.4	23095	6	#0	QPSK	2123.2	-35.61	-13	PASS
Band12	1.4	23173	6	#0	QPSK	2146.6	-39.34	-13	PASS
Band12	3	23025	15	#0	QPSK	2104.08	-40.99	-13	PASS
Band12	3	23095	15	#0	QPSK	2123.2	-41.6	-13	PASS
Band12	3	23165	15	#0	QPSK	1429.3	-42.23	-13	PASS
Band12	5	23035	25	#0	QPSK	1403.2	-43.75	-13	PASS
Band12	5	23095	25	#0	QPSK	2126.58	-43.63	-13	PASS
Band12	5	23155	25	#0	QPSK	1423.9	-43.22	-13	PASS
Band12	10	23060	50	#0	QPSK	1408.6	-44.8	-13	PASS
Band12	10	23095	50	#0	QPSK	2124.1	-44.86	-13	PASS
Band12	10	23130	50	#0	QPSK	2129.5	-44.01	-13	PASS
Band13	5	23205	25	#0	QPSK	1562.05	-44.85	-40	PASS
Band13	5	23230	25	#0	QPSK	1560.59	-45.65	-40	PASS
Band13	5	23255	25	#0	QPSK	1567.62	-44.78	-40	PASS
Band13	10	23230	50	#0	QPSK	1561.69	-45.33	-40	PASS
Band25	1.4	26047	6	#0	QPSK	19498.4	-40.17	-13	PASS
Band25	1.4	26365	6	#0	QPSK	19077.08	-40.42	-13	PASS
Band25	1.4	26683	6	#0	QPSK	16512.55	-40.32	-13	PASS
Band25	3	26055	15	#0	QPSK	16493.55	-40.77	-13	PASS
Band25	3	26365	15	#0	QPSK	19545.9	-40.43	-13	PASS
Band25	3	26675	15	#0	QPSK	19604.8	-40.14	-13	PASS
Band25	5	26065	25	#0	QPSK	19087.05	-40.45	-13	PASS


Band25	5	26365	25	#0	QPSK	19963.9	-39.98	-13	PASS
Band25	5	26665	25	#0	QPSK	19066.63	-40.12	-13	PASS
Band25	10	26090	50	#0	QPSK	19572.5	-40.07	-13	PASS
Band25	10	26365	50	#0	QPSK	18994.9	-40.76	-13	PASS
Band25	10	26640	50	#0	QPSK	16364.83	-40.82	-13	PASS
Band25	15	26115	75	#0	QPSK	16341.08	-40.34	-13	PASS
Band25	15	26365	75	#0	QPSK	19559.2	-39.88	-13	PASS
Band25	15	26615	75	#0	QPSK	18997.75	-40.29	-13	PASS
Band25	20	26140	100	#0	QPSK	16706.83	-40.13	-13	PASS
Band25	20	26365	100	#0	QPSK	18991.1	-40.35	-13	PASS
Band25	20	26590	100	#0	QPSK	16308.3	-39.49	-13	PASS
Band38	5	37775	25	#0	QPSK	26264.13	-35.41	-25	PASS
Band38	5	38000	25	#0	QPSK	26211.85	-35.96	-25	PASS
Band38	5	38225	25	#0	QPSK	25047.14	-34.75	-25	PASS
Band38	10	37800	50	#0	QPSK	25728.63	-35.66	-25	PASS
Band38	10	38000	50	#0	QPSK	26363.58	-35.53	-25	PASS
Band38	10	38200	50	#0	QPSK	26269.86	-35.81	-25	PASS
Band38	15	37825	75	#0	QPSK	25801.30	-36.20	-25	PASS
Band38	15	38000	75	#0	QPSK	25358.24	-35.80	-25	PASS
Band38	15	38175	75	#0	QPSK	25351.86	-35.75	-25	PASS
Band38	20	37850	100	#0	QPSK	25148.50	-35.39	-25	PASS
Band38	20	38000	100	#0	QPSK	26352.10	-35.77	-25	PASS
Band38	20	38150	100	#0	QPSK	26359.11	-34.16	-25	PASS
Band40(2305-2315)	5	38725	25	#0	QPSK	25923.06	-44.35	-40	PASS
Band40(2305-2315)	5	38750	25	#0	QPSK	26345.09	-44.62	-40	PASS
Band40(2305-2315)	5	38775	25	#0	QPSK	25272.18	-44.6	-40	PASS
Band40(2305-2315)	10	38750	50	#0	QPSK	26002.11	-44.56	-40	PASS
Band40(2350-2360)	5	39175	25	#0	QPSK	26261.58	-44.55	-40	PASS
Band40(2350-2360)	5	39200	25	#0	QPSK	25271.54	-43.99	-40	PASS
Band40(2350-2360)	5	39225	25	#0	QPSK	25395.21	-44.5	-40	PASS
Band40(2350-2360)	10	39200	50	#0	QPSK	26104.75	-44.72	-40	PASS
Band41	5	39675	25	#0	QPSK	24889.68	-35.38	-25	PASS
Band41	5	40620	25	#0	QPSK	25376.73	-35.51	-25	PASS
Band41	5	41565	25	#0	QPSK	26378.88	-35.36	-25	PASS
Band41	10	39700	50	#0	QPSK	25249.23	-35.07	-25	PASS
Band41	10	40620	50	#0	QPSK	25379.28	-35	-25	PASS
Band41	10	41540	50	#0	QPSK	26000.84	-35.15	-25	PASS
Band41	15	39725	75	#0	QPSK	25895.65	-35.64	-25	PASS
Band41	15	40620	75	#0	QPSK	26227.79	-34.83	-25	PASS
Band41	15	41515	75	#0	QPSK	25355.05	-34.5	-25	PASS
Band41	20	39750	100	#0	QPSK	25352.5	-35.25	-25	PASS
Band41	20	40620	100	#0	QPSK	26290.9	-34.4	-25	PASS
Band41	20	41490	100	#0	QPSK	25368.44	-35.21	-25	PASS
Band66	1.4	131979	6	#0	QPSK	1700.15	-37.47	-13	PASS

Band66	1.4	132322	6	#0	QPSK	19973.4	-40.5	-13	PASS
Band66	1.4	132665	6	#0	QPSK	1788.5	-39.13	-13	PASS
Band66	3	131987	15	#0	QPSK	16482.63	-40.3	-13	PASS
Band66	3	132322	15	#0	QPSK	16816.55	-40.55	-13	PASS
Band66	3	132657	15	#0	QPSK	15325.05	-40.09	-13	PASS
Band66	5	131997	25	#0	QPSK	19775.33	-40.12	-13	PASS
Band66	5	132322	25	#0	QPSK	16451.28	-40.7	-13	PASS
Band66	5	132647	25	#0	QPSK	1676.4	-35.22	-13	PASS
Band66	10	132022	50	#0	QPSK	19644.23	-40.58	-13	PASS
Band66	10	132322	50	#0	QPSK	16454.6	-40.21	-13	PASS
Band66	10	132622	50	#0	QPSK	19542.58	-38.67	-13	PASS
Band66	15	132047	75	#0	QPSK	16706.83	-40.5	-13	PASS
Band66	15	132322	75	#0	QPSK	19328.35	-40.24	-13	PASS
Band66	15	132597	75	#0	QPSK	19049.05	-39.39	-13	PASS
Band66	20	132072	100	#0	QPSK	19117.45	-40.37	-13	PASS
Band66	20	132322	100	#0	QPSK	18974.48	-40.08	-13	PASS
Band66	20	132572	100	#0	QPSK	19094.65	-39.9	-13	PASS




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091269	-49.65	-13
2	0.15	30	10	0.15522375	-48.07	-13
3	30	1000	100	744.38075	-56.7	-13
4	1000	20000	1000	19939.675	-40.28	-13

Band2 QPSK BW=1.4MHz Channel=18607 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011217225	-47.96	-13
2	0.15	30	10	0.15	-49.99	-13
3	30	1000	100	772.9715	-56.61	-13
4	1000	20000	1000	16351.05	-40.76	-13

Band2 QPSK BW=1.4MHz Channel=18900 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.82	-13
2	0.15	30	10	0.1574625	-52.03	-13
3	30	1000	100	387.3965	-56.82	-13
4	1000	20000	1000	19075.175	-40.68	-13

Band2 QPSK BW=1.4MHz Channel=19193 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.36	-13
2	0.15	30	10	0.15074625	-50.77	-13
3	30	1000	100	813.566	-57.21	-13
4	1000	20000	1000	19031.475	-39.73	-13

Band2 QPSK BW=3MHz Channel=18615 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009454725	-48.88	-13
2	0.15	30	10	0.170895	-48.97	-13
3	30	1000	100	891.4085	-56.82	-13
4	1000	20000	1000	19806.675	-40.63	-13

Band2 QPSK BW=3MHz Channel=18900 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00909165	-50.95	-13
2	0.15	30	10	0.15373125	-51.15	-13
3	30	1000	100	812.47475	-55.6	-13
4	1000	20000	1000	19553.5	-40.31	-13

Band2 QPSK BW=3MHz Channel=19185 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.83	-13
2	0.15	30	10	0.15	-50.76	-13
3	30	1000	100	983.14625	-56.86	-13
4	1000	20000	1000	19554.925	-40.79	-13

Band2 QPSK BW=5MHz Channel=18625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011111475	-50.64	-13
2	0.15	30	10	0.16417875	-50.83	-13
3	30	1000	100	683.8285	-57.19	-13
4	1000	20000	1000	19544.95	-39.88	-13

Band2 QPSK BW=5MHz Channel=18900 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.72	-13
2	0.15	30	10	0.1514925	-49.86	-13
3	30	1000	100	835.197	-56.76	-13
4	1000	20000	1000	15733.075	-40.35	-13

Band2 QPSK BW=5MHz Channel=19175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00923265	-49.71	-13
2	0.15	30	10	0.15373125	-49.76	-13
3	30	1000	100	877.974	-56.53	-13
4	1000	20000	1000	19572.025	-39.82	-13

Band2 QPSK BW=10MHz Channel=18650 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.013529625	-49.62	-13
2	0.15	30	10	0.15	-51.51	-13
3	30	1000	100	905.4735	-56.05	-13
4	1000	20000	1000	19552.55	-40.14	-13

Band2 QPSK BW=10MHz Channel=18900 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011760075	-49.12	-13
2	0.15	30	10	0.15074625	-50.39	-13
3	30	1000	100	778.42775	-56.43	-13
4	1000	20000	1000	19076.6	-40.28	-13

Band2 QPSK BW=10MHz Channel=19150 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009074025	-50.53	-13
2	0.15	30	10	0.15970125	-51.07	-13
3	30	1000	100	775.5905	-56.84	-13
4	1000	20000	1000	19572.025	-39.75	-13

Band2 QPSK BW=15MHz Channel=18675 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009200925	-47.81	-13
2	0.15	30	10	0.1574625	-51.8	-13
3	30	1000	100	929.06875	-55.68	-13
4	1000	20000	1000	19591.975	-39.73	-13

Band2 QPSK BW=15MHz Channel=18900 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01175655	-48.73	-13
2	0.15	30	10	0.15	-51.73	-13
3	30	1000	100	895.337	-57.11	-13
4	1000	20000	1000	19076.6	-39.99	-13

Band2 QPSK BW=15MHz Channel=19125 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00948645	-49.73	-13
2	0.15	30	10	0.16417875	-52.73	-13
3	30	1000	100	948.46875	-55.93	-13
4	1000	20000	1000	19630.925	-39.7	-13

Band2 QPSK BW=20MHz Channel=18700 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009017625	-49.74	-13
2	0.15	30	10	0.15	-50.74	-13
3	30	1000	100	514.19975	-55.75	-13
4	1000	20000	1000	19043.825	-38.76	-13

Band2 QPSK BW=20MHz Channel=18900 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010568625	-49.95	-13
2	0.15	30	10	0.15074625	-51.45	-13
3	30	1000	100	951.112	-56.32	-13
4	1000	20000	1000	16756.225	-40.08	-13

Band2 QPSK BW=20MHz Channel=19100 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0100152	-49.76	-13
2	0.15	30	10	0.152985	-50.25	-13
3	30	1000	100	942.89125	-57.11	-13
4	1000	20000	1000	19030.525	-40.46	-13

Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00919035	-50.62	-13
2	0.15	30	10	0.15	-52.67	-13
3	30	1000	100	790.674	-56.94	-13
4	1000	20000	1000	16467.425	-39.57	-13

Band4 QPSK BW=1.4MHz Channel=20175 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.75	-13
2	0.15	30	10	0.16417875	-51.46	-13
3	30	1000	100	733.929	-56.35	-13
4	1000	20000	1000	1761.9	-37.41	-13

Band4 QPSK BW=1.4MHz Channel=20393 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-49.7	-13
2	0.15	30	10	0.1514925	-51.15	-13
3	30	1000	100	753.06225	-56.17	-13
4	1000	20000	1000	19011.05	-40.36	-13

Band4 QPSK BW=3MHz Channel=19965 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0094794	-50.52	-13
2	0.15	30	10	0.15	-51.88	-13
3	30	1000	100	963.819	-56.37	-13
4	1000	20000	1000	1681.625	-30.58	-13

Band4 QPSK BW=3MHz Channel=20175 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01029015	-49.74	-13
2	0.15	30	10	0.1664175	-52.02	-13
3	30	1000	100	886.72825	-56.37	-13
4	1000	20000	1000	16684.5	-40.09	-13

Band4 QPSK BW=3MHz Channel=20385 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010180875	-49.71	-13
2	0.15	30	10	0.15074625	-49.41	-13
3	30	1000	100	809.7345	-55.37	-13
4	1000	20000	1000	18892.3	-40.6	-13

Band4 QPSK BW=5MHz Channel=19975 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01010685	-48.56	-13
2	0.15	30	10	0.15	-51.78	-13
3	30	1000	100	837.719	-56.71	-13
4	1000	20000	1000	1781.375	-36.62	-13

Band4 QPSK BW=5MHz Channel=20175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00964155	-49.66	-13
2	0.15	30	10	0.16268625	-51.17	-13
3	30	1000	100	910.34775	-55.65	-13
4	1000	20000	1000	19048.575	-40.46	-13

Band4 QPSK BW=5MHz Channel=20375 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090846	-47.99	-13
2	0.15	30	10	0.15	-49.34	-13
3	30	1000	100	761.21025	-56.83	-13
4	1000	20000	1000	19068.05	-40.71	-13

Band4 QPSK BW=10MHz Channel=20000 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009271425	-49.33	-13
2	0.15	30	10	0.15	-49.74	-13
3	30	1000	100	915.513	-56.76	-13
4	1000	20000	1000	19015.8	-40.18	-13

Band4 QPSK BW=10MHz Channel=20175 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091974	-48.78	-13
2	0.15	30	10	0.15373125	-49.41	-13
3	30	1000	100	969.542	-57.15	-13
4	1000	20000	1000	19042.875	-40.6	-13

Band4 QPSK BW=10MHz Channel=20350 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.5	-13
2	0.15	30	10	0.1634325	-51.13	-13
3	30	1000	100	653.24925	-56.7	-13
4	1000	20000	1000	19103.2	-39.98	-13

Band4 QPSK BW=15MHz Channel=20025 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010223175	-48.62	-13
2	0.15	30	10	0.16194	-50.18	-13
3	30	1000	100	891.52975	-56.39	-13
4	1000	20000	1000	19998.1	-40.04	-13

Band4 QPSK BW=15MHz Channel=20175 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00989535	-50.15	-13
2	0.15	30	10	0.15	-49.96	-13
3	30	1000	100	805.63625	-56.14	-13
4	1000	20000	1000	19449.95	-41	-13

Band4 QPSK BW=15MHz Channel=20325 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00997995	-48.93	-13
2	0.15	30	10	0.15522375	-52.82	-13
3	30	1000	100	904.81875	-56.96	-13
4	1000	20000	1000	18791.125	-40.61	-13

Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0105228	-49.11	-13
2	0.15	30	10	0.15	-51.09	-13
3	30	1000	100	945.02525	-56.54	-13
4	1000	20000	1000	19594.825	-41.08	-13

Band4 QPSK BW=20MHz Channel=20175 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.72	-13
2	0.15	30	10	0.15223875	-49.85	-13
3	30	1000	100	937.50775	-56.02	-13
4	1000	20000	1000	19024.825	-40.53	-13

Band4 QPSK BW=20MHz Channel=20300 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00957105	-51.28	-13
2	0.15	30	10	0.1604475	-52.1	-13
3	30	1000	100	818.319	-48.23	-13
4	1000	10000	1000	1649.8	-39.25	-13

Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.46	-13
2	0.15	30	10	0.15	-51.61	-13
3	30	1000	100	905.4735	-56.01	-13
4	1000	10000	1000	2509.75	-37.33	-13

Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009468825	-51.66	-13
2	0.15	30	10	0.15820875	-52.1	-13
3	30	1000	100	811.31075	-56.42	-13
4	1000	10000	1000	2544.4	-38.14	-13

Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.59	-13
2	0.15	30	10	0.16865625	-51.73	-13
3	30	1000	100	810.559	-53.21	-13
4	1000	10000	1000	1649.8	-43.7	-13

Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009123375	-49	-13
2	0.15	30	10	0.1604475	-53.12	-13
3	30	1000	100	956.0105	-57.2	-13
4	1000	10000	1000	2508.4	-42.68	-13

Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00955695	-49.3	-13
2	0.15	30	10	0.15	-51.58	-13
3	30	1000	100	935.08275	-56.91	-13
4	1000	10000	1000	2541.925	-41.22	-13

Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0104382	-49.83	-13
2	0.15	30	10	0.1664175	-52.45	-13
3	30	1000	100	971.9185	-57.38	-13
4	1000	10000	1000	2480.05	-43.96	-13

Band5 QPSK BW=5MHz Channel=20425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0090282	-50.17	-13
2	0.15	30	10	0.15074625	-53.24	-13
3	30	1000	100	591.048	-57.29	-13
4	1000	10000	1000	2510.2	-42.76	-13

Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01067085	-49.83	-13
2	0.15	30	10	0.16567125	-53.33	-13
3	30	1000	100	742.077	-57.28	-13
4	1000	10000	1000	2538.1	-43.84	-13

Band5 QPSK BW=5MHz Channel=20625 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00928905	-49.22	-13
2	0.15	30	10	0.15	-52.6	-13
3	30	1000	100	735.8205	-57.99	-13
4	1000	10000	1000	5537.125	-45.33	-13

Band5 QPSK BW=10MHz Channel=20450 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009567525	-49.62	-13
2	0.15	30	10	0.15970125	-50.59	-13
3	30	1000	100	760.67675	-56.83	-13
4	1000	10000	1000	2508.625	-45.24	-13

Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010053975	-49.23	-13
2	0.15	30	10	0.1634325	-53.34	-13
3	30	1000	100	918.78675	-57.34	-13
4	1000	10000	1000	3243.25	-44.67	-13

Band5 QPSK BW=10MHz Channel=20600 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095358	-50.18	-25
2	0.15	30	10	0.15820875	-52.12	-25
3	30	1000	100	973.5675	-56.84	-25
4	1000	26500	1000	26464.9375	-34.75	-25

Band7 QPSK BW=10MHz Channel=20800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009222075	-49.21	-25
2	0.15	30	10	0.15	-49.35	-25
3	30	1000	100	941.994	-56.16	-25
4	1000	26500	1000	26336.8	-35.71	-25

Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009052875	-48.58	-25
2	0.15	30	10	0.15	-50.32	-25
3	30	1000	100	976.3805	-56.13	-25
4	1000	26500	1000	25861.8625	-35.12	-25

Band7 QPSK BW=10MHz Channel=21400 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009764925	-49.2	-25
2	0.15	30	10	0.1574625	-49.54	-25
3	30	1000	100	663.992	-56.3	-25
4	1000	26500	1000	25365.8875	-35.64	-25

Band7 QPSK BW=15MHz Channel=20825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0098037	-48.25	-25
2	0.15	30	10	0.15	-51.6	-25
3	30	1000	100	410.02175	-56.76	-25
4	1000	26500	1000	25389.475	-36.03	-25

Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01017735	-47.21	-25
2	0.15	30	10	0.15	-49.67	-25
3	30	1000	100	390.355	-56.17	-25
4	1000	26500	1000	26348.9125	-35.98	-25

Band7 QPSK BW=15MHz Channel=21375 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.41	-25
2	0.15	30	10	0.1544775	-51.29	-25
3	30	1000	100	462.135	-56.33	-25
4	1000	26500	1000	26261.575	-35.22	-25

Band7 QPSK BW=20MHz Channel=20850 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00904935	-49.04	-25
2	0.15	30	10	0.15074625	-50.32	-25
3	30	1000	100	878.87125	-56.05	-25
4	1000	26500	1000	25364.6125	-35.88	-25

Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0