






Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00979665	-48.56	-25
2	0.15	30	10	0.1514925	-49.64	-25
3	30	1000	100	859.544	-56.11	-25
4	1000	26500	1000	26338.075	-35.56	-25

Band7 QPSK BW=20MHz Channel=21350 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-51.02	-25
2	0.15	30	10	0.15	-51.37	-25
3	30	1000	100	721.24625	-55.72	-25
4	1000	26500	1000	25406.6875	-35.77	-25

Band7 QPSK BW=5MHz Channel=20775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009229125	-48.94	-25
2	0.15	30	10	0.1514925	-53.13	-25
3	30	1000	100	913.4275	-55.45	-25
4	1000	26500	1000	25299.5875	-35.46	-25

Band7 QPSK BW=5MHz Channel=21100 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.72	-25
2	0.15	30	10	0.1604475	-50.8	-25
3	30	1000	100	429.71275	-55.37	-25
4	1000	26500	1000	25376.0875	-35.57	-25

Band7 QPSK BW=5MHz Channel=21425 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0099588	-50.38	-13
2	0.15	30	10	0.15820875	-52.41	-13
3	30	1000	100	693.1405	-52.78	-13
4	1000	10000	1000	2099.125	-36.37	-13

Band12 QPSK BW=1.4MHz Channel=23017 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010653225	-50.9	-13
2	0.15	30	10	0.1514925	-54.2	-13
3	30	1000	100	999.224	-57.45	-13
4	1000	10000	1000	2123.2	-35.61	-13

Band12 QPSK BW=1.4MHz Channel=23095 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-50.79	-13
2	0.15	30	10	0.152985	-51.22	-13
3	30	1000	100	904.33375	-56.77	-13
4	1000	10000	1000	2146.6	-39.34	-13

Band12 QPSK BW=1.4MHz Channel=23173 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095499	-51.08	-13
2	0.15	30	10	0.17014875	-50.88	-13
3	30	1000	100	861.1445	-57.51	-13
4	1000	10000	1000	2104.075	-40.99	-13

Band12 QPSK BW=3MHz Channel=23025 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009630975	-50.04	-13
2	0.15	30	10	0.15074625	-53.1	-13
3	30	1000	100	560.27475	-57.7	-13
4	1000	10000	1000	2123.2	-41.6	-13

Band12 QPSK BW=3MHz Channel=23095 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-51.29	-13
2	0.15	30	10	0.15373125	-52.12	-13
3	30	1000	100	469.38575	-57.01	-13
4	1000	10000	1000	1429.3	-42.23	-13

Band12 QPSK BW=3MHz Channel=23165 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011083275	-49.74	-13
2	0.15	30	10	0.16268625	-51.44	-13
3	30	1000	100	532.945	-57.45	-13
4	1000	10000	1000	1403.2	-43.75	-13

Band12 QPSK BW=5MHz Channel=23035 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00924675	-52.35	-13
2	0.15	30	10	0.15522375	-52.37	-13
3	30	1000	100	497.85525	-56.98	-13
4	1000	10000	1000	2126.575	-43.63	-13

Band12 QPSK BW=5MHz Channel=23095 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009433575	-48.85	-13
2	0.15	30	10	0.15820875	-52.75	-13
3	30	1000	100	742.63475	-57.64	-13
4	1000	10000	1000	1423.9	-43.22	-13

Band12 QPSK BW=5MHz Channel=23155 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009186825	-51.33	-13
2	0.15	30	10	0.15	-52.08	-13
3	30	1000	100	400.8795	-56.59	-13
4	1000	10000	1000	1408.6	-44.8	-13

Band12 QPSK BW=10MHz Channel=23060 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009327825	-50.9	-13
2	0.15	30	10	0.15	-51.23	-13
3	30	1000	100	856.90075	-57.53	-13
4	1000	10000	1000	2124.1	-44.86	-13

Band12 QPSK BW=10MHz Channel=23095 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.4	-13
2	0.15	30	10	0.15	-51.99	-13
3	30	1000	100	899.2655	-56.58	-13
4	1000	10000	1000	2129.5	-44.01	-13

Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010004625	-50.35	-13
2	0.15	30	10	0.1514925	-50.41	-13
3	30	1000	100	989.9605	-56.85	-13
4	1000	1559	1000	1556.917725	-45.65	-13
5	1559	1610	1000	1562.0498	-44.85	-40
6	1610	10000	1000	5050.94875	-45.57	-13

Band13 QPSK BW=5MHz Channel=23205 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.51	-13
2	0.15	30	10	0.15970125	-52.18	-13
3	30	1000	100	843.83	-56.6	-13
4	1000	1559	1000	1483.56295	-48.55	-13
5	1559	1610	1000	1560.592475	-45.65	-40
6	1610	10000	1000	6087.53325	-45.02	-13

Band13 QPSK BW=5MHz Channel=23230 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011344125	-50.63	-13
2	0.15	30	10	0.1634325	-53.25	-13
3	30	1000	100	941.509	-57.56	-13
4	1000	1559	1000	1140.127325	-48.58	-13
5	1559	1610	1000	1567.6241	-44.78	-40
6	1610	10000	1000	6128.64425	-45.34	-13

Band13 QPSK BW=5MHz Channel=23255 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009659175	-50.5	-13
2	0.15	30	10	0.16865625	-53.08	-13
3	30	1000	100	462.98375	-57.42	-13
4	1000	1559	1000	1558.63665	-47.56	-13
5	1559	1610	1000	1561.68515	-45.33	-40
6	1610	10000	1000	2732.1625	-45.17	-13

Band13 QPSK BW=10MHz Channel=23230 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010128	-48.69	-13
2	0.15	30	10	0.18059625	-51.66	-13
3	30	1000	100	950.8695	-56.88	-13
4	1000	20000	1000	19498.4	-40.17	-13

Band25 QPSK BW=1.4MHz Channel=26047 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009976425	-49.36	-13
2	0.15	30	10	0.1604475	-51.03	-13
3	30	1000	100	796.009	-56.88	-13
4	1000	20000	1000	19077.075	-40.42	-13

Band25 QPSK BW=1.4MHz Channel=26365 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-49.94	-13
2	0.15	30	10	0.15	-51.78	-13
3	30	1000	100	931.5665	-56.85	-13
4	1000	20000	1000	16512.55	-40.32	-13

Band25 QPSK BW=1.4MHz Channel=26683 RB Size=6 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009165675	-50.74	-13
2	0.15	30	10	0.1634325	-49.74	-13
3	30	1000	100	774.863	-57.24	-13
4	1000	20000	1000	16493.55	-40.77	-13

Band25 QPSK BW=3MHz Channel=26055 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010766025	-50.07	-13
2	0.15	30	10	0.15597	-48.08	-13
3	30	1000	100	886.3645	-56.21	-13
4	1000	20000	1000	19545.9	-40.43	-13

Band25 QPSK BW=3MHz Channel=26365 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009186825	-48.88	-13
2	0.15	30	10	0.1544775	-50.07	-13
3	30	1000	100	783.37475	-56.73	-13
4	1000	20000	1000	19604.8	-40.14	-13

Band25 QPSK BW=3MHz Channel=26675 RB Size=15 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010878825	-48.68	-13
2	0.15	30	10	0.15	-51.14	-13
3	30	1000	100	896.91325	-56.86	-13
4	1000	20000	1000	19087.05	-40.45	-13

Band25 QPSK BW=5MHz Channel=26065 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0110163	-49.58	-13
2	0.15	30	10	0.1634325	-51.61	-13
3	30	1000	100	764.84775	-56.23	-13
4	1000	20000	1000	19963.9	-39.98	-13

Band25 QPSK BW=5MHz Channel=26365 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00926085	-48.37	-13
2	0.15	30	10	0.15	-49.84	-13
3	30	1000	100	475.715	-56.54	-13
4	1000	20000	1000	19066.625	-40.12	-13

Band25 QPSK BW=5MHz Channel=26665 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.010625025	-48.97	-13
2	0.15	30	10	0.15074625	-51.45	-13
3	30	1000	100	836.555	-57.44	-13
4	1000	20000	1000	19572.5	-40.07	-13

Band25 QPSK BW=10MHz Channel=26090 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009652125	-49.18	-13
2	0.15	30	10	0.158955	-51.41	-13
3	30	1000	100	868.468	-57	-13
4	1000	20000	1000	18994.9	-40.76	-13

Band25 QPSK BW=10MHz Channel=26365 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009334875	-47.95	-13
2	0.15	30	10	0.17611875	-50.64	-13
3	30	1000	100	750.10375	-56.23	-13
4	1000	20000	1000	16364.825	-40.82	-13

Band25 QPSK BW=10MHz Channel=26640 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00995175	-50.22	-13
2	0.15	30	10	0.1514925	-50.99	-13
3	30	1000	100	875.84	-57.06	-13
4	1000	20000	1000	16341.075	-40.34	-13

Band25 QPSK BW=15MHz Channel=26115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009186825	-49.48	-13
2	0.15	30	10	0.15	-49.36	-13
3	30	1000	100	518.492	-57.06	-13
4	1000	20000	1000	19559.2	-39.88	-13

Band25 QPSK BW=15MHz Channel=26365 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01119255	-49.54	-13
2	0.15	30	10	0.15522375	-49.16	-13
3	30	1000	100	841.18675	-56.77	-13
4	1000	20000	1000	18997.75	-40.29	-13

Band25 QPSK BW=15MHz Channel=26615 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01048755	-49.26	-13
2	0.15	30	10	0.16716375	-51.6	-13
3	30	1000	100	837.3795	-56.63	-13
4	1000	20000	1000	16706.825	-40.13	-13

Band25 QPSK BW=20MHz Channel=26140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00917625	-49.82	-13
2	0.15	30	10	0.1544775	-49.24	-13
3	30	1000	100	930.7905	-56.28	-13
4	1000	20000	1000	18991.1	-40.35	-13

Band25 QPSK BW=20MHz Channel=26365 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00999405	-47.79	-13
2	0.15	30	10	0.152985	-50.88	-13
3	30	1000	100	909.47475	-56.66	-13
4	1000	20000	1000	16308.3	-39.49	-13

Band25 QPSK BW=20MHz Channel=26590 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009736725	-48.78	-25
2	0.15	30	10	0.16791	-52.19	-25
3	30	1000	100	896.86475	-56.26	-25
4	1000	26500	1000	25728.625	-35.66	-25

Band38 QPSK BW=10MHz Channel=37800 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009877725	-49.27	-25
2	0.15	30	10	0.158955	-51.44	-25
3	30	1000	100	730.5825	-55.47	-25
4	1000	26500	1000	26363.575	-35.53	-25

Band38 QPSK BW=10MHz Channel=38000 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009948225	-50.17	-25
2	0.15	30	10	0.15074625	-47.2	-25
3	30	1000	100	757.985	-56.54	-25
4	1000	26500	1000	26269.8625	-35.81	-25

Band38 QPSK BW=10MHz Channel=38200 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009341925	-48.73	-25
2	0.15	30	10	0.1544775	-51.81	-25
3	30	1000	100	801.12575	-55.96	-25
4	1000	26500	1000	25801.3	-36.2	-25

Band38 QPSK BW=15MHz Channel=37825 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009433575	-47.55	-25
2	0.15	30	10	0.15820875	-49.92	-25
3	30	1000	100	865.24275	-56.22	-25
4	1000	26500	1000	25358.2375	-35.8	-25

Band38 QPSK BW=15MHz Channel=38000 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.011256	-49.39	-25
2	0.15	30	10	0.1574625	-50.63	-25
3	30	1000	100	840.532	-56.02	-25
4	1000	26500	1000	25351.8625	-35.75	-25

Band38 QPSK BW=15MHz Channel=38175 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-46.87	-25
2	0.15	30	10	0.1514925	-51.77	-25
3	30	1000	100	825.4	-56.54	-25
4	1000	26500	1000	25148.5	-35.39	-25

Band38 QPSK BW=20MHz Channel=37850 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009222075	-49.3	-25
2	0.15	30	10	0.15	-52.92	-25
3	30	1000	100	893.8335	-55.83	-25
4	1000	26500	1000	26352.1	-35.77	-25

Band38 QPSK BW=20MHz Channel=38000 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091551	-47.33	-25
2	0.15	30	10	0.15671625	-50.98	-25
3	30	1000	100	398.6	-56.95	-25
4	1000	26500	1000	26359.1125	-34.16	-25

Band38 QPSK BW=20MHz Channel=38150 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00900705	-48.26	-25
2	0.15	30	10	0.15522375	-49.95	-25
3	30	1000	100	923.1275	-55.93	-25
4	1000	26500	1000	26264.125	-35.41	-25

Band38 QPSK BW=5MHz Channel=37775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00957105	-49.05	-25
2	0.15	30	10	0.16716375	-52.11	-25
3	30	1000	100	806.46075	-55.86	-25
4	1000	26500	1000	26211.85	-35.96	-25

Band38 QPSK BW=5MHz Channel=38000 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00968385	-48.52	-25
2	0.15	30	10	0.15	-49.71	-25
3	30	1000	100	55.38975	-56.27	-25
4	1000	26500	1000	25047.1375	-34.75	-25

Band38 QPSK BW=5MHz Channel=38225 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0095358	-57.45	-40
2	0.15	30	10	0.15	-58.71	-40
3	30	1000	100	835.876	-65.79	-40
4	1000	26500	1000	25923.0625	-44.35	-40

Band40(2305-2315) QPSK BW=5MHz Channel=38725 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00903525	-56.68	-40
2	0.15	30	10	0.1514925	-58.94	-40
3	30	1000	100	769.7705	-65.73	-40
4	1000	26500	1000	26345.0875	-44.62	-40

Band40(2305-2315) QPSK BW=5MHz Channel=38750 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0096486	-59.19	-40
2	0.15	30	10	0.15223875	-58.03	-40
3	30	1000	100	910.275	-66.3	-40
4	1000	26500	1000	25272.175	-44.6	-40

Band40(2305-2315) QPSK BW=5MHz Channel=38775 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-58.94	-40
2	0.15	30	10	0.15	-59.87	-40
3	30	1000	100	926.765	-65.71	-40
4	1000	26500	1000	26002.1125	-44.56	-40

Band40(2305-2315) QPSK BW=10MHz Channel=38750 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009186825	-58.86	-40
2	0.15	30	10	0.15	-57.01	-40
3	30	1000	100	888.18325	-65.86	-40
4	1000	26500	1000	26261.575	-44.55	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39175 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0091833	-59.01	-40
2	0.15	30	10	0.15	-59.82	-40
3	30	1000	100	415.284	-66.09	-40
4	1000	26500	1000	25271.5375	-43.99	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39200 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00938775	-57.6	-40
2	0.15	30	10	0.1604475	-57.98	-40
3	30	1000	100	790.577	-66	-40
4	1000	26500	1000	25395.2125	-44.5	-40

Band40(2350-2360) QPSK BW=5MHz Channel=39225 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.0118764	-59.16	-40
2	0.15	30	10	0.1604475	-59.72	-40
3	30	1000	100	947.135	-66.12	-40
4	1000	26500	1000	26104.75	-44.72	-40

Band40(2350-2360) QPSK BW=10MHz Channel=39200 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00950055	-48.14	-25
2	0.15	30	10	0.15671625	-51	-25
3	30	1000	100	829.15875	-57.02	-25
4	1000	26500	1000	24889.675	-35.38	-25

Band41 QPSK BW=5MHz Channel=39675 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009271425	-49.52	-25
2	0.15	30	10	0.15	-49.78	-25
3	30	1000	100	738.7305	-56.69	-25
4	1000	26500	1000	25376.725	-35.51	-25

Band41 QPSK BW=5MHz Channel=40620 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01067085	-47.81	-25
2	0.15	30	10	0.152985	-49.61	-25
3	30	1000	100	862.842	-56.98	-25
4	1000	26500	1000	26378.875	-35.36	-25

Band41 QPSK BW=5MHz Channel=41565 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00904935	-51.12	-25
2	0.15	30	10	0.15	-51.27	-25
3	30	1000	100	859.27725	-57.59	-25
4	1000	26500	1000	25249.225	-35.07	-25

Band41 QPSK BW=10MHz Channel=39700 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009546375	-47.34	-25
2	0.15	30	10	0.152985	-50.07	-25
3	30	1000	100	878.9925	-56.83	-25
4	1000	26500	1000	25379.275	-35	-25

Band41 QPSK BW=10MHz Channel=40620 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.01017735	-50.35	-25
2	0.15	30	10	0.16716375	-52.72	-25
3	30	1000	100	927.638	-57.08	-25
4	1000	26500	1000	26000.8375	-35.15	-25

Band41 QPSK BW=10MHz Channel=41540 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-51.07	-25
2	0.15	30	10	0.1544775	-51.48	-25
3	30	1000	100	884.182	-56.85	-25
4	1000	26500	1000	25895.65	-35.64	-25

Band41 QPSK BW=15MHz Channel=39725 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.009	-48.4	-25
2	0.15	30	10	0.15074625	-51.45	-25
3	30	1000	100	868.953	-56.36	-25
4	1000	26500	1000	26227.7875	-34.83	-25

Band41 QPSK BW=15MHz Channel=40620 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00911985	-47.93	-25
2	0.15	30	10	0.15	-49.75	-25
3	30	1000	100	903.388	-56.95	-25
4	1000	26500	1000	25355.05	-34.5	-25

Band41 QPSK BW=15MHz Channel=41515 RB Size=75 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	0.009	0.15	1	0.00965565	-49.59	-25
2	0.15	30	10	0.15	-51.21	-25
3	30	1000	100	810.24375	-57.33	-25
4	1000	26500	1000	25352.5	-35.25	-25

Band41 QPSK BW=20MHz Channel=39750 RB Size=100 Position=#0