




Ant. 1

Part 27D Mode 8

NR SA n30 10M Ch462000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -40 3m 9120D-02114-240711 Horizontal

: SA NR n30 BW10M Ch462000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	4612.00	-63.41 RMS	31.75	-57.39	0.49	-95.23	56.97	-40.00	-23.41	Horizontal
2	6917.00	-54.80 RMS	36.07	-53.72	0.34	-95.23	57.74	-40.00	-14.80	Horizontal
3	9223.00	-57.31 RMS	38.15	-53.31	0.34	-95.23	52.74	-40.00	-17.31	Horizontal



Site : 03CH12-HY

Condition: -40 3m 9120D-02114-240711 Vertical

: SA NR n30 BW10M Ch462000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	4612.00	-62.47 RMS	31.75	-57.39	0.49	-95.23	57.91	-40.00	-22.47	Vertical
2	6917.00	-56.06 RMS	36.07	-53.72	0.34	-95.23	56.48	-40.00	-16.06	Vertical
3	9223.00	-57.36 RMS	38.15	-53.31	0.34	-95.23	52.69	-40.00	-17.36	Vertical




EN-DC <Ant. 0+2>

Part 27D Mode 9

EN-DC B2+n30 10M + 10M Ch18900 1RB0 QPSK + Ch462000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -40 3m 9120D-02114-240711 Horizontal

: LTE Band 2 10M Ch18900 1RB0 QPSK

: NR SA n30 10M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	4612.00	-63.84	RMS	31.75	-57.39	0.49	-95.23	56.54	-40.00	-23.84	Horizontal
2	6917.00	-59.83	RMS	36.07	-53.72	0.34	-95.23	52.71	-40.00	-19.83	Horizontal
3	9223.00	-57.81	RMS	38.15	-53.31	0.34	-95.23	52.24	-40.00	-17.81	Horizontal



Site : 03CH12-HY

Condition: -40 3m 9120D-02114-240711 Vertical

: LTE Band 2 10M Ch18900 1RB0 QPSK

: NR SA n30 10M Ch462000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1			dBm	dB		
1	4612.00	-63.54	RMS	31.75	-57.39	0.49	-95.23	56.84	-40.00	-23.54	Vertical
2	6917.00	-60.21	RMS	36.07	-53.72	0.34	-95.23	52.33	-40.00	-20.21	Vertical
3	9223.00	-57.39	RMS	38.15	-53.31	0.34	-95.23	52.66	-40.00	-17.39	Vertical




Ant. 2

Part 27L Mode 7

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	3391.00	-55.88	RMS	29.72	-26.14	1.08	-95.23	34.69	-13.00	-42.88	Horizontal	
2	5087.00	-52.05	RMS	33.20	-24.03	0.47	-95.23	33.54	-13.00	-39.05	Horizontal	
3	6783.00	-47.77	RMS	36.10	-22.70	0.34	-95.23	33.72	-13.00	-34.77	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	3391.00	-56.50	RMS	29.72	-26.14	1.08	-95.23	34.07	-13.00	-43.50	Vertical	
2	5087.00	-52.14	RMS	33.20	-24.03	0.47	-95.23	33.45	-13.00	-39.14	Vertical	
3	6783.00	-47.67	RMS	36.10	-22.70	0.34	-95.23	33.82	-13.00	-34.67	Vertical	




Ant. 2

Part 27L Mode 7

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3396.00	-56.17	RMS	29.71	-26.13	1.07	-95.23	34.41	-13.00	-43.17	Horizontal
2	5094.00	-51.53	RMS	33.20	-24.02	0.47	-95.23	34.05	-13.00	-38.53	Horizontal
3	6793.00	-48.28	RMS	36.10	-22.70	0.34	-95.23	33.21	-13.00	-35.28	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n70 10M Ch340500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3396.00	-56.27	RMS	29.71	-26.13	1.07	-95.23	34.31	-13.00	-43.27	Vertical
2	5094.00	-52.05	RMS	33.20	-24.02	0.47	-95.23	33.53	-13.00	-39.05	Vertical
3	6793.00	-48.35	RMS	36.10	-22.70	0.34	-95.23	33.14	-13.00	-35.35	Vertical




Ant. 2

Part 27L Mode 7

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n70 10M Ch341000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	3401.00	-55.92 RMS	29.70	-26.12	1.07	-95.23	34.66	-13.00	-42.92	Horizontal
2	5102.00	-51.45 RMS	33.21	-24.02	0.47	-95.23	34.12	-13.00	-38.45	Horizontal
3	6803.00	-48.38 RMS	36.10	-22.69	0.34	-95.23	33.10	-13.00	-35.38	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n70 10M Ch341000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	3401.00	-56.16 RMS	29.70	-26.12	1.07	-95.23	34.42	-13.00	-43.16	Vertical
2	5102.00	-51.92 RMS	33.21	-24.02	0.47	-95.23	33.65	-13.00	-38.92	Vertical
3	6803.00	-48.10 RMS	36.10	-22.69	0.34	-95.23	33.38	-13.00	-35.10	Vertical




Ant. 2

Part 27L Mode 9

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3422.00	-56.80	RMS	29.66	-26.09	1.05	-95.23	33.81	-13.00	-43.80	Horizontal	
2	5133.00	-51.80	RMS	33.33	-23.98	0.47	-95.23	33.61	-13.00	-38.80	Horizontal	
3	6845.00	-48.42	RMS	36.10	-22.63	0.34	-95.23	33.00	-13.00	-35.42	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3422.00	-56.88	RMS	29.66	-26.09	1.05	-95.23	33.73	-13.00	-43.88	Vertical	
2	5133.00	-51.58	RMS	33.33	-23.98	0.47	-95.23	33.83	-13.00	-38.58	Vertical	
3	6845.00	-47.94	RMS	36.10	-22.63	0.34	-95.23	33.48	-13.00	-34.94	Vertical	




Ant. 2

Part 27L Mode 9

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	3742.00	-55.84	RMS	30.07	-25.68	0.72	-95.23	34.28	-13.00	-42.84	Horizontal
2	5208.00	-52.06	RMS	33.28	-23.91	0.47	-95.23	33.33	-13.00	-39.06	Horizontal
3	6945.00	-48.25	RMS	36.01	-22.49	0.34	-95.23	33.12	-13.00	-35.25	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	3742.00	-55.70	RMS	30.07	-25.68	0.72	-95.23	34.42	-13.00	-42.70	Vertical
2	5208.00	-51.96	RMS	33.28	-23.91	0.47	-95.23	33.43	-13.00	-38.96	Vertical
3	6945.00	-48.10	RMS	36.01	-22.49	0.34	-95.23	33.27	-13.00	-35.10	Vertical




Ant. 2

Part 27L Mode 9

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3522.00	-56.24	RMS	29.60	-25.95	0.94	-95.23	34.40	-13.00	-43.24	Horizontal
2	5283.00	-52.59	RMS	33.07	-23.86	0.45	-95.23	32.98	-13.00	-39.59	Horizontal
3	7045.00	-47.64	RMS	36.28	-22.37	0.34	-95.23	33.34	-13.00	-34.64	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3522.00	-56.67	RMS	29.60	-25.95	0.94	-95.23	33.97	-13.00	-43.67	Vertical
2	5283.00	-52.51	RMS	33.07	-23.86	0.45	-95.23	33.06	-13.00	-39.51	Vertical
3	7045.00	-47.71	RMS	36.28	-22.37	0.34	-95.23	33.27	-13.00	-34.71	Vertical




Ant. 1

Part 27L Mode 8

NR SA n70 10M Ch340000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	3392.00	-56.18	RMS	29.72	-26.14	1.08	-95.23	34.39	-13.00	-43.18	Horizontal	
2	5087.00	-51.87	RMS	33.20	-24.03	0.47	-95.23	33.72	-13.00	-38.87	Horizontal	
3	6783.00	-47.87	RMS	36.10	-22.70	0.34	-95.23	33.62	-13.00	-34.87	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n70 10M Ch340000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	3392.00	-56.40	RMS	29.72	-26.14	1.08	-95.23	34.17	-13.00	-43.40	Vertical	
2	5087.00	-51.73	RMS	33.20	-24.03	0.47	-95.23	33.86	-13.00	-38.73	Vertical	
3	6783.00	-48.10	RMS	36.10	-22.70	0.34	-95.23	33.39	-13.00	-35.10	Vertical	




Ant. 1

Part 27L Mode 8

NR SA n70 10M Ch340500 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n70 10M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3397.00	-55.90	RMS	29.71	-26.13	1.07	-95.23	34.68	-13.00	-42.90	Horizontal	
2	5095.00	-51.82	RMS	33.20	-24.02	0.47	-95.23	33.76	-13.00	-38.82	Horizontal	
3	6793.00	-48.32	RMS	36.10	-22.70	0.34	-95.23	33.17	-13.00	-35.32	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n70 10M Ch340500 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3397.00	-56.40	RMS	29.71	-26.13	1.07	-95.23	34.18	-13.00	-43.40	Vertical	
2	5095.00	-51.93	RMS	33.20	-24.02	0.47	-95.23	33.65	-13.00	-38.93	Vertical	
3	6793.00	-48.02	RMS	36.10	-22.70	0.34	-95.23	33.47	-13.00	-35.02	Vertical	




Ant. 1

Part 27L Mode 8

NR SA n70 10M Ch341000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n70 10M Ch341000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	3402.00	-55.96	RMS	29.70	-26.12	1.07	-95.23	34.62	-13.00	-42.96	Horizontal	
2	5102.00	-51.77	RMS	33.21	-24.02	0.47	-95.23	33.80	-13.00	-38.77	Horizontal	
3	6803.00	-48.22	RMS	36.10	-22.69	0.34	-95.23	33.26	-13.00	-35.22	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n70 10M Ch341000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB	dB		dBuV	dBm	dB	
1	3402.00	-56.23	RMS	29.70	-26.12	1.07	-95.23	34.35	-13.00	-43.23	Vertical	
2	5102.00	-51.75	RMS	33.21	-24.02	0.47	-95.23	33.82	-13.00	-38.75	Vertical	
3	6803.00	-47.84	RMS	36.10	-22.69	0.34	-95.23	33.64	-13.00	-34.84	Vertical	




Ant. 1

Part 27L Mode 10

NR SA n66 20M Ch344000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm		
1	3422.00	-56.66	RMS	29.66	-26.09	1.05	-95.23	33.95	-13.00	-43.66	Horizontal	
2	5133.00	-51.79	RMS	33.33	-23.98	0.47	-95.23	33.62	-13.00	-38.79	Horizontal	
3	6845.00	-47.99	RMS	36.10	-22.63	0.34	-95.23	33.43	-13.00	-34.99	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n66 20M Ch344000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm		
1	3422.00	-56.81	RMS	29.66	-26.09	1.05	-95.23	33.80	-13.00	-43.81	Vertical	
2	5133.00	-48.78	RMS	33.33	-23.98	0.47	-95.23	36.63	-13.00	-35.78	Vertical	
3	6845.00	-48.52	RMS	36.10	-22.63	0.34	-95.23	32.90	-13.00	-35.52	Vertical	




Ant. 1

Part 27L Mode 10

NR SA n66 20M Ch349000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3472.00	-56.37	RMS	29.60	-26.02	0.99	-95.23	34.29	-13.00	-43.37	Horizontal	
2	5208.00	-51.84	RMS	33.28	-23.91	0.47	-95.23	33.55	-13.00	-38.84	Horizontal	
3	6945.00	-47.67	RMS	36.01	-22.49	0.34	-95.23	33.70	-13.00	-34.67	Horizontal	



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n66 20M Ch349000 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	3472.00	-56.28	RMS	29.60	-26.02	0.99	-95.23	34.38	-13.00	-43.28	Vertical	
2	5208.00	-47.43	RMS	33.28	-23.91	0.47	-95.23	37.96	-13.00	-34.43	Vertical	
3	6945.00	-47.90	RMS	36.01	-22.49	0.34	-95.23	33.47	-13.00	-34.90	Vertical	




Ant. 1

Part 27L Mode 10

NR SA n66 20M Ch354000 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

NR SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3522.00	-56.11	RMS	29.60	-25.95	0.94	-95.23	34.53	-13.00	-43.11	Horizontal
2	5283.00	-52.03	RMS	33.07	-23.86	0.45	-95.23	33.54	-13.00	-39.03	Horizontal
3	7045.00	-47.53	RMS	36.28	-22.37	0.34	-95.23	33.45	-13.00	-34.53	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

NR SA n66 20M Ch354000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	3522.00	-55.92	RMS	29.60	-25.95	0.94	-95.23	34.72	-13.00	-42.92	Vertical
2	5283.00	-49.25	RMS	33.07	-23.86	0.45	-95.23	36.32	-13.00	-36.25	Vertical
3	7045.00	-47.53	RMS	36.28	-22.37	0.34	-95.23	33.45	-13.00	-34.53	Vertical




EN-DC <Ant. 0+2>

Part 27L Mode 11


EN-DC B2+n66 10M + 20M Ch18900 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Horizontal
: LTE Band 2 10M Ch18900 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3472.00	-56.51	RMS	29.60	-26.02	0.99	-95.23	34.15	-13.00	Horizontal
2	5208.00	-51.41	RMS	33.28	-23.91	0.47	-95.23	33.98	-13.00	Horizontal
3	6945.00	-47.96	RMS	36.01	-22.49	0.34	-95.23	33.41	-13.00	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Vertical
: LTE Band 2 10M Ch18900 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3472.00	-56.60	RMS	29.60	-26.02	0.99	-95.23	34.06	-13.00	Vertical
2	5208.00	-51.35	RMS	33.28	-23.91	0.47	-95.23	34.04	-13.00	Vertical
3	6945.00	-48.15	RMS	36.01	-22.49	0.34	-95.23	33.22	-13.00	Vertical




Ant. 2

Part 27M Mode 11

NR SA n7 20M Ch502000 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

: NR SA n7 20M Ch502000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5003.00	-51.27 RMS	33.39	-24.12	0.47	-95.23	34.22	-25.00	-26.27	Horizontal
2	7504.00	-46.42 RMS	36.58	-22.07	0.35	-95.23	33.95	-25.00	-21.42	Horizontal
3	10005.00	-41.82 RMS	38.31	-20.37	0.47	-95.23	35.00	-25.00	-16.82	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

: NR SA n7 20M Ch502000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5003.00	-51.16 RMS	33.39	-24.12	0.47	-95.23	34.33	-25.00	-26.16	Vertical
2	7504.00	-43.27 RMS	36.58	-22.07	0.35	-95.23	37.10	-25.00	-18.27	Vertical
3	10005.00	-42.52 RMS	38.31	-20.37	0.47	-95.23	34.30	-25.00	-17.52	Vertical




Ant. 2

Part 27M Mode 11

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

: NR SA n7 20M Ch507000 1RB1 BPSK

Plane : Z Open With Adapter

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-51.30	RMS	33.20	-24.07	0.47	-95.23	34.33	-25.00	-26.30	Horizontal
2	7579.00	-46.51	RMS	36.36	-22.03	0.36	-95.23	34.03	-25.00	-21.51	Horizontal
3	10105.00	-42.04	RMS	38.51	-20.24	0.47	-95.23	34.45	-25.00	-17.04	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

: NR SA n7 20M Ch507000 1RB1 BPSK

Plane : Z Open With Adapter

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-51.42	RMS	33.20	-24.07	0.47	-95.23	34.21	-25.00	-26.42	Vertical
2	7597.00	-42.98	RMS	36.39	-22.02	0.36	-95.23	37.52	-25.00	-17.98	Vertical
3	10105.00	-41.79	RMS	38.51	-20.24	0.47	-95.23	34.70	-25.00	-16.79	Vertical




Ant. 2


Part 27M Mode 11

NR SA n7 20M Ch512000 1RB1 BPSK

H



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5103.00	-51.35 RMS	33.21	-24.01	0.47	-95.23	34.21	-25.00	-26.35	Horizontal
2	7654.00	-44.56 RMS	36.51	-21.99	0.37	-95.23	35.78	-25.00	-19.56	Horizontal
3	10205.00	-41.61 RMS	38.80	-20.11	0.46	-95.23	34.47	-25.00	-16.61	Horizontal



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5103.00	-51.51 RMS	33.21	-24.01	0.47	-95.23	34.05	-25.00	-26.51	Vertical
2	7654.00	-43.63 RMS	36.51	-21.99	0.37	-95.23	36.71	-25.00	-18.63	Vertical
3	10205.00	-41.60 RMS	38.80	-20.11	0.46	-95.23	34.48	-25.00	-16.60	Vertical




Ant. 2

Part 27M Mode 13

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

: NR SA n41 20M Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm	dB	
1	4995.00	-60.27	RMS	33.39	-56.65	0.47 -95.23	57.75	-25.00	-35.27	Horizontal	
2	7485.00	-34.32	RMS	36.63	-53.40	0.34 -95.23	77.34	-25.00	-9.32	Horizontal	
3	9989.00	-57.45	RMS	38.26	-52.78	0.47 -95.23	51.83	-25.00	-32.45	Horizontal	
4	12486.00	-34.50	RMS	38.94	-48.96	0.43 -95.23	70.32	-25.00	-9.50	Horizontal	



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

: NR SA n41 20M Ch501204 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm	dB	
1	4995.00	-59.71	RMS	33.39	-56.65	0.47 -95.23	58.31	-25.00	-34.71	Vertical	
2	7485.00	-31.43	RMS	36.63	-53.40	0.34 -95.23	80.23	-25.00	-6.43	Vertical	
3	9989.00	-57.75	RMS	38.26	-52.78	0.47 -95.23	51.53	-25.00	-32.75	Vertical	
4	12486.00	-42.12	RMS	38.94	-48.96	0.43 -95.23	62.70	-25.00	-17.12	Vertical	




Ant. 2

Part 27M Mode 13

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB					
1	5169.00	-62.05	RMS	33.36	-56.20	0.47	-95.23	55.55	-25.00	-37.05	Horizontal
2	7753.00	-54.11	RMS	36.81	-53.39	0.40	-95.23	57.30	-25.00	-29.11	Horizontal
3	10337.00	-56.96	RMS	38.70	-52.35	0.46	-95.23	51.46	-25.00	-31.96	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB					
1	5169.00	-62.10	RMS	33.36	-56.20	0.47	-95.23	55.50	-25.00	-37.10	Vertical
2	7753.00	-58.16	RMS	36.81	-53.39	0.40	-95.23	53.25	-25.00	-33.16	Vertical
3	10337.00	-57.04	RMS	38.70	-52.35	0.46	-95.23	51.38	-25.00	-32.04	Vertical




Ant. 2

Part 27M Mode 13

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

NR SA n41 20M Ch535998 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-61.76 RMS	33.09	-55.77	0.43	-95.23	55.72	-25.00	-36.76	Horizontal
2	8014.00	-46.69 RMS	37.20	-53.53	0.42	-95.23	64.45	-25.00	-21.69	Horizontal
3	10685.00	-57.23 RMS	39.20	-51.95	0.45	-95.23	50.30	-25.00	-32.23	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

NR SA n41 20M Ch535998 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-61.16 RMS	33.09	-55.77	0.43	-95.23	56.32	-25.00	-36.16	Vertical
2	8014.00	-49.90 RMS	37.20	-53.53	0.42	-95.23	61.24	-25.00	-24.90	Vertical
3	10685.00	-57.26 RMS	39.20	-51.95	0.45	-95.23	50.27	-25.00	-32.26	Vertical




Ant. 1


Part 27M Mode 12

NR SA n7 20M Ch502000 1RB1 BPSK

L



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5002.00	-51.92 RMS	33.39	-24.12	0.47	-95.23	33.57	-25.00	-26.92	Horizontal
2	7503.00	-46.07 RMS	36.58	-22.07	0.35	-95.23	34.30	-25.00	-21.07	Horizontal
3	10005.00	-41.77 RMS	38.31	-20.37	0.47	-95.23	35.05	-25.00	-16.77	Horizontal



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5002.00	-51.57 RMS	33.39	-24.12	0.47	-95.23	33.92	-25.00	-26.57	Vertical
2	7503.00	-46.14 RMS	36.58	-22.07	0.35	-95.23	34.23	-25.00	-21.14	Vertical
3	10005.00	-41.97 RMS	38.31	-20.37	0.47	-95.23	34.85	-25.00	-16.97	Vertical




Ant. 1


Part 27M Mode 12

NR SA n7 20M Ch507000 1RB1 BPSK

M



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5052.00	-52.23 RMS	33.20	-24.07	0.47	-95.23	33.40	-25.00	-27.23	Horizontal
2	7578.00	-46.53 RMS	36.36	-22.03	0.36	-95.23	34.01	-25.00	-21.53	Horizontal
3	10105.00	-41.95 RMS	38.51	-20.24	0.47	-95.23	34.54	-25.00	-16.95	Horizontal



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5052.00	-52.34 RMS	33.20	-24.07	0.47	-95.23	33.29	-25.00	-27.34	Vertical
2	7578.00	-46.66 RMS	36.36	-22.03	0.36	-95.23	33.88	-25.00	-21.66	Vertical
3	10105.00	-42.04 RMS	38.51	-20.24	0.47	-95.23	34.45	-25.00	-17.04	Vertical




Ant. 1


Part 27M Mode 12

NR SA n7 20M Ch512000 1RB1 BPSK

H



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5102.00	-52.45 RMS	33.21	-24.02	0.47	-95.23	33.12	-25.00	-27.45	Horizontal
2	7653.00	-46.23 RMS	36.51	-21.99	0.37	-95.23	34.11	-25.00	-21.23	Horizontal
3	10205.00	-41.53 RMS	38.80	-20.11	0.46	-95.23	34.55	-25.00	-16.53	Horizontal



Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5102.00	-52.32 RMS	33.21	-24.02	0.47	-95.23	33.25	-25.00	-27.32	Vertical
2	7653.00	-46.31 RMS	36.51	-21.99	0.37	-95.23	34.03	-25.00	-21.31	Vertical
3	10205.00	-41.42 RMS	38.80	-20.11	0.46	-95.23	34.66	-25.00	-16.42	Vertical




Ant. 1

Part 27M Mode 14

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

: NR SA n41 20M Ch501204 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-60.85 RMS	33.39	-56.66	0.47	-95.23	57.18	-25.00	-35.85	Horizontal
2	7491.00	-46.28 RMS	36.62	-53.40	0.34	-95.23	65.39	-25.00	-21.28	Horizontal
3	9989.00	-57.12 RMS	38.26	-52.78	0.47	-95.23	52.16	-25.00	-32.12	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

: NR SA n41 20M Ch501204 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4994.00	-61.41 RMS	33.39	-56.66	0.47	-95.23	56.62	-25.00	-36.41	Vertical
2	7491.00	-49.21 RMS	36.62	-53.40	0.34	-95.23	62.46	-25.00	-24.21	Vertical
3	9989.00	-57.05 RMS	38.26	-52.78	0.47	-95.23	52.23	-25.00	-32.05	Vertical




Ant. 1

Part 27M Mode 14

NR SA n41 HPUE 20M Ch518598 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5168.00	-49.32	RMS	33.36	-56.20	0.47	-95.23	68.28	-25.00	-24.32	Horizontal
2	7752.00	-37.95	RMS	36.81	-53.39	0.40	-95.23	73.46	-25.00	-12.95	Horizontal
3	10337.00	-56.69	RMS	38.70	-52.35	0.46	-95.23	51.73	-25.00	-31.69	Horizontal
4	12921.00	-47.44	RMS	39.74	-49.00	0.45	-95.23	56.60	-25.00	-22.44	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

NR SA n41 20M Ch518598 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	5168.00	-49.89	RMS	33.36	-56.20	0.47	-95.23	67.71	-25.00	-24.89	Vertical
2	7752.00	-44.03	RMS	36.81	-53.39	0.40	-95.23	67.38	-25.00	-19.03	Vertical
3	10337.00	-56.41	RMS	38.70	-52.35	0.46	-95.23	52.01	-25.00	-31.41	Vertical
4	12921.00	-54.01	RMS	39.74	-49.00	0.45	-95.23	50.03	-25.00	-29.01	Vertical




Ant. 1


Part 27M Mode 14

NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	5343.00	-45.39	RMS	33.09	-55.77	0.43	-95.23	72.09	-25.00	-20.39	Horizontal	
2	8014.00	-39.14	RMS	37.20	-53.53	0.42	-95.23	72.00	-25.00	-14.14	Horizontal	
3	10685.00	-54.21	RMS	39.20	-51.95	0.45	-95.23	53.32	-25.00	-29.21	Horizontal	
4	13356.00	-49.70	RMS	40.10	-48.98	0.47	-95.23	53.94	-25.00	-24.70	Horizontal	



	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm			dB/m	dB			dBuV	dBm	dB	
1	5343.00	-47.29	RMS	33.09	-55.77	0.43	-95.23	70.19	-25.00	-22.29	Vertical	
2	8014.00	-44.88	RMS	37.20	-53.53	0.42	-95.23	66.26	-25.00	-19.88	Vertical	
3	10685.00	-56.23	RMS	39.20	-51.95	0.45	-95.23	51.30	-25.00	-31.23	Vertical	
4	13356.00	-51.91	RMS	40.10	-48.98	0.47	-95.23	51.73	-25.00	-26.91	Vertical	




EN-DC <Ant. 0+2>

Part 27M Mode 15

EN-DC B2+n41 10M + 20M Ch18900 1RB0 QPSK + Ch518598 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

: LTE Band B2 10M Ch18900 1RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	5168.00	-62.22	RMS	33.36	-56.20	0.47	-95.23	55.38	-25.00	-37.22 Horizontal
2	7752.00	-59.60	RMS	36.81	-53.39	0.40	-95.23	51.81	-25.00	-34.60 Horizontal
3	10337.00	-57.17	RMS	38.70	-52.35	0.46	-95.23	51.25	-25.00	-32.17 Horizontal



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

: LTE Band B2 10M Ch18900 1RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	5168.00	-62.09	RMS	33.36	-56.20	0.47	-95.23	55.51	-25.00	-37.09 Vertical
2	7752.00	-59.69	RMS	36.81	-53.39	0.40	-95.23	51.72	-25.00	-34.69 Vertical
3	10337.00	-57.23	RMS	38.70	-52.35	0.46	-95.23	51.19	-25.00	-32.23 Vertical




TxD <Ant. 2+0>

Part 27M Mode 16

NR SA n41 PC1.5 20M Ch501204 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

: NR SA n41 20M Ch501204 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	4994.00	-59.65 RMS	33.39	-56.66	0.47	-95.23	58.38	-25.00	-34.65	Horizontal
2	7491.00	-51.82 RMS	36.62	-53.40	0.34	-95.23	59.85	-25.00	-26.82	Horizontal
3	9989.00	-56.72 RMS	38.26	-52.78	0.47	-95.23	52.56	-25.00	-31.72	Horizontal



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

: NR SA n41 20M Ch501204 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	4994.00	-60.86 RMS	33.39	-56.66	0.47	-95.23	57.17	-25.00	-35.86	Vertical
2	7491.00	-53.89 RMS	36.62	-53.40	0.34	-95.23	57.78	-25.00	-28.89	Vertical
3	9989.00	-56.71 RMS	38.26	-52.78	0.47	-95.23	52.57	-25.00	-31.71	Vertical




TxD <Ant. 2+0>

Part 27M Mode 16

NR SA n41 PC1.5 20M Ch518598 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

NR SA n41 20M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5168.00	-57.94 RMS	33.36	-56.20	0.47	-95.23	59.66	-25.00	-32.94	Horizontal
2	7752.00	-51.22 RMS	36.81	-53.39	0.40	-95.23	60.19	-25.00	-26.22	Horizontal
3	10337.00	-56.11 RMS	38.70	-52.35	0.46	-95.23	52.31	-25.00	-31.11	Horizontal



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

NR SA n41 20M Ch518598 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5168.00	-59.09 RMS	33.36	-56.20	0.47	-95.23	58.51	-25.00	-34.09	Vertical
2	7752.00	-54.72 RMS	36.81	-53.39	0.40	-95.23	56.69	-25.00	-29.72	Vertical
3	10337.00	-56.34 RMS	38.70	-52.35	0.46	-95.23	52.08	-25.00	-31.34	Vertical




TxD <Ant. 2+0>

Part 27M Mode 16

NR SA n41 PC1.5 20M Ch535998 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

: NR SA n41 20M Ch535998 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5343.00	-57.41 RMS	33.09	-55.77	0.43	-95.23	60.07	-25.00	-32.41	Horizontal
2	8014.00	-47.54 RMS	37.20	-53.53	0.42	-95.23	63.60	-25.00	-22.54	Horizontal
3	10685.00	-56.26 RMS	39.20	-51.95	0.45	-95.23	51.27	-25.00	-31.26	Horizontal



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

: NR SA n41 20M Ch535998 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5343.00	-55.27 RMS	33.09	-55.77	0.43	-95.23	62.21	-25.00	-30.27	Vertical
2	8014.00	-38.61 RMS	37.20	-53.53	0.42	-95.23	72.53	-25.00	-13.61	Vertical
3	10685.00	-56.60 RMS	39.20	-51.95	0.45	-95.23	50.93	-25.00	-31.60	Vertical




TxD <Ant. 1+5>

Part 27M Mode 17

NR SA n41 PC1.5 20M Ch501204 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

: NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4994.00	-58.20	RMS	33.39	-56.66	0.47	-95.23	59.83	-25.00	-33.20	Horizontal	
2	7491.00	-45.66	RMS	36.62	-53.40	0.34	-95.23	66.01	-25.00	-20.66	Horizontal	
3	9989.00	-56.92	RMS	38.26	-52.78	0.47	-95.23	52.36	-25.00	-31.92	Horizontal	



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

: NR SA n41 20M Ch501204 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4994.00	-59.29	RMS	33.39	-56.66	0.47	-95.23	58.74	-25.00	-34.29	Vertical	
2	7491.00	-50.10	RMS	36.62	-53.40	0.34	-95.23	61.57	-25.00	-25.10	Vertical	
3	9989.00	-57.13	RMS	38.26	-52.78	0.47	-95.23	52.15	-25.00	-32.13	Vertical	




TxD <Ant. 1+5>

Part 27M Mode 17

NR SA n41 PC1.5 20M Ch518598 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	5168.00	-48.08	RMS	33.36	-56.20	0.47	-95.23	69.52	-25.00	-23.08	Horizontal	
2	7752.00	-38.68	RMS	36.81	-53.39	0.40	-95.23	72.73	-25.00	-13.68	Horizontal	
3	10337.00	-56.14	RMS	38.70	-52.35	0.46	-95.23	52.28	-25.00	-31.14	Horizontal	



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
1	5168.00	-49.31	RMS	33.36	-56.20	0.47	-95.23	68.29	-25.00	-24.31	Vertical	
2	7752.00	-42.21	RMS	36.81	-53.39	0.40	-95.23	69.20	-25.00	-17.21	Vertical	
3	10337.00	-56.43	RMS	38.70	-52.35	0.46	-95.23	51.99	-25.00	-31.43	Vertical	




TxD <Ant. 1+5>

Part 27M Mode 17

NR SA n41 PC1.5 20M Ch535998 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

: NR SA n41 20M Ch535998 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5343.00	-44.90 RMS	33.09	-55.77	0.43	-95.23	72.58	-25.00	-19.90	Horizontal
2	8014.00	-38.24 RMS	37.20	-53.53	0.42	-95.23	72.90	-25.00	-13.24	Horizontal
3	10685.00	-56.08 RMS	39.20	-51.95	0.45	-95.23	51.45	-25.00	-31.08	Horizontal



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

: NR SA n41 20M Ch535998 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	5343.00	-43.17 RMS	33.09	-55.77	0.43	-95.23	74.31	-25.00	-18.17	Vertical
2	8014.00	-43.69 RMS	37.20	-53.53	0.42	-95.23	67.45	-25.00	-18.69	Vertical
3	10685.00	-55.30 RMS	39.20	-51.95	0.45	-95.23	52.23	-25.00	-30.30	Vertical




Ant. 0

Part 90R Mode 5

NR SA n14 5M Ch158100 1RB1 QPSK

L




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1577.00	-62.93	RMS	25.47	-29.56	0.82 -95.23	35.57	-42.15	-20.78	Horizontal
2	2365.00	-46.08	RMS	27.40	-27.40	0.56 -95.23	48.59	-13.00	-33.08	Horizontal
3	3153.00	-57.03	RMS	29.89	-26.54	0.38 -95.23	34.47	-13.00	-44.03	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1577.00	-62.89	RMS	25.47	-29.56	0.82 -95.23	35.61	-42.15	-20.74	Vertical
2	2365.00	-48.72	RMS	27.40	-27.40	0.56 -95.23	45.95	-13.00	-35.72	Vertical
3	3153.00	-56.69	RMS	29.89	-26.54	0.38 -95.23	34.81	-13.00	-43.69	Vertical




Ant. 0

Part 90R Mode 5

NR SA n14 5M Ch158600 1RB1 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1582.00	-62.12	RMS		25.52	-29.54	0.81	-95.23	36.32	-42.15	-19.97 Horizontal
2	2373.00	-44.98	RMS		27.37	-27.40	0.56	-95.23	49.72	-13.00	-31.98 Horizontal
3	3163.00	-56.62	RMS		29.85	-26.52	0.38	-95.23	34.90	-13.00	-43.62 Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1582.00	-62.33	RMS		25.52	-29.54	0.81	-95.23	36.11	-42.15	-20.18 Vertical
2	2373.00	-47.13	RMS		27.37	-27.40	0.56	-95.23	47.57	-13.00	-34.13 Vertical
3	3163.00	-56.72	RMS		29.85	-26.52	0.38	-95.23	34.80	-13.00	-43.72 Vertical




Ant. 0

Part 90R Mode 5

NR SA n14 5M Ch159100 1RB1 QPSK

H




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-62.80	RMS	25.57	-29.51	0.80	-95.23	35.57	-42.15	-20.65	Horizontal
2	2380.00	-42.94	RMS	27.30	-27.39	0.55	-95.23	51.83	-13.00	-29.94	Horizontal
3	3173.00	-56.43	RMS	29.81	-26.51	0.38	-95.23	35.12	-13.00	-43.43	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-63.03	RMS	25.57	-29.51	0.80	-95.23	35.34	-42.15	-20.88	Vertical
2	2380.00	-47.85	RMS	27.30	-27.39	0.55	-95.23	46.92	-13.00	-34.85	Vertical
3	3173.00	-56.61	RMS	29.81	-26.51	0.38	-95.23	34.94	-13.00	-43.61	Vertical




Ant. 0

Part 90R Mode 6

NR SA n14 10M Ch158600 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1578.00	-57.94	RMS	25.48	-29.56	0.82	-95.23	40.55	-42.15	-15.79	Horizontal
2	2366.00	-58.84	RMS	27.40	-27.40	0.56	-95.23	35.83	-13.00	-45.84	Horizontal
3	3155.00	-56.25	RMS	29.88	-26.53	0.38	-95.23	35.25	-13.00	-43.25	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1578.00	-61.28	RMS	25.48	-29.56	0.82	-95.23	37.21	-42.15	-19.13	Vertical
2	2366.00	-58.81	RMS	27.40	-27.40	0.56	-95.23	35.86	-13.00	-45.81	Vertical
3	3155.00	-56.00	RMS	29.88	-26.53	0.38	-95.23	35.50	-13.00	-43.00	Vertical




Ant. 1

Part 90R Mode 7

NR SA n14 5M Ch158100 1RB0 QPSK

L




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

NR SA n14 10M Ch158100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
				Factor	1						
1	1577.00	-62.83	RMS	25.47	-29.56	0.82	-95.23	35.67	-42.15	-20.68	Horizontal
2	2366.00	-59.22	RMS	27.40	-27.40	0.56	-95.23	35.45	-13.00	-46.22	Horizontal
3	3154.00	-56.59	RMS	29.88	-26.54	0.38	-95.23	34.92	-13.00	-43.59	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

NR SA n14 10M Ch158100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
				Factor	1						
1	1577.00	-62.51	RMS	25.47	-29.56	0.82	-95.23	35.99	-42.15	-20.36	Vertical
2	2366.00	-57.94	RMS	27.40	-27.40	0.56	-95.23	36.73	-13.00	-44.94	Vertical
3	3154.00	-56.60	RMS	29.88	-26.54	0.38	-95.23	34.91	-13.00	-43.60	Vertical




Ant. 1

Part 90R Mode 7

NR SA n14 5M Ch158600 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1582.00	-62.21	RMS	25.52	-29.54	0.81	-95.23	36.23	-42.15	-20.06	Horizontal
2	2373.00	-56.74	RMS	27.37	-27.40	0.56	-95.23	37.96	-13.00	-43.74	Horizontal
3	3164.00	-56.01	RMS	29.84	-26.52	0.38	-95.23	35.52	-13.00	-43.01	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1582.00	-62.20	RMS	25.52	-29.54	0.81	-95.23	36.24	-42.15	-20.05	Vertical
2	2373.00	-55.60	RMS	27.37	-27.40	0.56	-95.23	39.10	-13.00	-42.60	Vertical
3	3164.00	-56.10	RMS	29.84	-26.52	0.38	-95.23	35.43	-13.00	-43.10	Vertical




Ant. 1

Part 90R Mode 7

NR SA n14 5M Ch159100 1RB0 QPSK

H




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

NR SA n14 10M Ch159100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1587.00	-62.00	RMS	25.57	-29.51	0.80 -95.23	36.37	-42.15	-19.85	Horizontal
2	2380.00	-55.66	RMS	27.30	-27.39	0.55 -95.23	39.11	-13.00	-42.66	Horizontal
3	3174.00	-56.36	RMS	29.80	-26.51	0.38 -95.23	35.20	-13.00	-43.36	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

NR SA n14 10M Ch159100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	1587.00	-62.57	RMS	25.57	-29.51	0.80 -95.23	35.80	-42.15	-20.42	Vertical
2	2380.00	-53.54	RMS	27.30	-27.39	0.55 -95.23	41.23	-13.00	-40.54	Vertical
3	3174.00	-56.52	RMS	29.80	-26.51	0.38 -95.23	35.04	-13.00	-43.52	Vertical




Ant. 1

Part 90R Mode 8

NR SA n14 10M Ch158600 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1578.00	-62.56	RMS	25.48	-29.56	0.82	-95.23	35.93	-42.15	-20.41	Horizontal
2	2366.00	-53.65	RMS	27.40	-27.40	0.56	-95.23	41.02	-13.00	-40.65	Horizontal
3	3155.00	-55.61	RMS	29.88	-26.53	0.38	-95.23	35.89	-13.00	-42.61	Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: NR SA n14 10M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1578.00	-61.97	RMS	25.48	-29.56	0.82	-95.23	36.52	-42.15	-19.82	Vertical
2	2366.00	-52.94	RMS	27.40	-27.40	0.56	-95.23	41.73	-13.00	-39.94	Vertical
3	3155.00	-56.38	RMS	29.88	-26.53	0.38	-95.23	35.12	-13.00	-43.38	Vertical




Ant. 0

Part 90S Mode 5

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 5M Ch163300 1RB1 BPSK

Plane : X Close With Adapter

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-57.57	RMS	25.51	-29.33	0.76	-95.23	40.72	-13.00	-44.57	Horizontal
2	2444.00	-50.58	RMS	27.70	-27.33	0.52	-95.23	43.76	-13.00	-37.58	Horizontal
3	3258.00	-56.26	RMS	29.80	-26.37	0.39	-95.23	35.15	-13.00	-43.26	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 5M Ch163300 1RB1 BPSK

Plane : X Close With Adapter

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-59.51	RMS	25.51	-29.33	0.76	-95.23	38.78	-13.00	-46.51	Vertical
2	2444.00	-49.19	RMS	27.70	-27.33	0.52	-95.23	45.15	-13.00	-36.19	Vertical
3	3258.00	-56.52	RMS	29.80	-26.37	0.39	-95.23	34.89	-13.00	-43.52	Vertical




Ant. 0

Part 90S Mode 5

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 5M Ch163800 1RB1 BPSK

Plane : X Close With Adapter

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1634.00	-56.17	RMS	25.46	-29.31	0.76	-95.23	42.15	-13.00	-43.17	Horizontal
2	2451.00	-50.40	RMS	27.70	-27.33	0.52	-95.23	43.94	-13.00	-37.40	Horizontal
3	3268.00	-56.18	RMS	29.80	-26.35	0.39	-95.23	35.21	-13.00	-43.18	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 5M Ch163800 1RB1 BPSK

Plane : X Close With Adapter

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1634.00	-58.52	RMS	25.46	-29.31	0.76	-95.23	39.80	-13.00	-45.52	Vertical
2	2451.00	-48.44	RMS	27.70	-27.33	0.52	-95.23	45.90	-13.00	-35.44	Vertical
3	3268.00	-56.13	RMS	29.80	-26.35	0.39	-95.23	35.26	-13.00	-43.13	Vertical




Ant. 0

Part 90S Mode 5


NR SA n26 5M Ch164300 1RB1 BPSK

H



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Horizontal
NR SA n26 5M Ch164300 1RB1 BPSK
Plane : X Close With Adacter

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1639.00	-55.06	RMS	25.41	-29.29	0.76	-95.23	43.29	-13.00	-42.06	Horizontal
2	2459.00	-49.58	RMS	27.70	-27.32	0.52	-95.23	44.75	-13.00	-36.58	Horizontal
3	3278.00	-56.17	RMS	29.80	-26.33	0.39	-95.23	35.20	-13.00	-43.17	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Vertical
NR SA n26 5M Ch164300 1RB1 BPSK
Plane : X Close With Adacter

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1639.00	-54.40	RMS	25.41	-29.29	0.76	-95.23	43.95	-13.00	-41.40	Vertical
2	2459.00	-47.99	RMS	27.70	-27.32	0.52	-95.23	46.34	-13.00	-34.99	Vertical
3	3278.00	-55.93	RMS	29.80	-26.33	0.39	-95.23	35.44	-13.00	-42.93	Vertical




Ant. 0

Part 90S Mode 7

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1635.00	-58.12	RMS	25.45	-29.30	0.76	-95.23	40.20	-13.00	-45.12	Horizontal
2	2452.00	-53.95	RMS	27.70	-27.33	0.52	-95.23	40.39	-13.00	-40.95	Horizontal
3	3269.00	-56.10	RMS	29.80	-26.35	0.39	-95.23	35.29	-13.00	-43.10	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1635.00	-60.48	RMS	25.45	-29.30	0.76	-95.23	37.84	-13.00	-47.48	Vertical
2	2452.00	-51.69	RMS	27.70	-27.33	0.52	-95.23	42.65	-13.00	-38.69	Vertical
3	3269.00	-56.21	RMS	29.80	-26.35	0.39	-95.23	35.18	-13.00	-43.21	Vertical




Ant. 1

Part 90S Mode 6

NR SA n26 5M Ch163300 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
				Factor	1						
1	1632.00	-62.98	RMS	25.48	-29.31	0.76	-95.23	35.32	-13.00	-49.98	Horizontal
2	2444.00	-57.59	RMS	27.70	-27.33	0.52	-95.23	36.75	-13.00	-44.59	Horizontal
3	3256.00	-56.57	RMS	29.80	-26.37	0.39	-95.23	34.84	-13.00	-43.57	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 5M Ch163300 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
				Factor	1						
1	1632.00	-62.58	RMS	25.48	-29.31	0.76	-95.23	35.72	-13.00	-49.58	Vertical
2	2444.00	-58.11	RMS	27.70	-27.33	0.52	-95.23	36.23	-13.00	-45.11	Vertical
3	3256.00	-56.45	RMS	29.80	-26.37	0.39	-95.23	34.96	-13.00	-43.45	Vertical




Ant. 1

Part 90S Mode 6

NR SA n26 5M Ch163800 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1634.00	-62.74	RMS	25.46	-29.31	0.76	-95.23	35.58	-13.00	-49.74	Horizontal
2	2451.00	-59.69	RMS	27.70	-27.33	0.52	-95.23	34.65	-13.00	-46.69	Horizontal
3	3268.00	-56.26	RMS	29.80	-26.35	0.39	-95.23	35.13	-13.00	-43.26	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 5M Ch163800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1634.00	-62.70	RMS	25.46	-29.31	0.76	-95.23	35.62	-13.00	-49.70	Vertical
2	2451.00	-59.48	RMS	27.70	-27.33	0.52	-95.23	34.86	-13.00	-46.48	Vertical
3	3268.00	-56.53	RMS	29.80	-26.35	0.39	-95.23	34.86	-13.00	-43.53	Vertical




Ant. 1

Part 90S Mode 6

NR SA n26 5M Ch164300 1RB1 BPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm				dB	dB	dB	dBuV	dBm	dB		
1	1639.00	-62.09	RMS	25.41	-29.29	0.76	-95.23	36.26	-13.00	-49.09	Horizontal		
2	2459.00	-55.35	RMS	27.70	-27.32	0.52	-95.23	38.98	-13.00	-42.35	Horizontal		
3	3278.00	-56.40	RMS	29.80	-26.33	0.39	-95.23	34.97	-13.00	-43.40	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 5M Ch164300 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm				dB	dB	dB	dBuV	dBm	dB		
1	1639.00	-62.44	RMS	25.41	-29.29	0.76	-95.23	35.91	-13.00	-49.44	Vertical		
2	2459.00	-55.12	RMS	27.70	-27.32	0.52	-95.23	39.21	-13.00	-42.12	Vertical		
3	3278.00	-56.31	RMS	29.80	-26.33	0.39	-95.23	35.06	-13.00	-43.31	Vertical		




Ant. 1

Part 90S Mode 8

NR SA n26 15M Ch164800 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
				Factor	1						
1	1635.00	-62.39	RMS	25.45	-29.30	0.76	-95.23	35.93	-13.00	-49.39	Horizontal
2	2453.00	-55.84	RMS	27.70	-27.33	0.52	-95.23	38.50	-13.00	-42.84	Horizontal
3	3270.00	-56.81	RMS	29.80	-26.35	0.39	-95.23	34.58	-13.00	-43.81	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter dB	EIRPCF dB	Readin dBuV	Limit dBm	Margin dB	Pol
				Factor	1						
1	1635.00	-62.67	RMS	25.45	-29.30	0.76	-95.23	35.65	-13.00	-49.67	Vertical
2	2453.00	-55.98	RMS	27.70	-27.33	0.52	-95.23	38.36	-13.00	-42.98	Vertical
3	3270.00	-56.53	RMS	29.80	-26.35	0.39	-95.23	34.86	-13.00	-43.53	Vertical




EN-DC <Ant. 2+0>

Part 90S Mode 9

EN-DC B2+n26 10M + 15M Ch18900 1RB0 QPSK + Ch164800 1RB1 BPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 2 10M Ch18900 1RB0 QPSK

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
				dB/m	dB	dB	dB	dBuV	dBm	dB
1	1635.00	-62.67	RMS	25.45	-29.30	0.76	-95.23	35.65	-13.00	-49.67 Horizontal
2	2453.00	-59.24	RMS	27.70	-27.33	0.52	-95.23	35.10	-13.00	-46.24 Horizontal
3	3270.00	-56.52	RMS	29.80	-26.35	0.39	-95.23	34.87	-13.00	-43.52 Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 2 10M Ch18900 1RB0 QPSK

: NR SA n26 15M Ch164800 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
				dB/m	dB	dB	dB	dBuV	dBm	dB
1	1635.00	-62.73	RMS	25.45	-29.30	0.76	-95.23	35.59	-13.00	-49.73 Vertical
2	2453.00	-59.30	RMS	27.70	-27.33	0.52	-95.23	35.04	-13.00	-46.30 Vertical
3	3270.00	-56.05	RMS	29.80	-26.35	0.39	-95.23	35.34	-13.00	-43.05 Vertical

Remark: The signal between #1 and #2 is fundamental signal which can be ignored.




Ant. 1

Part 27M Mode 13

NR SA n41 HPUE 20M Ch501204 1RB1 BPSK

L




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

: NR SA n41 20M Ch501204 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2497.29	23.57	RMS	28.07	6.92	0.00	-95.23	83.81	-25.00	48.57	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

: NR SA n41 20M Ch501204 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	2497.29	21.87	RMS	28.07	6.92	0.00	-95.23	82.11	-25.00	46.87	Vertical

Remark: #1 is fundamental signal which can be ignored.

—THE END—