




Ant.1

Part 27M Mode 2


LTE B7 10M Ch21100 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Horizontal
: LTE Band 7 10M Ch21100 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5061.00	-51.27	RMS	33.20	-24.06	0.47	-95.23	34.35	-25.00	-26.27 Horizontal
2	7591.00	-47.03	RMS	36.38	-22.02	0.36	-95.23	33.48	-25.00	-22.03 Horizontal
3	10122.00	-41.85	RMS	38.54	-20.22	0.47	-95.23	34.59	-25.00	-16.85 Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Vertical
: LTE Band 7 10M Ch21100 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5061.00	-51.34	RMS	33.20	-24.06	0.47	-95.23	34.28	-25.00	-26.34 Vertical
2	7591.00	-47.03	RMS	36.38	-22.02	0.36	-95.23	33.48	-25.00	-22.03 Vertical
3	10122.00	-42.24	RMS	38.54	-20.22	0.47	-95.23	34.20	-25.00	-17.24 Vertical




Ant.1

Part 27M Mode 2

LTE B7 10M Ch21400 1RB0 QPSK

H




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

: LTE Band 7 10M Ch21400 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5121.00	-51.83	RMS	33.28	-24.00	0.47	-95.23	33.65	-25.00	-26.83 Horizontal
2	7681.00	-46.30	RMS	36.56	-21.98	0.38	-95.23	33.97	-25.00	-21.30 Horizontal
3	10242.00	-41.72	RMS	38.80	-20.06	0.46	-95.23	34.31	-25.00	-16.72 Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

: LTE Band 7 10M Ch21400 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5121.00	-51.13	RMS	33.28	-24.00	0.47	-95.23	34.35	-25.00	-26.13 Vertical
2	7681.00	-46.31	RMS	36.56	-21.98	0.38	-95.23	33.96	-25.00	-21.31 Vertical
3	10242.00	-41.64	RMS	38.80	-20.06	0.46	-95.23	34.39	-25.00	-16.64 Vertical




Ant.1

Part 27M Mode 4


LTE CA 7C Ch20850 + Ch21048

L



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Horizontal
: LTE Band 7 20M Ch20850 1RB99 QPSK
: LTE Band 7 20M Ch21048 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5037.00	-51.11	RMS	33.25	-24.08	0.47	-95.23	34.48	-25.00	-26.11	Horizontal
2	7556.00	-46.79	RMS	36.31	-22.04	0.35	-95.23	33.82	-25.00	-21.79	Horizontal
3	10075.00	-42.17	RMS	38.45	-20.28	0.47	-95.23	34.42	-25.00	-17.17	Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Vertical
: LTE Band 7 20M Ch20850 1RB99 QPSK
: LTE Band 7 20M Ch21048 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5037.00	-51.37	RMS	33.25	-24.08	0.47	-95.23	34.22	-25.00	-26.37	Vertical
2	7556.00	-46.52	RMS	36.31	-22.04	0.35	-95.23	34.09	-25.00	-21.52	Vertical
3	10075.00	-42.09	RMS	38.45	-20.28	0.47	-95.23	34.50	-25.00	-17.09	Vertical




Ant.1

Part 27M Mode 4


LTE CA 7C Ch21001 + Ch21199

M



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Horizontal
: LTE Band 7 20M Ch21001 1RB99 QPSK
: LTE Band 7 20M Ch21199 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dBm		
1	5068.00	-51.36	RMS	33.20	-24.05	0.47	-95.23	34.25	-25.00	-26.36 Horizontal
2	7602.00	-46.93	RMS	36.40	-22.02	0.36	-95.23	33.56	-25.00	-21.93 Horizontal
3	10136.00	-41.88	RMS	38.57	-20.20	0.47	-95.23	34.51	-25.00	-16.88 Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Vertical
: LTE Band 7 20M Ch21001 1RB99 QPSK
: LTE Band 7 20M Ch21199 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dBm		
1	5068.00	-51.57	RMS	33.20	-24.05	0.47	-95.23	34.04	-25.00	-26.57 Vertical
2	7602.00	-47.21	RMS	36.40	-22.02	0.36	-95.23	33.28	-25.00	-22.21 Vertical
3	10136.00	-42.09	RMS	38.57	-20.20	0.47	-95.23	34.30	-25.00	-17.09 Vertical




Ant.1

Part 27M Mode 4


LTE CA 7C Ch21152 + Ch21350

H




Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Horizontal
: LTE Band 7 20M Ch21152 1RB99 QPSK
: LTE Band 7 20M Ch21350 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5097.00	-51.53	RMS	33.20	-24.02	0.47	-95.23	34.05	-25.00	-26.53	Horizontal
2	7646.00	-46.54	RMS	36.49	-22.00	0.37	-95.23	33.83	-25.00	-21.54	Horizontal
3	10195.00	-41.80	RMS	38.78	-20.12	0.46	-95.23	34.31	-25.00	-16.80	Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Vertical
: LTE Band 7 20M Ch21152 1RB99 QPSK
: LTE Band 7 20M Ch21350 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5097.00	-51.91	RMS	33.20	-24.02	0.47	-95.23	33.67	-25.00	-26.91	Vertical
2	7646.00	-46.76	RMS	36.49	-22.00	0.37	-95.23	33.61	-25.00	-21.76	Vertical
3	10195.00	-41.94	RMS	38.78	-20.12	0.46	-95.23	34.17	-25.00	-16.94	Vertical


Ant.1
Part 27M Mode 6
LTE B41 10M Ch39700 1RB0 QPSK
L


Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

: LTE Band 41 10M Ch39700 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4993.00	-60.96	RMS	33.39	-56.66	0.47	-95.23	57.07	-25.00	-35.96	Horizontal
2	7489.00	-52.17	RMS	36.62	-53.40	0.34	-95.23	59.50	-25.00	-27.17	Horizontal
3	9986.00	-57.74	RMS	38.24	-52.78	0.47	-95.23	51.56	-25.00	-32.74	Horizontal



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

: LTE Band 41 10M Ch39700 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	4993.00	-60.96	RMS	33.39	-56.66	0.47	-95.23	57.07	-25.00	-35.96	Vertical
2	7489.00	-47.43	RMS	36.62	-53.40	0.34	-95.23	64.24	-25.00	-22.43	Vertical
3	9986.00	-57.82	RMS	38.24	-52.78	0.47	-95.23	51.48	-25.00	-32.82	Vertical




Ant.1

Part 27M Mode 6


LTE B41 10M Ch40620 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Horizontal
: LTE Band 41 10M Ch40620 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5177.00	-59.91	RMS	33.35	-56.17	0.47	-95.23	57.67	-25.00	-34.91 Horizontal
2	7766.00	-57.08	RMS	36.86	-53.39	0.40	-95.23	54.28	-25.00	-32.08 Horizontal
3	10354.00	-56.93	RMS	38.71	-52.33	0.46	-95.23	51.46	-25.00	-31.93 Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Vertical
: LTE Band 41 10M Ch40620 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5177.00	-61.01	RMS	33.35	-56.17	0.47	-95.23	56.57	-25.00	-36.01 Vertical
2	7766.00	-57.95	RMS	36.86	-53.39	0.40	-95.23	53.41	-25.00	-32.95 Vertical
3	10354.00	-57.05	RMS	38.71	-52.33	0.46	-95.23	51.34	-25.00	-32.05 Vertical




Ant.1

Part 27M Mode 6

LTE B41 10M Ch41540 1RB0 QPSK

H




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

: LTE Band 41 10M Ch40620 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	5361.00	-63.24	RMS	33.08	-55.72	0.43	-95.23	54.20	-25.00	-38.24	Horizontal
2	8042.00	-39.65	RMS	37.20	-53.52	0.41	-95.23	71.49	-25.00	-14.65	Horizontal
3	10722.00	-57.24	RMS	39.16	-51.91	0.45	-95.23	50.29	-25.00	-32.24	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

: LTE Band 41 10M Ch40620 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
				Factor	1						
1	5361.00	-60.56	RMS	33.08	-55.72	0.43	-95.23	56.88	-25.00	-35.56	Vertical
2	8042.00	-41.07	RMS	37.20	-53.52	0.41	-95.23	70.07	-25.00	-16.07	Vertical
3	10722.00	-56.98	RMS	39.16	-51.91	0.45	-95.23	50.55	-25.00	-31.98	Vertical




Ant.1

Part 27M Mode 8


LTE CA 41C Ch39750 + Ch39948

L



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Horizontal
: LTE Band 41 20M Ch39750 1RB99 QPSK
: LTE Band 41 20M Ch39948 1RB0 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin Pol	
	MHz	dBm			dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5029.00	-61.76	RMS	33.28	-56.56	0.47	-95.23	56.28	-25.00	-36.76	Horizontal		
2	7544.00	-59.57	RMS	36.34	-53.41	0.35	-95.23	52.38	-25.00	-34.57	Horizontal		
3	10059.00	-57.73	RMS	38.42	-52.70	0.47	-95.23	51.31	-25.00	-32.73	Horizontal		



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Vertical
: LTE Band 41 20M Ch39750 1RB99 QPSK
: LTE Band 41 20M Ch39948 1RB0 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin Pol	
	MHz	dBm			dB/m	dB	dB	dB	dB	dBuV	dBm	dB	
1	5029.00	-61.54	RMS	33.28	-56.56	0.47	-95.23	56.50	-25.00	-36.54	Vertical		
2	7544.00	-59.51	RMS	36.34	-53.41	0.35	-95.23	52.44	-25.00	-34.51	Vertical		
3	10059.00	-57.65	RMS	38.42	-52.70	0.47	-95.23	51.39	-25.00	-32.65	Vertical		




Ant.1

Part 27M Mode 8


LTE CA 41C Ch40521 + Ch40719

M



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Horizontal
: LTE Band 41 20M Ch40521 1RB99 QPSK
: LTE Band 41 20M Ch40719 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5338.00	-63.06	RMS	33.08	-55.78	0.44	-95.23	54.43	-25.00	-38.06	Horizontal
2	8007.00	-58.71	RMS	37.20	-53.53	0.42	-95.23	52.43	-25.00	-33.71	Horizontal
3	10676.00	-57.24	RMS	39.20	-51.96	0.45	-95.23	50.30	-25.00	-32.24	Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Vertical
: LTE Band 41 20M Ch40521 1RB99 QPSK
: LTE Band 41 20M Ch40719 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	5338.00	-62.74	RMS	33.08	-55.78	0.44	-95.23	54.75	-25.00	-37.74	Vertical
2	8007.00	-58.76	RMS	37.20	-53.53	0.42	-95.23	52.38	-25.00	-33.76	Vertical
3	10676.00	-57.30	RMS	39.20	-51.96	0.45	-95.23	50.24	-25.00	-32.30	Vertical




Ant.1

Part 27M Mode 8


LTE CA 41C Ch41292 + Ch41490

H



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Horizontal
: LTE Band 41 20M Ch41292 1RB99 QPSK
: LTE Band 41 20M Ch41490 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dBuV	dBm		
1	5338.00	-63.14	RMS	33.08	-55.78	0.44 -95.23	54.35	-25.00	-38.14	Horizontal
2	8007.00	-58.80	RMS	37.20	-53.53	0.42 -95.23	52.34	-25.00	-33.80	Horizontal
3	10676.00	-57.08	RMS	39.20	-51.96	0.45 -95.23	50.46	-25.00	-32.08	Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Vertical
: LTE Band 41 20M Ch41292 1RB99 QPSK
: LTE Band 41 20M Ch41490 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dBuV	dBm		
1	5338.00	-62.79	RMS	33.08	-55.78	0.44 -95.23	54.70	-25.00	-37.79	Vertical
2	8007.00	-59.00	RMS	37.20	-53.53	0.42 -95.23	52.14	-25.00	-34.00	Vertical
3	10676.00	-57.18	RMS	39.20	-51.96	0.45 -95.23	50.36	-25.00	-32.18	Vertical




Ant.2

Part 27M Mode 9

LTE B41 10M Ch39700 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

: LTE Band 41 10M Ch39700 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4993.00	-59.67	RMS	33.39	-56.66	0.47	-95.23	58.36	-25.00	-34.67	Horizontal
2	7489.00	-32.44	RMS	36.62	-53.40	0.34	-95.23	79.23	-25.00	-7.44	Horizontal
3	9986.00	-57.89	RMS	38.24	-52.78	0.47	-95.23	51.41	-25.00	-32.89	Horizontal
4	12482.00	-35.02	RMS	38.93	-48.97	0.43	-95.23	69.82	-25.00	-10.02	Horizontal



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

: LTE Band 41 10M Ch39700 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4993.00	-57.01	RMS	33.39	-56.66	0.47	-95.23	61.02	-25.00	-32.01	Vertical
2	7489.00	-31.26	RMS	36.62	-53.40	0.34	-95.23	80.41	-25.00	-6.26	Vertical
3	9986.00	-57.45	RMS	38.24	-52.78	0.47	-95.23	51.85	-25.00	-32.45	Vertical
4	12482.00	-40.35	RMS	38.93	-48.97	0.43	-95.23	64.49	-25.00	-15.35	Vertical




Ant.2

Part 27M Mode 9

LTE B41 10M Ch40620 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

: LTE Band 41 10M Ch40620 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5177.00	-61.97	RMS		33.35	-56.17	0.47	-95.23	55.61	-25.00	-36.97 Horizontal
2	7766.00	-37.76	RMS		36.86	-53.39	0.40	-95.23	73.60	-25.00	-12.76 Horizontal
3	10354.00	-56.88	RMS		38.71	-52.33	0.46	-95.23	51.51	-25.00	-31.88 Horizontal
4	12943.00	-44.64	RMS		39.79	-49.00	0.45	-95.23	59.35	-25.00	-19.64 Horizontal



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

: LTE Band 41 10M Ch40620 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5177.00	-62.03	RMS		33.35	-56.17	0.47	-95.23	55.55	-25.00	-37.03 Vertical
2	7766.00	-39.67	RMS		36.86	-53.39	0.40	-95.23	71.69	-25.00	-14.67 Vertical
3	10354.00	-56.99	RMS		38.71	-52.33	0.46	-95.23	51.40	-25.00	-31.99 Vertical
4	12943.00	-47.69	RMS		39.79	-49.00	0.45	-95.23	56.30	-25.00	-22.69 Vertical




Ant.2

Part 27M Mode 9

LTE B41 10M Ch41540 1RB0 QPSK

H




Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Horizontal

: LTE Band 41 10M Ch41540 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1				g		
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5361.00	-59.95	RMS	33.08	-55.72	0.43	-95.23	57.49	-25.00	-34.95	Horizontal
2	8042.00	-43.47	RMS	37.20	-53.52	0.41	-95.23	67.67	-25.00	-18.47	Horizontal
3	10722.00	-57.23	RMS	39.16	-51.91	0.45	-95.23	50.30	-25.00	-32.23	Horizontal



Site : 03CH12-HY

Condition: -25 1m BBHA9170_1223_240622 Vertical

: LTE Band 41 10M Ch41540 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5361.00	-61.96	RMS	33.08	-55.72	0.43	-95.23	55.48	-25.00	-36.96	Vertical
2	8042.00	-49.56	RMS	37.20	-53.52	0.41	-95.23	61.58	-25.00	-24.56	Vertical
3	10722.00	-57.32	RMS	39.16	-51.91	0.45	-95.23	50.21	-25.00	-32.32	Vertical




Ant.1

Part 27M Mode 10

LTE B41 10M Ch39700 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

: LTE Band 41 10M Ch39700 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4993.00	-61.84	RMS	33.39	-56.66	0.47	-95.23	56.19	-25.00	-36.84	Horizontal
2	7489.00	-36.80	RMS	36.62	-53.40	0.34	-95.23	74.87	-25.00	-11.80	Horizontal
3	9986.00	-57.67	RMS	38.24	-52.78	0.47	-95.23	51.63	-25.00	-32.67	Horizontal
4	12482.00	-47.42	RMS	38.93	-48.97	0.43	-95.23	57.42	-25.00	-22.42	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

: LTE Band 41 10M Ch39700 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	4993.00	-62.06	RMS	33.39	-56.66	0.47	-95.23	55.97	-25.00	-37.06	Vertical
2	7489.00	-38.74	RMS	36.62	-53.40	0.34	-95.23	72.93	-25.00	-13.74	Vertical
3	9986.00	-57.61	RMS	38.24	-52.78	0.47	-95.23	51.69	-25.00	-32.61	Vertical
4	12482.00	-43.32	RMS	38.93	-48.97	0.43	-95.23	61.52	-25.00	-18.32	Vertical




Ant.1

Part 27M Mode 10


LTE B41 10M Ch40620 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Horizontal
: LTE Band 41 10M Ch40620 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5177.00	-61.80 RMS	33.35	-56.17	0.47	-95.23	55.78	-25.00	-36.80	Horizontal
2	7765.00	-35.45 RMS	36.86	-53.39	0.40	-95.23	75.91	-25.00	-10.45	Horizontal
3	10354.00	-56.71 RMS	38.71	-52.33	0.46	-95.23	51.68	-25.00	-31.71	Horizontal
4	12942.00	-53.06 RMS	39.78	-49.00	0.45	-95.23	50.94	-25.00	-28.06	Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Vertical
: LTE Band 41 10M Ch40620 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	5177.00	-62.00 RMS	33.35	-56.17	0.47	-95.23	55.58	-25.00	-37.00	Vertical
2	7765.00	-37.36 RMS	36.86	-53.39	0.40	-95.23	74.00	-25.00	-12.36	Vertical
3	10354.00	-56.68 RMS	38.71	-52.33	0.46	-95.23	51.71	-25.00	-31.68	Vertical
4	12942.00	-50.09 RMS	39.78	-49.00	0.45	-95.23	53.91	-25.00	-25.09	Vertical




Ant.1

Part 27M Mode 10


LTE B41 10M Ch41540 1RB0 QPSK

H



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Horizontal
: LTE Band 41 10M Ch41540 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5361.00	-63.39	RMS	33.08	-55.72	0.43	-95.23	54.05	-25.00	-38.39	Horizontal
2	8041.00	-54.85	RMS	37.20	-53.52	0.41	-95.23	56.29	-25.00	-29.85	Horizontal
3	10722.00	-57.25	RMS	39.16	-51.91	0.45	-95.23	50.28	-25.00	-32.25	Horizontal



Site : 03CH12-HY
Condition: -25 3m 9120D-02114-240711 Vertical
: LTE Band 41 10M Ch41540 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB			dBuV	dBm		
1	5361.00	-63.60	RMS	33.08	-55.72	0.43	-95.23	53.84	-25.00	-38.60	Vertical
2	8041.00	-51.03	RMS	37.20	-53.52	0.41	-95.23	60.11	-25.00	-26.03	Vertical
3	10722.00	-56.88	RMS	39.16	-51.91	0.45	-95.23	50.65	-25.00	-31.88	Vertical




Ant.2

Part 27L Mode 3

LTE B4 10M Ch20000 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 4 10M Ch20000 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3421.00	-56.70	RMS	29.66	-26.09	1.05	-95.23	33.91	-13.00	-43.70 Horizontal
2	5131.00	-49.83	RMS	33.32	-23.99	0.47	-95.23	35.60	-13.00	-36.83 Horizontal
3	6842.00	-48.33	RMS	36.10	-22.64	0.34	-95.23	33.10	-13.00	-35.33 Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 4 10M Ch20000 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3421.00	-56.36	RMS	29.66	-26.09	1.05	-95.23	34.25	-13.00	-43.36 Vertical
2	5131.00	-50.34	RMS	33.32	-23.99	0.47	-95.23	35.09	-13.00	-37.34 Vertical
3	6842.00	-48.02	RMS	36.10	-22.64	0.34	-95.23	33.41	-13.00	-35.02 Vertical




Ant.2

Part 27L Mode 3

LTE B4 10M Ch20175 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 4 10M Ch20175 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3456.00	-56.00	RMS	29.60	-26.04	1.01	-95.23	34.66	-13.00	-43.00
2	5184.00	-49.77	RMS	33.33	-23.93	0.47	-95.23	35.59	-13.00	-36.77
3	6912.00	-48.08	RMS	36.08	-22.54	0.34	-95.23	33.27	-13.00	-35.08



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 4 10M Ch20175 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3456.00	-56.26	RMS	29.60	-26.04	1.01	-95.23	34.40	-13.00	-43.26
2	5184.00	-49.67	RMS	33.33	-23.93	0.47	-95.23	35.69	-13.00	-36.67
3	6912.00	-47.86	RMS	36.08	-22.54	0.34	-95.23	33.49	-13.00	-34.86




Ant.2

Part 27L Mode 3

LTE B4 10M Ch20350 1RB0 QPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 4 10M Ch20350 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3491.00	-56.49	RMS	29.60	-25.99	0.97	-95.23	34.16	-13.00	-43.49
2	5236.00	-49.83	RMS	33.23	-23.89	0.46	-95.23	35.60	-13.00	-36.83
3	6982.00	-47.90	RMS	36.06	-22.44	0.34	-95.23	33.37	-13.00	-34.90



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 4 10M Ch20350 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3491.00	-56.34	RMS	29.60	-25.99	0.97	-95.23	34.31	-13.00	-43.34
2	5236.00	-51.15	RMS	33.23	-23.89	0.46	-95.23	34.28	-13.00	-38.15
3	6982.00	-47.53	RMS	36.06	-22.44	0.34	-95.23	33.74	-13.00	-34.53




Ant.2

Part 27L Mode 5


LTE CA 66C 20M + 20M Ch132072 1RB99 QPSK + Ch132270 1RB0 QPSK

L



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Horizontal
: LTE Band 66 20M Ch132072 1RB99 QPSK
: LTE Band 66 20M Ch132270 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3458.00	-55.81	RMS	29.60	-26.04	1.01	-95.23		34.85	-13.00	-42.81		Horizontal
2	5187.00	-51.05	RMS	33.33	-23.93	0.47	-95.23		34.31	-13.00	-38.05		Horizontal
3	6916.00	-47.50	RMS	36.07	-22.53	0.34	-95.23		33.85	-13.00	-34.50		Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Vertical
: LTE Band 66 20M Ch132072 1RB99 QPSK
: LTE Band 66 20M Ch132270 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm											
1	3458.00	-56.19	RMS	29.60	-26.04	1.01	-95.23		34.47	-13.00	-43.19		Vertical
2	5187.00	-51.50	RMS	33.33	-23.93	0.47	-95.23		33.86	-13.00	-38.50		Vertical
3	6916.00	-47.83	RMS	36.07	-22.53	0.34	-95.23		33.52	-13.00	-34.83		Vertical




Ant.2

Part 27L Mode 5


LTE CA 66C 20M + 20M Ch132323 1RB99 QPSK + Ch132521 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Horizontal
: LTE Band 66 20M Ch132323 1RB99 QPSK
: LTE Band 66 20M Ch132521 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB		dBuV	dBm	dB	
1	3508.00	-56.16	RMS	29.60	-25.96	0.96	-95.23	34.47	-13.00	-43.16	Horizontal		
2	5262.00	-51.76	RMS	33.15	-23.87	0.45	-95.23	33.74	-13.00	-38.76	Horizontal		
3	7016.00	-47.29	RMS	36.16	-22.40	0.34	-95.23	33.84	-13.00	-34.29	Horizontal		



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Vertical
: LTE Band 66 20M Ch132323 1RB99 QPSK
: LTE Band 66 20M Ch132521 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB		dBuV	dBm	dB	
1	3508.00	-55.96	RMS	29.60	-25.96	0.96	-95.23	34.67	-13.00	-42.96	Vertical		
2	5262.00	-51.63	RMS	33.15	-23.87	0.45	-95.23	33.87	-13.00	-38.63	Vertical		
3	7016.00	-47.45	RMS	36.16	-22.40	0.34	-95.23	33.68	-13.00	-34.45	Vertical		




Ant.2

Part 27L Mode 5


LTE CA 66C 20M + 20M Ch132374 1RB99 QPSK + Ch132572 1RB0 QPSK

H



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Horizontal
: LTE Band 66 20M Ch132374 1RB99 QPSK
: LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb		Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dB	dB	dBuV	dBm	dB	
1	3518.00	-55.93	RMS	29.60	-25.95	0.95	-95.23	34.70	-13.00	-42.93	Horizontal		
2	5277.00	-50.94	RMS	33.09	-23.86	0.45	-95.23	34.61	-13.00	-37.94	Horizontal		
3	7036.00	-46.93	RMS	36.24	-22.38	0.34	-95.23	34.10	-13.00	-33.93	Horizontal		



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Vertical
: LTE Band 66 20M Ch132374 1RB99 QPSK
: LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb		Filter		EIRPCF		Readin Limit		Margin Pol	
	MHz	dBm		Factor	dB	dB	dB	dB	dB	dBuV	dBm	dB	
1	3518.00	-49.95	RMS	29.60	-25.95	0.95	-95.23	40.68	-13.00	-36.95	Vertical		
2	5277.00	-51.71	RMS	33.09	-23.86	0.45	-95.23	33.84	-13.00	-38.71	Vertical		
3	7036.00	-46.88	RMS	36.24	-22.38	0.34	-95.23	34.15	-13.00	-33.88	Vertical		




Ant.1

Part 27L Mode 4

LTE B66 10M Ch132022 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 66 10M Ch132022 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3421.00	-56.65	RMS	29.66	-26.09	1.05	-95.23	33.96	-13.00	-43.65 Horizontal
2	5131.00	-46.54	RMS	33.32	-23.99	0.47	-95.23	38.89	-13.00	-33.54 Horizontal
3	6842.00	-47.91	RMS	36.10	-22.64	0.34	-95.23	33.52	-13.00	-34.91 Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 66 10M Ch132022 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	3421.00	-56.56	RMS	29.66	-26.09	1.05	-95.23	34.05	-13.00	-43.56 Vertical
2	5131.00	-46.57	RMS	33.32	-23.99	0.47	-95.23	38.86	-13.00	-33.57 Vertical
3	6842.00	-48.15	RMS	36.10	-22.64	0.34	-95.23	33.28	-13.00	-35.15 Vertical




Ant.1

Part 27L Mode 4


LTE B66 10M Ch132322 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Horizontal
: LTE Band 66 10M Ch132322 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	3481.00	-56.18	RMS	29.60	-26.00	0.98	-95.23	34.47	-13.00	-43.18	Horizontal
2	5221.00	-44.77	RMS	33.26	-23.90	0.46	-95.23	40.64	-13.00	-31.77	Horizontal
3	6962.00	-48.01	RMS	36.02	-22.46	0.34	-95.23	33.32	-13.00	-35.01	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Vertical
: LTE Band 66 10M Ch132322 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBm	dB		
1	3481.00	-56.26	RMS	29.60	-26.00	0.98	-95.23	34.39	-13.00	-43.26	Vertical
2	5221.00	-44.51	RMS	33.26	-23.90	0.46	-95.23	40.90	-13.00	-31.51	Vertical
3	6962.00	-48.08	RMS	36.02	-22.46	0.34	-95.23	33.25	-13.00	-35.08	Vertical




Ant.1

Part 27L Mode 4

LTE B66 10M Ch132622 1RB0 QPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3541.00	-56.16	RMS	29.60	-25.92	0.92	-95.23	34.47	-13.00	-43.16	Horizontal
2	5311.00	-47.22	RMS	33.02	-23.84	0.44	-95.23	38.39	-13.00	-34.22	Horizontal
3	7082.00	-47.02	RMS	36.49	-22.33	0.35	-95.23	33.70	-13.00	-34.02	Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 66 10M Ch132622 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	3541.00	-56.22	RMS	29.60	-25.92	0.92	-95.23	34.41	-13.00	-43.22	Vertical
2	5311.00	-47.12	RMS	33.02	-23.84	0.44	-95.23	38.49	-13.00	-34.12	Vertical
3	7082.00	-47.11	RMS	36.49	-22.33	0.35	-95.23	33.61	-13.00	-34.11	Vertical




Ant.1

Part 27L Mode 6


LTE CA 66C 20M + 20M Ch132072 1RB99 QPSK + Ch132270 1RB0 QPSK

L



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Horizontal
: LTE Band 66 20M Ch132072 1RB99 QPSK
: LTE Band 66 20M Ch132270 1RB0 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin		Pol
	MHz	dBm			dB/m	dB		dB	dB			dB	dB	
1	3518.00	-56.20	RMS	29.60	-25.95	0.95	-95.23	34.43	-13.00	-43.20	Horizontal			
2	5277.00	-51.99	RMS	33.09	-23.86	0.45	-95.23	33.56	-13.00	-38.99	Horizontal			
3	7036.00	-47.28	RMS	36.24	-22.38	0.34	-95.23	33.75	-13.00	-34.28	Horizontal			



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Vertical
: LTE Band 66 20M Ch132072 1RB99 QPSK
: LTE Band 66 20M Ch132270 1RB0 QPSK

	Freq Level		Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin		Pol
	MHz	dBm			dB/m	dB		dB	dB			dB	dB	
1	3518.00	-55.99	RMS	29.60	-25.95	0.95	-95.23	34.64	-13.00	-42.99	Vertical			
2	5277.00	-52.04	RMS	33.09	-23.86	0.45	-95.23	33.51	-13.00	-39.04	Vertical			
3	7036.00	-47.09	RMS	36.24	-22.38	0.34	-95.23	33.94	-13.00	-34.09	Vertical			




Ant.1

Part 27L Mode 6


LTE CA 66C 20M + 20M Ch132323 1RB99 QPSK + Ch132521 1RB0 QPSK

M



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Horizontal
: LTE Band 66 20M Ch132323 1RB99 QPSK
: LTE Band 66 20M Ch132521 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	l				g		
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		
1	3508.00	-56.23	RMS	29.60	-25.96	0.96	-95.23	34.40	-13.00	-43.23	Horizontal
2	5262.00	-51.65	RMS	33.15	-23.87	0.45	-95.23	33.85	-13.00	-38.65	Horizontal
3	7016.00	-47.21	RMS	36.16	-22.40	0.34	-95.23	33.92	-13.00	-34.21	Horizontal



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Vertical
: LTE Band 66 20M Ch132323 1RB99 QPSK
: LTE Band 66 20M Ch132521 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Reading	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3508.00	-55.72	RMS	29.60	-25.96	0.96	-95.23	34.91	-13.00	-42.72	Vertical
2	5262.00	-51.76	RMS	33.15	-23.87	0.45	-95.23	33.74	-13.00	-38.76	Vertical
3	7016.00	-47.15	RMS	36.16	-22.40	0.34	-95.23	33.98	-13.00	-34.15	Vertical




Ant.1

Part 27L Mode 6


LTE CA 66C 20M + 20M Ch132374 1RB99 QPSK + Ch132572 1RB0 QPSK

H



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Horizontal
: LTE Band 66 20M Ch132374 1RB99 QPSK
: LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
	MHz	dBm		Factor	dB		dB	dB				
1	3518.00	-47.88	RMS	29.60	-25.95	0.95	-95.23	42.75	-13.00	-34.88	Horizontal	
2	5277.00	-51.71	RMS	33.09	-23.86	0.45	-95.23	33.84	-13.00	-38.71	Horizontal	
3	7036.00	-46.81	RMS	36.24	-22.38	0.34	-95.23	34.22	-13.00	-33.81	Horizontal	



Site : 03CH12-HY
Condition: -13 3m 9120D-02114-240711 Vertical
: LTE Band 66 20M Ch132374 1RB99 QPSK
: LTE Band 66 20M Ch132572 1RB0 QPSK

	Freq Level		Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
	MHz	dBm		Factor	dB		dB	dB				
1	3518.00	-42.48	RMS	29.60	-25.95	0.95	-95.23	48.15	-13.00	-29.48	Vertical	
2	5277.00	-51.81	RMS	33.09	-23.86	0.45	-95.23	33.74	-13.00	-38.81	Vertical	
3	7036.00	-47.11	RMS	36.24	-22.38	0.34	-95.23	33.92	-13.00	-34.11	Vertical	




Ant.0

Part 90R Mode 1

LTE B14 5M Ch23305 1RB0 QPSK

L




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: LTE Band 14 5M Ch23305 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.00	-60.07	RMS	25.47	-29.56	0.82	-95.23	38.43	-42.15	-17.92 Horizontal
2	2365.00	-59.08	RMS	27.40	-27.40	0.56	-95.23	35.59	-13.00	-46.08 Horizontal
3	3153.00	-56.39	RMS	29.89	-26.54	0.38	-95.23	35.11	-13.00	-43.39 Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: LTE Band 14 5M Ch23305 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1577.00	-56.55	RMS	25.47	-29.56	0.82	-95.23	41.95	-42.15	-14.40 Vertical
2	2365.00	-58.92	RMS	27.40	-27.40	0.56	-95.23	35.75	-13.00	-45.92 Vertical
3	3153.00	-56.77	RMS	29.89	-26.54	0.38	-95.23	34.73	-13.00	-43.77 Vertical




Ant.0

Part 90R Mode 1

LTE B14 5M Ch23330 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: LTE Band 14 5M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm								
1	1582.00	-59.01	RMS	25.52	-29.54	0.81	-95.23	39.43	-42.15	-16.86 Horizontal
2	2373.00	-58.92	RMS	27.37	-27.40	0.56	-95.23	35.78	-13.00	-45.92 Horizontal
3	3163.00	-56.05	RMS	29.85	-26.52	0.38	-95.23	35.47	-13.00	-43.05 Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: LTE Band 14 5M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1		g			
	MHz	dBm								
1	1582.00	-54.56	RMS	25.52	-29.54	0.81	-95.23	43.88	-42.15	-12.41 Vertical
2	2373.00	-58.75	RMS	27.37	-27.40	0.56	-95.23	35.95	-13.00	-45.75 Vertical
3	3163.00	-56.15	RMS	29.85	-26.52	0.38	-95.23	35.37	-13.00	-43.15 Vertical




Ant.0

Part 90R Mode 1

LTE B14 5M Ch23355 1RB0 QPSK

H




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: LTE Band 14 5M Ch23355 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1587.00	-58.35	RMS	25.57	-29.51	0.80	-95.23	40.02	-42.15	-16.20	Horizontal		
2	2380.00	-58.69	RMS	27.30	-27.39	0.55	-95.23	36.08	-13.00	-45.69	Horizontal		
3	3173.00	-55.94	RMS	29.81	-26.51	0.38	-95.23	35.61	-13.00	-42.94	Horizontal		



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: LTE Band 14 5M Ch23355 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1587.00	-54.16	RMS	25.57	-29.51	0.80	-95.23	44.21	-42.15	-12.01	Vertical		
2	2380.00	-58.80	RMS	27.30	-27.39	0.55	-95.23	35.97	-13.00	-45.80	Vertical		
3	3173.00	-56.21	RMS	29.81	-26.51	0.38	-95.23	35.34	-13.00	-43.21	Vertical		




Ant.0

Part 90R Mode 2

LTE B14 10M Ch23330 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: LTE Band 14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	1577.00	-62.02	RMS	25.47	-29.56	0.82	-95.23	36.48	-42.15	-19.87	Horizontal	
2	2366.00	-51.11	RMS	27.40	-27.40	0.56	-95.23	43.56	-13.00	-38.11	Horizontal	
3	3154.00	-56.41	RMS	29.88	-26.54	0.38	-95.23	35.10	-13.00	-43.41	Horizontal	



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: LTE Band 14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	1577.00	-59.37	RMS	25.47	-29.56	0.82	-95.23	39.13	-42.15	-17.22	Vertical	
2	2366.00	-54.30	RMS	27.40	-27.40	0.56	-95.23	40.37	-13.00	-41.30	Vertical	
3	3154.00	-56.68	RMS	29.88	-26.54	0.38	-95.23	34.83	-13.00	-43.68	Vertical	




Ant.1

Part 90R Mode 3

LTE B14 5M Ch23305 1RB0 QPSK

L




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: LTE Band 14 10M Ch23305 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	1577.00	-62.24	RMS	25.47	-29.56	0.82	-95.23	36.26	-42.15	-20.09 Horizontal
2	2365.00	-59.37	RMS	27.40	-27.40	0.56	-95.23	35.30	-13.00	-46.37 Horizontal
3	3153.00	-56.56	RMS	29.89	-26.54	0.38	-95.23	34.94	-13.00	-43.56 Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: LTE Band 14 10M Ch23305 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
1	1577.00	-61.40	RMS	25.47	-29.56	0.82	-95.23	37.10	-42.15	-19.25 Vertical
2	2365.00	-59.29	RMS	27.40	-27.40	0.56	-95.23	35.38	-13.00	-46.29 Vertical
3	3153.00	-56.33	RMS	29.89	-26.54	0.38	-95.23	35.17	-13.00	-43.33 Vertical




Ant.1

Part 90R Mode 3

LTE B14 5M Ch23330 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: LTE Band 14 5M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1582.00	-62.53	RMS	25.52	-29.54	0.81	-95.23	35.91	-42.15	-20.38 Horizontal
2	2373.00	-58.40	RMS	27.37	-27.40	0.56	-95.23	36.30	-13.00	-45.40 Horizontal
3	3163.00	-56.29	RMS	29.85	-26.52	0.38	-95.23	35.23	-13.00	-43.29 Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: LTE Band 14 5M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1582.00	-61.87	RMS	25.52	-29.54	0.81	-95.23	36.57	-42.15	-19.72 Vertical
2	2373.00	-58.54	RMS	27.37	-27.40	0.56	-95.23	36.16	-13.00	-45.54 Vertical
3	3163.00	-56.22	RMS	29.85	-26.52	0.38	-95.23	35.30	-13.00	-43.22 Vertical




Ant.1

Part 90R Mode 3

LTE B14 5M Ch23355 1RB0 QPSK

H




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: LTE Band 14 10M Ch23355 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1587.00	-62.61	RMS	25.57	-29.51	0.80	-95.23	35.76	-42.15	-20.46 Horizontal
2	2380.00	-58.89	RMS	27.30	-27.39	0.55	-95.23	35.88	-13.00	-45.89 Horizontal
3	3173.00	-56.38	RMS	29.81	-26.51	0.38	-95.23	35.17	-13.00	-43.38 Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: LTE Band 14 10M Ch23355 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1587.00	-62.24	RMS	25.57	-29.51	0.80	-95.23	36.13	-42.15	-20.09 Vertical
2	2380.00	-59.06	RMS	27.30	-27.39	0.55	-95.23	35.71	-13.00	-46.06 Vertical
3	3173.00	-56.35	RMS	29.81	-26.51	0.38	-95.23	35.20	-13.00	-43.35 Vertical




Ant.1

Part 90R Mode 4

LTE B14 10M Ch23330 1RB0 QPSK

M




Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Horizontal

: LTE Band 14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1577.00	-62.22	RMS	25.47	-29.56	0.82	-95.23	36.28	-42.15	-20.07 Horizontal
2	2366.00	-59.20	RMS	27.40	-27.40	0.56	-95.23	35.47	-13.00	-46.20 Horizontal
3	3154.00	-56.48	RMS	29.88	-26.54	0.38	-95.23	35.03	-13.00	-43.48 Horizontal



Site : 03CH12-HY

Condition: 700 AC BAND 3m 9120D-02114-240711 Vertical

: LTE Band 14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm								
1	1577.00	-62.03	RMS	25.47	-29.56	0.82	-95.23	36.47	-42.15	-19.88 Vertical
2	2366.00	-59.05	RMS	27.40	-27.40	0.56	-95.23	35.62	-13.00	-46.05 Vertical
3	3154.00	-56.58	RMS	29.88	-26.54	0.38	-95.23	34.93	-13.00	-43.58 Vertical




Ant.0

Part 90S Mode 1

LTE B26 5M Ch26715 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-60.39	RMS	25.51	-29.33	0.76	-95.23	37.90	-13.00	-47.39 Horizontal
2	2443.00	-54.56	RMS	27.70	-27.33	0.52	-95.23	39.78	-13.00	-41.56 Horizontal
3	3257.00	-56.60	RMS	29.80	-26.37	0.39	-95.23	34.81	-13.00	-43.60 Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-62.11	RMS	25.51	-29.33	0.76	-95.23	36.18	-13.00	-49.11 Vertical
2	2443.00	-52.34	RMS	27.70	-27.33	0.52	-95.23	42.00	-13.00	-39.34 Vertical
3	3257.00	-56.37	RMS	29.80	-26.37	0.39	-95.23	35.04	-13.00	-43.37 Vertical




Ant.0

Part 90S Mode 1

LTE B26 5M Ch26740 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-62.85	RMS	25.46	-29.31	0.76	-95.23	35.47	-13.00	-49.85
2	2451.00	-54.97	RMS	27.70	-27.33	0.52	-95.23	39.37	-13.00	-41.97
3	3267.00	-56.58	RMS	29.80	-26.35	0.39	-95.23	34.81	-13.00	-43.58



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-62.77	RMS	25.46	-29.31	0.76	-95.23	35.55	-13.00	-49.77
2	2451.00	-53.01	RMS	27.70	-27.33	0.52	-95.23	41.33	-13.00	-40.01
3	3267.00	-56.61	RMS	29.80	-26.35	0.39	-95.23	34.78	-13.00	-43.61




Ant.0

Part 90S Mode 1

LTE B26 5M Ch26765 1RB0 QPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1639.00	-62.27	RMS	25.41	-29.29	0.76	-95.23	36.08	-13.00	-49.27 Horizontal
2	2458.00	-53.47	RMS	27.70	-27.32	0.52	-95.23	40.86	-13.00	-40.47 Horizontal
3	3277.00	-56.16	RMS	29.80	-26.33	0.39	-95.23	35.21	-13.00	-43.16 Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1639.00	-62.57	RMS	25.41	-29.29	0.76	-95.23	35.78	-13.00	-49.57 Vertical
2	2458.00	-52.11	RMS	27.70	-27.32	0.52	-95.23	42.22	-13.00	-39.11 Vertical
3	3277.00	-56.42	RMS	29.80	-26.33	0.39	-95.23	34.95	-13.00	-43.42 Vertical




Ant.0

Part 90S Mode 3

LTE B26 15M Ch26790 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1635.00	-57.08	RMS		25.45	-29.30	0.76	-95.23	41.24	-13.00	-44.08		Horizontal
2	2452.00	-51.33	RMS		27.70	-27.33	0.52	-95.23	43.01	-13.00	-38.33		Horizontal
3	3269.00	-56.69	RMS		29.80	-26.35	0.39	-95.23	34.70	-13.00	-43.69		Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB		
1	1635.00	-57.55	RMS		25.45	-29.30	0.76	-95.23	40.77	-13.00	-44.55		Vertical
2	2452.00	-51.02	RMS		27.70	-27.33	0.52	-95.23	43.32	-13.00	-38.02		Vertical
3	3269.00	-56.70	RMS		29.80	-26.35	0.39	-95.23	34.69	-13.00	-43.70		Vertical




Ant.1

Part 90S Mode 2

LTE B26 5M Ch26715 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-63.14	RMS	25.51	-29.33	0.76	-95.23	35.15	-13.00	-50.14 Horizontal
2	2443.00	-58.47	RMS	27.70	-27.33	0.52	-95.23	35.87	-13.00	-45.47 Horizontal
3	3257.00	-56.20	RMS	29.80	-26.37	0.39	-95.23	35.21	-13.00	-43.20 Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 26 5M Ch26715 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1629.00	-63.07	RMS	25.51	-29.33	0.76	-95.23	35.22	-13.00	-50.07 Vertical
2	2443.00	-58.59	RMS	27.70	-27.33	0.52	-95.23	35.75	-13.00	-45.59 Vertical
3	3257.00	-56.18	RMS	29.80	-26.37	0.39	-95.23	35.23	-13.00	-43.18 Vertical




Ant.1

Part 90S Mode 2

LTE B26 5M Ch26740 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-63.08	RMS	25.46	-29.31	0.76	-95.23	35.24	-13.00	-50.08
2	2451.00	-59.33	RMS	27.70	-27.33	0.52	-95.23	35.01	-13.00	-46.33
3	3267.00	-56.44	RMS	29.80	-26.35	0.39	-95.23	34.95	-13.00	-43.44



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 26 5M Ch26740 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1634.00	-63.01	RMS	25.46	-29.31	0.76	-95.23	35.31	-13.00	-50.01
2	2451.00	-58.63	RMS	27.70	-27.33	0.52	-95.23	35.71	-13.00	-45.63
3	3267.00	-56.71	RMS	29.80	-26.35	0.39	-95.23	34.68	-13.00	-43.71




Ant.1

Part 90S Mode 2

LTE B26 5M Ch26765 1RB0 QPSK

H




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	1639.00	-62.95	RMS	25.41	-29.29	0.76	-95.23	35.40	-13.00	-49.95	Horizontal		
2	2458.00	-57.96	RMS	27.70	-27.32	0.52	-95.23	36.37	-13.00	-44.96	Horizontal		
3	3277.00	-56.35	RMS	29.80	-26.33	0.39	-95.23	35.02	-13.00	-43.35	Horizontal		



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 26 5M Ch26765 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1								
	MHz	dBm		dB/m	dB	dB	dB	dB	dBuV	dBm	dB		
1	1639.00	-62.68	RMS	25.41	-29.29	0.76	-95.23	35.67	-13.00	-49.68	Vertical		
2	2458.00	-56.85	RMS	27.70	-27.32	0.52	-95.23	37.48	-13.00	-43.85	Vertical		
3	3277.00	-56.46	RMS	29.80	-26.33	0.39	-95.23	34.91	-13.00	-43.46	Vertical		




Ant.1

Part 90S Mode 4

LTE B26 15M Ch26790 1RB0 QPSK

M




Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Horizontal

: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1635.00	-62.79	RMS	25.45	-29.30	0.76	-95.23	35.53	-13.00	-49.79 Horizontal
2	2452.00	-59.04	RMS	27.70	-27.33	0.52	-95.23	35.30	-13.00	-46.04 Horizontal
3	3269.00	-56.25	RMS	29.80	-26.35	0.39	-95.23	35.14	-13.00	-43.25 Horizontal



Site : 03CH12-HY

Condition: -13 3m 9120D-02114-240711 Vertical

: LTE Band 26 15M Ch26790 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1635.00	-63.12	RMS	25.45	-29.30	0.76	-95.23	35.20	-13.00	-50.12 Vertical
2	2452.00	-59.09	RMS	27.70	-27.33	0.52	-95.23	35.25	-13.00	-46.09 Vertical
3	3269.00	-56.44	RMS	29.80	-26.35	0.39	-95.23	34.95	-13.00	-43.44 Vertical




Ant.2

Part 27M Mode 9

LTE B41 10M Ch39700 1RB0 QPSK

L




Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Horizontal

: LTE Band 41 10M Ch39700 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	2496.59	18.22	RMS	28.07	6.92	0.00	-95.23	78.46	-25.00	43.22	Horizontal



Site : 03CH12-HY

Condition: -25 3m 9120D-02114-240711 Vertical

: LTE Band 41 10M Ch39700 1RB0 QPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	2496.59	17.69	RMS	28.07	6.92	0.00	-95.23	77.93	-25.00	42.69	Vertical

Remark: #1 is fundamental signal which can be ignored.

—THE END—