

FREQUENCY STABILITY

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band12	1.4MHz	QPSK	23017	6RB#0	VL	NT	-4.05	-0.005788	±2.5	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	VN	NT	-1.46	-0.002087	±2.5	PASS
Band12	1.4MHz	QPSK	23017	6RB#0	VH	NT	-2.85	-0.004073	±2.5	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	VL	NT	-1.89	-0.002671	±2.5	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	VN	NT	-3.09	-0.004367	±2.5	PASS
Band12	1.4MHz	QPSK	23095	6RB#0	VH	NT	-5.19	-0.007336	±2.5	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	VL	NT	-1.97	-0.002754	±2.5	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	VN	NT	1.69	0.002363	±2.5	PASS
Band12	1.4MHz	QPSK	23173	6RB#0	VH	NT	-0.73	-0.001021	±2.5	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	VL	NT	1.89	0.002701	±2.5	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	VN	NT	-3.36	-0.004802	±2.5	PASS
Band12	1.4MHz	16QAM	23017	6RB#0	VH	NT	-3.48	-0.004974	±2.5	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	VL	NT	-1.56	-0.002205	±2.5	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	VN	NT	2.52	0.003562	±2.5	PASS
Band12	1.4MHz	16QAM	23095	6RB#0	VH	NT	-2.36	-0.003336	±2.5	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	VL	NT	-1.76	-0.002461	±2.5	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	VN	NT	-2.13	-0.002978	±2.5	PASS
Band12	1.4MHz	16QAM	23173	6RB#0	VH	NT	-1.63	-0.002279	±2.5	PASS
Band12	3MHz	QPSK	23025	15RB#0	VL	NT	-3.30	-0.004711	±2.5	PASS
Band12	3MHz	QPSK	23025	15RB#0	VN	NT	-2.95	-0.004211	±2.5	PASS
Band12	3MHz	QPSK	23025	15RB#0	VH	NT	-3.81	-0.005439	±2.5	PASS
Band12	3MHz	QPSK	23095	15RB#0	VL	NT	-2.60	-0.003675	±2.5	PASS
Band12	3MHz	QPSK	23095	15RB#0	VN	NT	-3.25	-0.004594	±2.5	PASS
Band12	3MHz	QPSK	23095	15RB#0	VH	NT	-1.43	-0.002021	±2.5	PASS



**BUREAU
VERITAS**

Test Report No.: W7L-P22050013RF03

Band12	3MHz	QPSK	23165	15RB#0	VL	NT	-2.45	-0.003429	±2.5	PASS
Band12	3MHz	QPSK	23165	15RB#0	VN	NT	-2.59	-0.003625	±2.5	PASS
Band12	3MHz	QPSK	23165	15RB#0	VH	NT	1.14	0.001596	±2.5	PASS
Band12	3MHz	16QAM	23025	15RB#0	VL	NT	-3.79	-0.005410	±2.5	PASS
Band12	3MHz	16QAM	23025	15RB#0	VN	NT	-2.33	-0.003326	±2.5	PASS
Band12	3MHz	16QAM	23025	15RB#0	VH	NT	-3.68	-0.005253	±2.5	PASS
Band12	3MHz	16QAM	23095	15RB#0	VL	NT	-3.23	-0.004565	±2.5	PASS
Band12	3MHz	16QAM	23095	15RB#0	VN	NT	-3.36	-0.004749	±2.5	PASS
Band12	3MHz	16QAM	23095	15RB#0	VH	NT	-3.96	-0.005597	±2.5	PASS
Band12	3MHz	16QAM	23165	15RB#0	VL	NT	-2.45	-0.003429	±2.5	PASS
Band12	3MHz	16QAM	23165	15RB#0	VN	NT	3.50	0.004899	±2.5	PASS
Band12	3MHz	16QAM	23165	15RB#0	VH	NT	1.73	0.002421	±2.5	PASS
Band12	5MHz	QPSK	23035	25RB#0	VL	NT	-3.16	-0.004505	±2.5	PASS
Band12	5MHz	QPSK	23035	25RB#0	VN	NT	-2.12	-0.003022	±2.5	PASS
Band12	5MHz	QPSK	23035	25RB#0	VH	NT	-1.66	-0.002366	±2.5	PASS
Band12	5MHz	QPSK	23095	25RB#0	VL	NT	-1.36	-0.001922	±2.5	PASS
Band12	5MHz	QPSK	23095	25RB#0	VN	NT	-3.76	-0.005314	±2.5	PASS
Band12	5MHz	QPSK	23095	25RB#0	VH	NT	-2.10	-0.002968	±2.5	PASS
Band12	5MHz	QPSK	23155	25RB#0	VL	NT	-2.19	-0.003069	±2.5	PASS
Band12	5MHz	QPSK	23155	25RB#0	VN	NT	-2.55	-0.003574	±2.5	PASS
Band12	5MHz	QPSK	23155	25RB#0	VH	NT	-3.39	-0.004751	±2.5	PASS
Band12	5MHz	16QAM	23035	25RB#0	VL	NT	-1.49	-0.002124	±2.5	PASS
Band12	5MHz	16QAM	23035	25RB#0	VN	NT	-3.55	-0.005061	±2.5	PASS
Band12	5MHz	16QAM	23035	25RB#0	VH	NT	-3.73	-0.005317	±2.5	PASS
Band12	5MHz	16QAM	23095	25RB#0	VL	NT	-1.20	-0.001696	±2.5	PASS
Band12	5MHz	16QAM	23095	25RB#0	VN	NT	-2.09	-0.002954	±2.5	PASS
Band12	5MHz	16QAM	23095	25RB#0	VH	NT	-3.09	-0.004367	±2.5	PASS
Band12	5MHz	16QAM	23155	25RB#0	VL	NT	-2.06	-0.002887	±2.5	PASS
Band12	5MHz	16QAM	23155	25RB#0	VN	NT	-1.40	-0.001962	±2.5	PASS
Band12	5MHz	16QAM	23155	25RB#0	VH	NT	-2.07	-0.002901	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	VL	NT	1.90	0.002699	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	VN	NT	1.20	0.001705	±2.5	PASS
Band12	10MHz	QPSK	23060	50RB#0	VH	NT	2.32	0.003295	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	VL	NT	2.80	0.003958	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	VN	NT	-2.07	-0.002926	±2.5	PASS
Band12	10MHz	QPSK	23095	50RB#0	VH	NT	1.75	0.002473	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	VL	NT	-2.49	-0.003502	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	VN	NT	-3.85	-0.005415	±2.5	PASS
Band12	10MHz	QPSK	23130	50RB#0	VH	NT	1.73	0.002433	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	VL	NT	2.47	0.003509	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	VN	NT	1.27	0.001804	±2.5	PASS
Band12	10MHz	16QAM	23060	50RB#0	VH	NT	-2.63	-0.003736	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	VL	NT	1.23	0.001739	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	VN	NT	2.98	0.004212	±2.5	PASS
Band12	10MHz	16QAM	23095	50RB#0	VH	NT	3.03	0.004283	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	VL	NT	-2.66	-0.003741	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	VN	NT	2.92	0.004107	±2.5	PASS
Band12	10MHz	16QAM	23130	50RB#0	VH	NT	2.52	0.003544	±2.5	PASS



**BUREAU
VERITAS**

Test Report No.: W7L-P22050013RF03

Temperature										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band1_2	1.4MHz	QPSK	23017	6RB#0	NV	-30	-3.81	-0.005445	±2.5	PASS
Band1_2	1.4MHz	QPSK	23017	6RB#0	NV	-20	-2.03	-0.002901	±2.5	PASS
Band1_2	1.4MHz	QPSK	23017	6RB#0	NV	0	-2.36	-0.003373	±2.5	PASS
Band1_2	1.4MHz	QPSK	23017	6RB#0	NV	10	-2.92	-0.004173	±2.5	PASS
Band1_2	1.4MHz	QPSK	23017	6RB#0	NV	20	-2.90	-0.004145	±2.5	PASS
Band1_2	1.4MHz	QPSK	23017	6RB#0	NV	30	-2.29	-0.003273	±2.5	PASS
Band1_2	1.4MHz	QPSK	23017	6RB#0	NV	40	-2.46	-0.003516	±2.5	PASS
Band1_2	1.4MHz	QPSK	23017	6RB#0	NV	50	-1.79	-0.002558	±2.5	PASS
Band1_2	1.4MHz	QPSK	23095	6RB#0	NV	-30	-2.22	-0.003138	±2.5	PASS
Band1_2	1.4MHz	QPSK	23095	6RB#0	NV	-20	-2.99	-0.004226	±2.5	PASS
Band1_2	1.4MHz	QPSK	23095	6RB#0	NV	0	-3.02	-0.004269	±2.5	PASS
Band1_2	1.4MHz	QPSK	23095	6RB#0	NV	10	-1.85	-0.002615	±2.5	PASS
Band1_2	1.4MHz	QPSK	23095	6RB#0	NV	20	-2.50	-0.003534	±2.5	PASS
Band1_2	1.4MHz	QPSK	23095	6RB#0	NV	30	-4.01	-0.005668	±2.5	PASS
Band1_2	1.4MHz	QPSK	23095	6RB#0	NV	40	-3.58	-0.005060	±2.5	PASS
Band1_2	1.4MHz	QPSK	23095	6RB#0	NV	50	-2.70	-0.003816	±2.5	PASS
Band1_2	1.4MHz	QPSK	23173	6RB#0	NV	-30	-1.70	-0.002377	±2.5	PASS
Band1_2	1.4MHz	QPSK	23173	6RB#0	NV	-20	2.52	0.003523	±2.5	PASS
Band1_2	1.4MHz	QPSK	23173	6RB#0	NV	0	-2.60	-0.003635	±2.5	PASS
Band1_2	1.4MHz	QPSK	23173	6RB#0	NV	10	-1.80	-0.002516	±2.5	PASS
Band1_2	1.4MHz	QPSK	23173	6RB#0	NV	20	-1.16	-0.001622	±2.5	PASS
Band1_2	1.4MHz	QPSK	23173	6RB#0	NV	30	-2.23	-0.003118	±2.5	PASS
Band1_2	1.4MHz	QPSK	23173	6RB#0	NV	40	-1.95	-0.002726	±2.5	PASS
Band1_2	1.4MHz	QPSK	23173	6RB#0	NV	50	-1.87	-0.002614	±2.5	PASS
Band1_2	1.4MHz	16QAM	23017	6RB#0	NV	-30	-1.47	-0.002101	±2.5	PASS



BUREAU
VERITAS

Test Report No.: W7L-P22050013RF03

Band1 2	1.4MHz	16QAM	23017	6RB#0	NV	-20	-3.52	-0.005031	±2.5	PASS
Band1 2	1.4MHz	16QAM	23017	6RB#0	NV	0	-2.72	-0.003887	±2.5	PASS
Band1 2	1.4MHz	16QAM	23017	6RB#0	NV	10	-2.30	-0.003287	±2.5	PASS
Band1 2	1.4MHz	16QAM	23017	6RB#0	NV	20	-2.26	-0.003230	±2.5	PASS
Band1 2	1.4MHz	16QAM	23017	6RB#0	NV	30	-2.60	-0.003716	±2.5	PASS
Band1 2	1.4MHz	16QAM	23017	6RB#0	NV	40	-2.39	-0.003416	±2.5	PASS
Band1 2	1.4MHz	16QAM	23017	6RB#0	NV	50	-1.75	-0.002501	±2.5	PASS
Band1 2	1.4MHz	16QAM	23095	6RB#0	NV	-30	-2.47	-0.003491	±2.5	PASS
Band1 2	1.4MHz	16QAM	23095	6RB#0	NV	-20	-1.54	-0.002177	±2.5	PASS
Band1 2	1.4MHz	16QAM	23095	6RB#0	NV	0	-2.15	-0.003039	±2.5	PASS
Band1 2	1.4MHz	16QAM	23095	6RB#0	NV	10	-2.55	-0.003604	±2.5	PASS
Band1 2	1.4MHz	16QAM	23095	6RB#0	NV	20	2.37	0.003350	±2.5	PASS
Band1 2	1.4MHz	16QAM	23095	6RB#0	NV	30	-2.22	-0.003138	±2.5	PASS
Band1 2	1.4MHz	16QAM	23095	6RB#0	NV	40	-2.13	-0.003011	±2.5	PASS
Band1 2	1.4MHz	16QAM	23095	6RB#0	NV	50	1.79	0.002530	±2.5	PASS
Band1 2	1.4MHz	16QAM	23173	6RB#0	NV	-30	1.56	0.002181	±2.5	PASS
Band1 2	1.4MHz	16QAM	23173	6RB#0	NV	-20	-2.07	-0.002894	±2.5	PASS
Band1 2	1.4MHz	16QAM	23173	6RB#0	NV	0	1.62	0.002265	±2.5	PASS
Band1 2	1.4MHz	16QAM	23173	6RB#0	NV	10	-2.98	-0.004166	±2.5	PASS
Band1 2	1.4MHz	16QAM	23173	6RB#0	NV	20	-2.39	-0.003341	±2.5	PASS
Band1 2	1.4MHz	16QAM	23173	6RB#0	NV	30	-4.03	-0.005634	±2.5	PASS
Band1 2	1.4MHz	16QAM	23173	6RB#0	NV	40	-2.22	-0.003104	±2.5	PASS
Band1 2	1.4MHz	16QAM	23173	6RB#0	NV	50	-2.72	-0.003803	±2.5	PASS
Band1 2	3MHz	QPSK	23025	15RB#0	NV	-30	-2.68	-0.003826	±2.5	PASS
Band1 2	3MHz	QPSK	23025	15RB#0	NV	-20	-3.09	-0.004411	±2.5	PASS
Band1 2	3MHz	QPSK	23025	15RB#0	NV	0	-2.47	-0.003526	±2.5	PASS
Band1	3MHz	QPSK	23025	15RB#0	NV	10	-1.86	-0.002655	±2.5	PASS



Test Report No.: W7L-P22050013RF03

2										
Band1 2	3MHz	QPSK	23025	15RB#0	NV	20	-1.27	-0.001813	±2.5	PASS
Band1 2	3MHz	QPSK	23025	15RB#0	NV	30	-1.42	-0.002027	±2.5	PASS
Band1 2	3MHz	QPSK	23025	15RB#0	NV	40	-2.39	-0.003412	±2.5	PASS
Band1 2	3MHz	QPSK	23025	15RB#0	NV	50	-2.93	-0.004183	±2.5	PASS
Band1 2	3MHz	QPSK	23095	15RB#0	NV	-30	-2.75	-0.003887	±2.5	PASS
Band1 2	3MHz	QPSK	23095	15RB#0	NV	-20	-2.88	-0.004071	±2.5	PASS
Band1 2	3MHz	QPSK	23095	15RB#0	NV	0	-2.17	-0.003067	±2.5	PASS
Band1 2	3MHz	QPSK	23095	15RB#0	NV	10	-1.30	-0.001837	±2.5	PASS
Band1 2	3MHz	QPSK	23095	15RB#0	NV	20	-1.73	-0.002445	±2.5	PASS
Band1 2	3MHz	QPSK	23095	15RB#0	NV	30	-1.36	-0.001922	±2.5	PASS
Band1 2	3MHz	QPSK	23095	15RB#0	NV	40	1.75	0.002473	±2.5	PASS
Band1 2	3MHz	QPSK	23095	15RB#0	NV	50	-3.12	-0.004410	±2.5	PASS
Band1 2	3MHz	QPSK	23165	15RB#0	NV	-30	-1.66	-0.002323	±2.5	PASS
Band1 2	3MHz	QPSK	23165	15RB#0	NV	-20	2.02	0.002827	±2.5	PASS
Band1 2	3MHz	QPSK	23165	15RB#0	NV	0	-1.80	-0.002519	±2.5	PASS
Band1 2	3MHz	QPSK	23165	15RB#0	NV	10	1.67	0.002337	±2.5	PASS
Band1 2	3MHz	QPSK	23165	15RB#0	NV	20	-1.90	-0.002659	±2.5	PASS
Band1 2	3MHz	QPSK	23165	15RB#0	NV	30	2.15	0.003009	±2.5	PASS
Band1 2	3MHz	QPSK	23165	15RB#0	NV	40	2.12	0.002967	±2.5	PASS
Band1 2	3MHz	QPSK	23165	15RB#0	NV	50	-2.95	-0.004129	±2.5	PASS
Band1 2	3MHz	16QAM	23025	15RB#0	NV	-30	-2.00	-0.002855	±2.5	PASS
Band1 2	3MHz	16QAM	23025	15RB#0	NV	-20	-2.96	-0.004226	±2.5	PASS
Band1 2	3MHz	16QAM	23025	15RB#0	NV	0	-4.62	-0.006595	±2.5	PASS
Band1 2	3MHz	16QAM	23025	15RB#0	NV	10	-3.68	-0.005253	±2.5	PASS
Band1 2	3MHz	16QAM	23025	15RB#0	NV	20	-3.08	-0.004397	±2.5	PASS
Band1 2	3MHz	16QAM	23025	15RB#0	NV	30	-2.66	-0.003797	±2.5	PASS



**BUREAU
VERITAS**

Test Report No.: W7L-P22050013RF03

Band1 2	3MHz	16QAM	23025	15RB#0	NV	40	-3.22	-0.004597	±2.5	PASS
Band1 2	3MHz	16QAM	23025	15RB#0	NV	50	-2.98	-0.004254	±2.5	PASS
Band1 2	3MHz	16QAM	23095	15RB#0	NV	-30	-1.69	-0.002389	±2.5	PASS
Band1 2	3MHz	16QAM	23095	15RB#0	NV	-20	-2.82	-0.003986	±2.5	PASS
Band1 2	3MHz	16QAM	23095	15RB#0	NV	0	-1.86	-0.002629	±2.5	PASS
Band1 2	3MHz	16QAM	23095	15RB#0	NV	10	-3.36	-0.004749	±2.5	PASS
Band1 2	3MHz	16QAM	23095	15RB#0	NV	20	-2.66	-0.003760	±2.5	PASS
Band1 2	3MHz	16QAM	23095	15RB#0	NV	30	-2.86	-0.004042	±2.5	PASS
Band1 2	3MHz	16QAM	23095	15RB#0	NV	40	2.13	0.003011	±2.5	PASS
Band1 2	3MHz	16QAM	23095	15RB#0	NV	50	-2.37	-0.003350	±2.5	PASS
Band1 2	3MHz	16QAM	23165	15RB#0	NV	-30	-2.78	-0.003891	±2.5	PASS
Band1 2	3MHz	16QAM	23165	15RB#0	NV	-20	2.50	0.003499	±2.5	PASS
Band1 2	3MHz	16QAM	23165	15RB#0	NV	0	1.77	0.002477	±2.5	PASS
Band1 2	3MHz	16QAM	23165	15RB#0	NV	10	-2.17	-0.003037	±2.5	PASS
Band1 2	3MHz	16QAM	23165	15RB#0	NV	20	-1.82	-0.002547	±2.5	PASS
Band1 2	3MHz	16QAM	23165	15RB#0	NV	30	1.75	0.002449	±2.5	PASS
Band1 2	3MHz	16QAM	23165	15RB#0	NV	40	-3.19	-0.004465	±2.5	PASS
Band1 2	3MHz	16QAM	23165	15RB#0	NV	50	1.44	0.002015	±2.5	PASS
Band1 2	5MHz	QPSK	23035	25RB#0	NV	-30	-2.62	-0.003735	±2.5	PASS
Band1 2	5MHz	QPSK	23035	25RB#0	NV	-20	-2.36	-0.003364	±2.5	PASS
Band1 2	5MHz	QPSK	23035	25RB#0	NV	0	-2.92	-0.004163	±2.5	PASS
Band1 2	5MHz	QPSK	23035	25RB#0	NV	10	-1.46	-0.002081	±2.5	PASS
Band1 2	5MHz	QPSK	23035	25RB#0	NV	20	-2.39	-0.003407	±2.5	PASS
Band1 2	5MHz	QPSK	23035	25RB#0	NV	30	-3.66	-0.005217	±2.5	PASS
Band1 2	5MHz	QPSK	23035	25RB#0	NV	40	-1.66	-0.002366	±2.5	PASS
Band1 2	5MHz	QPSK	23035	25RB#0	NV	50	2.37	0.003378	±2.5	PASS
Band1	5MHz	QPSK	23095	25RB#0	NV	-30	-1.86	-0.002629	±2.5	PASS



**BUREAU
VERITAS**

Test Report No.: W7L-P22050013RF03

2										
Band1 2	5MHz	QPSK	23095	25RB#0	NV	-20	-2.78	-0.003929	±2.5	PASS
Band1 2	5MHz	QPSK	23095	25RB#0	NV	0	2.55	0.003604	±2.5	PASS
Band1 2	5MHz	QPSK	23095	25RB#0	NV	10	-1.07	-0.001512	±2.5	PASS
Band1 2	5MHz	QPSK	23095	25RB#0	NV	20	2.32	0.003279	±2.5	PASS
Band1 2	5MHz	QPSK	23095	25RB#0	NV	30	1.36	0.001922	±2.5	PASS
Band1 2	5MHz	QPSK	23095	25RB#0	NV	40	1.22	0.001724	±2.5	PASS
Band1 2	5MHz	QPSK	23095	25RB#0	NV	50	-2.12	-0.002996	±2.5	PASS
Band1 2	5MHz	QPSK	23155	25RB#0	NV	-30	-1.39	-0.001948	±2.5	PASS
Band1 2	5MHz	QPSK	23155	25RB#0	NV	-20	-1.66	-0.002327	±2.5	PASS
Band1 2	5MHz	QPSK	23155	25RB#0	NV	0	-1.54	-0.002158	±2.5	PASS
Band1 2	5MHz	QPSK	23155	25RB#0	NV	10	-2.32	-0.003252	±2.5	PASS
Band1 2	5MHz	QPSK	23155	25RB#0	NV	20	1.19	0.001668	±2.5	PASS
Band1 2	5MHz	QPSK	23155	25RB#0	NV	30	1.40	0.001962	±2.5	PASS
Band1 2	5MHz	QPSK	23155	25RB#0	NV	40	-2.57	-0.003602	±2.5	PASS
Band1 2	5MHz	QPSK	23155	25RB#0	NV	50	1.80	0.002523	±2.5	PASS
Band1 2	5MHz	16QAM	23035	25RB#0	NV	-30	-4.26	-0.006073	±2.5	PASS
Band1 2	5MHz	16QAM	23035	25RB#0	NV	-20	-2.45	-0.003493	±2.5	PASS
Band1 2	5MHz	16QAM	23035	25RB#0	NV	0	-2.93	-0.004177	±2.5	PASS
Band1 2	5MHz	16QAM	23035	25RB#0	NV	10	-4.21	-0.006001	±2.5	PASS
Band1 2	5MHz	16QAM	23035	25RB#0	NV	20	-2.46	-0.003507	±2.5	PASS
Band1 2	5MHz	16QAM	23035	25RB#0	NV	30	-2.89	-0.004120	±2.5	PASS
Band1 2	5MHz	16QAM	23035	25RB#0	NV	40	-3.60	-0.005132	±2.5	PASS
Band1 2	5MHz	16QAM	23035	25RB#0	NV	50	-3.78	-0.005388	±2.5	PASS
Band1 2	5MHz	16QAM	23095	25RB#0	NV	-30	-3.19	-0.004509	±2.5	PASS
Band1 2	5MHz	16QAM	23095	25RB#0	NV	-20	-3.10	-0.004382	±2.5	PASS
Band1 2	5MHz	16QAM	23095	25RB#0	NV	0	-3.73	-0.005272	±2.5	PASS



BUREAU
VERITAS

Test Report No.: W7L-P22050013RF03

Band1 2	5MHz	16QAM	23095	25RB#0	NV	10	-2.72	-0.003845	±2.5	PASS
Band1 2	5MHz	16QAM	23095	25RB#0	NV	20	2.66	0.003760	±2.5	PASS
Band1 2	5MHz	16QAM	23095	25RB#0	NV	30	-3.08	-0.004353	±2.5	PASS
Band1 2	5MHz	16QAM	23095	25RB#0	NV	40	-1.95	-0.002756	±2.5	PASS
Band1 2	5MHz	16QAM	23095	25RB#0	NV	50	-2.03	-0.002869	±2.5	PASS
Band1 2	5MHz	16QAM	23155	25RB#0	NV	-30	0.87	0.001219	±2.5	PASS
Band1 2	5MHz	16QAM	23155	25RB#0	NV	-20	-2.13	-0.002985	±2.5	PASS
Band1 2	5MHz	16QAM	23155	25RB#0	NV	0	-1.76	-0.002467	±2.5	PASS
Band1 2	5MHz	16QAM	23155	25RB#0	NV	10	-2.27	-0.003181	±2.5	PASS
Band1 2	5MHz	16QAM	23155	25RB#0	NV	20	-2.39	-0.003350	±2.5	PASS
Band1 2	5MHz	16QAM	23155	25RB#0	NV	30	-2.79	-0.003910	±2.5	PASS
Band1 2	5MHz	16QAM	23155	25RB#0	NV	40	-1.44	-0.002018	±2.5	PASS
Band1 2	5MHz	16QAM	23155	25RB#0	NV	50	-2.27	-0.003181	±2.5	PASS
Band1 2	10MHz	QPSK	23060	50RB#0	NV	-30	3.91	0.005554	±2.5	PASS
Band1 2	10MHz	QPSK	23060	50RB#0	NV	-20	3.32	0.004716	±2.5	PASS
Band1 2	10MHz	QPSK	23060	50RB#0	NV	0	2.93	0.004162	±2.5	PASS
Band1 2	10MHz	QPSK	23060	50RB#0	NV	10	2.68	0.003807	±2.5	PASS
Band1 2	10MHz	QPSK	23060	50RB#0	NV	20	2.36	0.003352	±2.5	PASS
Band1 2	10MHz	QPSK	23060	50RB#0	NV	30	4.05	0.005753	±2.5	PASS
Band1 2	10MHz	QPSK	23060	50RB#0	NV	40	2.25	0.003196	±2.5	PASS
Band1 2	10MHz	QPSK	23060	50RB#0	NV	50	3.15	0.004474	±2.5	PASS
Band1 2	10MHz	QPSK	23095	50RB#0	NV	-30	1.54	0.002177	±2.5	PASS
Band1 2	10MHz	QPSK	23095	50RB#0	NV	-20	1.47	0.002078	±2.5	PASS
Band1 2	10MHz	QPSK	23095	50RB#0	NV	0	2.23	0.003152	±2.5	PASS
Band1 2	10MHz	QPSK	23095	50RB#0	NV	10	2.35	0.003322	±2.5	PASS
Band1 2	10MHz	QPSK	23095	50RB#0	NV	20	1.90	0.002686	±2.5	PASS
Band1	10MHz	QPSK	23095	50RB#0	NV	30	2.27	0.003208	±2.5	PASS



**BUREAU
VERITAS**

Test Report No.: W7L-P22050013RF03

2										
Band1 2	10MHz	QPSK	23095	50RB#0	NV	40	2.65	0.003746	±2.5	PASS
Band1 2	10MHz	QPSK	23095	50RB#0	NV	50	1.85	0.002615	±2.5	PASS
Band1 2	10MHz	QPSK	23130	50RB#0	NV	-30	2.75	0.003868	±2.5	PASS
Band1 2	10MHz	QPSK	23130	50RB#0	NV	-20	-1.14	-0.001603	±2.5	PASS
Band1 2	10MHz	QPSK	23130	50RB#0	NV	0	2.09	0.002940	±2.5	PASS
Band1 2	10MHz	QPSK	23130	50RB#0	NV	10	-2.32	-0.003263	±2.5	PASS
Band1 2	10MHz	QPSK	23130	50RB#0	NV	20	-3.26	-0.004585	±2.5	PASS
Band1 2	10MHz	QPSK	23130	50RB#0	NV	30	-2.99	-0.004205	±2.5	PASS
Band1 2	10MHz	QPSK	23130	50RB#0	NV	40	-2.09	-0.002940	±2.5	PASS
Band1 2	10MHz	QPSK	23130	50RB#0	NV	50	1.67	0.002349	±2.5	PASS
Band1 2	10MHz	16QAM	23060	50RB#0	NV	-30	1.92	0.002727	±2.5	PASS
Band1 2	10MHz	16QAM	23060	50RB#0	NV	-20	2.07	0.002940	±2.5	PASS
Band1 2	10MHz	16QAM	23060	50RB#0	NV	0	-2.47	-0.003509	±2.5	PASS
Band1 2	10MHz	16QAM	23060	50RB#0	NV	10	-1.44	-0.002045	±2.5	PASS
Band1 2	10MHz	16QAM	23060	50RB#0	NV	20	-2.05	-0.002912	±2.5	PASS
Band1 2	10MHz	16QAM	23060	50RB#0	NV	30	2.75	0.003906	±2.5	PASS
Band1 2	10MHz	16QAM	23060	50RB#0	NV	40	1.97	0.002798	±2.5	PASS
Band1 2	10MHz	16QAM	23060	50RB#0	NV	50	-2.23	-0.003168	±2.5	PASS
Band1 2	10MHz	16QAM	23095	50RB#0	NV	-30	2.39	0.003378	±2.5	PASS
Band1 2	10MHz	16QAM	23095	50RB#0	NV	-20	1.87	0.002643	±2.5	PASS
Band1 2	10MHz	16QAM	23095	50RB#0	NV	0	2.06	0.002912	±2.5	PASS
Band1 2	10MHz	16QAM	23095	50RB#0	NV	10	1.69	0.002389	±2.5	PASS
Band1 2	10MHz	16QAM	23095	50RB#0	NV	20	-1.73	-0.002445	±2.5	PASS
Band1 2	10MHz	16QAM	23095	50RB#0	NV	30	1.72	0.002431	±2.5	PASS
Band1 2	10MHz	16QAM	23095	50RB#0	NV	40	2.42	0.003420	±2.5	PASS
Band1 2	10MHz	16QAM	23095	50RB#0	NV	50	2.30	0.003251	±2.5	PASS



BUREAU
VERITAS

Test Report No.: W7L-P22050013RF03

Band1 2	10MHz	16QAM	23130	50RB#0	NV	-30	-3.00	-0.004219	±2.5	PASS
Band1 2	10MHz	16QAM	23130	50RB#0	NV	-20	-2.17	-0.003052	±2.5	PASS
Band1 2	10MHz	16QAM	23130	50RB#0	NV	0	-2.23	-0.003136	±2.5	PASS
Band1 2	10MHz	16QAM	23130	50RB#0	NV	10	-2.45	-0.003446	±2.5	PASS
Band1 2	10MHz	16QAM	23130	50RB#0	NV	20	-3.03	-0.004262	±2.5	PASS
Band1 2	10MHz	16QAM	23130	50RB#0	NV	30	-1.99	-0.002799	±2.5	PASS
Band1 2	10MHz	16QAM	23130	50RB#0	NV	40	-1.57	-0.002208	±2.5	PASS
Band1 2	10MHz	16QAM	23130	50RB#0	NV	50	-2.93	-0.004121	±2.5	PASS



Test Report No.: W7L-P22050013RF03

LTE BAND66

PEAK-TO-AVERAGE RATIO(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band66	1.4MHz	QPSK	131979	1RB#0	3.26	13	PASS
Band66	1.4MHz	QPSK	131979	6RB#0	4.20	13	PASS
Band66	1.4MHz	QPSK	132322	1RB#0	3.64	13	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	4.57	13	PASS
Band66	1.4MHz	QPSK	132665	1RB#0	1.66	13	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.86	13	PASS
Band66	1.4MHz	16QAM	131979	1RB#0	4.29	13	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	5.02	13	PASS
Band66	1.4MHz	16QAM	132322	1RB#0	4.68	13	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	5.41	13	PASS
Band66	1.4MHz	16QAM	132665	1RB#0	2.50	13	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	2.67	13	PASS
Band66	3MHz	QPSK	131987	1RB#0	3.39	13	PASS
Band66	3MHz	QPSK	131987	15RB#0	4.22	13	PASS
Band66	3MHz	QPSK	132322	1RB#0	3.77	13	PASS
Band66	3MHz	QPSK	132322	15RB#0	4.60	13	PASS
Band66	3MHz	QPSK	132657	1RB#0	1.96	13	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.06	13	PASS
Band66	3MHz	16QAM	131987	1RB#0	4.29	13	PASS
Band66	3MHz	16QAM	131987	15RB#0	5.09	13	PASS
Band66	3MHz	16QAM	132322	1RB#0	4.60	13	PASS
Band66	3MHz	16QAM	132322	15RB#0	5.45	13	PASS
Band66	3MHz	16QAM	132657	1RB#0	2.80	13	PASS
Band66	3MHz	16QAM	132657	15RB#0	3.53	13	PASS
Band66	5MHz	QPSK	131997	1RB#0	3.49	13	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.32	13	PASS
Band66	5MHz	QPSK	132322	1RB#0	3.85	13	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.67	13	PASS
Band66	5MHz	QPSK	132647	1RB#0	2.56	13	PASS
Band66	5MHz	QPSK	132647	25RB#0	3.08	13	PASS
Band66	5MHz	16QAM	131997	1RB#0	4.58	13	PASS
Band66	5MHz	16QAM	131997	25RB#0	5.14	13	PASS
Band66	5MHz	16QAM	132322	1RB#0	4.83	13	PASS
Band66	5MHz	16QAM	132322	25RB#0	5.46	13	PASS
Band66	5MHz	16QAM	132647	1RB#0	3.38	13	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.10	13	PASS
Band66	10MHz	QPSK	132022	1RB#0	3.56	13	PASS
Band66	10MHz	QPSK	132022	50RB#0	4.54	13	PASS
Band66	10MHz	QPSK	132322	1RB#0	3.88	13	PASS
Band66	10MHz	QPSK	132322	50RB#0	4.83	13	PASS
Band66	10MHz	QPSK	132622	1RB#0	2.90	13	PASS




BUREAU
VERITAS

Test Report No.: W7L-P22050013RF03


Band66	10MHz	QPSK	132622	50RB#0	3.73	13	PASS
Band66	10MHz	16QAM	132022	1RB#0	4.42	13	PASS
Band66	10MHz	16QAM	132022	50RB#0	5.46	13	PASS
Band66	10MHz	16QAM	132322	1RB#0	4.68	13	PASS
Band66	10MHz	16QAM	132322	50RB#0	5.66	13	PASS
Band66	10MHz	16QAM	132622	1RB#0	3.64	13	PASS
Band66	10MHz	16QAM	132622	50RB#0	4.70	13	PASS
Band66	15MHz	QPSK	132047	1RB#0	3.65	13	PASS
Band66	15MHz	QPSK	132047	75RB#0	4.86	13	PASS
Band66	15MHz	QPSK	132322	1RB#0	3.94	13	PASS
Band66	15MHz	QPSK	132322	75RB#0	5.03	13	PASS
Band66	15MHz	QPSK	132597	1RB#0	3.47	13	PASS
Band66	15MHz	QPSK	132597	75RB#0	4.25	13	PASS
Band66	15MHz	16QAM	132047	1RB#0	4.42	13	PASS
Band66	15MHz	16QAM	132047	75RB#0	5.63	13	PASS
Band66	15MHz	16QAM	132322	1RB#0	4.72	13	PASS
Band66	15MHz	16QAM	132322	75RB#0	5.77	13	PASS
Band66	15MHz	16QAM	132597	1RB#0	4.22	13	PASS
Band66	15MHz	16QAM	132597	75RB#0	5.02	13	PASS
Band66	20MHz	QPSK	132072	1RB#0	3.64	13	PASS
Band66	20MHz	QPSK	132072	100RB#0	4.71	13	PASS
Band66	20MHz	QPSK	132322	1RB#0	3.76	13	PASS
Band66	20MHz	QPSK	132322	100RB#0	4.85	13	PASS
Band66	20MHz	QPSK	132572	1RB#0	3.48	13	PASS
Band66	20MHz	QPSK	132572	100RB#0	4.27	13	PASS
Band66	20MHz	16QAM	132072	1RB#0	4.38	13	PASS
Band66	20MHz	16QAM	132072	100RB#0	5.54	13	PASS
Band66	20MHz	16QAM	132322	1RB#0	4.49	13	PASS
Band66	20MHz	16QAM	132322	100RB#0	5.66	13	PASS
Band66	20MHz	16QAM	132572	1RB#0	4.34	13	PASS
Band66	20MHz	16QAM	132572	100RB#0	5.11	13	PASS

Test Graphs

Band66-1.4MHz-QPSK-131979-1RB#0



Band66-1.4MHz-QPSK-131979-6RB#0




Band66-1.4MHz-QPSK-132322-1RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03



Band66-1.4MHz-QPSK-132322-6RB#0



Band66-1.4MHz-QPSK-132665-1RB#0




Band66-1.4MHz-QPSK-132665-6RB#0



BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03



Band66-1.4MHz-16QAM-131979-1RB#0



Band66-1.4MHz-16QAM-131979-6RB#0



Band66-1.4MHz-16QAM-132322-1RB#0



BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03




Band66-1.4MHz-16QAM-132322-6RB#0




Band66-1.4MHz-16QAM-132665-1RB#0




Band66-1.4MHz-16QAM-132665-6RB#0



Band66-3MHz-QPSK-131987-1RB#0



Band66-3MHz-QPSK-131987-15RB#0




Band66-3MHz-QPSK-132322-1RB#0



BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03



Band66-3MHz-QPSK-132322-15RB#0



Band66-3MHz-QPSK-132657-1RB#0




Band66-3MHz-QPSK-132657-15RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03



Band66-3MHz-16QAM-131987-1RB#0



Band66-3MHz-16QAM-131987-15RB#0




Band66-3MHz-16QAM-132322-1RB#0



BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03



Band66-3MHz-16QAM-132322-15RB#0




Band66-3MHz-16QAM-132657-1RB#0




Band66-3MHz-16QAM-132657-15RB#0



Band66-5MHz-QPSK-131997-1RB#0



Band66-5MHz-QPSK-131997-25RB#0




Band66-5MHz-QPSK-132322-1RB#0



BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03



Band66-5MHz-QPSK-132322-25RB#0



Band66-5MHz-QPSK-132647-1RB#0




Band66-5MHz-QPSK-132647-25RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03




Band66-5MHz-16QAM-131997-1RB#0



Band66-5MHz-16QAM-131997-25RB#0




Band66-5MHz-16QAM-132322-1RB#0



Band66-5MHz-16QAM-132322-25RB#0




Band66-5MHz-16QAM-132647-1RB#0




Band66-5MHz-16QAM-132647-25RB#0




Band66-10MHz-QPSK-132022-1RB#0




Band66-10MHz-QPSK-132022-50RB#0




Band66-10MHz-QPSK-132322-1RB#0



Band66-10MHz-QPSK-132322-50RB#0



Band66-10MHz-QPSK-132622-1RB#0



Band66-10MHz-QPSK-132622-50RB#0



BUREAU
VERITAS

Test Report No.: W7L-P22050013RF03



Band66-10MHz-16QAM-132022-1RB#0



Band66-10MHz-16QAM-132022-50RB#0



Band66-10MHz-16QAM-132322-1RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03



Band66-10MHz-16QAM-132322-50RB#0



Band66-10MHz-16QAM-132622-1RB#0



Band66-10MHz-16QAM-132622-50RB#0



BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03



Band66-15MHz-QPSK-132047-1RB#0



Band66-15MHz-QPSK-132047-75RB#0




Band66-15MHz-QPSK-132322-1RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03



Band66-15MHz-QPSK-132322-75RB#0



Band66-15MHz-QPSK-132597-1RB#0




Band66-15MHz-QPSK-132597-75RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03




Band66-15MHz-16QAM-132047-1RB#0




Band66-15MHz-16QAM-132047-75RB#0



Band66-15MHz-16QAM-132322-1RB#0




Band66-15MHz-16QAM-132322-75RB#0



Band66-15MHz-16QAM-132597-1RB#0



Band66-15MHz-16QAM-132597-75RB#0






Band66-20MHz-QPSK-132072-1RB#0



Band66-20MHz-QPSK-132072-100RB#0




Band66-20MHz-QPSK-132322-1RB#0






Band66-20MHz-16QAM-132072-1RB#0



Band66-20MHz-16QAM-132072-100RB#0




Band66-20MHz-16QAM-132322-1RB#0




BUREAU
VERITAS


Test Report No.: W7L-P22050013RF03



Band66-20MHz-16QAM-132322-100RB#0



Band66-20MHz-16QAM-132572-1RB#0



Band66-20MHz-16QAM-132572-100RB#0



BUREAU
VERITAS

Test Report No.: W7L-P22050013RF03




26DB BANDWIDTH AND OCCUPIED BANDWIDTH

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band66	1.4MHz	QPSK	131979	6RB#0	1.0898	1.276	PASS
Band66	1.4MHz	QPSK	132322	6RB#0	1.0918	1.271	PASS
Band66	1.4MHz	QPSK	132665	6RB#0	1.1076	1.812	PASS
Band66	1.4MHz	16QAM	131979	6RB#0	1.0905	1.274	PASS
Band66	1.4MHz	16QAM	132322	6RB#0	1.0889	1.267	PASS
Band66	1.4MHz	16QAM	132665	6RB#0	1.0984	1.479	PASS
Band66	3MHz	QPSK	131987	15RB#0	2.6978	2.896	PASS
Band66	3MHz	QPSK	132322	15RB#0	2.6966	2.921	PASS
Band66	3MHz	QPSK	132657	15RB#0	2.7187	4.204	PASS
Band66	3MHz	16QAM	131987	15RB#0	2.6883	2.931	PASS
Band66	3MHz	16QAM	132322	15RB#0	2.6964	2.935	PASS
Band66	3MHz	16QAM	132657	15RB#0	2.7064	3.327	PASS
Band66	5MHz	QPSK	131997	25RB#0	4.5004	4.907	PASS
Band66	5MHz	QPSK	132322	25RB#0	4.4996	4.912	PASS
Band66	5MHz	QPSK	132647	25RB#0	4.5149	5.086	PASS
Band66	5MHz	16QAM	131997	25RB#0	4.5039	4.915	PASS
Band66	5MHz	16QAM	132322	25RB#0	4.5001	4.870	PASS
Band66	5MHz	16QAM	132647	25RB#0	4.5048	4.938	PASS
Band66	10MHz	QPSK	132022	50RB#0	8.9618	9.529	PASS
Band66	10MHz	QPSK	132322	50RB#0	8.9656	9.550	PASS
Band66	10MHz	QPSK	132622	50RB#0	8.9648	9.517	PASS
Band66	10MHz	16QAM	132022	50RB#0	8.9594	9.514	PASS
Band66	10MHz	16QAM	132322	50RB#0	8.9514	9.526	PASS
Band66	10MHz	16QAM	132622	50RB#0	8.9490	9.548	PASS
Band66	15MHz	QPSK	132047	75RB#0	13.465	30.00	PASS
Band66	15MHz	QPSK	132322	75RB#0	13.423	14.24	PASS
Band66	15MHz	QPSK	132597	75RB#0	13.432	14.24	PASS
Band66	15MHz	16QAM	132047	75RB#0	13.456	30.00	PASS
Band66	15MHz	16QAM	132322	75RB#0	13.419	14.24	PASS
Band66	15MHz	16QAM	132597	75RB#0	13.410	14.24	PASS
Band66	20MHz	QPSK	132072	100RB#0	17.881	18.95	PASS
Band66	20MHz	QPSK	132322	100RB#0	17.896	18.96	PASS
Band66	20MHz	QPSK	132572	100RB#0	17.866	18.93	PASS
Band66	20MHz	16QAM	132072	100RB#0	17.893	18.96	PASS
Band66	20MHz	16QAM	132322	100RB#0	17.894	18.94	PASS
Band66	20MHz	16QAM	132572	100RB#0	17.863	18.94	PASS

Test Graphs





Band66-1.4MHz-16QAM-131979-6RB#0



Band66-1.4MHz-16QAM-132322-6RB#0



Band66-1.4MHz-16QAM-132665-6RB#0



Band66-3MHz-QPSK-131987-15RB#0



Band66-3MHz-QPSK-132322-15RB#0



Band66-3MHz-QPSK-132657-15RB#0



Band66-3MHz-16QAM-131987-15RB#0



Band66-3MHz-16QAM-132322-15RB#0




Band66-3MHz-16QAM-132657-15RB#0



BUREAU
VERITAS

Test Report No.: W7L-P22050013RF03



Band66-5MHz-QPSK-131997-25RB#0



Band66-5MHz-QPSK-132322-25RB#0



Band66-5MHz-QPSK-132647-25RB#0



Band66-5MHz-16QAM-131997-25RB#0



Band66-5MHz-16QAM-132322-25RB#0



Band66-5MHz-16QAM-132647-25RB#0




Band66-10MHz-QPSK-132022-50RB#0



Band66-10MHz-QPSK-132322-50RB#0




Band66-10MHz-QPSK-132622-50RB#0



Band66-10MHz-16QAM-132022-50RB#0



Band66-10MHz-16QAM-132322-50RB#0




Band66-10MHz-16QAM-132622-50RB#0




Band66-15MHz-QPSK-132047-75RB#0




Band66-15MHz-QPSK-132322-75RB#0



Band66-15MHz-QPSK-132597-75RB#0



Band66-15MHz-16QAM-132047-75RB#0



Band66-15MHz-16QAM-132322-75RB#0



Band66-15MHz-16QAM-132597-75RB#0