



Mode	Result	DG (dBi)	EIRP/ERP (dBm)	EIRP/ERP (W)	EIRP/ERP Lim. (W)	Power (dBm)	Power (W)	Power Lim. (W)	Port 1 (dBm)
713.5MHz_RB 25,#RB 0	Pass	-0.81	18.71	0.07430	3	21.67	0.147	Inf	21.67
713.5MHz_RB 1,#RB L	Pass	-0.81	18.32	0.06792	3	21.28	0.134	Inf	21.28
713.5MHz_RB 1,#RB M	Pass	-0.81	18.71	0.07430	3	21.67	0.147	Inf	21.67
713.5MHz_RB 1,#RB H	Pass	-0.81	18.62	0.07278	3	21.58	0.144	Inf	21.58
713.5MHz_RB 12,#RB L	Pass	-0.81	18.29	0.06745	3	21.25	0.133	Inf	21.25
713.5MHz_RB 12,#RB M	Pass	-0.81	19.21	0.08337	3	22.17	0.165	Inf	22.17
713.5MHz_RB 12,#RB H	Pass	-0.81	18.72	0.07447	3	21.68	0.147	Inf	21.68
Band 12_LTE_5MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-
701.5MHz_RB 25,#RB 0	Pass	-0.81	18.62	0.07278	3	21.58	0.144	Inf	21.58
701.5MHz_RB 1,#RB L	Pass	-0.81	18.51	0.07096	3	21.47	0.140	Inf	21.47
701.5MHz_RB 1,#RB M	Pass	-0.81	19.09	0.08110	3	22.05	0.160	Inf	22.05
701.5MHz_RB 1,#RB H	Pass	-0.81	18.71	0.07430	3	21.67	0.147	Inf	21.67
701.5MHz_RB 12,#RB L	Pass	-0.81	18.64	0.07311	3	21.60	0.145	Inf	21.60
701.5MHz_RB 12,#RB M	Pass	-0.81	18.51	0.07096	3	21.47	0.140	Inf	21.47
701.5MHz_RB 12,#RB H	Pass	-0.81	18.70	0.07413	3	21.66	0.147	Inf	21.66
707.5MHz_RB 25,#RB 0	Pass	-0.81	18.51	0.07096	3	21.47	0.140	Inf	21.47
707.5MHz_RB 1,#RB L	Pass	-0.81	19.08	0.08091	3	22.04	0.160	Inf	22.04
707.5MHz_RB 1,#RB M	Pass	-0.81	18.72	0.07447	3	21.68	0.147	Inf	21.68
707.5MHz_RB 1,#RB H	Pass	-0.81	18.44	0.06982	3	21.40	0.138	Inf	21.40
707.5MHz_RB 12,#RB L	Pass	-0.81	18.51	0.07096	3	21.47	0.140	Inf	21.47
707.5MHz_RB 12,#RB M	Pass	-0.81	18.62	0.07278	3	21.58	0.144	Inf	21.58
707.5MHz_RB 12,#RB H	Pass	-0.81	18.76	0.07516	3	21.72	0.149	Inf	21.72
713.5MHz_RB 25,#RB 0	Pass	-0.81	18.98	0.07907	3	21.94	0.156	Inf	21.94
713.5MHz_RB 1,#RB L	Pass	-0.81	19.27	0.08453	3	22.23	0.167	Inf	22.23
713.5MHz_RB 1,#RB M	Pass	-0.81	18.71	0.07430	3	21.67	0.147	Inf	21.67
713.5MHz_RB 1,#RB H	Pass	-0.81	18.51	0.07096	3	21.47	0.140	Inf	21.47
713.5MHz_RB 12,#RB L	Pass	-0.81	18.72	0.07447	3	21.68	0.147	Inf	21.68
713.5MHz_RB 12,#RB M	Pass	-0.81	18.51	0.07096	3	21.47	0.140	Inf	21.47
713.5MHz_RB 12,#RB H	Pass	-0.81	19.08	0.08091	3	22.04	0.160	Inf	22.04
Band 12_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	-0.81	18.84	0.07656	3	21.80	0.151	Inf	21.80
704MHz_RB 1,#RB L	Pass	-0.81	18.71	0.07430	3	21.67	0.147	Inf	21.67
704MHz_RB 1,#RB M	Pass	-0.81	18.98	0.07907	3	21.94	0.156	Inf	21.94
704MHz_RB 1,#RB H	Pass	-0.81	17.71	0.05902	3	20.67	0.117	Inf	20.67
704MHz_RB 25,#RB L	Pass	-0.81	17.98	0.06281	3	20.94	0.124	Inf	20.94
704MHz_RB 25,#RB M	Pass	-0.81	18.03	0.06353	3	20.99	0.126	Inf	20.99
704MHz_RB 25,#RB H	Pass	-0.81	18.19	0.06592	3	21.15	0.130	Inf	21.15
707.5MHz_RB 50,#RB 0	Pass	-0.81	17.70	0.05888	3	20.66	0.116	Inf	20.66
707.5MHz_RB 1,#RB L	Pass	-0.81	17.89	0.06152	3	20.85	0.122	Inf	20.85
707.5MHz_RB 1,#RB M	Pass	-0.81	18.16	0.06546	3	21.12	0.129	Inf	21.12
707.5MHz_RB 1,#RB H	Pass	-0.81	18.59	0.07228	3	21.55	0.143	Inf	21.55
707.5MHz_RB 25,#RB L	Pass	-0.81	18.11	0.06471	3	21.07	0.128	Inf	21.07
707.5MHz_RB 25,#RB M	Pass	-0.81	17.72	0.05916	3	20.68	0.117	Inf	20.68
707.5MHz_RB 25,#RB H	Pass	-0.81	17.52	0.05649	3	20.48	0.112	Inf	20.48
711MHz_RB 50,#RB 0	Pass	-0.81	18.16	0.06546	3	21.12	0.129	Inf	21.12
711MHz_RB 1,#RB L	Pass	-0.81	18.08	0.06427	3	21.04	0.127	Inf	21.04
711MHz_RB 1,#RB M	Pass	-0.81	18.03	0.06353	3	20.99	0.126	Inf	20.99
711MHz_RB 1,#RB H	Pass	-0.81	18.21	0.06622	3	21.17	0.131	Inf	21.17
711MHz_RB 25,#RB L	Pass	-0.81	18.68	0.07379	3	21.64	0.146	Inf	21.64
711MHz_RB 25,#RB M	Pass	-0.81	18.28	0.06730	3	21.24	0.133	Inf	21.24
711MHz_RB 25,#RB H	Pass	-0.81	18.11	0.06471	3	21.07	0.128	Inf	21.07
Band 12_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	-0.81	18.00	0.06310	3	20.96	0.125	Inf	20.96
704MHz_RB 1,#RB L	Pass	-0.81	17.98	0.06281	3	20.94	0.124	Inf	20.94
704MHz_RB 1,#RB M	Pass	-0.81	17.88	0.06138	3	20.84	0.121	Inf	20.84
704MHz_RB 1,#RB H	Pass	-0.81	18.51	0.07096	3	21.47	0.140	Inf	21.47
704MHz_RB 25,#RB L	Pass	-0.81	18.34	0.06823	3	21.30	0.135	Inf	21.30
704MHz_RB 25,#RB M	Pass	-0.81	18.04	0.06368	3	21.00	0.126	Inf	21.00
704MHz_RB 25,#RB H	Pass	-0.81	17.98	0.06281	3	20.94	0.124	Inf	20.94
707.5MHz_RB 50,#RB 0	Pass	-0.81	17.90	0.06166	3	20.86	0.122	Inf	20.86
707.5MHz_RB 1,#RB L	Pass	-0.81	17.88	0.06138	3	20.84	0.121	Inf	20.84
707.5MHz_RB 1,#RB M	Pass	-0.81	17.43	0.05534	3	20.39	0.109	Inf	20.39



Mode	Result	DG (dBi)	EIRP/ERP (dBm)	EIRP/ERP (W)	EIRP/ERP Lim. (W)	Power (dBm)	Power (W)	Power Lim. (W)	Port 1 (dBm)
707.5MHz_RB 1,#RB H	Pass	-0.81	18.03	0.06353	3	20.99	0.126	Inf	20.99
707.5MHz_RB 25,#RB L	Pass	-0.81	18.39	0.06902	3	21.35	0.136	Inf	21.35
707.5MHz_RB 25,#RB M	Pass	-0.81	18.45	0.06998	3	21.41	0.138	Inf	21.41
707.5MHz_RB 25,#RB H	Pass	-0.81	18.22	0.06637	3	21.18	0.131	Inf	21.18
711MHz_RB 50,#RB 0	Pass	-0.81	18.28	0.06730	3	21.24	0.133	Inf	21.24
711MHz_RB 1,#RB L	Pass	-0.81	18.13	0.06501	3	21.09	0.129	Inf	21.09
711MHz_RB 1,#RB M	Pass	-0.81	18.35	0.06839	3	21.31	0.135	Inf	21.31
711MHz_RB 1,#RB H	Pass	-0.81	18.26	0.06699	3	21.22	0.132	Inf	21.22
711MHz_RB 25,#RB L	Pass	-0.81	17.98	0.06281	3	20.94	0.124	Inf	20.94
711MHz_RB 25,#RB M	Pass	-0.81	17.84	0.06081	3	20.80	0.120	Inf	20.80
711MHz_RB 25,#RB H	Pass	-0.81	17.80	0.06026	3	20.76	0.119	Inf	20.76
Band 12_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	-0.81	17.62	0.05781	3	20.58	0.114	Inf	20.58
704MHz_RB 1,#RB L	Pass	-0.81	18.40	0.06918	3	21.36	0.137	Inf	21.36
704MHz_RB 1,#RB M	Pass	-0.81	18.39	0.06902	3	21.35	0.136	Inf	21.35
704MHz_RB 1,#RB H	Pass	-0.81	18.31	0.06776	3	21.27	0.134	Inf	21.27
704MHz_RB 25,#RB L	Pass	-0.81	18.66	0.07345	3	21.62	0.145	Inf	21.62
704MHz_RB 25,#RB M	Pass	-0.81	18.46	0.07015	3	21.42	0.139	Inf	21.42
704MHz_RB 25,#RB H	Pass	-0.81	19.15	0.08222	3	22.11	0.163	Inf	22.11
707.5MHz_RB 50,#RB 0	Pass	-0.81	18.98	0.07907	3	21.94	0.156	Inf	21.94
707.5MHz_RB 1,#RB L	Pass	-0.81	18.47	0.07031	3	21.43	0.139	Inf	21.43
707.5MHz_RB 1,#RB M	Pass	-0.81	19.09	0.08110	3	22.05	0.160	Inf	22.05
707.5MHz_RB 1,#RB H	Pass	-0.81	18.98	0.07907	3	21.94	0.156	Inf	21.94
707.5MHz_RB 25,#RB L	Pass	-0.81	19.16	0.08241	3	22.12	0.163	Inf	22.12
707.5MHz_RB 25,#RB M	Pass	-0.81	18.68	0.07379	3	21.64	0.146	Inf	21.64
707.5MHz_RB 25,#RB H	Pass	-0.81	18.62	0.07278	3	21.58	0.144	Inf	21.58
711MHz_RB 50,#RB 0	Pass	-0.81	18.98	0.07907	3	21.94	0.156	Inf	21.94
711MHz_RB 1,#RB L	Pass	-0.81	18.90	0.07762	3	21.86	0.153	Inf	21.86
711MHz_RB 1,#RB M	Pass	-0.81	18.72	0.07447	3	21.68	0.147	Inf	21.68
711MHz_RB 1,#RB H	Pass	-0.81	19.08	0.08091	3	22.04	0.160	Inf	22.04
711MHz_RB 25,#RB L	Pass	-0.81	19.38	0.08670	3	22.34	0.171	Inf	22.34
711MHz_RB 25,#RB M	Pass	-0.81	18.98	0.07907	3	21.94	0.156	Inf	21.94
711MHz_RB 25,#RB H	Pass	-0.81	18.90	0.07762	3	21.86	0.153	Inf	21.86
Band 38_LTE_5MHz_Nss1,OPSK_1TX	-	-	-	-	-	-	-	-	-
2572.5MHz_RB 25,#RB 0	Pass	1.69	26.82	0.48084	2	25.13	0.326	Inf	25.13
2572.5MHz_RB 1,#RB L	Pass	1.69	27.45	0.55590	2	25.76	0.377	Inf	25.76
2572.5MHz_RB 1,#RB M	Pass	1.69	27.48	0.55976	2	25.79	0.379	Inf	25.79
2572.5MHz_RB 1,#RB H	Pass	1.69	27.39	0.54828	2	25.70	0.372	Inf	25.70
2572.5MHz_RB 12,#RB L	Pass	1.69	26.77	0.47534	2	25.08	0.322	Inf	25.08
2572.5MHz_RB 12,#RB M	Pass	1.69	26.87	0.48641	2	25.18	0.330	Inf	25.18
2572.5MHz_RB 12,#RB H	Pass	1.69	26.69	0.46666	2	25.00	0.316	Inf	25.00
2595MHz_RB 25,#RB 0	Pass	1.69	26.64	0.46132	2	24.95	0.313	Inf	24.95
2595MHz_RB 1,#RB L	Pass	1.69	27.24	0.52966	2	25.55	0.359	Inf	25.55
2595MHz_RB 1,#RB M	Pass	1.69	27.17	0.52119	2	25.48	0.353	Inf	25.48
2595MHz_RB 1,#RB H	Pass	1.69	27.07	0.50933	2	25.38	0.345	Inf	25.38
2595MHz_RB 12,#RB L	Pass	1.69	26.56	0.45290	2	24.87	0.307	Inf	24.87
2595MHz_RB 12,#RB M	Pass	1.69	26.52	0.44875	2	24.83	0.304	Inf	24.83
2595MHz_RB 12,#RB H	Pass	1.69	26.43	0.43954	2	24.74	0.298	Inf	24.74
2617.5MHz_RB 25,#RB 0	Pass	1.69	26.48	0.44463	2	24.79	0.301	Inf	24.79
2617.5MHz_RB 1,#RB L	Pass	1.69	27.08	0.51050	2	25.39	0.346	Inf	25.39
2617.5MHz_RB 1,#RB M	Pass	1.69	27.21	0.52602	2	25.52	0.356	Inf	25.52
2617.5MHz_RB 1,#RB H	Pass	1.69	27.13	0.51642	2	25.44	0.350	Inf	25.44
2617.5MHz_RB 12,#RB L	Pass	1.69	26.30	0.42658	2	24.61	0.289	Inf	24.61
2617.5MHz_RB 12,#RB M	Pass	1.69	26.45	0.44157	2	24.76	0.299	Inf	24.76
2617.5MHz_RB 12,#RB H	Pass	1.69	26.47	0.44361	2	24.78	0.301	Inf	24.78
Band 38_LTE_5MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-
2572.5MHz_RB 25,#RB 0	Pass	1.69	26.37	0.43351	2	24.68	0.294	Inf	24.68
2572.5MHz_RB 1,#RB L	Pass	1.69	26.28	0.42462	2	24.59	0.288	Inf	24.59
2572.5MHz_RB 1,#RB M	Pass	1.69	26.16	0.41305	2	24.47	0.280	Inf	24.47
2572.5MHz_RB 1,#RB H	Pass	1.69	26.75	0.47315	2	25.06	0.321	Inf	25.06
2572.5MHz_RB 12,#RB L	Pass	1.69	26.03	0.40087	2	24.34	0.272	Inf	24.34
2572.5MHz_RB 12,#RB M	Pass	1.69	25.90	0.38905	2	24.21	0.264	Inf	24.21



Mode	Result	DG (dBi)	EIRP/ERP (dBm)	EIRP/ERP (W)	EIRP/ERP Lim. (W)	Power (dBm)	Power (W)	Power Lim. (W)	Port 1 (dBm)
2572.5MHz_RB 12,#RB H	Pass	1.69	26.04	0.40179	2	24.35	0.272	Inf	24.35
2595MHz_RB 25,#RB 0	Pass	1.69	25.87	0.38637	2	24.18	0.262	Inf	24.18
2595MHz_RB 1,#RB L	Pass	1.69	26.04	0.40179	2	24.35	0.272	Inf	24.35
2595MHz_RB 1,#RB M	Pass	1.69	25.84	0.38371	2	24.15	0.260	Inf	24.15
2595MHz_RB 1,#RB H	Pass	1.69	26.60	0.45709	2	24.91	0.310	Inf	24.91
2595MHz_RB 12,#RB L	Pass	1.69	25.59	0.36224	2	23.90	0.245	Inf	23.90
2595MHz_RB 12,#RB M	Pass	1.69	25.68	0.36983	2	23.99	0.251	Inf	23.99
2595MHz_RB 12,#RB H	Pass	1.69	25.70	0.37154	2	24.01	0.252	Inf	24.01
2617.5MHz_RB 25,#RB 0	Pass	1.69	25.81	0.38107	2	24.12	0.258	Inf	24.12
2617.5MHz_RB 1,#RB L	Pass	1.69	25.74	0.37497	2	24.05	0.254	Inf	24.05
2617.5MHz_RB 1,#RB M	Pass	1.69	25.94	0.39264	2	24.25	0.266	Inf	24.25
2617.5MHz_RB 1,#RB H	Pass	1.69	26.41	0.43752	2	24.72	0.296	Inf	24.72
2617.5MHz_RB 12,#RB L	Pass	1.69	25.37	0.34435	2	23.68	0.233	Inf	23.68
2617.5MHz_RB 12,#RB M	Pass	1.69	25.35	0.34277	2	23.66	0.232	Inf	23.66
2617.5MHz_RB 12,#RB H	Pass	1.69	25.63	0.36559	2	23.94	0.248	Inf	23.94
Band 38_LTE_5MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-
2572.5MHz_RB 25,#RB 0	Pass	1.69	25.27	0.33651	2	23.58	0.228	Inf	23.58
2572.5MHz_RB 1,#RB L	Pass	1.69	26.19	0.41591	2	24.50	0.282	Inf	24.50
2572.5MHz_RB 1,#RB M	Pass	1.69	26.74	0.47206	2	25.05	0.320	Inf	25.05
2572.5MHz_RB 1,#RB H	Pass	1.69	26.61	0.45814	2	24.92	0.310	Inf	24.92
2572.5MHz_RB 12,#RB L	Pass	1.69	25.76	0.37670	2	24.07	0.255	Inf	24.07
2572.5MHz_RB 12,#RB M	Pass	1.69	25.85	0.38459	2	24.16	0.261	Inf	24.16
2572.5MHz_RB 12,#RB H	Pass	1.69	25.74	0.37497	2	24.05	0.254	Inf	24.05
2595MHz_RB 25,#RB 0	Pass	1.69	25.70	0.37154	2	24.01	0.252	Inf	24.01
2595MHz_RB 1,#RB L	Pass	1.69	26.21	0.41783	2	24.52	0.283	Inf	24.52
2595MHz_RB 1,#RB M	Pass	1.69	26.36	0.43251	2	24.67	0.293	Inf	24.67
2595MHz_RB 1,#RB H	Pass	1.69	26.37	0.43351	2	24.68	0.294	Inf	24.68
2595MHz_RB 12,#RB L	Pass	1.69	25.45	0.35075	2	23.76	0.238	Inf	23.76
2595MHz_RB 12,#RB M	Pass	1.69	25.63	0.36559	2	23.94	0.248	Inf	23.94
2595MHz_RB 12,#RB H	Pass	1.69	25.58	0.36141	2	23.89	0.245	Inf	23.89
2617.5MHz_RB 25,#RB 0	Pass	1.69	25.38	0.34514	2	23.69	0.234	Inf	23.69
2617.5MHz_RB 1,#RB L	Pass	1.69	25.81	0.38107	2	24.12	0.258	Inf	24.12
2617.5MHz_RB 1,#RB M	Pass	1.69	26.27	0.42364	2	24.58	0.287	Inf	24.58
2617.5MHz_RB 1,#RB H	Pass	1.69	26.09	0.40644	2	24.40	0.275	Inf	24.40
2617.5MHz_RB 12,#RB L	Pass	1.69	25.62	0.36475	2	23.93	0.247	Inf	23.93
2617.5MHz_RB 12,#RB M	Pass	1.69	25.61	0.36392	2	23.92	0.247	Inf	23.92
2617.5MHz_RB 12,#RB H	Pass	1.69	25.47	0.35237	2	23.78	0.239	Inf	23.78
Band 38_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-
2575MHz_RB 50,#RB 0	Pass	1.69	27.01	0.50234	2	25.32	0.340	Inf	25.32
2575MHz_RB 1,#RB L	Pass	1.69	27.90	0.61660	2	26.21	0.418	Inf	26.21
2575MHz_RB 1,#RB M	Pass	1.69	27.77	0.59841	2	26.08	0.406	Inf	26.08
2575MHz_RB 1,#RB H	Pass	1.69	27.84	0.60814	2	26.15	0.412	Inf	26.15
2575MHz_RB 25,#RB L	Pass	1.69	26.73	0.47098	2	25.04	0.319	Inf	25.04
2575MHz_RB 25,#RB M	Pass	1.69	26.30	0.42658	2	24.61	0.289	Inf	24.61
2575MHz_RB 25,#RB H	Pass	1.69	26.61	0.45814	2	24.92	0.310	Inf	24.92
2595MHz_RB 50,#RB 0	Pass	1.69	26.77	0.47534	2	25.08	0.322	Inf	25.08
2595MHz_RB 1,#RB L	Pass	1.69	27.74	0.59429	2	26.05	0.403	Inf	26.05
2595MHz_RB 1,#RB M	Pass	1.69	27.62	0.57810	2	25.93	0.392	Inf	25.93
2595MHz_RB 1,#RB H	Pass	1.69	27.58	0.57280	2	25.89	0.388	Inf	25.89
2595MHz_RB 25,#RB L	Pass	1.69	26.09	0.40644	2	24.40	0.275	Inf	24.40
2595MHz_RB 25,#RB M	Pass	1.69	26.18	0.41495	2	24.49	0.281	Inf	24.49
2595MHz_RB 25,#RB H	Pass	1.69	26.46	0.44259	2	24.77	0.300	Inf	24.77
2615MHz_RB 50,#RB 0	Pass	1.69	26.65	0.46238	2	24.96	0.313	Inf	24.96
2615MHz_RB 1,#RB L	Pass	1.69	27.55	0.56885	2	25.86	0.385	Inf	25.86
2615MHz_RB 1,#RB M	Pass	1.69	27.46	0.55719	2	25.77	0.378	Inf	25.77
2615MHz_RB 1,#RB H	Pass	1.69	27.46	0.55719	2	25.77	0.378	Inf	25.77
2615MHz_RB 25,#RB L	Pass	1.69	26.50	0.44668	2	24.81	0.303	Inf	24.81
2615MHz_RB 25,#RB M	Pass	1.69	26.17	0.41400	2	24.48	0.281	Inf	24.48
2615MHz_RB 25,#RB H	Pass	1.69	26.43	0.43954	2	24.74	0.298	Inf	24.74
Band 38_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-
2575MHz_RB 50,#RB 0	Pass	1.69	25.59	0.36224	2	23.90	0.245	Inf	23.90
2575MHz_RB 1,#RB L	Pass	1.69	27.15	0.51880	2	25.46	0.352	Inf	25.46



Mode	Result	DG (dBi)	EIRP/ERP (dBm)	EIRP/ERP (W)	EIRP/ERP Lim. (W)	Power (dBm)	Power (W)	Power Lim. (W)	Port 1 (dBm)
2575MHz_RB 1,#RB M	Pass	1.69	27.20	0.52481	2	25.51	0.356	Inf	25.51
2575MHz_RB 1,#RB H	Pass	1.69	27.24	0.52966	2	25.55	0.359	Inf	25.55
2575MHz_RB 25,#RB L	Pass	1.69	25.80	0.38019	2	24.11	0.258	Inf	24.11
2575MHz_RB 25,#RB M	Pass	1.69	25.82	0.38194	2	24.13	0.259	Inf	24.13
2575MHz_RB 25,#RB H	Pass	1.69	25.72	0.37325	2	24.03	0.253	Inf	24.03
2595MHz_RB 50,#RB 0	Pass	1.69	25.43	0.34914	2	23.74	0.237	Inf	23.74
2595MHz_RB 1,#RB L	Pass	1.69	27.03	0.50466	2	25.34	0.342	Inf	25.34
2595MHz_RB 1,#RB M	Pass	1.69	26.94	0.49431	2	25.25	0.335	Inf	25.25
2595MHz_RB 1,#RB H	Pass	1.69	26.95	0.49545	2	25.26	0.336	Inf	25.26
2595MHz_RB 25,#RB L	Pass	1.69	25.66	0.36813	2	23.97	0.249	Inf	23.97
2595MHz_RB 25,#RB M	Pass	1.69	25.56	0.35975	2	23.87	0.244	Inf	23.87
2595MHz_RB 25,#RB H	Pass	1.69	25.63	0.36559	2	23.94	0.248	Inf	23.94
2615MHz_RB 50,#RB 0	Pass	1.69	25.32	0.34041	2	23.63	0.231	Inf	23.63
2615MHz_RB 1,#RB L	Pass	1.69	26.97	0.49774	2	25.28	0.337	Inf	25.28
2615MHz_RB 1,#RB M	Pass	1.69	26.82	0.48084	2	25.13	0.326	Inf	25.13
2615MHz_RB 1,#RB H	Pass	1.69	26.89	0.48865	2	25.20	0.331	Inf	25.20
2615MHz_RB 25,#RB L	Pass	1.69	25.60	0.36308	2	23.91	0.246	Inf	23.91
2615MHz_RB 25,#RB M	Pass	1.69	25.49	0.35400	2	23.80	0.240	Inf	23.80
2615MHz_RB 25,#RB H	Pass	1.69	25.49	0.35400	2	23.80	0.240	Inf	23.80
Band 38_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-
2575MHz_RB 50,#RB 0	Pass	1.69	25.64	0.36644	2	23.95	0.248	Inf	23.95
2575MHz_RB 1,#RB L	Pass	1.69	26.93	0.49317	2	25.24	0.334	Inf	25.24
2575MHz_RB 1,#RB M	Pass	1.69	26.96	0.49659	2	25.27	0.337	Inf	25.27
2575MHz_RB 1,#RB H	Pass	1.69	26.89	0.48865	2	25.20	0.331	Inf	25.20
2575MHz_RB 25,#RB L	Pass	1.69	25.81	0.38107	2	24.12	0.258	Inf	24.12
2575MHz_RB 25,#RB M	Pass	1.69	25.68	0.36983	2	23.99	0.251	Inf	23.99
2575MHz_RB 25,#RB H	Pass	1.69	25.85	0.38459	2	24.16	0.261	Inf	24.16
2595MHz_RB 50,#RB 0	Pass	1.69	25.47	0.35237	2	23.78	0.239	Inf	23.78
2595MHz_RB 1,#RB L	Pass	1.69	26.72	0.46989	2	25.03	0.318	Inf	25.03
2595MHz_RB 1,#RB M	Pass	1.69	26.76	0.47424	2	25.07	0.321	Inf	25.07
2595MHz_RB 1,#RB H	Pass	1.69	26.82	0.48084	2	25.13	0.326	Inf	25.13
2595MHz_RB 25,#RB L	Pass	1.69	25.67	0.36898	2	23.98	0.250	Inf	23.98
2595MHz_RB 25,#RB M	Pass	1.69	25.63	0.36559	2	23.94	0.248	Inf	23.94
2595MHz_RB 25,#RB H	Pass	1.69	25.59	0.36224	2	23.90	0.245	Inf	23.90
2615MHz_RB 50,#RB 0	Pass	1.69	25.38	0.34514	2	23.69	0.234	Inf	23.69
2615MHz_RB 1,#RB L	Pass	1.69	26.69	0.46666	2	25.00	0.316	Inf	25.00
2615MHz_RB 1,#RB M	Pass	1.69	26.64	0.46132	2	24.95	0.313	Inf	24.95
2615MHz_RB 1,#RB H	Pass	1.69	26.66	0.46345	2	24.97	0.314	Inf	24.97
2615MHz_RB 25,#RB L	Pass	1.69	25.51	0.35563	2	23.82	0.241	Inf	23.82
2615MHz_RB 25,#RB M	Pass	1.69	25.54	0.35810	2	23.85	0.243	Inf	23.85
2615MHz_RB 25,#RB H	Pass	1.69	25.62	0.36475	2	23.93	0.247	Inf	23.93
Band 41_LTE_5MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-
2498.5MHz_RB 25,#RB 0	Pass	2.18	27.38	0.54702	2	25.20	0.331	Inf	25.20
2498.5MHz_RB 1,#RB L	Pass	2.18	27.88	0.61376	2	25.70	0.372	Inf	25.70
2498.5MHz_RB 1,#RB M	Pass	2.18	28.06	0.63973	2	25.88	0.387	Inf	25.88
2498.5MHz_RB 1,#RB H	Pass	2.18	27.97	0.62661	2	25.79	0.379	Inf	25.79
2498.5MHz_RB 12,#RB L	Pass	2.18	27.05	0.50699	2	24.87	0.307	Inf	24.87
2498.5MHz_RB 12,#RB M	Pass	2.18	27.43	0.55335	2	25.25	0.335	Inf	25.25
2498.5MHz_RB 12,#RB H	Pass	2.18	26.96	0.49659	2	24.78	0.301	Inf	24.78
2593MHz_RB 25,#RB 0	Pass	2.18	27.11	0.51404	2	24.93	0.311	Inf	24.93
2593MHz_RB 1,#RB L	Pass	2.18	27.80	0.60256	2	25.62	0.365	Inf	25.62
2593MHz_RB 1,#RB M	Pass	2.18	28.08	0.64269	2	25.90	0.389	Inf	25.90
2593MHz_RB 1,#RB H	Pass	2.18	27.83	0.60674	2	25.65	0.367	Inf	25.65
2593MHz_RB 12,#RB L	Pass	2.18	27.06	0.50816	2	24.88	0.308	Inf	24.88
2593MHz_RB 12,#RB M	Pass	2.18	27.09	0.51168	2	24.91	0.310	Inf	24.91
2593MHz_RB 12,#RB H	Pass	2.18	26.96	0.49659	2	24.78	0.301	Inf	24.78
2687.5MHz_RB 25,#RB 0	Pass	2.18	26.39	0.43551	2	24.21	0.264	Inf	24.21
2687.5MHz_RB 1,#RB L	Pass	2.18	27.11	0.51404	2	24.93	0.311	Inf	24.93
2687.5MHz_RB 1,#RB M	Pass	2.18	27.31	0.53827	2	25.13	0.326	Inf	25.13
2687.5MHz_RB 1,#RB H	Pass	2.18	27.14	0.51761	2	24.96	0.313	Inf	24.96
2687.5MHz_RB 12,#RB L	Pass	2.18	26.32	0.42855	2	24.14	0.259	Inf	24.14
2687.5MHz_RB 12,#RB M	Pass	2.18	26.31	0.42756	2	24.13	0.259	Inf	24.13



Mode	Result	DG (dBi)	EIRP/ERP (dBm)	EIRP/ERP (W)	EIRP/ERP Lim. (W)	Power (dBm)	Power (W)	Power Lim. (W)	Port 1 (dBm)
2687.5MHz_RB 12,#RB H	Pass	2.18	26.23	0.41976	2	24.05	0.254	Inf	24.05
Band 41_LTE_5MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-
2498.5MHz_RB 25,#RB 0	Pass	2.18	25.90	0.38905	2	23.72	0.236	Inf	23.72
2498.5MHz_RB 1,#RB L	Pass	2.18	26.99	0.50003	2	24.81	0.303	Inf	24.81
2498.5MHz_RB 1,#RB M	Pass	2.18	27.29	0.53580	2	25.11	0.324	Inf	25.11
2498.5MHz_RB 1,#RB H	Pass	2.18	27.17	0.52119	2	24.99	0.316	Inf	24.99
2498.5MHz_RB 12,#RB L	Pass	2.18	25.93	0.39174	2	23.75	0.237	Inf	23.75
2498.5MHz_RB 12,#RB M	Pass	2.18	26.23	0.41976	2	24.05	0.254	Inf	24.05
2498.5MHz_RB 12,#RB H	Pass	2.18	26.13	0.41020	2	23.95	0.248	Inf	23.95
2593MHz_RB 25,#RB 0	Pass	2.18	26.15	0.41210	2	23.97	0.249	Inf	23.97
2593MHz_RB 1,#RB L	Pass	2.18	27.01	0.50234	2	24.83	0.304	Inf	24.83
2593MHz_RB 1,#RB M	Pass	2.18	27.08	0.51050	2	24.90	0.309	Inf	24.90
2593MHz_RB 1,#RB H	Pass	2.18	27.15	0.51880	2	24.97	0.314	Inf	24.97
2593MHz_RB 12,#RB L	Pass	2.18	26.17	0.41400	2	23.99	0.251	Inf	23.99
2593MHz_RB 12,#RB M	Pass	2.18	26.05	0.40272	2	23.87	0.244	Inf	23.87
2593MHz_RB 12,#RB H	Pass	2.18	26.17	0.41400	2	23.99	0.251	Inf	23.99
2687.5MHz_RB 25,#RB 0	Pass	2.18	25.43	0.34914	2	23.25	0.211	Inf	23.25
2687.5MHz_RB 1,#RB L	Pass	2.18	26.42	0.43853	2	24.24	0.265	Inf	24.24
2687.5MHz_RB 1,#RB M	Pass	2.18	26.42	0.43853	2	24.24	0.265	Inf	24.24
2687.5MHz_RB 1,#RB H	Pass	2.18	26.35	0.43152	2	24.17	0.261	Inf	24.17
2687.5MHz_RB 12,#RB L	Pass	2.18	25.39	0.34594	2	23.21	0.209	Inf	23.21
2687.5MHz_RB 12,#RB M	Pass	2.18	25.51	0.35563	2	23.33	0.215	Inf	23.33
2687.5MHz_RB 12,#RB H	Pass	2.18	25.53	0.35727	2	23.35	0.216	Inf	23.35
Band 41_LTE_5MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-
2498.5MHz_RB 25,#RB 0	Pass	2.18	26.01	0.39902	2	23.83	0.242	Inf	23.83
2498.5MHz_RB 1,#RB L	Pass	2.18	26.86	0.48529	2	24.68	0.294	Inf	24.68
2498.5MHz_RB 1,#RB M	Pass	2.18	26.80	0.47863	2	24.62	0.290	Inf	24.62
2498.5MHz_RB 1,#RB H	Pass	2.18	26.95	0.49545	2	24.77	0.300	Inf	24.77
2498.5MHz_RB 12,#RB L	Pass	2.18	26.12	0.40926	2	23.94	0.248	Inf	23.94
2498.5MHz_RB 12,#RB M	Pass	2.18	26.19	0.41591	2	24.01	0.252	Inf	24.01
2498.5MHz_RB 12,#RB H	Pass	2.18	26.06	0.40365	2	23.88	0.244	Inf	23.88
2593MHz_RB 25,#RB 0	Pass	2.18	26.10	0.40738	2	23.92	0.247	Inf	23.92
2593MHz_RB 1,#RB L	Pass	2.18	26.93	0.49317	2	24.75	0.299	Inf	24.75
2593MHz_RB 1,#RB M	Pass	2.18	26.92	0.49204	2	24.74	0.298	Inf	24.74
2593MHz_RB 1,#RB H	Pass	2.18	26.64	0.46132	2	24.46	0.279	Inf	24.46
2593MHz_RB 12,#RB L	Pass	2.18	26.13	0.41020	2	23.95	0.248	Inf	23.95
2593MHz_RB 12,#RB M	Pass	2.18	26.17	0.41400	2	23.99	0.251	Inf	23.99
2593MHz_RB 12,#RB H	Pass	2.18	26.12	0.40926	2	23.94	0.248	Inf	23.94
2687.5MHz_RB 25,#RB 0	Pass	2.18	25.35	0.34277	2	23.17	0.207	Inf	23.17
2687.5MHz_RB 1,#RB L	Pass	2.18	26.17	0.41400	2	23.99	0.251	Inf	23.99
2687.5MHz_RB 1,#RB M	Pass	2.18	26.24	0.42073	2	24.06	0.255	Inf	24.06
2687.5MHz_RB 1,#RB H	Pass	2.18	26.15	0.41210	2	23.97	0.249	Inf	23.97
2687.5MHz_RB 12,#RB L	Pass	2.18	25.35	0.34277	2	23.17	0.207	Inf	23.17
2687.5MHz_RB 12,#RB M	Pass	2.18	25.32	0.34041	2	23.14	0.206	Inf	23.14
2687.5MHz_RB 12,#RB H	Pass	2.18	25.54	0.35810	2	23.36	0.217	Inf	23.36
Band 41_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-
2501MHz_RB 50,#RB 0	Pass	2.18	27.43	0.55335	2	25.25	0.335	Inf	25.25
2501MHz_RB 1,#RB L	Pass	2.18	28.10	0.64565	2	25.92	0.391	Inf	25.92
2501MHz_RB 1,#RB M	Pass	2.18	28.30	0.67608	2	26.12	0.409	Inf	26.12
2501MHz_RB 1,#RB H	Pass	2.18	28.25	0.66834	2	26.07	0.405	Inf	26.07
2501MHz_RB 25,#RB L	Pass	2.18	27.42	0.55208	2	25.24	0.334	Inf	25.24
2501MHz_RB 25,#RB M	Pass	2.18	27.47	0.55847	2	25.29	0.338	Inf	25.29
2501MHz_RB 25,#RB H	Pass	2.18	27.44	0.55463	2	25.26	0.336	Inf	25.26
2593MHz_RB 50,#RB 0	Pass	2.18	27.40	0.54954	2	25.22	0.333	Inf	25.22
2593MHz_RB 1,#RB L	Pass	2.18	28.26	0.66988	2	26.08	0.406	Inf	26.08
2593MHz_RB 1,#RB M	Pass	2.18	28.24	0.66681	2	26.06	0.404	Inf	26.06
2593MHz_RB 1,#RB H	Pass	2.18	28.20	0.66069	2	26.02	0.400	Inf	26.02
2593MHz_RB 25,#RB L	Pass	2.18	27.04	0.50582	2	24.86	0.306	Inf	24.86
2593MHz_RB 25,#RB M	Pass	2.18	26.77	0.47534	2	24.59	0.288	Inf	24.59
2593MHz_RB 25,#RB H	Pass	2.18	26.96	0.49659	2	24.78	0.301	Inf	24.78
2685MHz_RB 50,#RB 0	Pass	2.18	26.37	0.43351	2	24.19	0.262	Inf	24.19
2685MHz_RB 1,#RB L	Pass	2.18	27.63	0.57943	2	25.45	0.351	Inf	25.45



Average Power_4G

Appendix A.2

Mode	Result	DG (dBi)	EIRP/ERP (dBm)	EIRP/ERP (W)	EIRP/ERP Lim. (W)	Power (dBm)	Power (W)	Power Lim. (W)	Port 1 (dBm)
2685MHz_RB 1,#RB M	Pass	2.18	27.54	0.56754	2	25.36	0.344	Inf	25.36
2685MHz_RB 1,#RB H	Pass	2.18	27.62	0.57810	2	25.44	0.350	Inf	25.44
2685MHz_RB 25,#RB L	Pass	2.18	26.33	0.42954	2	24.15	0.260	Inf	24.15
2685MHz_RB 25,#RB M	Pass	2.18	26.42	0.43853	2	24.24	0.265	Inf	24.24
2685MHz_RB 25,#RB H	Pass	2.18	26.36	0.43251	2	24.18	0.262	Inf	24.18
Band 41_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-
2501MHz_RB 50,#RB 0	Pass	2.18	26.19	0.41591	2	24.01	0.252	Inf	24.01
2501MHz_RB 1,#RB L	Pass	2.18	27.55	0.56885	2	25.37	0.344	Inf	25.37
2501MHz_RB 1,#RB M	Pass	2.18	27.50	0.56234	2	25.32	0.340	Inf	25.32
2501MHz_RB 1,#RB H	Pass	2.18	27.70	0.58884	2	25.52	0.356	Inf	25.52
2501MHz_RB 25,#RB L	Pass	2.18	25.95	0.39355	2	23.77	0.238	Inf	23.77
2501MHz_RB 25,#RB M	Pass	2.18	26.15	0.41210	2	23.97	0.249	Inf	23.97
2501MHz_RB 25,#RB H	Pass	2.18	26.11	0.40832	2	23.93	0.247	Inf	23.93
2593MHz_RB 0	Pass	2.18	25.98	0.39628	2	23.80	0.240	Inf	23.80
2593MHz_RB 1,#RB L	Pass	2.18	27.55	0.56885	2	25.37	0.344	Inf	25.37
2593MHz_RB 1,#RB M	Pass	2.18	27.69	0.58749	2	25.51	0.356	Inf	25.51
2593MHz_RB 1,#RB H	Pass	2.18	27.50	0.56234	2	25.32	0.340	Inf	25.32
2593MHz_RB 25,#RB L	Pass	2.18	26.24	0.42073	2	24.06	0.255	Inf	24.06
2593MHz_RB 25,#RB M	Pass	2.18	26.27	0.42364	2	24.09	0.256	Inf	24.09
2593MHz_RB 25,#RB H	Pass	2.18	26.18	0.41495	2	24.00	0.251	Inf	24.00
2685MHz_RB 50,#RB 0	Pass	2.18	25.59	0.36224	2	23.41	0.219	Inf	23.41
2685MHz_RB 1,#RB L	Pass	2.18	26.87	0.48641	2	24.69	0.294	Inf	24.69
2685MHz_RB 1,#RB M	Pass	2.18	26.93	0.49317	2	24.75	0.299	Inf	24.75
2685MHz_RB 1,#RB H	Pass	2.18	26.90	0.48978	2	24.72	0.296	Inf	24.72
2685MHz_RB 25,#RB L	Pass	2.18	25.53	0.35727	2	23.35	0.216	Inf	23.35
2685MHz_RB 25,#RB M	Pass	2.18	25.68	0.36983	2	23.50	0.224	Inf	23.50
2685MHz_RB 25,#RB H	Pass	2.18	25.60	0.36308	2	23.42	0.220	Inf	23.42
Band 41_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-
2501MHz_RB 50,#RB 0	Pass	2.18	26.18	0.41495	2	24.00	0.251	Inf	24.00
2501MHz_RB 1,#RB L	Pass	2.18	27.25	0.53088	2	25.07	0.321	Inf	25.07
2501MHz_RB 1,#RB M	Pass	2.18	27.36	0.54450	2	25.18	0.330	Inf	25.18
2501MHz_RB 1,#RB H	Pass	2.18	27.30	0.53703	2	25.12	0.325	Inf	25.12
2501MHz_RB 25,#RB L	Pass	2.18	26.00	0.39811	2	23.82	0.241	Inf	23.82
2501MHz_RB 25,#RB M	Pass	2.18	26.06	0.40365	2	23.88	0.244	Inf	23.88
2501MHz_RB 25,#RB H	Pass	2.18	26.10	0.40738	2	23.92	0.247	Inf	23.92
2593MHz_RB 50,#RB 0	Pass	2.18	26.03	0.40087	2	23.85	0.243	Inf	23.85
2593MHz_RB 1,#RB L	Pass	2.18	27.31	0.53827	2	25.13	0.326	Inf	25.13
2593MHz_RB 1,#RB M	Pass	2.18	27.42	0.55208	2	25.24	0.334	Inf	25.24
2593MHz_RB 1,#RB H	Pass	2.18	27.28	0.53456	2	25.10	0.324	Inf	25.10
2593MHz_RB 25,#RB L	Pass	2.18	26.17	0.41400	2	23.99	0.251	Inf	23.99
2593MHz_RB 25,#RB M	Pass	2.18	26.23	0.41976	2	24.05	0.254	Inf	24.05
2593MHz_RB 25,#RB H	Pass	2.18	26.21	0.41783	2	24.03	0.253	Inf	24.03
2685MHz_RB 50,#RB 0	Pass	2.18	25.58	0.36141	2	23.40	0.219	Inf	23.40
2685MHz_RB 1,#RB L	Pass	2.18	26.65	0.46238	2	24.47	0.280	Inf	24.47
2685MHz_RB 1,#RB M	Pass	2.18	26.66	0.46345	2	24.48	0.281	Inf	24.48
2685MHz_RB 1,#RB H	Pass	2.18	26.76	0.47424	2	24.58	0.287	Inf	24.58
2685MHz_RB 25,#RB L	Pass	2.18	25.63	0.36559	2	23.45	0.221	Inf	23.45
2685MHz_RB 25,#RB M	Pass	2.18	25.67	0.36898	2	23.49	0.223	Inf	23.49
2685MHz_RB 25,#RB H	Pass	2.18	25.67	0.36898	2	23.49	0.223	Inf	23.49
Band 41_LTE_15MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-
2503.5MHz_RB 75,#RB 0	Pass	2.18	27.31	0.53827	2	25.13	0.326	Inf	25.13
2503.5MHz_RB 1,#RB L	Pass	2.18	28.13	0.65013	2	25.95	0.394	Inf	25.95
2503.5MHz_RB 1,#RB M	Pass	2.18	28.33	0.68077	2	26.15	0.412	Inf	26.15
2503.5MHz_RB 1,#RB H	Pass	2.18	28.23	0.66527	2	26.05	0.403	Inf	26.05
2503.5MHz_RB 36,#RB L	Pass	2.18	27.25	0.53088	2	25.07	0.321	Inf	25.07
2503.5MHz_RB 36,#RB M	Pass	2.18	27.28	0.53456	2	25.10	0.324	Inf	25.10
2503.5MHz_RB 36,#RB H	Pass	2.18	27.27	0.53333	2	25.09	0.323	Inf	25.09
2593MHz_RB 75,#RB 0	Pass	2.18	27.27	0.53333	2	25.09	0.323	Inf	25.09
2593MHz_RB 1,#RB L	Pass	2.18	28.29	0.67453	2	26.11	0.408	Inf	26.11
2593MHz_RB 1,#RB M	Pass	2.18	28.31	0.67764	2	26.13	0.410	Inf	26.13
2593MHz_RB 1,#RB H	Pass	2.18	28.16	0.65464	2	25.98	0.396	Inf	25.98
2593MHz_RB 36,#RB L	Pass	2.18	27.10	0.51286	2	24.92	0.310	Inf	24.92



Mode	Result	DG (dBi)	EIRP/ERP (dBm)	EIRP/ERP (W)	EIRP/ERP Lim. (W)	Power (dBm)	Power (W)	Power Lim. (W)	Port 1 (dBm)
2593MHz_RB 36,#RB M	Pass	2.18	27.23	0.52845	2	25.05	0.320	Inf	25.05
2593MHz_RB 36,#RB H	Pass	2.18	27.18	0.52240	2	25.00	0.316	Inf	25.00
2682.5MHz_RB 75,#RB 0	Pass	2.18	26.63	0.46026	2	24.45	0.279	Inf	24.45
2682.5MHz_RB 1,#RB L	Pass	2.18	27.60	0.57544	2	25.42	0.348	Inf	25.42
2682.5MHz_RB 1,#RB M	Pass	2.18	27.51	0.56364	2	25.33	0.341	Inf	25.33
2682.5MHz_RB 1,#RB H	Pass	2.18	27.78	0.59979	2	25.60	0.363	Inf	25.60
2682.5MHz_RB 36,#RB L	Pass	2.18	26.29	0.42560	2	24.11	0.258	Inf	24.11
2682.5MHz_RB 36,#RB M	Pass	2.18	26.40	0.43652	2	24.22	0.264	Inf	24.22
2682.5MHz_RB 36,#RB H	Pass	2.18	26.20	0.41687	2	24.02	0.252	Inf	24.02
Band 41_LTE_15MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-
2503.5MHz_RB 75,#RB 0	Pass	2.18	26.06	0.40365	2	23.88	0.244	Inf	23.88
2503.5MHz_RB 1,#RB L	Pass	2.18	27.19	0.52360	2	25.01	0.317	Inf	25.01
2503.5MHz_RB 1,#RB M	Pass	2.18	27.49	0.56105	2	25.31	0.340	Inf	25.31
2503.5MHz_RB 1,#RB H	Pass	2.18	27.50	0.56234	2	25.32	0.340	Inf	25.32
2503.5MHz_RB 36,#RB L	Pass	2.18	25.84	0.38371	2	23.66	0.232	Inf	23.66
2503.5MHz_RB 36,#RB M	Pass	2.18	25.94	0.39264	2	23.76	0.238	Inf	23.76
2503.5MHz_RB 36,#RB H	Pass	2.18	25.96	0.39446	2	23.78	0.239	Inf	23.78
2593MHz_RB 75,#RB 0	Pass	2.18	25.88	0.38726	2	23.70	0.234	Inf	23.70
2593MHz_RB 1,#RB L	Pass	2.18	27.28	0.53456	2	25.10	0.324	Inf	25.10
2593MHz_RB 1,#RB M	Pass	2.18	27.37	0.54576	2	25.19	0.330	Inf	25.19
2593MHz_RB 1,#RB H	Pass	2.18	27.39	0.54828	2	25.21	0.332	Inf	25.21
2593MHz_RB 36,#RB L	Pass	2.18	25.93	0.39174	2	23.75	0.237	Inf	23.75
2593MHz_RB 36,#RB M	Pass	2.18	25.98	0.39628	2	23.80	0.240	Inf	23.80
2593MHz_RB 36,#RB H	Pass	2.18	25.97	0.39537	2	23.79	0.239	Inf	23.79
2682.5MHz_RB 75,#RB 0	Pass	2.18	25.39	0.34594	2	23.21	0.209	Inf	23.21
2682.5MHz_RB 1,#RB L	Pass	2.18	26.79	0.47753	2	24.61	0.289	Inf	24.61
2682.5MHz_RB 1,#RB M	Pass	2.18	26.60	0.45709	2	24.42	0.277	Inf	24.42
2682.5MHz_RB 1,#RB H	Pass	2.18	26.57	0.45394	2	24.39	0.275	Inf	24.39
2682.5MHz_RB 36,#RB L	Pass	2.18	25.31	0.33963	2	23.13	0.206	Inf	23.13
2682.5MHz_RB 36,#RB M	Pass	2.18	25.43	0.34914	2	23.25	0.211	Inf	23.25
2682.5MHz_RB 36,#RB H	Pass	2.18	25.46	0.35156	2	23.28	0.213	Inf	23.28
Band 41_LTE_15MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-
2503.5MHz_RB 75,#RB 0	Pass	2.18	26.16	0.41305	2	23.98	0.250	Inf	23.98
2503.5MHz_RB 1,#RB L	Pass	2.18	27.18	0.52240	2	25.00	0.316	Inf	25.00
2503.5MHz_RB 1,#RB M	Pass	2.18	27.23	0.52845	2	25.05	0.320	Inf	25.05
2503.5MHz_RB 1,#RB H	Pass	2.18	27.11	0.51404	2	24.93	0.311	Inf	24.93
2503.5MHz_RB 36,#RB L	Pass	2.18	25.92	0.39084	2	23.74	0.237	Inf	23.74
2503.5MHz_RB 36,#RB M	Pass	2.18	25.90	0.38905	2	23.72	0.236	Inf	23.72
2503.5MHz_RB 36,#RB H	Pass	2.18	25.83	0.38282	2	23.65	0.232	Inf	23.65
2593MHz_RB 75,#RB 0	Pass	2.18	25.77	0.37757	2	23.59	0.229	Inf	23.59
2593MHz_RB 1,#RB L	Pass	2.18	27.31	0.53827	2	25.13	0.326	Inf	25.13
2593MHz_RB 1,#RB M	Pass	2.18	27.01	0.50234	2	24.83	0.304	Inf	24.83
2593MHz_RB 1,#RB H	Pass	2.18	27.11	0.51404	2	24.93	0.311	Inf	24.93
2593MHz_RB 36,#RB L	Pass	2.18	25.94	0.39264	2	23.76	0.238	Inf	23.76
2593MHz_RB 36,#RB M	Pass	2.18	25.94	0.39264	2	23.76	0.238	Inf	23.76
2593MHz_RB 36,#RB H	Pass	2.18	25.97	0.39537	2	23.79	0.239	Inf	23.79
2682.5MHz_RB 75,#RB 0	Pass	2.18	25.45	0.35075	2	23.27	0.212	Inf	23.27
2682.5MHz_RB 1,#RB L	Pass	2.18	26.33	0.42954	2	24.15	0.260	Inf	24.15
2682.5MHz_RB 1,#RB M	Pass	2.18	26.64	0.46132	2	24.46	0.279	Inf	24.46
2682.5MHz_RB 1,#RB H	Pass	2.18	26.68	0.46559	2	24.50	0.282	Inf	24.50
2682.5MHz_RB 36,#RB L	Pass	2.18	25.26	0.33574	2	23.08	0.203	Inf	23.08
2682.5MHz_RB 36,#RB M	Pass	2.18	25.42	0.34834	2	23.24	0.211	Inf	23.24
2682.5MHz_RB 36,#RB H	Pass	2.18	25.47	0.35237	2	23.29	0.213	Inf	23.29
Band 41_LTE_20MHz_Nss1,QPSK_1TX	-	-	-	-	-	-	-	-	-
2506MHz_RB 100,#RB 0	Pass	2.18	27.33	0.54075	2	25.15	0.327	Inf	25.15
2506MHz_RB 1,#RB L	Pass	2.18	28.24	0.66681	2	26.06	0.404	Inf	26.06
2506MHz_RB 1,#RB M	Pass	2.18	28.40	0.69183	2	26.22	0.419	Inf	26.22
2506MHz_RB 1,#RB H	Pass	2.18	28.29	0.67453	2	26.11	0.408	Inf	26.11
2506MHz_RB 50,#RB L	Pass	2.18	27.23	0.52845	2	25.05	0.320	Inf	25.05
2506MHz_RB 50,#RB M	Pass	2.18	27.35	0.54325	2	25.17	0.329	Inf	25.17
2506MHz_RB 50,#RB H	Pass	2.18	27.32	0.53951	2	25.14	0.327	Inf	25.14
2593MHz_RB 100,#RB 0	Pass	2.18	27.30	0.53703	2	25.12	0.325	Inf	25.12



Mode	Result	DG (dBi)	EIRP/ERP (dBm)	EIRP/ERP (W)	EIRP/ERP Lim. (W)	Power (dBm)	Power (W)	Power Lim. (W)	Port 1 (dBm)
2593MHz_RB 1,#RB L	Pass	2.18	28.28	0.67298	2	26.10	0.407	Inf	26.10
2593MHz_RB 1,#RB M	Pass	2.18	28.36	0.68549	2	26.18	0.415	Inf	26.18
2593MHz_RB 1,#RB H	Pass	2.18	28.23	0.66527	2	26.05	0.403	Inf	26.05
2593MHz_RB 50,#RB L	Pass	2.18	27.26	0.53211	2	25.08	0.322	Inf	25.08
2593MHz_RB 50,#RB M	Pass	2.18	27.32	0.53951	2	25.14	0.327	Inf	25.14
2593MHz_RB 50,#RB H	Pass	2.18	27.29	0.53580	2	25.11	0.324	Inf	25.11
2680MHz_RB 100,#RB 0	Pass	2.18	26.59	0.45604	2	24.41	0.276	Inf	24.41
2680MHz_RB 1,#RB L	Pass	2.18	27.65	0.58210	2	25.47	0.352	Inf	25.47
2680MHz_RB 1,#RB M	Pass	2.18	27.78	0.59979	2	25.60	0.363	Inf	25.60
2680MHz_RB 1,#RB H	Pass	2.18	27.77	0.59841	2	25.59	0.362	Inf	25.59
2680MHz_RB 50,#RB L	Pass	2.18	26.55	0.45186	2	24.37	0.274	Inf	24.37
2680MHz_RB 50,#RB M	Pass	2.18	26.63	0.46026	2	24.45	0.279	Inf	24.45
2680MHz_RB 50,#RB H	Pass	2.18	26.65	0.46238	2	24.47	0.280	Inf	24.47
Band 41_LTE_20MHz_Nss1,16QAM_1TX	-	-	-	-	-	-	-	-	-
2506MHz_RB 100,#RB 0	Pass	2.18	26.29	0.42560	2	24.11	0.258	Inf	24.11
2506MHz_RB 1,#RB L	Pass	2.18	27.44	0.55463	2	25.26	0.336	Inf	25.26
2506MHz_RB 1,#RB M	Pass	2.18	28.00	0.63096	2	25.82	0.382	Inf	25.82
2506MHz_RB 1,#RB H	Pass	2.18	27.51	0.56364	2	25.33	0.341	Inf	25.33
2506MHz_RB 50,#RB L	Pass	2.18	26.09	0.40644	2	23.91	0.246	Inf	23.91
2506MHz_RB 50,#RB M	Pass	2.18	26.08	0.40551	2	23.90	0.245	Inf	23.90
2506MHz_RB 50,#RB H	Pass	2.18	25.97	0.39537	2	23.79	0.239	Inf	23.79
2593MHz_RB 100,#RB 0	Pass	2.18	25.94	0.39264	2	23.76	0.238	Inf	23.76
2593MHz_RB 1,#RB L	Pass	2.18	27.40	0.54954	2	25.22	0.333	Inf	25.22
2593MHz_RB 1,#RB M	Pass	2.18	27.56	0.57016	2	25.38	0.345	Inf	25.38
2593MHz_RB 1,#RB H	Pass	2.18	27.37	0.54576	2	25.19	0.330	Inf	25.19
2593MHz_RB 50,#RB L	Pass	2.18	25.87	0.38637	2	23.69	0.234	Inf	23.69
2593MHz_RB 50,#RB M	Pass	2.18	25.95	0.39355	2	23.77	0.238	Inf	23.77
2593MHz_RB 50,#RB H	Pass	2.18	25.88	0.38726	2	23.70	0.234	Inf	23.70
2680MHz_RB 100,#RB 0	Pass	2.18	25.34	0.34198	2	23.16	0.207	Inf	23.16
2680MHz_RB 1,#RB L	Pass	2.18	26.71	0.46881	2	24.53	0.284	Inf	24.53
2680MHz_RB 1,#RB M	Pass	2.18	26.78	0.47643	2	24.60	0.288	Inf	24.60
2680MHz_RB 1,#RB H	Pass	2.18	26.74	0.47206	2	24.56	0.286	Inf	24.56
2680MHz_RB 50,#RB L	Pass	2.18	25.40	0.34674	2	23.22	0.210	Inf	23.22
2680MHz_RB 50,#RB M	Pass	2.18	25.49	0.35400	2	23.31	0.214	Inf	23.31
2680MHz_RB 50,#RB H	Pass	2.18	25.57	0.36058	2	23.39	0.218	Inf	23.39
Band 41_LTE_20MHz_Nss1,64QAM_1TX	-	-	-	-	-	-	-	-	-
2506MHz_RB 100,#RB 0	Pass	2.18	26.33	0.42954	2	24.15	0.260	Inf	24.15
2506MHz_RB 1,#RB L	Pass	2.18	27.09	0.51168	2	24.91	0.310	Inf	24.91
2506MHz_RB 1,#RB M	Pass	2.18	27.69	0.58749	2	25.51	0.356	Inf	25.51
2506MHz_RB 1,#RB H	Pass	2.18	27.29	0.53580	2	25.11	0.324	Inf	25.11
2506MHz_RB 50,#RB L	Pass	2.18	25.94	0.39264	2	23.76	0.238	Inf	23.76
2506MHz_RB 50,#RB M	Pass	2.18	25.98	0.39628	2	23.80	0.240	Inf	23.80
2506MHz_RB 50,#RB H	Pass	2.18	25.94	0.39264	2	23.76	0.238	Inf	23.76
2593MHz_RB 100,#RB 0	Pass	2.18	26.22	0.41879	2	24.04	0.254	Inf	24.04
2593MHz_RB 1,#RB L	Pass	2.18	27.27	0.53333	2	25.09	0.323	Inf	25.09
2593MHz_RB 1,#RB M	Pass	2.18	27.48	0.55976	2	25.30	0.339	Inf	25.30
2593MHz_RB 1,#RB H	Pass	2.18	27.16	0.52000	2	24.98	0.315	Inf	24.98
2593MHz_RB 50,#RB L	Pass	2.18	25.86	0.38548	2	23.68	0.233	Inf	23.68
2593MHz_RB 50,#RB M	Pass	2.18	25.90	0.38905	2	23.72	0.236	Inf	23.72
2593MHz_RB 50,#RB H	Pass	2.18	25.87	0.38637	2	23.69	0.234	Inf	23.69
2680MHz_RB 100,#RB 0	Pass	2.18	25.35	0.34277	2	23.17	0.207	Inf	23.17
2680MHz_RB 1,#RB L	Pass	2.18	26.64	0.46132	2	24.46	0.279	Inf	24.46
2680MHz_RB 1,#RB M	Pass	2.18	27.08	0.51050	2	24.90	0.309	Inf	24.90
2680MHz_RB 1,#RB H	Pass	2.18	26.44	0.44055	2	24.26	0.267	Inf	24.26
2680MHz_RB 50,#RB L	Pass	2.18	25.39	0.34594	2	23.21	0.209	Inf	23.21
2680MHz_RB 50,#RB M	Pass	2.18	25.37	0.34435	2	23.19	0.208	Inf	23.19
2680MHz_RB 50,#RB H	Pass	2.18	25.44	0.34995	2	23.26	0.212	Inf	23.26

Prate,c = Maximum Power limit.

Port n-Pmax,c = Port n Carrier output power.

Port n-Prate,t = Port n Carrier total output power.



Summary

Mode	Result	Freq (MHz)	Limit (dB)	0.1%	Port
Band 5	-	-	-	-	-
WCDMA_5MHz_Nss1_1TX	Pass	846.6	13.00	3.28	1




Result

Mode	Result	Freq (MHz)	Limit (dB)	0.1%	Port
Band 5_WCDMA_5MHz_Nss1_1TX	-	-	-	-	-
826.4MHz	Pass	826.4	13.00	3.04	1
836.4MHz	Pass	836.4	13.00	3.10	1
846.6MHz	Pass	846.6	13.00	3.28	1


Band 5_WCDMA_5MHz_Nss1_1TX
826.4MHz

PAR




Band 5_WCDMA_5MHz_Nss1_1TX
836.4MHz

PAR



Band 5_WCDMA_5MHz_Nss1_1TX
846.6MHz

PAR





Summary

Mode	Result	Freq (MHz)	Limit (dB)	0.1%	Port
Band 5	-	-	-	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	844	13.00	8.23	1
LTE_10MHz_Nss1,16QAM_1TX	Pass	836.5	13.00	8.00	1
LTE_10MHz_Nss1,64QAM_1TX	Pass	836.5	13.00	7.30	1
Band 12	-	-	-	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	711	13.00	8.26	1
LTE_10MHz_Nss1,16QAM_1TX	Pass	707.5	13.00	8.29	1
LTE_10MHz_Nss1,64QAM_1TX	Pass	704	13.00	7.19	1
Band 38	-	-	-	-	-
LTE_10MHz_Nss1,QPSK_1TX	Pass	2595	13.00	10.72	1
LTE_10MHz_Nss1,16QAM_1TX	Pass	2575	13.00	10.96	1
LTE_10MHz_Nss1,64QAM_1TX	Pass	2575	13.00	11.83	1
Band 41	-	-	-	-	-
LTE_20MHz_Nss1,QPSK_1TX	Pass	2593	13.00	9.28	1
LTE_20MHz_Nss1,16QAM_1TX	Pass	2506	13.00	11.57	1
LTE_20MHz_Nss1,64QAM_1TX	Pass	2680	13.00	11.65	1



Result

Mode	Result	Freq (MHz)	Limit (dB)	0.1%	Port
Band 5_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	829	13.00	4.67	1
829MHz_RB 1,#RB M	Pass	829	13.00	3.54	1
829MHz_RB 25,#RB M	Pass	829	13.00	4.99	1
836.5MHz_RB 50,#RB 0	Pass	836.5	13.00	4.55	1
836.5MHz_RB 1,#RB M	Pass	836.5	13.00	3.74	1
836.5MHz_RB 25,#RB M	Pass	836.5	13.00	4.67	1
844MHz_RB 50,#RB 0	Pass	844	13.00	8.23	1
844MHz_RB 1,#RB M	Pass	844	13.00	3.42	1
844MHz_RB 25,#RB M	Pass	844	13.00	4.70	1
Band 5_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	829	13.00	5.71	1
829MHz_RB 1,#RB M	Pass	829	13.00	4.12	1
829MHz_RB 25,#RB M	Pass	829	13.00	5.51	1
836.5MHz_RB 50,#RB 0	Pass	836.5	13.00	5.77	1
836.5MHz_RB 1,#RB M	Pass	836.5	13.00	7.97	1
836.5MHz_RB 25,#RB M	Pass	836.5	13.00	8.00	1
844MHz_RB 50,#RB 0	Pass	844	13.00	5.83	1
844MHz_RB 1,#RB M	Pass	844	13.00	4.23	1
844MHz_RB 25,#RB M	Pass	844	13.00	5.62	1
Band 5_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-
829MHz_RB 50,#RB 0	Pass	829	13.00	6.12	1
829MHz_RB 1,#RB M	Pass	829	13.00	6.09	1
829MHz_RB 25,#RB M	Pass	829	13.00	6.17	1
836.5MHz_RB 50,#RB 0	Pass	836.5	13.00	6.12	1
836.5MHz_RB 1,#RB M	Pass	836.5	13.00	7.30	1
836.5MHz_RB 25,#RB M	Pass	836.5	13.00	6.09	1
844MHz_RB 50,#RB 0	Pass	844	13.00	6.06	1
844MHz_RB 1,#RB M	Pass	844	13.00	6.09	1
844MHz_RB 25,#RB M	Pass	844	13.00	6.20	1
Band 12_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	704	13.00	4.38	1
704MHz_RB 1,#RB M	Pass	704	13.00	3.97	1
704MHz_RB 25,#RB M	Pass	704	13.00	8.23	1
707.5MHz_RB 50,#RB 0	Pass	707.5	13.00	4.43	1
707.5MHz_RB 1,#RB M	Pass	707.5	13.00	3.01	1
707.5MHz_RB 25,#RB M	Pass	707.5	13.00	4.43	1
711MHz_RB 50,#RB 0	Pass	711	13.00	5.04	1
711MHz_RB 1,#RB M	Pass	711	13.00	8.26	1
711MHz_RB 25,#RB M	Pass	711	13.00	4.46	1
Band 12_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	704	13.00	5.57	1
704MHz_RB 1,#RB M	Pass	704	13.00	4.67	1
704MHz_RB 25,#RB M	Pass	704	13.00	5.22	1



Mode	Result	Freq (MHz)	Limit (dB)	0.1%	Port
707.5MHz_RB 50,#RB 0	Pass	707.5	13.00	8.23	1
707.5MHz_RB 1,#RB M	Pass	707.5	13.00	8.29	1
707.5MHz_RB 25,#RB M	Pass	707.5	13.00	5.42	1
711MHz_RB 50,#RB 0	Pass	711	13.00	5.68	1
711MHz_RB 1,#RB M	Pass	711	13.00	4.20	1
711MHz_RB 25,#RB M	Pass	711	13.00	5.25	1
Band 12_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-
704MHz_RB 50,#RB 0	Pass	704	13.00	6.17	1
704MHz_RB 1,#RB M	Pass	704	13.00	7.19	1
704MHz_RB 25,#RB M	Pass	704	13.00	6.12	1
707.5MHz_RB 50,#RB 0	Pass	707.5	13.00	5.91	1
707.5MHz_RB 1,#RB M	Pass	707.5	13.00	6.72	1
707.5MHz_RB 25,#RB M	Pass	707.5	13.00	6.14	1
711MHz_RB 50,#RB 0	Pass	711	13.00	6.12	1
711MHz_RB 1,#RB M	Pass	711	13.00	6.58	1
711MHz_RB 25,#RB M	Pass	711	13.00	6.26	1
Band 38_LTE_10MHz_Nss1,QPSK_1TX	-	-	-	-	-
2575MHz_RB 50,#RB 0	Pass	2575	13.00	10.43	1
2575MHz_RB 1,#RB M	Pass	2575	13.00	7.51	1
2575MHz_RB 25,#RB M	Pass	2575	13.00	7.54	1
2595MHz_RB 50,#RB 0	Pass	2595	13.00	10.72	1
2595MHz_RB 1,#RB M	Pass	2595	13.00	8.12	1
2595MHz_RB 25,#RB M	Pass	2595	13.00	8.17	1
2615MHz_RB 50,#RB 0	Pass	2615	13.00	8.17	1
2615MHz_RB 1,#RB M	Pass	2615	13.00	6.55	1
2615MHz_RB 25,#RB M	Pass	2615	13.00	7.54	1
Band 38_LTE_10MHz_Nss1,16QAM_1TX	-	-	-	-	-
2575MHz_RB 50,#RB 0	Pass	2575	13.00	10.78	1
2575MHz_RB 1,#RB M	Pass	2575	13.00	7.36	1
2575MHz_RB 25,#RB M	Pass	2575	13.00	10.96	1
2595MHz_RB 50,#RB 0	Pass	2595	13.00	8.35	1
2595MHz_RB 1,#RB M	Pass	2595	13.00	8.17	1
2595MHz_RB 25,#RB M	Pass	2595	13.00	8.17	1
2615MHz_RB 50,#RB 0	Pass	2615	13.00	8.46	1
2615MHz_RB 1,#RB M	Pass	2615	13.00	7.25	1
2615MHz_RB 25,#RB M	Pass	2615	13.00	9.16	1
Band 38_LTE_10MHz_Nss1,64QAM_1TX	-	-	-	-	-
2575MHz_RB 50,#RB 0	Pass	2575	13.00	9.13	1
2575MHz_RB 1,#RB M	Pass	2575	13.00	7.51	1
2575MHz_RB 25,#RB M	Pass	2575	13.00	11.83	1
2595MHz_RB 50,#RB 0	Pass	2595	13.00	11.04	1
2595MHz_RB 1,#RB M	Pass	2595	13.00	8.12	1
2595MHz_RB 25,#RB M	Pass	2595	13.00	8.17	1
2615MHz_RB 50,#RB 0	Pass	2615	13.00	8.41	1
2615MHz_RB 1,#RB M	Pass	2615	13.00	7.28	1




Peak to Average Power Ratio (PAPR)_4G

Appendix B.2

Mode	Result	Freq (MHz)	Limit (dB)	0.1%	Port
2615MHz_RB 25,#RB M	Pass	2615	13.00	8.46	1
Band 41_LTE_20MHz_Nss1,QPSK_1TX	-	-	-	-	-
2506MHz_RB 100,#RB 0	Pass	2506	13.00	8.32	1
2506MHz_RB 1,#RB M	Pass	2506	13.00	7.68	1
2506MHz_RB 50,#RB M	Pass	2506	13.00	7.48	1
2593MHz_RB 100,#RB 0	Pass	2593	13.00	7.30	1
2593MHz_RB 1,#RB M	Pass	2593	13.00	8.78	1
2593MHz_RB 50,#RB M	Pass	2593	13.00	9.28	1
2680MHz_RB 100,#RB 0	Pass	2680	13.00	7.45	1
2680MHz_RB 1,#RB M	Pass	2680	13.00	8.43	1
2680MHz_RB 50,#RB M	Pass	2680	13.00	7.28	1
Band 41_LTE_20MHz_Nss1,16QAM_1TX	-	-	-	-	-
2506MHz_RB 100,#RB 0	Pass	2506	13.00	8.49	1
2506MHz_RB 1,#RB M	Pass	2506	13.00	7.30	1
2506MHz_RB 50,#RB M	Pass	2506	13.00	11.57	1
2593MHz_RB 100,#RB 0	Pass	2593	13.00	8.12	1
2593MHz_RB 1,#RB M	Pass	2593	13.00	8.32	1
2593MHz_RB 50,#RB M	Pass	2593	13.00	8.20	1
2680MHz_RB 100,#RB 0	Pass	2680	13.00	9.74	1
2680MHz_RB 1,#RB M	Pass	2680	13.00	10.46	1
2680MHz_RB 50,#RB M	Pass	2680	13.00	11.48	1
Band 41_LTE_20MHz_Nss1,64QAM_1TX	-	-	-	-	-
2506MHz_RB 100,#RB 0	Pass	2506	13.00	8.93	1
2506MHz_RB 1,#RB M	Pass	2506	13.00	11.25	1
2506MHz_RB 50,#RB M	Pass	2506	13.00	8.90	1
2593MHz_RB 100,#RB 0	Pass	2593	13.00	8.35	1
2593MHz_RB 1,#RB M	Pass	2593	13.00	7.88	1
2593MHz_RB 50,#RB M	Pass	2593	13.00	11.48	1
2680MHz_RB 100,#RB 0	Pass	2680	13.00	8.38	1
2680MHz_RB 1,#RB M	Pass	2680	13.00	11.65	1
2680MHz_RB 50,#RB M	Pass	2680	13.00	8.23	1


Band 5_LTE_10MHz_Nss1,QPSK_1TX
829MHz_QPSK_RB 50,#RB 0

PAR




Band 5_LTE_10MHz_Nss1,QPSK_1TX
829MHz_QPSK_RB 1,#RB M

PAR




Band 5_LTE_10MHz_Nss1,QPSK_1TX
829MHz_QPSK_RB 25,#RB M

PAR




Band 5_LTE_10MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 50,#RB 0

PAR




Band 5_LTE_10MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 1,#RB M

PAR




Band 5_LTE_10MHz_Nss1,QPSK_1TX
836.5MHz_QPSK_RB 25,#RB M

PAR




Band 5_LTE_10MHz_Nss1,QPSK_1TX
844MHz_QPSK_RB 50,#RB 0

PAR




Band 5_LTE_10MHz_Nss1,QPSK_1TX
844MHz_QPSK_RB 1,#RB M

PAR




Band 5_LTE_10MHz_Nss1,QPSK_1TX
844MHz_QPSK_RB 25,#RB M

PAR




Band 5_LTE_10MHz_Nss1,16QAM_1TX
829MHz_16QAM_RB 50,#RB 0

PAR




Band 5_LTE_10MHz_Nss1,16QAM_1TX
829MHz_16QAM_RB 1,#RB M

PAR




Band 5_LTE_10MHz_Nss1,16QAM_1TX
829MHz_16QAM_RB 25,#RB M

PAR




Band 5_LTE_10MHz_Nss1,16QAM_1TX
836.5MHz_16QAM_RB 50,#RB 0

PAR




Band 5_LTE_10MHz_Nss1,16QAM_1TX
836.5MHz_16QAM_RB 1,#RB M

PAR




Band 5_LTE_10MHz_Nss1,16QAM_1TX
836.5MHz_16QAM_RB 25,#RB M

PAR




Band 5_LTE_10MHz_Nss1,16QAM_1TX
844MHz_16QAM_RB 50,#RB 0

PAR




Band 5_LTE_10MHz_Nss1,16QAM_1TX
844MHz_16QAM_RB 1,#RB M

PAR




Band 5_LTE_10MHz_Nss1,16QAM_1TX
844MHz_16QAM_RB 25,#RB M

PAR




Band 5_LTE_10MHz_Nss1,64QAM_1TX
829MHz_64QAM_RB 50,#RB 0

PAR




Band 5_LTE_10MHz_Nss1,64QAM_1TX
829MHz_64QAM_RB 1,#RB M

PAR




Band 5_LTE_10MHz_Nss1,64QAM_1TX
829MHz_64QAM_RB 25,#RB M

PAR




Band 5_LTE_10MHz_Nss1,64QAM_1TX
836.5MHz_64QAM_RB 50,#RB 0

PAR




Band 5_LTE_10MHz_Nss1,64QAM_1TX
836.5MHz_64QAM_RB 1,#RB M

PAR




Band 5_LTE_10MHz_Nss1,64QAM_1TX
836.5MHz_64QAM_RB 25,#RB M

PAR




Band 5_LTE_10MHz_Nss1,64QAM_1TX
844MHz_64QAM_RB 50,#RB 0

PAR




Band 5_LTE_10MHz_Nss1,64QAM_1TX
844MHz_64QAM_RB 1,#RB M

PAR




Band 5_LTE_10MHz_Nss1,64QAM_1TX
844MHz_64QAM_RB 25,#RB M

PAR




Band 12_LTE_10MHz_Nss1,QPSK_1TX
704MHz_QPSK_RB 50,#RB 0

PAR




Band 12_LTE_10MHz_Nss1,QPSK_1TX
704MHz_QPSK_RB 1,#RB M

PAR




Band 12_LTE_10MHz_Nss1,QPSK_1TX
704MHz_QPSK_RB 25,#RB M

PAR




Band 12_LTE_10MHz_Nss1,QPSK_1TX
707.5MHz_QPSK_RB 50,#RB 0

PAR




Band 12_LTE_10MHz_Nss1,QPSK_1TX
707.5MHz_QPSK_RB 1,#RB M

PAR




Band 12_LTE_10MHz_Nss1,QPSK_1TX
707.5MHz_QPSK_RB 25,#RB M

PAR




Band 12_LTE_10MHz_Nss1,QPSK_1TX
711MHz_QPSK_RB 50,#RB 0

PAR




Band 12_LTE_10MHz_Nss1,QPSK_1TX
711MHz_QPSK_RB 1,#RB M

PAR




Band 12_LTE_10MHz_Nss1,QPSK_1TX
711MHz_QPSK_RB 25,#RB M

PAR




Band 12_LTE_10MHz_Nss1,16QAM_1TX
704MHz_16QAM_RB 50,#RB 0

PAR




Band 12_LTE_10MHz_Nss1,16QAM_1TX
704MHz_16QAM_RB 1,#RB M

PAR




Band 12_LTE_10MHz_Nss1,16QAM_1TX
704MHz_16QAM_RB 25,#RB M

PAR




Band 12_LTE_10MHz_Nss1,16QAM_1TX
707.5MHz_16QAM_RB 50,#RB 0

PAR




Band 12_LTE_10MHz_Nss1,16QAM_1TX
707.5MHz_16QAM_RB 1,#RB M

PAR




Band 12_LTE_10MHz_Nss1,16QAM_1TX
707.5MHz_16QAM_RB 25,#RB M

PAR




Band 12_LTE_10MHz_Nss1,16QAM_1TX
711MHz_16QAM_RB 50,#RB 0

PAR




Band 12_LTE_10MHz_Nss1,16QAM_1TX
711MHz_16QAM_RB 1,#RB M

PAR




Band 12_LTE_10MHz_Nss1,16QAM_1TX
711MHz_16QAM_RB 25,#RB M

PAR




Band 12_LTE_10MHz_Nss1,64QAM_1TX
704MHz_64QAM_RB 50,#RB 0

PAR




Band 12_LTE_10MHz_Nss1,64QAM_1TX
704MHz_64QAM_RB 1,#RB M

PAR




Band 12_LTE_10MHz_Nss1,64QAM_1TX
704MHz_64QAM_RB 25,#RB M

PAR




Band 12_LTE_10MHz_Nss1,64QAM_1TX
707.5MHz_64QAM_RB 50,#RB 0

PAR




Band 12_LTE_10MHz_Nss1,64QAM_1TX
707.5MHz_64QAM_RB 1,#RB M

PAR




Band 12_LTE_10MHz_Nss1,64QAM_1TX
707.5MHz_64QAM_RB 25,#RB M

PAR




Band 12_LTE_10MHz_Nss1,64QAM_1TX
711MHz_64QAM_RB 50,#RB 0

PAR




Band 12_LTE_10MHz_Nss1,64QAM_1TX
711MHz_64QAM_RB 1,#RB M

PAR




Band 12_LTE_10MHz_Nss1,64QAM_1TX
711MHz_64QAM_RB 25,#RB M

PAR




Band 38_LTE_10MHz_Nss1,QPSK_1TX
2575MHz_QPSK_RB 50,#RB 0

PAR




Band 38_LTE_10MHz_Nss1,QPSK_1TX
2575MHz_QPSK_RB 1,#RB M

PAR




Band 38_LTE_10MHz_Nss1,QPSK_1TX
2575MHz_QPSK_RB 25,#RB M

PAR




Band 38_LTE_10MHz_Nss1,QPSK_1TX
2595MHz_QPSK_RB 50,#RB 0

PAR




Band 38_LTE_10MHz_Nss1,QPSK_1TX
2595MHz_QPSK_RB 1,#RB M

PAR




Band 38_LTE_10MHz_Nss1,QPSK_1TX
2595MHz_QPSK_RB 25,#RB M

PAR




Band 38_LTE_10MHz_Nss1,QPSK_1TX
2615MHz_QPSK_RB 50,#RB 0

PAR




Band 38_LTE_10MHz_Nss1,QPSK_1TX
2615MHz_QPSK_RB 1,#RB M

PAR




Band 38_LTE_10MHz_Nss1,QPSK_1TX
2615MHz_QPSK_RB 25,#RB M

PAR




Band 38_LTE_10MHz_Nss1,16QAM_1TX
2575MHz_16QAM_RB 50,#RB 0

PAR




Band 38_LTE_10MHz_Nss1,16QAM_1TX
2575MHz_16QAM_RB 1,#RB M

PAR




Band 38_LTE_10MHz_Nss1,16QAM_1TX
2575MHz_16QAM_RB 25,#RB M

PAR




Band 38_LTE_10MHz_Nss1,16QAM_1TX
2595MHz_16QAM_RB 50,#RB 0

PAR




Band 38_LTE_10MHz_Nss1,16QAM_1TX
2595MHz_16QAM_RB 1,#RB M

PAR




Band 38_LTE_10MHz_Nss1,16QAM_1TX
2595MHz_16QAM_RB 25,#RB M

PAR




Band 38_LTE_10MHz_Nss1,16QAM_1TX
2615MHz_16QAM_RB 50,#RB 0

PAR




Band 38_LTE_10MHz_Nss1,16QAM_1TX
2615MHz_16QAM_RB 1,#RB M

PAR




Band 38_LTE_10MHz_Nss1,16QAM_1TX
2615MHz_16QAM_RB 25,#RB M

PAR




Band 38_LTE_10MHz_Nss1,64QAM_1TX
2575MHz_64QAM_RB 50,#RB 0

PAR




Band 38_LTE_10MHz_Nss1,64QAM_1TX
2575MHz_64QAM_RB 1,#RB M

PAR




Band 38_LTE_10MHz_Nss1,64QAM_1TX
2575MHz_64QAM_RB 25,#RB M

PAR




Band 38_LTE_10MHz_Nss1,64QAM_1TX
2595MHz_64QAM_RB 50,#RB 0

PAR




Band 38_LTE_10MHz_Nss1,64QAM_1TX
2595MHz_64QAM_RB 1,#RB M

PAR




Band 38_LTE_10MHz_Nss1,64QAM_1TX
2595MHz_64QAM_RB 25,#RB M

PAR




Band 38_LTE_10MHz_Nss1,64QAM_1TX
2615MHz_64QAM_RB 50,#RB 0

PAR




Band 38_LTE_10MHz_Nss1,64QAM_1TX
2615MHz_64QAM_RB 1,#RB M

PAR




Band 38_LTE_10MHz_Nss1,64QAM_1TX
2615MHz_64QAM_RB 25,#RB M

PAR




Band 41_LTE_20MHz_Nss1,QPSK_1TX
2506MHz_QPSK_RB 100,#RB 0

PAR




Band 41_LTE_20MHz_Nss1,QPSK_1TX
2506MHz_QPSK_RB 1,#RB M

PAR




Band 41_LTE_20MHz_Nss1,QPSK_1TX
2506MHz_QPSK_RB 50,#RB M

PAR




Band 41_LTE_20MHz_Nss1,QPSK_1TX
2593MHz_QPSK_RB 100,#RB 0

PAR




Band 41_LTE_20MHz_Nss1,QPSK_1TX
2593MHz_QPSK_RB 1,#RB M

PAR




Band 41_LTE_20MHz_Nss1,QPSK_1TX
2593MHz_QPSK_RB 50,#RB M

PAR




Band 41_LTE_20MHz_Nss1,QPSK_1TX
2680MHz_QPSK_RB 100,#RB 0

PAR




Band 41_LTE_20MHz_Nss1,QPSK_1TX
2680MHz_QPSK_RB 1,#RB M

PAR




Band 41_LTE_20MHz_Nss1,QPSK_1TX
2680MHz_QPSK_RB 50,#RB M

PAR




Band 41_LTE_20MHz_Nss1,16QAM_1TX
2506MHz_16QAM_RB 100,#RB 0

PAR




Band 41_LTE_20MHz_Nss1,16QAM_1TX
2506MHz_16QAM_RB 1,#RB M

PAR




Band 41_LTE_20MHz_Nss1,16QAM_1TX
2506MHz_16QAM_RB 50,#RB M

PAR




Band 41_LTE_20MHz_Nss1,16QAM_1TX
2593MHz_16QAM_RB 100,#RB 0

PAR




Band 41_LTE_20MHz_Nss1,16QAM_1TX
2593MHz_16QAM_RB 1,#RB M

PAR




Band 41_LTE_20MHz_Nss1,16QAM_1TX
2593MHz_16QAM_RB 50,#RB M

PAR




Band 41_LTE_20MHz_Nss1,16QAM_1TX
2680MHz_16QAM_RB 100,#RB 0

PAR




Band 41_LTE_20MHz_Nss1,16QAM_1TX
2680MHz_16QAM_RB 1,#RB M

PAR




Band 41_LTE_20MHz_Nss1,16QAM_1TX
2680MHz_16QAM_RB 50,#RB M

PAR




Band 41_LTE_20MHz_Nss1,64QAM_1TX
2506MHz_64QAM_RB 100,#RB 0

PAR




Band 41_LTE_20MHz_Nss1,64QAM_1TX
2506MHz_64QAM_RB 1,#RB M

PAR




Band 41_LTE_20MHz_Nss1,64QAM_1TX
2506MHz_64QAM_RB 50,#RB M

PAR




Band 41_LTE_20MHz_Nss1,64QAM_1TX
2593MHz_64QAM_RB 100,#RB 0

PAR




Band 41_LTE_20MHz_Nss1,64QAM_1TX
2593MHz_64QAM_RB 1,#RB M

PAR




Band 41_LTE_20MHz_Nss1,64QAM_1TX
2593MHz_64QAM_RB 50,#RB M

PAR




Band 41_LTE_20MHz_Nss1,64QAM_1TX
2680MHz_64QAM_RB 100,#RB 0

PAR




Band 41_LTE_20MHz_Nss1,64QAM_1TX
2680MHz_64QAM_RB 1,#RB M

PAR



Band 41_LTE_20MHz_Nss1,64QAM_1TX
2680MHz_64QAM_RB 50,#RB M

PAR





Summary

Mode	Max-NdB (Hz)	Max-OBW (Hz)	ITU-Code	Min-NdB (Hz)	Min-OBW (Hz)
Band 5	-	-	-	-	-
WCDMA_5MHz_Nss1_1TX	4.694M	4.173M	4M17F9W	4.638M	4.135M



Max-N dB = Maximum 26dB down bandwidth; **Max-OBW** = Maximum 99% occupied bandwidth;
Min-N dB = Minimum 26dB down bandwidth; **Min-OBW** = Minimum 99% occupied bandwidth;




Result

Mode	Result	Port 1-NdB (Hz)	Port 1-OBW (Hz)	Limit (Hz)
Band 5_WCDMA_5MHz_Nss1_1TX	-	-	-	-
826.4MHz	Pass	4.669M	4.173M	Inf
836.4MHz	Pass	4.694M	4.154M	Inf
846.6MHz	Pass	4.638M	4.135M	Inf

Port X-N dB = Port X 26dB down bandwidth; Port X-OBW = Port X 99% occupied bandwidth;





Summary

Mode	Max-NdB (Hz)	Max-OBW (Hz)	ITU-Code	Min-NdB (Hz)	Min-OBW (Hz)
Band 5	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	1.337M	1.089M	1M09G7D	1.283M	1.085M
LTE_1.4MHz_Nss1,16QAM_1TX	1.344M	1.095M	1M10W7D	1.33M	1.09M
LTE_1.4MHz_Nss1,64QAM_1TX	1.353M	1.09M	1M09W7D	1.316M	1.083M
LTE_3MHz_Nss1,QPSK_1TX	3.023M	2.696M	2M70G7D	2.993M	2.685M
LTE_3MHz_Nss1,16QAM_1TX	3.026M	2.691M	2M69W7D	2.959M	2.684M
LTE_3MHz_Nss1,64QAM_1TX	2.974M	2.69M	2M69W7D	2.948M	2.685M
LTE_5MHz_Nss1,QPSK_1TX	5.106M	4.489M	4M49G7D	4.975M	4.477M
LTE_5MHz_Nss1,16QAM_1TX	5.069M	4.48M	4M48W7D	4.975M	4.473M
LTE_5MHz_Nss1,64QAM_1TX	4.981M	4.479M	4M48W7D	4.969M	4.475M
LTE_10MHz_Nss1,QPSK_1TX	9.938M	8.961M	8M96G7D	9.813M	8.93M
LTE_10MHz_Nss1,16QAM_1TX	9.963M	8.967M	8M97W7D	9.775M	8.937M
LTE_10MHz_Nss1,64QAM_1TX	9.825M	8.975M	8M98W7D	9.75M	8.935M
Band 12	-	-	-	-	-
LTE_1.4MHz_Nss1,QPSK_1TX	1.334M	1.089M	1M09G7D	1.293M	1.084M
LTE_1.4MHz_Nss1,16QAM_1TX	1.351M	1.095M	1M10W7D	1.304M	1.087M
LTE_1.4MHz_Nss1,64QAM_1TX	1.309M	1.085M	1M09W7D	1.3M	1.083M
LTE_3MHz_Nss1,QPSK_1TX	3.041M	2.69M	2M69G7D	2.978M	2.679M
LTE_3MHz_Nss1,16QAM_1TX	3.034M	2.699M	2M70W7D	2.974M	2.688M
LTE_3MHz_Nss1,64QAM_1TX	3.038M	2.692M	2M69W7D	2.963M	2.69M
LTE_5MHz_Nss1,QPSK_1TX	5.369M	4.483M	4M48G7D	4.969M	4.474M
LTE_5MHz_Nss1,16QAM_1TX	5.125M	4.504M	4M50W7D	4.994M	4.474M
LTE_5MHz_Nss1,64QAM_1TX	5.05M	4.485M	4M49W7D	5.006M	4.48M
LTE_10MHz_Nss1,QPSK_1TX	10.025M	8.991M	8M99G7D	9.925M	8.942M
LTE_10MHz_Nss1,16QAM_1TX	9.963M	8.97M	8M97W7D	9.8M	8.936M
LTE_10MHz_Nss1,64QAM_1TX	10.025M	8.961M	8M96W7D	9.813M	8.937M
Band 38	-	-	-	-	-
LTE_5MHz_Nss1,QPSK_1TX	5.038M	4.482M	4M48G7D	4.963M	4.478M
LTE_5MHz_Nss1,16QAM_1TX	5.013M	4.483M	4M48W7D	4.913M	4.465M
LTE_5MHz_Nss1,64QAM_1TX	5.131M	4.484M	4M48W7D	4.944M	4.478M
LTE_10MHz_Nss1,QPSK_1TX	9.563M	8.933M	8M93G7D	9.538M	8.916M
LTE_10MHz_Nss1,16QAM_1TX	9.663M	8.935M	8M94W7D	9.488M	8.923M
LTE_10MHz_Nss1,64QAM_1TX	9.588M	8.934M	8M93W7D	9.563M	8.925M
Band 41	-	-	-	-	-
LTE_5MHz_Nss1,QPSK_1TX	5.106M	4.493M	4M49G7D	5.038M	4.481M
LTE_5MHz_Nss1,16QAM_1TX	5.05M	4.505M	4M51W7D	4.988M	4.477M
LTE_5MHz_Nss1,64QAM_1TX	5.069M	4.485M	4M49W7D	4.963M	4.476M
LTE_10MHz_Nss1,QPSK_1TX	9.688M	8.941M	8M94G7D	9.55M	8.937M
LTE_10MHz_Nss1,16QAM_1TX	9.713M	8.954M	8M95W7D	9.538M	8.946M
LTE_10MHz_Nss1,64QAM_1TX	9.788M	8.943M	8M94W7D	9.613M	8.922M
LTE_15MHz_Nss1,QPSK_1TX	14.325M	13.383M	13M4G7D	13.969M	13.376M
LTE_15MHz_Nss1,16QAM_1TX	14.381M	13.404M	13M5W7D	14.119M	13.385M
LTE_15MHz_Nss1,64QAM_1TX	14.269M	13.409M	13M5W7D	14.138M	13.391M
LTE_20MHz_Nss1,QPSK_1TX	18.725M	17.858M	17M9G7D	18.525M	17.828M
LTE_20MHz_Nss1,16QAM_1TX	18.9M	17.877M	17M9W7D	18.75M	17.849M
LTE_20MHz_Nss1,64QAM_1TX	18.875M	17.876M	17M9W7D	18.825M	17.847M

Max-N dB = Maximum 26dB down bandwidth; Max-OBW = Maximum 99% occupied bandwidth;
 Min-N dB = Minimum 26dB down bandwidth; Min-OBW = Minimum 99% occupied bandwidth