




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12



BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07




Fig.13




Fig.14




Fig.15




Fig.16



Conducted power

Test Mode	Tones/ RU Index	Frequency (MHz)	Antenna	Peak power output (dBm)	Average power output (dBm)	EIRP (dBm)
802.11b	NA	2412	Ant8	14.51	11.42	11.82
802.11b	NA	2412	Ant4	14.94	11.80	8.60
802.11b	NA	2437	Ant8	14.61	11.47	11.87
802.11b	NA	2437	Ant4	14.99	11.83	8.63
802.11b	NA	2462	Ant8	14.98	11.83	12.23
802.11b	NA	2462	Ant4	14.67	11.50	8.30
802.11g	NA	2412	Ant8	19.57	11.12	11.52
802.11g	NA	2412	Ant4	19.87	11.42	8.22
802.11g	NA	2437	Ant8	20.15	11.66	12.06
802.11g	NA	2437	Ant4	19.89	11.43	8.23
802.11g	NA	2462	Ant8	19.91	11.45	11.85
802.11g	NA	2462	Ant4	19.58	11.10	7.90
802.11n HT20	NA	2412	Ant8	20.06	11.65	12.05
802.11n HT20	NA	2412	Ant4	19.81	11.39	8.19
802.11n HT20	NA	2412	MIMO	22.95	14.53	13.49
802.11n HT20	NA	2437	Ant8	19.54	11.11	11.51
802.11n HT20	NA	2437	Ant4	19.78	11.38	8.18
802.11n HT20	NA	2437	MIMO	22.67	14.26	13.22
802.11n HT20	NA	2462	Ant8	19.81	11.38	11.78
802.11n HT20	NA	2462	Ant4	19.52	11.12	7.92
802.11n HT20	NA	2462	MIMO	22.68	14.26	13.22
802.11n HT40	NA	2422	Ant8	19.97	11.50	11.90
802.11n HT40	NA	2422	Ant4	19.79	11.32	8.12
802.11n HT40	NA	2422	MIMO	22.89	14.42	13.38
802.11n HT40	NA	2437	Ant8	20.25	11.79	12.19
802.11n HT40	NA	2437	Ant4	19.97	11.50	8.30
802.11n HT40	NA	2437	MIMO	23.12	14.66	13.62
802.11n HT40	NA	2452	Ant8	20.06	11.60	12.00



**BUREAU
VERITAS**

Test Report No.: PSU-NQN2504150110RF07

802.11n HT40	NA	2452	Ant4	19.99	11.51	8.31
802.11n HT40	NA	2452	MIMO	23.04	14.57	13.53

Test Mode	Tones/ RU Index	Frequency (MHz)	Antenna	Peak power output (dBm)	Average power output (dBm)	EIRP (dBm)
802.11ax HE20	26T+0	2412	Ant8	12.28	1.86	2.26
802.11ax HE20	26T+0	2412	Ant4	12.70	1.89	-1.31
802.11ax HE20	26T+0	2412	MIMO	15.51	4.89	3.85
802.11ax HE20	26T+0	2437	Ant8	12.78	2.55	2.95
802.11ax HE20	26T+0	2437	Ant4	13.08	2.53	-0.67
802.11ax HE20	26T+0	2437	MIMO	15.94	5.55	4.51
802.11ax HE20	26T+0	2462	Ant8	13.01	2.50	2.90
802.11ax HE20	26T+0	2462	Ant4	13.33	2.51	-0.69
802.11ax HE20	26T+0	2462	MIMO	16.18	5.52	4.48
802.11ax HE20	26T+4	2412	Ant8	12.21	1.87	2.27
802.11ax HE20	26T+4	2412	Ant4	12.19	1.89	-1.31
802.11ax HE20	26T+4	2412	MIMO	15.21	4.89	3.85
802.11ax HE20	26T+4	2437	Ant8	13.12	2.53	2.93
802.11ax HE20	26T+4	2437	Ant4	12.96	2.56	-0.64
802.11ax HE20	26T+4	2437	MIMO	16.05	5.56	4.52
802.11ax HE20	26T+4	2462	Ant8	13.20	2.51	2.91
802.11ax HE20	26T+4	2462	Ant4	13.01	2.54	-0.66
802.11ax HE20	26T+4	2462	MIMO	16.12	5.54	4.50
802.11ax HE20	26T+8	2412	Ant8	12.22	1.88	2.28
802.11ax HE20	26T+8	2412	Ant4	12.59	1.89	-1.31
802.11ax HE20	26T+8	2412	MIMO	15.42	4.90	3.86
802.11ax HE20	26T+8	2437	Ant8	12.94	2.55	2.95
802.11ax HE20	26T+8	2437	Ant4	12.91	2.56	-0.64
802.11ax HE20	26T+8	2437	MIMO	15.94	5.57	4.53
802.11ax HE20	26T+8	2462	Ant8	13.02	2.51	2.91
802.11ax HE20	26T+8	2462	Ant4	13.19	2.51	-0.69
802.11ax HE20	26T+8	2462	MIMO	16.12	5.52	4.48



**BUREAU
VERITAS**

Test Report No.: PSU-NQN2504150110RF07

802.11ax HE20	52T+37	2412	Ant8	16.26	5.24	5.64
802.11ax HE20	52T+37	2412	Ant4	16.10	5.22	2.02
802.11ax HE20	52T+37	2412	MIMO	19.19	8.24	7.20
802.11ax HE20	52T+37	2437	Ant8	16.77	5.66	6.06
802.11ax HE20	52T+37	2437	Ant4	16.81	5.64	2.44
802.11ax HE20	52T+37	2437	MIMO	19.80	8.66	7.62
802.11ax HE20	52T+37	2462	Ant8	16.41	5.62	6.02
802.11ax HE20	52T+37	2462	Ant4	16.23	5.58	2.38
802.11ax HE20	52T+37	2462	MIMO	19.33	8.61	7.57
802.11ax HE20	52T+39	2412	Ant8	16.05	5.24	5.64
802.11ax HE20	52T+39	2412	Ant4	16.09	5.23	2.03
802.11ax HE20	52T+39	2412	MIMO	19.08	8.25	7.21
802.11ax HE20	52T+39	2437	Ant8	16.70	5.65	6.05
802.11ax HE20	52T+39	2437	Ant4	16.63	5.65	2.45
802.11ax HE20	52T+39	2437	MIMO	19.68	8.66	7.62
802.11ax HE20	52T+39	2462	Ant8	16.33	5.28	5.68
802.11ax HE20	52T+39	2462	Ant4	16.32	5.59	2.39
802.11ax HE20	52T+39	2462	MIMO	19.34	8.45	7.41
802.11ax HE20	52T+40	2412	Ant8	15.98	5.23	5.63
802.11ax HE20	52T+40	2412	Ant4	15.91	5.24	2.04
802.11ax HE20	52T+40	2412	MIMO	18.96	8.25	7.21
802.11ax HE20	52T+40	2437	Ant8	16.77	5.63	6.03
802.11ax HE20	52T+40	2437	Ant4	16.61	5.63	2.43
802.11ax HE20	52T+40	2437	MIMO	19.70	8.64	7.60
802.11ax HE20	52T+40	2462	Ant8	16.65	5.60	6.00
802.11ax HE20	52T+40	2462	Ant4	16.45	5.59	2.39
802.11ax HE20	52T+40	2462	MIMO	19.56	8.61	7.57
802.11ax HE20	106T+53	2412	Ant8	17.61	6.70	7.10
802.11ax HE20	106T+53	2412	Ant4	17.45	6.68	3.48
802.11ax HE20	106T+53	2412	MIMO	20.54	9.70	8.66
802.11ax HE20	106T+53	2437	Ant8	17.84	7.11	7.51
802.11ax HE20	106T+53	2437	Ant4	17.68	7.09	3.89
802.11ax HE20	106T+53	2437	MIMO	20.77	10.11	9.07
802.11ax HE20	106T+53	2462	Ant8	17.87	7.18	7.58



BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07

802.11ax HE20	106T+53	2462	Ant4	17.87	7.19	3.99
802.11ax HE20	106T+53	2462	MIMO	20.88	10.20	9.16
802.11ax HE20	106T+54	2412	Ant8	17.37	6.70	7.10
802.11ax HE20	106T+54	2412	Ant4	17.53	6.67	3.47
802.11ax HE20	106T+54	2412	MIMO	20.46	9.70	8.66
802.11ax HE20	106T+54	2437	Ant8	17.76	7.10	7.50
802.11ax HE20	106T+54	2437	Ant4	17.70	7.10	3.90
802.11ax HE20	106T+54	2437	MIMO	20.74	10.11	9.07
802.11ax HE20	106T+54	2462	Ant8	17.92	7.19	7.59
802.11ax HE20	106T+54	2462	Ant4	18.06	7.18	3.98
802.11ax HE20	106T+54	2462	MIMO	21.00	10.20	9.16
802.11ax HE20	242T+61	2412	Ant8	20.21	10.21	10.61
802.11ax HE20	242T+61	2412	Ant4	20.22	10.22	7.02
802.11ax HE20	242T+61	2412	MIMO	23.23	13.23	12.19
802.11ax HE20	242T+61	2437	Ant8	21.32	11.33	11.73
802.11ax HE20	242T+61	2437	Ant4	21.32	11.33	8.13
802.11ax HE20	242T+61	2437	MIMO	24.33	14.34	13.30
802.11ax HE20	242T+61	2462	Ant8	20.38	10.46	10.86
802.11ax HE20	242T+61	2462	Ant4	20.44	10.46	7.26
802.11ax HE20	242T+61	2462	MIMO	23.42	13.47	12.43
802.11ax HE40	484T+65	2422	Ant8	20.56	10.49	10.89
802.11ax HE40	484T+65	2422	Ant4	20.53	10.49	7.29
802.11ax HE40	484T+65	2422	MIMO	23.56	13.50	12.46
802.11ax HE40	484T+65	2437	Ant8	21.53	11.43	11.83
802.11ax HE40	484T+65	2437	Ant4	21.49	11.43	8.23
802.11ax HE40	484T+65	2437	MIMO	24.52	14.44	13.40
802.11ax HE40	484T+65	2452	Ant8	20.64	10.53	10.93
802.11ax HE40	484T+65	2452	Ant4	20.62	10.54	7.34
802.11ax HE40	484T+65	2452	MIMO	23.64	13.55	12.51
802.11be EHT20	26T+0	2412	Ant8	12.33	1.69	2.09
802.11be EHT20	26T+0	2412	Ant4	12.14	1.68	-1.52
802.11be EHT20	26T+0	2412	MIMO	15.25	4.70	3.66
802.11be EHT20	26T+0	2437	Ant8	13.35	2.41	2.81
802.11be EHT20	26T+0	2437	Ant4	13.14	2.44	-0.76



BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07

802.11be EHT20	26T+0	2437	MIMO	16.26	5.44	4.40
802.11be EHT20	26T+0	2462	Ant8	13.04	2.28	2.68
802.11be EHT20	26T+0	2462	Ant4	13.03	2.29	-0.91
802.11be EHT20	26T+0	2462	MIMO	16.05	5.30	4.26
802.11be EHT20	26T+4	2412	Ant8	12.27	1.70	2.10
802.11be EHT20	26T+4	2412	Ant4	12.34	1.70	-1.50
802.11be EHT20	26T+4	2412	MIMO	15.32	4.71	3.67
802.11be EHT20	26T+4	2437	Ant8	13.34	2.39	2.79
802.11be EHT20	26T+4	2437	Ant4	13.20	2.40	-0.80
802.11be EHT20	26T+4	2437	MIMO	16.28	5.41	4.37
802.11be EHT20	26T+4	2462	Ant8	12.94	2.29	2.69
802.11be EHT20	26T+4	2462	Ant4	13.06	2.30	-0.90
802.11be EHT20	26T+4	2462	MIMO	16.01	5.31	4.27
802.11be EHT20	26T+8	2412	Ant8	12.49	1.70	2.10
802.11be EHT20	26T+8	2412	Ant4	12.29	1.69	-1.51
802.11be EHT20	26T+8	2412	MIMO	15.40	4.71	3.67
802.11be EHT20	26T+8	2437	Ant8	13.25	2.36	2.76
802.11be EHT20	26T+8	2437	Ant4	13.08	2.42	-0.78
802.11be EHT20	26T+8	2437	MIMO	16.18	5.40	4.36
802.11be EHT20	26T+8	2462	Ant8	13.29	2.31	2.71
802.11be EHT20	26T+8	2462	Ant4	12.99	2.28	-0.92
802.11be EHT20	26T+8	2462	MIMO	16.15	5.31	4.27
802.11be EHT20	52T+37	2412	Ant8	15.83	4.88	5.28
802.11be EHT20	52T+37	2412	Ant4	15.92	4.88	1.68
802.11be EHT20	52T+37	2412	MIMO	18.89	7.89	6.85
802.11be EHT20	52T+37	2437	Ant8	16.33	5.50	5.90
802.11be EHT20	52T+37	2437	Ant4	16.41	5.47	2.27
802.11be EHT20	52T+37	2437	MIMO	19.38	8.50	7.46
802.11be EHT20	52T+37	2462	Ant8	16.20	5.32	5.72
802.11be EHT20	52T+37	2462	Ant4	16.16	5.33	2.13
802.11be EHT20	52T+37	2462	MIMO	19.19	8.34	7.30
802.11be EHT20	52T+39	2412	Ant8	15.91	4.88	5.28
802.11be EHT20	52T+39	2412	Ant4	15.63	4.89	1.69
802.11be EHT20	52T+39	2412	MIMO	18.78	7.90	6.86



BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07

802.11be EHT20	52T+39	2437	Ant8	16.43	5.48	5.88
802.11be EHT20	52T+39	2437	Ant4	16.26	5.46	2.26
802.11be EHT20	52T+39	2437	MIMO	19.36	8.48	7.44
802.11be EHT20	52T+39	2462	Ant8	16.04	5.33	5.73
802.11be EHT20	52T+39	2462	Ant4	16.29	5.31	2.11
802.11be EHT20	52T+39	2462	MIMO	19.18	8.33	7.29
802.11be EHT20	52T+40	2412	Ant8	15.73	4.86	5.26
802.11be EHT20	52T+40	2412	Ant4	15.72	4.89	1.69
802.11be EHT20	52T+40	2412	MIMO	18.74	7.89	6.85
802.11be EHT20	52T+40	2437	Ant8	16.44	5.47	5.87
802.11be EHT20	52T+40	2437	Ant4	16.19	5.46	2.26
802.11be EHT20	52T+40	2437	MIMO	19.33	8.48	7.44
802.11be EHT20	52T+40	2462	Ant8	16.07	5.32	5.72
802.11be EHT20	52T+40	2462	Ant4	16.22	5.31	2.11
802.11be EHT20	52T+40	2462	MIMO	19.16	8.33	7.29
802.11be EHT20	106T+53	2412	Ant8	17.10	6.70	7.10
802.11be EHT20	106T+53	2412	Ant4	17.03	6.70	3.50
802.11be EHT20	106T+53	2412	MIMO	20.08	9.71	8.67
802.11be EHT20	106T+53	2437	Ant8	18.12	7.15	7.55
802.11be EHT20	106T+53	2437	Ant4	18.27	7.15	3.95
802.11be EHT20	106T+53	2437	MIMO	21.21	10.16	9.12
802.11be EHT20	106T+53	2462	Ant8	17.87	7.20	7.60
802.11be EHT20	106T+53	2462	Ant4	18.02	7.20	4.00
802.11be EHT20	106T+53	2462	MIMO	20.96	10.21	9.17
802.11be EHT20	106T+54	2412	Ant8	17.46	6.71	7.11
802.11be EHT20	106T+54	2412	Ant4	17.45	6.71	3.51
802.11be EHT20	106T+54	2412	MIMO	20.47	9.72	8.68
802.11be EHT20	106T+54	2437	Ant8	18.07	7.15	7.55
802.11be EHT20	106T+54	2437	Ant4	18.15	7.17	3.97
802.11be EHT20	106T+54	2437	MIMO	21.12	10.17	9.13
802.11be EHT20	106T+54	2462	Ant8	18.02	7.21	7.61
802.11be EHT20	106T+54	2462	Ant4	17.96	7.21	4.01
802.11be EHT20	106T+54	2462	MIMO	21.00	10.22	9.18
802.11be EHT20	242T+61	2412	Ant8	20.72	10.72	11.12



BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07

802.11be EHT20	242T+61	2412	Ant4	20.74	10.71	7.51
802.11be EHT20	242T+61	2412	MIMO	23.74	13.73	12.69
802.11be EHT20	242T+61	2437	Ant8	21.80	11.81	12.21
802.11be EHT20	242T+61	2437	Ant4	21.77	11.81	8.61
802.11be EHT20	242T+61	2437	MIMO	24.80	14.82	13.78
802.11be EHT20	242T+61	2462	Ant8	21.02	10.97	11.37
802.11be EHT20	242T+61	2462	Ant4	20.95	10.98	7.78
802.11be EHT20	242T+61	2462	MIMO	24.00	13.99	12.95
802.11be EHT20	26+52	2412	Ant8	15.53	4.64	5.04
802.11be EHT20	26+52	2412	Ant4	15.77	4.60	1.40
802.11be EHT20	26+52	2412	MIMO	18.66	7.63	6.59
802.11be EHT20	26+52	2437	Ant8	15.92	5.03	5.43
802.11be EHT20	26+52	2437	Ant4	15.98	5.05	1.85
802.11be EHT20	26+52	2437	MIMO	18.96	8.05	7.01
802.11be EHT20	26+52	2462	Ant8	16.27	5.19	5.59
802.11be EHT20	26+52	2462	Ant4	16.33	5.16	1.96
802.11be EHT20	26+52	2462	MIMO	19.31	8.19	7.15
802.11be EHT20	26+106	2412	Ant8	17.86	6.65	7.05
802.11be EHT20	26+106	2412	Ant4	17.63	6.65	3.45
802.11be EHT20	26+106	2412	MIMO	20.76	9.66	8.62
802.11be EHT20	26+106	2437	Ant8	17.58	7.07	7.47
802.11be EHT20	26+106	2437	Ant4	17.55	7.07	3.87
802.11be EHT20	26+106	2437	MIMO	20.58	10.08	9.04
802.11be EHT20	26+106	2462	Ant8	17.92	7.14	7.54
802.11be EHT20	26+106	2462	Ant4	18.02	7.15	3.95
802.11be EHT20	26+106	2462	MIMO	20.98	10.16	9.12
802.11be EHT40	484T+65	2422	Ant8	20.40	10.27	10.67
802.11be EHT40	484T+65	2422	Ant4	20.40	10.27	7.07
802.11be EHT40	484T+65	2422	MIMO	23.41	13.28	12.24
802.11be EHT40	484T+65	2437	Ant8	21.33	11.22	11.62
802.11be EHT40	484T+65	2437	Ant4	21.34	11.22	8.02
802.11be EHT40	484T+65	2437	MIMO	24.35	14.23	13.19
802.11be EHT40	484T+65	2452	Ant8	20.46	10.34	10.74
802.11be EHT40	484T+65	2452	Ant4	20.45	10.34	7.14



802.11be EHT40	484T+65	2452	MIMO	23.47	13.35	12.31
----------------	---------	------	------	-------	-------	-------

6dB Bandwidth

Test Mode	Antenna	6 dB bandwidth (MHz)		
		Channel No.1	Channel No.6	Channel No.11
		2412MHz	2437MHz	2462MHz
802.11b	Ant8	7.25	7.74	6.83
802.11b	Ant4	7.49	7.04	8.41
802.11g	Ant8	16.54	16.46	16.33
802.11g	Ant4	16.38	16.48	16.62
802.11n HT20	Ant8	17.73	17.78	17.80
802.11n HT20	Ant4	17.76	17.78	17.75
802.11ax HE20	Ant8	19.11	19.06	19.12
802.11ax HE20	Ant4	19.10	19.12	19.15
802.11be HE20	Ant8	19.05	19.10	19.12
802.11be HE20	Ant4	19.13	19.11	19.06


Test Mode	Antenna	6 dB bandwidth (MHz)		
		Channel No.3	Channel No.6	Channel No.9
		2422MHz	2437MHz	2452MHz
802.11n HT40	Ant8	36.54	36.51	36.46
802.11n HT40	Ant4	36.49	36.42	36.45
802.11ax HE40	Ant8	38.09	38.04	38.07
802.11ax HE40	Ant4	37.39	38.11	37.87
802.11be HE40	Ant8	38.00	38.12	37.50
802.11be HE40	Ant4	37.93	38.06	38.07

Test Mode	Antenna	6 dB bandwidth (MHz)		
		Channel No.1	Channel No.6	Channel No.11
		2412MHz	2437MHz	2462MHz
802.11ax HE20 26T	Chain0	2.07	2.09	2.08
802.11ax HE20 26T	Chain1	2.05	2.08	2.10




BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07


Test Mode: 802.11b




Mode:802.11b Frequency:2412MHz Ant:Ant8




Mode:802.11b Frequency:2437MHz Ant:Ant8




Mode:802.11b Frequency:2462MHz Ant:Ant8



Mode:802.11b Frequency:2412MHz Ant:Ant4



Mode:802.11b Frequency:2437MHz Ant:Ant4




Mode:802.11b Frequency:2462MHz Ant:Ant4


Test Mode: 802.11g




BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07




Mode:802.11g Frequency:2412MHz Ant:Ant8




Mode:802.11g Frequency:2437MHz Ant:Ant8




Mode:802.11g Frequency:2462MHz Ant:Ant8



Mode:802.11g Frequency:2412MHz Ant:Ant4



Mode:802.11g Frequency:2437MHz Ant:Ant4




Mode:802.11g Frequency:2462MHz Ant:Ant4

Test Mode: 802.11n HT20




BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07




Mode:802.11n HT20 Frequency:2412MHz

Ant:Ant8




Mode:802.11n HT20 Frequency:2437MHz

Ant:Ant8




Mode:802.11n HT20 Frequency:2462MHz

Ant:Ant8




Mode:802.11n HT20 Frequency:2412MHz

Ant:Ant4



Mode:802.11n HT20 Frequency:2437MHz

Ant:Ant4



Mode:802.11n HT20 Frequency:2462MHz

Ant:Ant4

Huarui 7layers High Technology
(Suzhou) Co., Ltd.


Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008




BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07


Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:242T
Frequency:2412MHz Ant:Ant8




Mode:802.11ax HE20 Tone:242T
Frequency:2437MHz Ant:Ant8




Mode:802.11ax HE20 Tone:242T
Frequency:2462MHz Ant:Ant8



Mode:802.11ax HE20 Tone:242T
Frequency:2412MHz Ant:Ant4



Mode:802.11ax HE20 Tone:242T



Mode:802.11ax HE20 Tone:242T





BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF07

Frequency:2437MHz Ant:Ant4

Frequency:2462MHz Ant:Ant4

Test Mode: 802.11be HE20





Mode:802.11be HE20 Tone:242T

Frequency:2412MHz Ant:Ant8

Mode:802.11be HE20 Tone:242T

Frequency:2437MHz Ant:Ant8





Mode:802.11be HE20 Tone:242T

Frequency:2462MHz Ant:Ant8

Mode:802.11be HE20 Tone:242T

Frequency:2412MHz Ant:Ant4







BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07

Mode:802.11be HE20 Tone:242T
Frequency:2437MHz Ant:Ant4



Mode:802.11be HE20 Tone:242T
Frequency:2462MHz Ant:Ant4

Test Mode: 802.11n HT40



Mode:802.11n HT40 Frequency:2422MHz
Ant:Ant8

Mode:802.11n HT40 Frequency:2437MHz
Ant:Ant8




Mode:802.11n HT40 Frequency:2452MHz
Ant:Ant8

Mode:802.11n HT40 Frequency:2422MHz
Ant:Ant4




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF07



Mode:802.11n HT40 Frequency:2437MHz


Ant:Ant4



Mode:802.11n HT40 Frequency:2452MHz


Ant:Ant4

Test Mode: 802.11ax HE40




Mode:802.11ax HE40 Tone:484T

Frequency:2422MHz Ant:Ant8




Mode:802.11ax HE40 Tone:484T

Frequency:2437MHz Ant:Ant8



Mode:802.11ax HE40 Tone:484T



Mode:802.11ax HE40 Tone:484T

Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province


Tel: +86 (0557) 368 1008




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF07

Frequency:2452MHz Ant:Ant8



Frequency:2422MHz Ant:Ant4





Mode:802.11ax HE40 Tone:484T

Frequency:2437MHz Ant:Ant4

Mode:802.11ax HE40 Tone:484T

Frequency:2452MHz Ant:Ant4

Test Mode: 802.11be HE40





Mode:802.11be HE40 Tone:484T

Frequency:2422MHz Ant:Ant8

Mode:802.11be HE40 Tone:484T

Frequency:2437MHz Ant:Ant8



Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province

Tel: +86 (0557) 368 1008




**BUREAU
VERITAS**

Test Report No.: PSU-NQN2504150110RF07


Mode:802.11be HE40 Tone:484T

Frequency:2452MHz Ant:Ant8




Mode:802.11be HE40 Tone:484T

Frequency:2422MHz Ant:Ant4




Mode:802.11be HE40 Tone:484T

Frequency:2437MHz Ant:Ant4



Mode:802.11be HE40 Tone:484T

Frequency:2452MHz Ant:Ant4



Test Mode: 802.11ax HE20 26T

Mode:802.11ax HE20 Tone:26T Frequency:2412MHz


Ant:Chain0

Mode:802.11ax HE20Tone:26T Frequency:2437MHz


Ant:Chain0




BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07




Mode:802.11ax HE20 Tone:26T Frequency:2462MHz
Ant:Chain0



Mode:802.11ax HE20 Tone:26T Frequency:2412MHz
Ant:Chain1



Mode:802.11ax HE20 Tone:26T Frequency:2437MHz
Ant:Chain1



Mode:802.11ax HE20 Tone:26T Frequency:2462MHz
Ant:Chain1

**99% Bandwidth**


Test Mode	Antenna	99% bandwidth (MHz)		
		Channel No.1	Channel No.6	Channel No.11
		2412MHz	2437MHz	2462MHz
802.11b	Ant8	13.158	13.151	13.069
802.11b	Ant4	13.284	13.138	13.268
802.11g	Ant8	16.890	17.045	16.842
802.11g	Ant4	16.817	16.825	16.908
802.11n HT20	Ant8	18.002	18.261	17.960
802.11n HT20	Ant4	18.148	18.091	18.119
802.11ax HE20	Ant8	19.227	19.297	19.143
802.11ax HE20	Ant4	19.225	19.292	19.184
802.11be HE20	Ant8	19.266	19.252	19.168
802.11be HE20	Ant4	19.204	19.303	19.192

Test Mode	Antenna	99% bandwidth (MHz)		
		Channel No.3	Channel No.6	Channel No.9
		2422MHz	2437MHz	2452MHz
802.11n HT40	Ant8	36.299	36.406	36.407
802.11n HT40	Ant4	36.225	36.280	36.503
802.11ax HE40	Ant8	38.038	38.106	37.950
802.11ax HE40	Ant4	38.029	38.124	37.876
802.11be HE40	Ant8	37.885	38.076	37.968
802.11be HE40	Ant4	38.034	38.154	37.888

Test Mode	Antenna	99% bandwidth (MHz)		
		Channel No.1	Channel No.6	Channel No.11
		2412MHz	2437MHz	2462MHz
802.11ax HE20 26T	Chain0	18.689	18.686	18.716
802.11ax HE20 26T	Chain1	18.789	18.656	18.621




Test Mode: 802.11b




Test Mode: 802.11g




BUREAU VERITAS Test Report No.: PSU-NQN2504150110RF07




Mode:802.11g Frequency:2412MHz Ant:Ant8




Mode:802.11g Frequency:2437MHz Ant:Ant8




Mode:802.11g Frequency:2462MHz Ant:Ant8



Mode:802.11g Frequency:2412MHz Ant:Ant4



Mode:802.11g Frequency:2437MHz Ant:Ant4




Mode:802.11g Frequency:2462MHz Ant:Ant4

Test Mode: 802.11n HT20




BUREAU
VERITAS

Test Report No.: PSU-NQN2504150110RF07




Mode:802.11n HT20 Frequency:2412MHz

Ant:Ant8




Mode:802.11n HT20 Frequency:2437MHz

Ant:Ant8




Mode:802.11n HT20 Frequency:2462MHz

Ant:Ant8




Mode:802.11n HT20 Frequency:2412MHz

Ant:Ant4



Mode:802.11n HT20 Frequency:2437MHz

Ant:Ant4



Mode:802.11n HT20 Frequency:2462MHz

Ant:Ant4


Huarui 7layers High Technology
(Suzhou) Co., Ltd.

Tower N, Innovation Center, 88 Zuyi Road, High-tech
District, Suzhou City, Anhui Province


Tel: +86 (0557) 368 1008




Test Mode: 802.11ax HE20




Mode:802.11ax HE20 Tone:242T
Frequency:2412MHz Ant:Ant8




Mode:802.11ax HE20 Tone:242T
Frequency:2437MHz Ant:Ant8




Mode:802.11ax HE20 Tone:242T
Frequency:2462MHz Ant:Ant8



Mode:802.11ax HE20 Tone:242T
Frequency:2412MHz Ant:Ant4



Mode:802.11ax HE20 Tone:242T



Mode:802.11ax HE20 Tone:242T