APPROVAL SHEET

MODEL: TB-1900T

HYUNDAI ELECTRONICS INDUSTRIES CO., LTD		CHECKED	APPROVED
	SIGNATURE		
APPROVAL	DATE	/ /	/ /
HANKOOK ANTENNA CO., LTD APPROVAL		CHECKED	APPROVED
	SIGNATURE	1151	
	DATE	199/11/3	9911113



♠ HANKOOK ANTENNA CO., LTD.

CONTENTS

1. GENERAL

- 1.1 PRODUCT DESCRIPTION
- 1. 2 PRODUCT NUMBER
- 1.3 UNIT AND DEFINITION
- 1.4 CONDITIONS

2. ELECTRICAL PROPERTIES

- 2. 1 FREQUENCY BAND
- 2. 2 IMPEDANCE
- 2. 3 V.S.W.R
- 2. 4 GAIN

3. MECHANICAL PROPERTIES

- 3.1 APPEARANCE
- 3. 2 TENSILE LOAD
- 3.3 DROP

4. ENVIRONMENTAL RESISTANCE PROPERTIES

- 4.1 OPERATIONAL TEMPERATURE
- 4.2 TEMPERATURE CYCLING
- 4.3 HUMIDITY
- 4.4 SINUSOIDAL VIBRATION
- 5. TEST EQUIPMENTS
- 6. DRAWING

1. GENERAL

1.1 Product description

A sleeve dipole antenna, consisting of copper cylinder and a thin radiator which is a inner conductor of a coaxial line, is a half wave dipole antenna used for a portable and base station unit for wireless communication.

1.2 Product Number

Hankook Antenna Product No.: TB-1900T

Hyundai Product No.: HWT-210

1.3 Units and Definitions

Tx Transmit Band

Rx Receive Band

V.S.W.R Voltage Standing Wave Ratio

dBd Antenna gain in dB relative to a dipole

Acceleration of gravity (about 9.8 m/sec²)

RH Relative Humidity

1.4 Conditions

Unless otherwise stated all temperature tolerance are ± 3 °C and all RH tolerance are ± 5 percentage.

Unless otherwise stated all values are valid at +20°C and 50%RH.

2. ELECTRICAL PROPERTIES

2.1 Frequency Band

Transmit Band (Tx): 1850 – 1910 MHz

Receive Band (Rx) : 1930 – 1990 MHz

2.2 Impedance

Nominal Value : 50Ω


2.3 VSWR

2.3.1 Maximum Values

2.0:1

2.3.2 Measuring Method

A 50 ohms coaxial cable is connected to the antenna connector. In the other end the coaxial cable is connected to a network analyzer. The analyzer calibrated so that the reference plane is at the end the coaxial cable connected to the antenna.



2.4 Gain


2.4.1 Maximum Gain

1.5 dBi

2.4.2 Measuring Method

The connection is done according to figure. Radiation patterns are measured at the lowest, middle and highest frequency for each band (Tx and Rx band). The measurement performed so as to minimize the influence of the cables. Calibration for absolute measurements

is done with a reference antenna, which is in turn calibrated by a certified calibration company.



3. MECHANICAL PROPERTIES

3.1 Appearance

The appearance shall be according to specification drawing as attached.

3.2. Tensile Load

- 3.2.1 Force
 - 5 Kgf
- 3.2.2 Demands

Without mechanical damage, electrical performance according to 2.3.1 and 2.4.1 after test.

3.2.3 Measuring Method

The antenna is assembled to the test equipment according to figure. The specified force is applied during 30sec to the top of the sleeve parallel to the antenna axis.



3.3 Drop

3.3.1 Drop height

0.75 m

3.3.2 Number of Drops

1 drop to ensure set lands on antenna

3.3.3 Set weight

2 Kg

3.3.4 Demand

No visual change and the fitting and mold shall be unchanged mechanically and satisfy the electrical data after test.

3.3.5 Measuring Method

The antenna is attached to set (if available, otherwise to test fixture of equal weight). The set is dropped with antenna downwards onto a steel surface covered with 20 sheets of copy paper.

4. ENVIRONMENTAL RESISTANCE PROPERTIES

4.1 Operational Temperature

4.1.1 Temperature $= -40^{\circ}\text{C} \sim +70^{\circ}\text{C}$ at 50%RH

4.1.2 Demand

No visual change and the fitting and mold shall be unchanged mechanically and satisfy the electrical data during the test.

4.1.3 Measuring method

The antenna is kept at +20°C and 50%RH for at least 1 hour.

The antenna is placed at low temperature. The antenna is taken out after 1 hour, and the V.S.W.R is immediately measured.

The antenna is kept at +20°C and 50%RH for at least 1 hour.

The antenna is placed at high temperature. The antenna is taken out after 1 hour, and the V.S.W.R is immediately measured.

4.2 Temperature Cycling


4.2.1 Cycling Temperature : -40° C ~ $+80^{\circ}$ C at 50%RH

4.2.2 Demand

No visual change and the fitting and mold shall be unchanged mechanically and satisfy the electrical data after a 1 hour relaxing period at +20°C and 50%RH.

4.2.3 Measuring method

The antenna is placed in a climatic chamber. The temperature is cycled as follows: The temperature is kept constant at low cycling temperature for 1hour, increased to high cycling temperature during 1 hour, kept constant for 1hour and then decreased to low cycling temperature during 1 hour. This procedure is repeated 10 times ending at room temperature, see figure



4.3 Humidity

4.3.1 Condition : +40°C and 95%RH

4.3.2 Demand

No visual change and the fitting and mold shall be unchanged mechanically and satisfy the electrical data after the test.

4.3.3 Measuring method

The antenna is placed in climatic chamber for 24 hours. The antenna is taken out from the chamber and measured after another 24 hours in room temperature.

4.4 Sinusoidal Vibration

4.4.1 Vibration Frequencies : 5 - 55 - 5 Hz (1 cycle)

4.4.2 Sweep Rate 0.5 octave/min (logarithmic)

4.4.3 Maximum Amplitude

A = 1 mm


4.4.4 Maximum Acceleration : 2 g

4.4.5 Demand

No visual change and the fitting and mold shall be unchanged mechanically and satisfy the electrical data after the test.

4.4.6 Measuring method

The antenna is assembled in the test equipment. The vibration is done both in x- and z- directions, according to figure, with a duration of 2 hours in each direction.



a) Vibration directions

b) Vibration form.

5. TEST EQUIPMENTS


Network Analyzer (HP-8753C) : VSWR, Impedance


RF Signal Generator(HP-8350B) : Required signal


Spectrum Analyzer (HP-8563A) : Receiving signal

6. DRAWINGS

As attached







	٥	,	Ī		
	KEV. NO.	URAWN		NOTE	
	0	M. Y. KIM		10L.	
	APPROVED	CHECKED J. R. PARK FILE NAME	X.X = ±0.5	TOL. UNLESS NOTED $X = +1$	
	2	PARK			
	DATE	PILE NAME	SCALE	UNIT	
L	1999,10, 4	TB1900T	N / S	mm	
	DWG. NO.	ORDER CO.	-	mur.	
	TB1900T		TB-1900T		

Ç

CABLE

GUIDE RING

THE CONNECTOR PARTS NAME

MATERIAL

NI-PLATING FINISH

100-16-01-012

CODE NO.

BASE 'A' JOINT PIN BYSE ,B,

NYLON66

BLACK CI-PLATING 330-00-00-001 BLACK COLOR 180-04-01-001

89

NYLON66

BLACK COLOR

180-04-01-002

120-04-00-001

RG-316 NOTEST

WHITE COLOR

160-02-01-004 290-04-00-001

120-04-00-001

œ 9

ELEMENT

PIPE

8 5 SLEENE

URETHANE

BLACK COLOR