

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ

Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
	91343-09		ULTRAVIEW, SYNTH, MPT, 1400MHZ		
1	650-1424-00	A	ASSY, BASE/CONN. 91341	EA	1
2	432-0038-07	A	BASE, ENCLOSURE, TX, HORNET	EA	1
18	131-0807-03	C	CONN., DIN, 5 LEAD ECG W/LEDS	EA	1
20	252-0097-00	B	ADHESIVE, EPOXY, EP42HT	EA	.001
22	252-0099-00	B	ADHESIVE, EPOXY, TRA-CON TRA-BOND2116	KT	.001
43	006-0307-00	OBS	SANDPAPER, 100 GRIT, WET/DRY	EA	.01
50	653-0095-00	L	DWG, ASSY, DIG TM TRANSMITTER	EA	0
54	653-0550-00	A	DWG, ASSY, BASE/CONNECTOR 91341	EA	0
2	650-1352-00	A	ASSY, COVER/SW, TX, 91343	EA	1
1	200-0236-02	B	COVER, ENCLOSURE, TX., 91343	EA	1
16	260-0118-00	A	SWITCH, ELASTOMERIC KEY, DIG TM MPT	EA	1
23	252-0167-00	A	PRIMER, ADHESIVE LOCTITE 793	EA	.001
24	252-0066-00	A	ADHESIVE, GEL, LOCTITE 454	EA	.001
50	653-0095-00	L	DWG, ASSY, DIG TM TRANSMITTER	EA	0
54	653-0522-00	A	DWG, ASSY, CVR/SW 91343	EA	0
3	202-0023-00	D	DOOR, BATT COMPARTMENT, DTM TX	EA	1.0000
4	386-0255-00	A	PLATE, BATTERY, DIG TM MPT	EA	1.0000
5	201-0029-01	C	CAP, TETHERED, CONNECTOR	EA	1.0000

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ

PRELIMINARY

Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
6	670-0916-01	C	PCB, ASSY, SPO2, MPT DIG TM TX	EA	1.0000
1	110-0019-00	A	INDUCTOR, SMD, 68UH, 20%, .29OHMS, .4A	L3 EA	1.0000
2	110-0013-00	A	INDUCTOR, SMD, 100UH, 20%, 1.3A, .45X.14	L2 EA	1.0000
3	131-1452-00	B	CONN, 1MM, 14 CIRCUIT, STRAIGHT, ZIF	J1 EA	1.0000
4	155-0127-00	A	DIODE, SMD, SLVU2.8, TVS, 2.8V, SOT23	D9-D11, D23 EA	4.0000
5	150-0095-00	B	LED, SMD, RED, 660NM, 45MCD, 0603	D4-D6 EA	3.0000
6	155-0024-00	D	DIODE, SMD, SCHOTTKY, 1N5819, MLL41	D2 EA	1.0000
7	158-5025-00	D	XTAL, 32.768 KHZ, 20 PPM, 12 PF, 2X6MM	Y1 EA	1.0000
8	170-0214-00	C	IC, FLASH, 29LV200, 2MBIT, 100NS, TSOP48	U23 EA	1.0000
9	171-0205-00	B	IC, LIN, TLC2264, QUAD OPAMP, CMOS, SO14	U11 EA	1.0000
10	171-0615-00	A	IC, LTC1877, BUCK RGLTR, 600 MA, MSO8	U27 EA	1.0000
11	171-0267-00	A	IC, MAX639, DC-DC CONV, 5V, 225 MA, SO8	U26 EA	1.0000
12	171-0279-00	A	IC, TLC2252, DUAL OPAMP, CMOS, SO8	U5, U8, U25 EA	3.0000
13	171-0278-00	A	IC, TLC2262, DUAL OPAMP, CMOS, SO8	U4 EA	1.0000
14	172-0202-00	D	IC, DIG, 74HCT08, QUAD 2-INP AND, SO14	U1 EA	1.0000
15	153-0001-00	G	XSTR, SMD, 3904, NPN, TO-236AB	Q3 EA	1.0000
16	172-0487-00	C	IC, DIG, 7S04, SINGLE INVERTER, SOT23-5	U19, U20, U28 EA	3.0000
17	172-0488-00	B	IC, DIG, 7S02, 2-INPUT NOR, SOT23-5	U9, U39 EA	2.0000
18	172-0643-00	A	IC, DIG, AD7303, DAC, SO8	U10 EA	1.0000

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ

Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
19	172-0644-00	A	IC, DIG, AD5300, DAC, SOT23	U30 EA	1.0000
20	172-0645-00	B	IC, DIG, TC7W74, D FLIP-FLOP, SSO8	U21 EA	1.0000
21	172-0646-00	A	IC, DIG, MAX6328, SOT23-3	U31 EA	1.0000
22	173-0113-00	A	IC, MAX4501, ANALOG SW, SPST, SOT23-5	U13-U18 EA	6.0000
23	173-0098-01	A	IC, ADC, AD7714, 24BIT, 3/5V, TSSO24	U6, U7 EA	2.0000
24	173-0115-00	B	IC, AD8400, DIGITAL POT, 100K, SO8	U12 EA	1.0000
25	260-0117-00	B	SWITCH, DIP, SMD, 4 POSITION, LOW PROFL	S1, S2 EA	2.0000
26	110-0332-00	A	INDUCTOR, SMD, 10UH, 20%, 1A, SHIELDED	L1 EA	1
27	296-0067-00	B	CAP, SMD, TANT, 10UF, 20%, 10V, 3528, B	C18, C19, C75, C81 EA	4.0000
28	297-0006-00	A	CAP, SMD, 22PF, 5%, 100V, NPO, 0805	C67, C68 EA	2.0000
29	297-0183-00	A	CAP, SMD, .01UF, 5%, 50V, X7R, 0805	C10, C11, C71 EA	3.0000
30	297-0214-00	B	CAP, SMD, .10UF, 10%, 25V, X7R, 0805	C4, C5, C7-C9, C12-C14, C16, C17, C22, C23, C25-C44, C47-C59, C62- C66, C69, C70, C72-C74, C76, C77, C79, C80 EA	59.0000
31	297-0219-00	B	CAP, SMD, 47PF, 2%, 50V, NPO, 0603	C3, C6 EA	2.0000
32	326-0185-00	A	RES, SMD, 10M, 5%, .06W, 0603	R43 EA	1.0000
33	327-0453-00	F	RES, SMD, 20.0K, 1%, .06W, 0603	R4-R7, R28, R29 EA	6.0000
34	327-0468-00	F	RES, SMD, 100K, 1%, .06W, 0603	R9, R26, R27, R32 EA	4.0000
35	170-0158-01	C	IC, SRAM, 128K X 8, 85NS, 3V, TSOP32	U24 EA	1.0000

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
36	327-0469-00	H	RES, SMD, 10.0K, 1%, .06W, 0603	R40, R41, R45-R47, R49-R54, R74, R75, R78, R79, R84, R97, R103 EA	18.0000
37	327-0470-00	F	RES, SMD, 10.0 OHM, 1%, .06W, 0603	R24 EA	1.0000
38	327-0554-00	B	RES, SMD, 30.1 OHM, 1%, .10W, 0805	R30, R42 EA	2.0000
39	327-0646-00	A	RES, SMD, 402K, 1%, .0625W, 0603	R16 EA	1.0000
40	327-0668-00	A	RES, SMD, 1.00K, 1%, .0625W, 0603	R48, R56-R58, R94, R95 EA	6
41	327-0669-00	A	RES, SMD, 1.00 OHM, 1%, .1W, 0805	R1-R3 EA	3.0000
42	327-0713-00	A	RES, SMD, 49.9K, 1%, .1W, 0603	R39, R66-R73, R82, R92, R93, R96, R98-R102 EA	18.0000
43	327-0718-00	A	RES, SMD, 249K, 1%, .1W, 0603	R21, R22, R59-R65, R77, R81 EA	11.0000
44	327-0720-00	A	RES, SMD, 332K, 1%, .1W, 0603	R44 EA	1.0000
45	327-0771-00	A	RES, SMD, 453K, 1%, .06W, 0603	R33 EA	1.0000
46	327-0639-00	A	RES, SMD, 243K, 1%, .0625W, 0603	R19, R20 EA	2.0000
47	327-0782-00	A	RES, SMD, 100 OHM, 1%, .06W, 0603	R8, R86, R87 EA	3
48	327-0807-00	A	RES, SMD, 3.24K, 1%, .06W, 0603	R18, R89, R90 EA	3.0000
49	327-0803-00	B	RES, SMD, 13.7K, 1%, .06W, 0603	R25 EA	1.0000
50	327-0809-00	A	RES, SMD, 130K, 1%, .06W, 0603	R15 EA	1.0000
51	327-0810-00	A	RES, SMD, 162K, 1%, .06W, 0603	R13, R14, R17, R80 EA	4.0000
52	171-0277-00	A	IC, ADR291, V REF, 2.5V, 0.24% TOL, SO8	U29 EA	1.0000
53	131-1456-00	A	CONN, SMD, 2X5, HDR, .050, STR, GOLD	J2, J4 EA	2.0000

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
54	172-0486-01	A	IC, DIG, 7SZ08, 2-INP AND, FCHILD ONLY	U2, U3, U34, U35, U37, U38 EA	6.0000
55	172-0487-01	A	IC, DIG, 7SZ04, INV, FAIRCHILD ONLY	U32 EA	1.0000
56	153-0082-00	B	XSTR, SMD, MOSFET, DUAL N-CHAN, TSS08	Q1, Q2 EA	2.0000
57	172-0648-00	B	IC, CPU, 68CK16Z4, 16BIT, 16MHZ, TQFP144	U22 EA	1.0000
58	327-0567-00	B	RES, SMD, 2.00K, 1%, .06W, 0603	R76 EA	1.0000
59	327-0838-00	A	RES, SMD, 187K, 1%, .06W, 0603	R34 EA	1.0000
60	328-0034-00	B	VARISTOR, SMD, 3.3V, 300W, 0603	D8, D12, D13, D21, D26, D27 EA	6.0000
61	328-0034-01	B	VARISTOR, SMD, 5.6V, 465W, 0603	D14, D15, D17-D20, D22, D24, D25, D28, D29 EA	11.0000
62	328-0034-02	B	VARISTOR, SMD, 9.0V, 600W, 0603	D16 EA	1.0000
64	297-0307-00	A	CAP, SMD, 20PF, 5%, 50V, NPO, 0402	C46 EA	1
65	297-0314-00	A	CAP, SMD, 220PF, 5%, 25V, NPO, 0402	C45 EA	1
72	327-1532-00	A	RES, SMD, 316K OHMS, 1%, .0625W, 0402	R111 EA	1
73	327-1575-00	A	RES, SMD, 887K OHMS, 1%, .0625W, 0402	R110 EA	1
75	327-0822-00	A	RES, SMD, 8.66K, 1%, .06W, 0603	R38 EA	1.0000
76	327-0823-00	A	RES, SMD, 39.2K, 1%, .06W, 0603	R37, R88 EA	2.0000
77	327-0717-00	A	RES, SMD, 82.5K, 1%, .1W, 0603	R36 EA	1.0000
78	327-0715-00	A	RES, SMD, 60.4K, 1%, .1W, 0603	R35 EA	1.0000
79	327-0642-00	A	RES, SMD, 1.00M, 1%, .0625W, 0603	R91 EA	1.0000

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
80	158-0225-00	A	RESONATOR, SMD, 2.45 MHZ, 3.4 X 7.4 MM	Y2 EA	1.0000
81	296-0086-00	A	CAP, SMD, TANT, 470UF, 20%, 6V, 7343H, LOZ	C21, C78 EA	2.0000
83	172-0640-00	C	IC, DIG, MAX4544, SPDT SWITCH, SOT23-6	U40 EA	1.0000
87	131-0315-00	B	TEST POINT, .200", ECB MOUNT	TP1, TP7, TP11-TP13, TPGND EA	6
88	153-0024-00	D	XSTR, SMD, 2N7002, MOSFET, 60V, SOT-23	Q4-Q7 EA	4.0000
89	296-0085-00	A	CAP, SMD, TANT, 47UF, 20%, 6V, 3528, B	C15, C24 EA	2.0000
90	327-0641-00	B	RES, SMD, 200K, 1%, .0625W, 0603	R10, R23 EA	2.0000
91	150-0096-00	B	LED, YELLOW, 2.5X2MM	D7 EA	1.0000
92	296-0087-00	A	CAP, SMD, TANT, 680UF, 20%, 4V, 7343H, LOZ	C20 EA	1.0000
93	388-0620-01	A	PCB, RAW, SPO2, MPT, DIG TM TX	EA	1.0000
95	676-0192-01	B	SCHEMATIC DWG, PCB ASSY, 670-0916-01	EA	0.0000
96	677-0155-01	A	ASCII FILE, PCB ASSY, 670-0916-01	EA	0.0000
97	675-0311-01	A	ASSEMBLY DWG, PCB ASSY, 670-0916-01	EA	0.0000
98	064-2143-00	K	PROC, MFG, TEST, MPT SPO2 670-0916-00	EA	0.0000
101	066-0641-01	A	FIXTURE, TEST, 670-0916-XX, MPT SP02	EA	0.0000
102	334-2496-00	A	LABEL, BLANK, SPO2	EA	1.0000
103	063-1638-03	A	DISK, 9X343-05, SW, V1.01.06	EA	0
1	008-0018-00	F	DISK, MFLOPPY, 3.5"HI DENS, 1.44MB	EA	1
2	334-0161-00	H	LABEL, DISKETTE, 3.5"	EA	1

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ

Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
3	163-1107-00	A	SOFTWARE, 9X343-05, V1.01.06	EA	0
7	670-1358-00		PCBA, DIG TM, ECG, WB, T1.5	EA	1.0000
1	297-0115-00	D	CAP, SMD, 390PF, 5%, 50V, NPO, 1206	C3-C7	5.0000
2	297-0061-00	D	CAP, SMD, 100PF, 5%, 100V, NPO, 1206	C18	1.0000
3	297-0011-00	A	CAP, SMD, 1000PF, 5%, 100V, NPO, 1206	C31, C34, C36, C38, C52	5
4	297-0046-00	C	CAP, SMD, .01UF, 10%, 100V, X7R, 1206	C33, C35, C37, C39, C40, C42, C44, C46, C50, C53	10.0000
5	297-0055-00	E	CAP, SMD, .10UF, 10%, 50V, X7R, 1206	C2, C19-C21, C23, C24, C47, C49, C54	9.0000
6	285-0039-00	C	CAP, POLYCARB, .470UF, 5%, 50V, WRAP, AX	C26-C29	4.0000
7	296-0037-00	C	CAP, SMD, TANT, 47UF, 10%, 10V, 7343, D	C25, C30	2.0000
8	327-0107-00	W	RES, SMD, 10.0 OHM, 1%, .125W, 1206	R7, R104	2.0000
9	327-0105-00	U	RES, SMD, 100 OHM, 1%, .125W, 1206	R1, R2	2.0000
10	327-0070-00	B	RES, SMD, 402K, 1%, .125W, 1206	R29, R103	2.0000
11	327-0050-00	F	RES, SMD, 10.0K, 1%, .125W, 1206	R23-R26, R45-R49, R57, R91 R96, R100	13.0000
12	327-0065-00	D	RES, SMD, 13.0K, 1%, .125W, 1206	R69, R79, R81, R83	4.0000
13	327-0014-00	E	RES, SMD, 24.9K, 1%, .125W, 1206	R97	1.0000
15	327-0019-00	C	RES, SMD, 49.9K, 1%, .125W, 1206	R67, R70, R72, R74, R94, R95	6.0000
16	327-0038-00	B	RES, SMD, 100K, 1%, .125W, 1206	R35, R43, R50, R56	4.0000
17	324-0227-00	A	RES, SMD, 100K, 1%, 0.750W, 2010	R105-R109	5.0000

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ

Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
18	327-0040-00	A	RES, SMD, 200K, 1%, .125W, 1206	R3, R14, R32, R33, R60-R66, R68 EA	12.0000
19	327-0094-00	G	RES, SMD, 301K, 1%, .125W, 1206	R4, R76, R78, R80, R82, R84, R85, R87, R89, R101 EA	10.0000
20	327-0096-00	M	RES, SMD, 499K, 1%, .125W, 1206	R77, R86, R88, R90, R99 EA	5.0000
21	327-0029-00	D	RES, SMD, 1.00M, 1%, .125W, 1206	R18-R21, R51-R55, R98, R102 EA	11.0000
22	326-0037-00	AL	RES, SMD, 2.2M, 5%, .125W, 1206	R8, R58 EA	2.0000
23	327-0359-00	B	RES, SMD, 3.32M, 1%, .125W, 1206	R31, R34 EA	2
24	326-0127-00	D	RES, SMD, 8.2M, 5%, .125W, 1206	R59, R71, R73, R75 EA	4.0000
25	326-0122-00	E	RES, SMD, 100M, 5%, .125W, 1206	R9-13 EA	5.0000
26	329-0035-00	F	RES NTWK, SMD, 200K, 2%, ISOL, SO14M	RN2, RN3 EA	2.0000
27	329-0036-00	E	RES NTWK, SMD, 1.0M, 2%, ISOL, SO14M	RN1, RN4 EA	2.0000
28	172-0014-00	G	IC, DIG, 4066, QUAD BILATL SWITCH, S014	U4, U6, U11 EA	3.0000
29	172-0098-00	H	IC, DIG, 74HC4538, DUAL MNSTBMV, SO16	U13, U20 EA	2.0000
30	171-0111-00	A	IC, SMD, LIN, TLC27L2B, OPAMP, S08	U2 EA	1.0000
31	171-0016-00	D	IC, LIN, 27L4B, QUAD OP AMP, CMOS, SO14	U5, U7-U10 EA	5.0000
32	171-0095-00	A	IC, SMD, LIN, TLC3702CD, CMPTR, SO8, CMOS	U1, U12 EA	2.0000
33	171-0096-00	A	IC, SMD, LIN, TLC3704CD, COMPRT, SO14	U16 EA	1.0000
34	174-0058-00	1	PAL, SMD, 90340, ECG BD, V1.00	U15 EA	1.0000
35	155-0030-00	B	DIODE, SMD, MMBD7000, DUAL, SERIES	D1-9 EA	9.0000

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
36	153-0001-00	G	XSTR, SMD, 3904, NPN, TO-236AB	Q1-Q4 EA	4.0000
37	153-0003-00	B	XSTR, SMD, 3906, PNP, TO-236AB	Q5-Q8 EA	4.0000
39	131-1861-00	A	CONNECTOR, SOCKET, 15 PIN	JP2 EA	1.0000
40	131-0754-00	A	CONN, SKT, PCB MT, FOR .033 DIA POST	JP4-JP8 EA	5.0000
41	327-0770-00	A	RES, SMD, 499K, 1%, .0625W, 0603	R5, R6 EA	2
42	327-0468-00	F	RES, SMD, 100K, 1%, .06W, 0603	R36 EA	1
43	172-0034-00	E	IC, DIG, 4052, DUAL 4-CH ANLG MUX, SO16	U3 EA	1.0000
44	131-0315-00	B	TEST POINT, .200", ECB MOUNT	GND1 EA	2.0000
45	064-2715-00		TP DOE THE DTM WIDEBAND ECG PCBA 670-1358-	EA	0.0000
46	296-0012-00	H	CAP, SMD, TANT, 10UF, 20%, 16V, 6032, C	C51 EA	1.0000
48	327-0041-00	C	RES, SMD, 249K, 1%, .125W, 1206	R92 EA	1.0000
49	171-0024-00	B	IC, LIN, TLC27M2, DUAL OP AMP, CMOS, SO8	U21 EA	1.0000
50	174-0321-00	B	PAL, SMD, 90341, ECG BD, PAC DET, V1.01	U19 EA	1.0000
1	172-0291-00	A	IC, SMD, DIG, EP610LC-35, PAL, PLCC-28	EA	1.0000
2	334-1027-00	C	LABEL, POLYIMIDE, 0.375X0.375, AMBER	EA	0.0000
51	327-0182-00	B	RES, SMD, 357K, 1%, .125W, 1206	R93 EA	1.0000
52	676-0681-00	1	SCHEM, PCBA, ECG, WB, TM, 670-1358-00	EA	0.0000
53	675-0840-00	1	DWG, ASSEMBLY, 670-1358-00	EA	0.0000
54	006-0327-00	B	SOLDER, WSHR, NOCLN FLX .11X.076X.030	EA	5.0000

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
55	297-0603-00	A	CAP, SMD, 1000PF, 5%, 50V, NPO, 0603	C14-C17 EA	4
59	388-1016-00	1	PCB, DIG TM, ECG, WB, T1.5	EA	1.0000
60	297-0097-00	D	CAP, SMD, 2700PF, 5%, 50V, NPO, 1206	C10, C11 EA	2.0000
61	334-0184-00	F	LABEL, PC BOARD IDENTIFICATION	EA	1.0000
62	327-1534-00	A	RES, SMD, 332K OHMS, 1%, .0625W, 0402	R37 EA	1.00
63	297-0517-00	A	CAP, SMD, 1UF, 10%, 16V, X5R, 0603	C22 EA	1.00
64	296-0519-00		CAP, SMD, TANT, 22UF, 10V, 10%, 3216A	C8 EA	1.00
65	296-0065-00	B	CAP, SMD, TANT, 100UF, 20%, 10V, 7343, D	C55 EA	1.00
66	327-0602-00	B	RES, SMD, 43.2 OHM, 1%, .125W, 1206	R44 EA	1.00
150	004-0701-00	A	BOX, TRANSPORT, TRANSMITTER BOARDS.	EA	0
151	004-0702-00	B	BOX, BLACK, SHIP, TRANSMITTER BOARDS.	EA	0
152	006-0316-00	B	BAG, STATIC-SHIELDING, 4"X6"	EA	0
901	674-0492-01	A	TRAVELER, PCBA, ECG, DIG TM TX	EA	0.0000
910	677-0529-00	1	XY DATA, DIG TM, ECG, WB, T1.5	EA	0.000
8	670-1363-00		PCBA, DIG TM, RF WB, T1.5, 1400MHZ, MPT	EA	1.0000
100	327-1501-00	A	RES, SMD, 150K OHMS, 1%, .0625W, 0402	R149 EA	1
107	131-0808-01	1	CONTACT, BATTERY, 9V	JP6 EA	2
120	297-0508-00	A	CAP, SMD, .01UF, 5%, 16V, X7R, 0402	C1 EA	1
122	297-0509-00	A	CAP, SMD, 22PF, 5%, 50V, NPO, 0402	C3, C56, C57 EA	3

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
125	297-0510-00	A	CAP, SMD, 22UF, 10%, 16V, X5R, 1210	C4, C6 EA	2
127	297-0305-00	A	CAP, SMD, 15PF, 5%, 50V, NPO, 0402	C2, C7, C9-C11, C16-C18, C20, C24, C27, C30, C34, C38-C40, C85, C101, C108, C109, C111 EA	21
128	296-0519-00		CAP, SMD, TANT, 22UF, 10V, 10%, 3216A	C46, C123 EA	2
129	297-0339-00	A	CAP, SMD, 1000PF, 5%, 16V, X7R, 0402	C5, C36, C65, C74, C100 EA	5
130	299-0031-00	A	CAP, SMD, FILM, .047UF, 5%, 16V, 1206	C12, C13 EA	2
136	297-0514-00	B	CAP, SMD, .10UF, 10%, 10V, X5R, 0402	C19, C29, C33, C37, C47-C55, C58-C61, C69, C73, C76, C83, C87, C96, C97, C103, C104, C106, C121, C122 EA	29
137	297-0525-00	A	CAP, SMD, 1.2PF, +/- .25PF, 50V, NPO, 0402	C23 EA	1
138	297-0294-00	A	CAP, SMD, 1.5PF, +/- .25PF, 50V, NPO, 0402	C22, C25, C35 EA	3
139	297-0292-00	A	CAP, SMD, .5PF, +/- .25PF, 50V, NPO, 0402	C21 EA	1
140	297-0293-00	A	CAP, SMD, 1.0PF, +/- .25PF, 50V, NPO, 0402	C112, C113 EA	2
144	296-0305-00	A	CAP, SMD, TANT, 2.2UF, 10%, 16V, 3216, A	C28, C125 EA	2
146	297-0515-00	A	CAP, SMD, 10UF, 10%, 6.3V, X5R, 0805	C71 EA	1
148	297-0296-00	A	CAP, SMD, 2.7PF, +/- .25PF, 50V, NPO, 0402	C41, C44 EA	2
152	297-0313-00	A	CAP, SMD, 180PF, 5%, 25V, NPO, 0402	C64, C66, C67, C70 EA	4
154	297-0297-00	A	CAP, SMD, 3.3PF, +/- .25PF, 50V, NPO, 0402	C110 EA	1
156	297-0302-00	B	CAP, SMD, 8.2PF, +/- .25PF, 50V, NPO, 0402	C116 EA	1
158	297-0517-00	A	CAP, SMD, 1UF, 10%, 16V, X5R, 0603	C117 EA	1

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ

PRELIMINARY

Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
159	296-0022-00	C	CAP, SMD, TANT, 1.0UF, 20%, 16V, 3216, A	C14 EA	1
160	155-0271-00	A	LED, SMD, BLUE, RT ANGLE, 2 X 3 MM	D4-D8 EA	5
161	296-0102-00	A	CAP, SMD, TANT, 10UF, 10%, 10V, 3216, A	C32 EA	1
164	155-0001-00	H	DIODE, SMD, SW, HIGH SPEED, SOT-23	D10 EA	1
166	155-0284-00	A	DIODE, SMD, JDV2S01E	D11, D12 EA	2
168	328-0235-00	A	VARISTOR, SMD, 12V, 40A, 0805	D13 EA	1
170	159-0101-00	A	FUSE, SMD, RESET, .1A, 30V, 1210	F1 EA	1
172	132-0303-00	A	CONN, SMD, RCPT, 15P, 1MM, W/PEGS	JP2 EA	1
174	131-1456-00	A	CONN, SMD, 2X5, HDR, .050, STR, GOLD	JP4 EA	1
176	132-0300-00	A	CONN, SMD, RF, 50 OHM, 6GHZ, RA, UMP, JACK	J1 EA	1
178	110-0068-00	A	INDUCTOR, SMD, 22UH, 20%, 1.2A, 1812	L1 EA	1
180	276-0265-00	A	FER BEAD, SMD, 0603, 1000 OHM	L3 EA	1
182	110-0317-00	A	INDUCTOR, SMD, 100NH, 5%, 0603, WW	L4 EA	1
183	110-0270-00	A	INDUCTOR, SMD, 82NH, 5%, 0603, WW	L24, L26 EA	2
186	110-0318-00	C	INDUCTOR, SMD, 6.8NH, 5%, 0603	L7, L9, L11, L18 EA	4
187	110-0268-00	A	INDUCTOR, SMD, 7.5NH, 5%, 0603	L8 EA	1
192	153-0246-00	A	XSTR, SMD, P-CHAN, 20V, 620MA, SOT23	Q1 EA	1
194	153-0258-00	B	TRANSISTOR, BFP620	Q3 EA	1
196	153-0255-00	A	XSTR, SMD, RF, NPN, LOW-NOISE, 12G	Q5, Q6 EA	2

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
198	153-0015-00	C	SMD XSTR, 2N2907A, SOT-23 PKG	Q7-Q11 EA	5
200	153-0024-00	D	XSTR, SMD, 2N7002, MOSFET, 60V, SOT-23	Q12, Q22-Q24 EA	4
202	153-0008-00	E	XSTR, SMD, 2222A, NPN, AUDIO, 40V, SOT-23	Q19, Q20 EA	2
204	327-1556-00	A	RES, SMD, 562K OHMS, 1%, .0625W, 0402	R1 EA	1
206	327-1484-00	A	RES, SMD, 100K OHMS, 1%, .0625W, 0402	R2, R28, R29, R66, R70, R97, R120, R137 EA	8
208	327-1580-00	A	RES, SMD, 1.00M OHMS, 1%, .0625W, 0402	R3, R5, R6, R76, R77, R172-R175 EA	9
209	327-1456-00	A	RES, SMD, 51.1K OHMS, 1%, .0625W, 0402	R111 EA	1
210	327-1513-00	A	RES, SMD, 200K OHMS, 1%, .0625W, 0402	R78, R103 EA	2
211	327-1521-00	A	RES, SMD, 243K OHMS, 1%, .0625W, 0402	R4 EA	1
212	326-0307-00	B	RES, SMD, 470 OHM, 5%, .06W, 0402	R10 EA	1
213	327-1468-00	A	RES, SMD, 68.1K OHMS, 1%, .0625W, 0402	R108 EA	1
216	327-1309-00	A	RES, SMD, 1.50K OHMS, 1%, .0625W, 0402	R16 EA	1
218	326-0309-00	B	RES, SMD, 4.7K, 5%, .06W, 0402	R18 EA	1
220	327-1388-00	A	RES, SMD, 10.0K OHMS, 1%, .0625W, 0402	R19, R20, R22-R26, R51-R55, R57, R74, R102, R214-R218, R220 EA	21
222	326-0310-00	B	RES, SMD, 6.8K, 5%, .06W, 0402	R21 EA	1
226	327-1117-00	A	RES, SMD, 15.0 OHMS, 1%, .0625W, 0402	R32, R62, R63, R68, R69, R75, R179, R180, R182-R184, R187, R188, R192-R194, R196, R202, R203 EA	19
227	327-1011-00	A	RES, SMD, 0 OHM, JUMPER, 0402, 1A	R36, R140 EA	2

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
228	326-0312-00	B	RES, SMD, 30 OHM, 5%, .06W, 0402	R33, R34, R146 EA	3
229	327-1154-00	A	RES, SMD, 36.5 OHMS, 1%, .0625W, 0402	R191 EA	1
230	326-0313-00	B	RES, SMD, 68 OHM, 5%, .06W, 0402	R35, R38 EA	2
232	327-1292-00	A	RES, SMD, 1.00K OHMS, 1%, .0625W, 0402	R39, R40, R79, R80, R92, R96, R101, R115, R138, R142, R177, R198-R201, R204-R207, R211 EA	20
234	326-0314-00	B	RES, SMD, 330 OHM, 5%, .06W, 0402	R31, R41-R45, R197 EA	7
236	326-0315-00	B	RES, SMD, 39 OHM, 5%, .06W, 0402	R49 EA	1
238	326-0316-00	B	RES, SMD, 180 OHM, 5%, .06W, 0402	R50, R147 EA	2
240	326-0306-00	C	RES, SMD, 10M, 5%, .06W, 0402	R59 EA	1
242	327-1455-00	A	RES, SMD, 49.9K OHMS, 1%, .0625W, 0402	R64, R73, R87 EA	3
246	329-0241-00	B	RES, NTWK.SMD, 470K, 5%, 8 BUSSED, 1608	R84, R85 EA	2
248	327-1443-00	A	RES, SMD, 37.4K OHMS, 1%, .0625W, 0402	R88, R89, R93, R94 EA	4
252	327-1547-00	A	RES, SMD, 453K OHMS, 1%, .0625W, 0402	R98 EA	1
254	326-0318-00	B	RES, SMD, 36K, 5%, .06W, 0402	R126, R151, R153-R159, R161, R162 EA	11
256	327-1207-00	A	RES, SMD, 130 OHMS, 1%, .0625W, 0402	R148 EA	1
260	327-1417-00	A	RES, SMD, 20.0K OHMS, 1%, .0625W, 0402	R116, R150, R152, R160 EA	4
262	326-0320-00	B	RES, SMD, 2.2K, 5%, .06W, 0402	R164, R165, R169-R171 EA	5
264	327-1405-00	A	RES, SMD, 15.0K OHMS, 1%, .0625W, 0402	R189, R190 EA	2
266	326-0321-00	B	RES, SMD, 43 OHM, 5%, .06W, 0402	R195 EA	1

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
268	327-1551-00	A	RES, SMD, 499K OHMS, 1%, .0625W, 0402	R99, R208, R209, R213 EA	4
270	327-1519-00	A	RES, SMD, 232K OHMS, 1%, .0625W, 0402	R212 EA	1
272	260-0336-00	A	SWITCH, SMD, SIP, 8 POS, RA, SSH08	SW1, SW2 EA	2
274	171-0735-00	B	IC, TPS62050, STEP DOWN, ADJ, MSOP10	U1 EA	1
276	171-0731-00	A	IC, 50UA LOW-DROPOUT REG, SOT23-5	U2, U32 EA	2
280	171-0718-00	A	IC, LMX2331U, DUAL SYNTHESIZER, TSSO20	U5 EA	1
282	158-0672-00	A	TCXO, SMD, 19.2MHZ, SINE OUT, 3.2 X 5MM	U6 EA	1
284	378-1036-00	A	FILTER, SMD, LC, 1880MHZ, +/-30MHZ, 0805	U8 EA	1
286	174-0057-00	1	PAL, SMD, 90340, TX BD, V1.00	U9 EA	1
288	172-0954-00	A	IC, SMD, 74HC164, 8-BIT RGTR, TSSO14	U10, U14 EA	2
290	172-0980-00	A	IC, 8 INPUT MUX, 74HC151, TSSOP16	U11-U13, U15 EA	4
292	173-0475-00	B	IC, CPU, MSP430F1121, 16-BIT, TSSOP20	U16 EA	1
294	172-0032-01	A	IC, 74HC14, HEX INVERTER, ST, TSS014	U17 EA	1
296	172-0955-00	A	IC, SMD, 74HC165, 8-BIT SHFT REG, TSSOP	U18, U19 EA	2
298	172-0612-01	A	IC, CD4051CD, SING8CHMUX, TSSOP16	U20 EA	1
300	172-0982-00	A	IC, DUAL FLIP FLOP, MM74HCT74, TSSOP16	U21 EA	1
302	171-0732-00	B	IC, 1MHZ, 45UA, OPAMP, OPA4348, TSSOP14	U22 EA	1
304	172-0985-00	B	IC, SMD, DIG, 74HC4066, SW, 4XSPST, TSSOP14	U23 EA	1
306	171-0734-00	A	IC, LIN, TLC27M2, DUAL OP AMP, CMOS,	U24 EA	1

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
308	171-0667-00	A	IC, SMD, MAX5415, DUAL POT, 100K, TSSO14	U26, U28 EA	2
310	171-0702-00	A	IC, LP2980, 3V RGLTR, 50MA, LDO, SOT23-5	U27 EA	1
312	171-0705-01	B	IC, OP AMP, OPA244, SOT23-5	U29, U31 EA	2
314	171-0719-00	A	IC, SMD, LIN, BIAS CTRL	U30 EA	1
316	158-5025-00	D	XTAL, 32.768 KHZ, 20 PPM, 12 PF, 2X6MM	Y1 EA	1
320	350194-005	B	WIRE, STRAND, 26AWG, PVC, 300V, GREEN	JP6 FT	0.09
324	344-0234-00	A	CLIP, SHIELD, DIG TM TX, RF PCBA, T1.5	EA	29
328	342-0371-01	A	INSULATOR, SWITCH, PROGRAM	EA	2
330	388-0931-04	A	PCB, DIG TM TX, RF 1.4 GHZ	EA	1
332	337-0463-00	B	SHIELD, RF PCBA, 91347	TOP SHIELD 1, TOP SHIELD 2 EA	2
333	337-0463-02		SHIELD, RF, PCBA	BOTTOM SHIELD 3 EA	1
1001	676-0760-00		SCHEMATIC, DIG TM TX, RF WB, 1400 MHZ W/O LOW BATT	EA	0
1002	677-0480-04	A	XY DATA, DIG TM TX, RF, T1.5, 1400MHZ	EA	0
1003	675-0805-04	A	DWG, ASSEMBLY, 670-1253-04	EA	0
1004	093-0109-00	A	FIRMWARE, MICRO-CONTROLLER , 91341-09, VERSION 3	EA	0
1005	063-1588-00	A	AUTOMATED TEST FOR 1.4GHZ RF PCBA	EA	0
1006	064-2600-00	B	PROCEDURE, AUTO.TST.PCBA TRANSMITTER	EA	0
1007	064-2601-00	A	PROCEDURE, SETUP, AUTO.TEST 670-1253-0X	EA	0

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
1008	064-2651-00	A	CODE DOWNLOAD PROCEDURE, 91341-09 TRANSMITTER		0
9	388-0623-00	A	PCB, FLEX NIBP/SPO2	EA	1.0000
10	117-0141-00	B	ANTENNA, DIPOLE, 91341-09	EA	1
11	337-0480-01		SHIELD, ECG, WB, 91343/7	EA	1
12	201-0022-00	A	PLUG, HOLE, .437D, .062 PNL THK, NYLON	EA	1.0000
13	214-0282-01	A	SPRING, COIL, BATTERY	EA	1.0000
14	214-0425-00	A	SPRING, HINGE, DTM TX	EA	1.0000
15	214-0426-00	A	PIN, HINGE, DTM TX	EA	2.0000
17	700-0014-00	F	CABLE, ASSY ADAPTER MPT/SPO2 NELL	EA	1.0000
1	012-0587-00	E	CABLE ADAPTER MPT/SPO2, NELLCOR	EA	1.0000
11	131-1431-00	A	CONNECTOR ASSY, DB-9, SPO2	EA	1.0000
12	176-0282-00	D	CABLE, TW PR, 2 TRIPLES, SHLDED, #26&30	FT	2.0000
13	343-0152-00	A	STRAIN RELIEF, MDT INTERFACE	EA	1.0000
14	064-1400-00	C	PROC, INCM TEST, 175-0706-XX ADPTR CA	EA	0.0000
15	066-0665-00	A	FIXTURE, TEST, 012-0587-XX SPO2 ADAPT	EA	0.0000
2	004-0337-00	A	BAG, POLYETHELENE, 2MILS THK, 5"X7"	EA	1.0000
3	334-2465-00	D	LABEL, INSERT CBL ADPT MPT/SPO2 NELL	EA	1.0000
5	062-1752-00	D	INSTR, PATIENT CABLES & LEAD WIRES	EA	1

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
8	066-0665-00	A	FIXTURE, TEST, 012-0587-XX SPO2 ADAPT	EA	0.0000
9	064-1400-00	C	PROC, INCM TEST, 175-0706-XX ADPTR CA	EA	0.0000
10	065-0207-00	A	STANDARD, PATIENT CABLES	EA	0.0000
100	653-0562-00	A	ASSY DWG FOR CABLES	EA	0
18	175-1026-00	A	CABLE ASSY, SPO2/RF, FLT RB, 10 PIN	EA	1.0000
19	348-0240-01	C	GASKET, BATT DOOR, DTM TX	EA	1.0000
20	348-0057-00	3	GASKET, TOP COVER HOUSING	EA	1.0000
21	348-0270-00	B	GASKET, O-RING, .110 ID X .047CS, 70BN	EA	5.0000
22	348-0613-00	B	GASKET, O-RING, .087 ID X .040 CS, 70BN	EA	3
23	348-0614-00	A	GASKET, O-RING, .300 ID X .050 CS, 70BN	EA	1
25	334-4428-00		LABEL, MPT, 91343-09	EA	1
26	334-5483-00	A	LABEL, COVER, BLANK 90343	EA	1
27	334-5431-00	A	LABEL, PATIENT INPUT, 91343	EA	1.0000
28	334-2595-00	B	LABEL, CAP 90343	EA	1
29	334-2156-00	B	LABEL, SETTING/BATTERY, DIG TM MPT	EA	1.0000
30	335-0235-00	A	LABEL SET, TELEMETRY TRANSMITTERS	EA	0
31	335-0247-40		LABEL SET, AW I.D. ECG 91341-09 1400MHZ	EA	1.0000
32	384281-001	B	ATL LABEL DATAB	EA	1.0000
33	334-5361-04		CARD, REGISTRATION, TX., WMTS	EA	1

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
35	211-0286-01	A	SCR, 4-40 X 5/8, SCKT SLT, CRS/ULTM	EA	3.0000
36	211-0285-00	A	SCR, 4-40X3/8, FLSTR HD, SLT, STL, ZNCLR	EA	2.0000
37	211-0303-00	A	SCR, SEMS, INT, 2-56X7/16 PN HD PH, ZN	EA	3
38	211-0304-00	A	SCR, SEMS, INT, 2-56X3/16 PHD PH, ZN ST	EA	8
39	211-0087-01	K	SCREW, MAC, 2-56, FH, 100°, UNDERCUT, STL, .188	EA	1
40	210-0142-00	A	WASHER, FLT .25X.438X.05 AL	EA	1
45	016-0528-00	F	ACCESSORY KIT, MPT 90343-05	EA	1.0000
1	012-0605-00	G	LDWRST, SNAP, DIN, ECG, 61CM/25.2IN, AAMI, 5LW/ST, 1/ST	ST	1.0000
1	013-0064-00	A	LEADWIRE, SFT, RED, 25.2L, SNP, PLUR	EA	1.0000
2	013-0064-01	A	LEADWIRE, SFT, WHT, 25.2L, SNP, PLUR	EA	1.0000
3	013-0064-02	A	LEADWIRE, SFT, BLK, 25.2L, SNP, PLUR	EA	1.0000
4	013-0064-03	A	LEADWIRE, SFT, GRN, 25.2L, SNP, PLUR	EA	1.0000
5	013-0064-04	A	LEADWIRE, SFT, BRN, 25.2L, SNP, PLUR	EA	1.0000
6	334-1488-01	F	LABEL, INSERT, 5LEADWIRE SET, AHA	EA	1.0000
7	334-0950-12	C	LABEL, 5LW, SFTY, 25.2", SNAP, PLUR	EA	1.0000
8	004-0339-00	A	BAG, POLYETHELENE, 2 MILS THK, 4X6"	EA	1.0000
9	062-1395-00	E	STANDARD FOR ECG LEADWIRES	EA	0.0000
10	062-1752-00	D	INSTR, PATIENT CABLES & LEAD WIRES	EA	1.0000

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT**PRELIMINARY**

Part Number 91343-09
 Part Revision (A)
 Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ



Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
100	653-0583-00	A	ASSY DWG FOR PKGD LEADWIRE SETS	EA	0
2	015-0500-02	C	POUCH, TELEMETRY, TX., SPU, 100/BOX	BX	0.0100
3	146-0033-00	D	BATTERY, 9 VOLT, ALKALINE	EA	2.0000
4	211-0005-00	J	SCREW, MAC, 4-40, PAN , PHPS, STL, .125	EA	1.0000
5	344-0020-00	2	CLIP, BELT	EA	1.0000
7	006-0397-00	A	BAG, POLY, ANTISTATIC, PINK, 5X8X.004	EA	1
8	006-0392-00	A	BAG, POLY, ANTISTATIC, PINK, 3X5X.004	EA	1
9	056-0089-00	E	SOE, 90347 TRANSMITTERS, OP100	EA	0
46	252-0075-00	D	GREASE, SILICONE, V-711	EA	0.0010
47	674-1437-00	C	TRAVELER, 91341 TX	EA	0.0000
50	004-0751-00	A	SHIPPING BOX, ABP/TX	EA	1
51	004-0750-00	A	INSERT, SHIPPING BOX, FOR ABP/TX	EA	1
100	064-2652-00	A	PROCEDURE, TEST, FUNCT, 91341	EA	0.0000
101	064-2663-00	A	PROC, CHANNELIZE/VERIFY, 91341-09, TX	EA	0.0000
102	066-0916-00	A	FIXTURE, TEST, SYNTH, NB, 1400 MHZ XMTR	EA	0
103	066-0922-00	A	SHORTING PLUG, LEADWIRE, 91341-09	EA	0
200	071-0800-00	D	CATALOG, SUPPLIES AND ACCESSORIES	EA	0
201	070-0743-00	K	MNL, TECH REF, ENHANCED MOD DIG TEL	EA	0
202	070-0744-00	L	MNL, SRV, ENHANCED MOD DIG TELEMETRY	EA	0

Company Proprietary

Created by: Steve Cantwell

BOM EXPLOSION REPORT

Part Number 91343-09
Part Revision (A)
Part Description ULTRAVIEW,SYNTH,MPT,1400MHZ

PRELIMINARY

Item Num	Part Number	Rev.	Part Description	Ref Des. UOM	Qty
1	075-0045-00	D	INSTALL, INST, SDLC DELAY LINE KIT	EA	1
2	075-0454-00	B	INSTAL INSTRUC, TELEMETRY TRANS CASE	EA	1
3	075-0040-00	J	INSTALL, INST, TM XMTR CASE UPGRADE	EA	1
4	075-0415-00	B	INSTALL INSTR, TRANSMITTER SHIELD	EA	1
203	071-0376-00	OBS	MNL, SUPPL, FLEX, ENHANCD MOD DIG TEC	EA	0
1	061-0801-00	OBS	DATA SHEET, MULTI-PARAM TELEM	EA	1
910	056-0097-00	E	SOE, 91341 TRANSMITTERS, OP100	EA	0
911	056-0099-00	F	SOE, 91341 TRANSMITTERS, OP10	EA	0
912	056-0101-00	F	SOE, 91341 TRANSMITTERS, OP20	EA	0
913	056-0103-00	C	SOE, 91341 TRANSMITTERS, OP30	EA	0

Company Proprietary

Created by: Steve Cantwell