

Appendix-B NR Band n48

Effective (Isotropic) Radiated Power Output Data for SA

Test Result

Ant8 Main:

Band	SCS	BW	Modulation	CH	RB Config	Power (dBm)	EIRP (dBm)	Verdict
n48	30	10	DFT-BPSK	L	Inner_1RB_Left	17.86	22.46	PASS
n48	30	10	DFT-BPSK	L	Inner_1RB_Right	17.81	22.41	PASS
n48	30	10	DFT-BPSK	L	Inner_Full	17.89	22.49	PASS
n48	30	10	DFT-BPSK	L	Outer_Full	17.47	22.07	PASS
n48	30	10	DFT-QPSK	L	Inner_1RB_Left	17.76	22.36	PASS
n48	30	10	DFT-QPSK	L	Inner_1RB_Right	17.81	22.41	PASS
n48	30	10	DFT-QPSK	L	Inner_Full	17.8	22.4	PASS
n48	30	10	DFT-QPSK	L	Outer_Full	16.71	21.31	PASS
n48	30	10	DFT-16QAM	L	Inner_1RB_Left	17.01	21.61	PASS
n48	30	10	DFT-16QAM	L	Inner_1RB_Right	16.71	21.31	PASS
n48	30	10	DFT-16QAM	L	Inner_Full	16.82	21.42	PASS
n48	30	10	DFT-16QAM	L	Outer_Full	15.61	20.21	PASS
n48	30	10	DFT-64QAM	L	Inner_1RB_Left	15.32	19.92	PASS
n48	30	10	DFT-64QAM	L	Inner_1RB_Right	15.29	19.89	PASS
n48	30	10	DFT-64QAM	L	Inner_Full	15.51	20.11	PASS
n48	30	10	DFT-64QAM	L	Outer_Full	15.46	20.06	PASS
n48	30	10	DFT-256QAM	L	Inner_1RB_Left	12.87	17.47	PASS
n48	30	10	DFT-256QAM	L	Inner_1RB_Right	12.95	17.55	PASS
n48	30	10	DFT-256QAM	L	Inner_Full	13.39	17.99	PASS
n48	30	10	DFT-256QAM	L	Outer_Full	13.18	17.78	PASS
n48	30	10	DFT-BPSK	M	Inner_1RB_Left	17.78	22.38	PASS
n48	30	10	DFT-BPSK	M	Inner_1RB_Right	17.93	22.53	PASS
n48	30	10	DFT-BPSK	M	Inner_Full	17.69	22.29	PASS
n48	30	10	DFT-BPSK	M	Outer_Full	17.21	21.81	PASS
n48	30	10	DFT-QPSK	M	Inner_1RB_Left	17.78	22.38	PASS
n48	30	10	DFT-QPSK	M	Inner_1RB_Right	17.86	22.46	PASS
n48	30	10	DFT-QPSK	M	Inner_Full	17.82	22.42	PASS
n48	30	10	DFT-QPSK	M	Outer_Full	16.67	21.27	PASS
n48	30	10	DFT-16QAM	M	Inner_1RB_Left	16.77	21.37	PASS
n48	30	10	DFT-16QAM	M	Inner_1RB_Right	16.59	21.19	PASS
n48	30	10	DFT-16QAM	M	Inner_Full	16.6	21.2	PASS
n48	30	10	DFT-16QAM	M	Outer_Full	15.6	20.2	PASS

n48	30	10	DFT-64QAM	M	Inner_1RB_Left	15.16	19.76	PASS
n48	30	10	DFT-64QAM	M	Inner_1RB_Right	15.11	19.71	PASS
n48	30	10	DFT-64QAM	M	Inner_Full	15.09	19.69	PASS
n48	30	10	DFT-64QAM	M	Outer_Full	15.11	19.71	PASS
n48	30	10	DFT-256QAM	M	Inner_1RB_Left	12.7	17.3	PASS
n48	30	10	DFT-256QAM	M	Inner_1RB_Right	12.64	17.24	PASS
n48	30	10	DFT-256QAM	M	Inner_Full	12.98	17.58	PASS
n48	30	10	DFT-256QAM	M	Outer_Full	13.19	17.79	PASS
n48	30	10	DFT-BPSK	H	Inner_1RB_Left	17.83	22.43	PASS
n48	30	10	DFT-BPSK	H	Inner_1RB_Right	17.55	22.15	PASS
n48	30	10	DFT-BPSK	H	Inner_Full	17.75	22.35	PASS
n48	30	10	DFT-BPSK	H	Outer_Full	16.97	21.57	PASS
n48	30	10	DFT-QPSK	H	Inner_1RB_Left	17.65	22.25	PASS
n48	30	10	DFT-QPSK	H	Inner_1RB_Right	17.64	22.24	PASS
n48	30	10	DFT-QPSK	H	Inner_Full	17.63	22.23	PASS
n48	30	10	DFT-QPSK	H	Outer_Full	16.58	21.18	PASS
n48	30	10	DFT-16QAM	H	Inner_1RB_Left	16.61	21.21	PASS
n48	30	10	DFT-16QAM	H	Inner_1RB_Right	16.46	21.06	PASS
n48	30	10	DFT-16QAM	H	Inner_Full	16.33	20.93	PASS
n48	30	10	DFT-16QAM	H	Outer_Full	15.29	19.89	PASS
n48	30	10	DFT-64QAM	H	Inner_1RB_Left	14.89	19.49	PASS
n48	30	10	DFT-64QAM	H	Inner_1RB_Right	14.86	19.46	PASS
n48	30	10	DFT-64QAM	H	Inner_Full	15.03	19.63	PASS
n48	30	10	DFT-64QAM	H	Outer_Full	14.83	19.43	PASS
n48	30	10	DFT-256QAM	H	Inner_1RB_Left	12.71	17.31	PASS
n48	30	10	DFT-256QAM	H	Inner_1RB_Right	12.53	17.13	PASS
n48	30	10	DFT-256QAM	H	Inner_Full	12.75	17.35	PASS
n48	30	10	DFT-256QAM	H	Outer_Full	12.76	17.36	PASS
n48	30	15	DFT-BPSK	L	Inner_1RB_Left	17.69	22.29	PASS
n48	30	15	DFT-BPSK	L	Inner_1RB_Right	17.87	22.47	PASS
n48	30	15	DFT-BPSK	L	Inner_Full	17.7	22.3	PASS
n48	30	15	DFT-BPSK	L	Outer_Full	17.19	21.79	PASS
n48	30	15	DFT-QPSK	L	Inner_1RB_Left	17.66	22.26	PASS
n48	30	15	DFT-QPSK	L	Inner_1RB_Right	17.72	22.32	PASS
n48	30	15	DFT-QPSK	L	Inner_Full	17.89	22.49	PASS
n48	30	15	DFT-QPSK	L	Outer_Full	16.64	21.24	PASS
n48	30	15	DFT-16QAM	L	Inner_1RB_Left	16.98	21.58	PASS
n48	30	15	DFT-16QAM	L	Inner_1RB_Right	16.75	21.35	PASS
n48	30	15	DFT-16QAM	L	Inner_Full	16.55	21.15	PASS
n48	30	15	DFT-16QAM	L	Outer_Full	15.54	20.14	PASS

n48	30	15	DFT-64QAM	L	Inner_1RB_Left	15.17	19.77	PASS
n48	30	15	DFT-64QAM	L	Inner_1RB_Right	15.1	19.7	PASS
n48	30	15	DFT-64QAM	L	Inner_Full	15.3	19.9	PASS
n48	30	15	DFT-64QAM	L	Outer_Full	15.3	19.9	PASS
n48	30	15	DFT-256QAM	L	Inner_1RB_Left	12.9	17.5	PASS
n48	30	15	DFT-256QAM	L	Inner_1RB_Right	12.72	17.32	PASS
n48	30	15	DFT-256QAM	L	Inner_Full	13.2	17.8	PASS
n48	30	15	DFT-256QAM	L	Outer_Full	12.97	17.57	PASS
n48	30	15	DFT-BPSK	M	Inner_1RB_Left	17.77	22.37	PASS
n48	30	15	DFT-BPSK	M	Inner_1RB_Right	17.55	22.15	PASS
n48	30	15	DFT-BPSK	M	Inner_Full	17.83	22.43	PASS
n48	30	15	DFT-BPSK	M	Outer_Full	17.06	21.66	PASS
n48	30	15	DFT-QPSK	M	Inner_1RB_Left	17.57	22.17	PASS
n48	30	15	DFT-QPSK	M	Inner_1RB_Right	17.49	22.09	PASS
n48	30	15	DFT-QPSK	M	Inner_Full	17.63	22.23	PASS
n48	30	15	DFT-QPSK	M	Outer_Full	16.58	21.18	PASS
n48	30	15	DFT-16QAM	M	Inner_1RB_Left	16.6	21.2	PASS
n48	30	15	DFT-16QAM	M	Inner_1RB_Right	16.74	21.34	PASS
n48	30	15	DFT-16QAM	M	Inner_Full	16.43	21.03	PASS
n48	30	15	DFT-16QAM	M	Outer_Full	15.55	20.15	PASS
n48	30	15	DFT-64QAM	M	Inner_1RB_Left	15.12	19.72	PASS
n48	30	15	DFT-64QAM	M	Inner_1RB_Right	15.08	19.68	PASS
n48	30	15	DFT-64QAM	M	Inner_Full	14.94	19.54	PASS
n48	30	15	DFT-64QAM	M	Outer_Full	15.02	19.62	PASS
n48	30	15	DFT-256QAM	M	Inner_1RB_Left	12.6	17.2	PASS
n48	30	15	DFT-256QAM	M	Inner_1RB_Right	12.61	17.21	PASS
n48	30	15	DFT-256QAM	M	Inner_Full	13.02	17.62	PASS
n48	30	15	DFT-256QAM	M	Outer_Full	12.87	17.47	PASS
n48	30	15	DFT-BPSK	H	Inner_1RB_Left	17.66	22.26	PASS
n48	30	15	DFT-BPSK	H	Inner_1RB_Right	17.42	22.02	PASS
n48	30	15	DFT-BPSK	H	Inner_Full	17.57	22.17	PASS
n48	30	15	DFT-BPSK	H	Outer_Full	17.15	21.75	PASS
n48	30	15	DFT-QPSK	H	Inner_1RB_Left	17.66	22.26	PASS
n48	30	15	DFT-QPSK	H	Inner_1RB_Right	17.42	22.02	PASS
n48	30	15	DFT-QPSK	H	Inner_Full	17.51	22.11	PASS
n48	30	15	DFT-QPSK	H	Outer_Full	16.51	21.11	PASS
n48	30	15	DFT-16QAM	H	Inner_1RB_Left	16.44	21.04	PASS
n48	30	15	DFT-16QAM	H	Inner_1RB_Right	16.29	20.89	PASS
n48	30	15	DFT-16QAM	H	Inner_Full	16.22	20.82	PASS
n48	30	15	DFT-16QAM	H	Outer_Full	15.4	20	PASS

n48	30	15	DFT-64QAM	H	Inner_1RB_Left	15.14	19.74	PASS
n48	30	15	DFT-64QAM	H	Inner_1RB_Right	14.65	19.25	PASS
n48	30	15	DFT-64QAM	H	Inner_Full	14.91	19.51	PASS
n48	30	15	DFT-64QAM	H	Outer_Full	14.81	19.41	PASS
n48	30	15	DFT-256QAM	H	Inner_1RB_Left	12.75	17.35	PASS
n48	30	15	DFT-256QAM	H	Inner_1RB_Right	12.51	17.11	PASS
n48	30	15	DFT-256QAM	H	Inner_Full	12.86	17.46	PASS
n48	30	15	DFT-256QAM	H	Outer_Full	14.74	19.34	PASS
n48	30	20	DFT-BPSK	L	Inner_1RB_Left	17.97	22.57	PASS
n48	30	20	DFT-BPSK	L	Inner_1RB_Right	17.93	22.53	PASS
n48	30	20	DFT-BPSK	L	Inner_Full	17.76	22.36	PASS
n48	30	20	DFT-BPSK	L	Outer_Full	17.32	21.92	PASS
n48	30	20	DFT-QPSK	L	Inner_1RB_Left	17.88	22.48	PASS
n48	30	20	DFT-QPSK	L	Inner_1RB_Right	17.62	22.22	PASS
n48	30	20	DFT-QPSK	L	Inner_Full	17.75	22.35	PASS
n48	30	20	DFT-QPSK	L	Outer_Full	16.77	21.37	PASS
n48	30	20	DFT-16QAM	L	Inner_1RB_Left	16.94	21.54	PASS
n48	30	20	DFT-16QAM	L	Inner_1RB_Right	16.71	21.31	PASS
n48	30	20	DFT-16QAM	L	Inner_Full	16.6	21.2	PASS
n48	30	20	DFT-16QAM	L	Outer_Full	15.6	20.2	PASS
n48	30	20	DFT-64QAM	L	Inner_1RB_Left	15.18	19.78	PASS
n48	30	20	DFT-64QAM	L	Inner_1RB_Right	15.19	19.79	PASS
n48	30	20	DFT-64QAM	L	Inner_Full	15.28	19.88	PASS
n48	30	20	DFT-64QAM	L	Outer_Full	15.08	19.68	PASS
n48	30	20	DFT-256QAM	L	Inner_1RB_Left	12.95	17.55	PASS
n48	30	20	DFT-256QAM	L	Inner_1RB_Right	12.78	17.38	PASS
n48	30	20	DFT-256QAM	L	Inner_Full	13.19	17.79	PASS
n48	30	20	DFT-256QAM	L	Outer_Full	13.02	17.62	PASS
n48	30	20	DFT-BPSK	M	Inner_1RB_Left	17.91	22.51	PASS
n48	30	20	DFT-BPSK	M	Inner_1RB_Right	17.74	22.34	PASS
n48	30	20	DFT-BPSK	M	Inner_Full	17.72	22.32	PASS
n48	30	20	DFT-BPSK	M	Outer_Full	17.18	21.78	PASS
n48	30	20	DFT-QPSK	M	Inner_1RB_Left	17.64	22.24	PASS
n48	30	20	DFT-QPSK	M	Inner_1RB_Right	17.77	22.37	PASS
n48	30	20	DFT-QPSK	M	Inner_Full	17.81	22.41	PASS
n48	30	20	DFT-QPSK	M	Outer_Full	16.83	21.43	PASS
n48	30	20	DFT-16QAM	M	Inner_1RB_Left	16.71	21.31	PASS
n48	30	20	DFT-16QAM	M	Inner_1RB_Right	16.37	20.97	PASS
n48	30	20	DFT-16QAM	M	Inner_Full	16.51	21.11	PASS
n48	30	20	DFT-16QAM	M	Outer_Full	15.35	19.95	PASS

n48	30	20	DFT-64QAM	M	Inner_1RB_Left	14.97	19.57	PASS
n48	30	20	DFT-64QAM	M	Inner_1RB_Right	14.74	19.34	PASS
n48	30	20	DFT-64QAM	M	Inner_Full	15.11	19.71	PASS
n48	30	20	DFT-64QAM	M	Outer_Full	14.95	19.55	PASS
n48	30	20	DFT-256QAM	M	Inner_1RB_Left	12.84	17.44	PASS
n48	30	20	DFT-256QAM	M	Inner_1RB_Right	12.39	16.99	PASS
n48	30	20	DFT-256QAM	M	Inner_Full	12.84	17.44	PASS
n48	30	20	DFT-256QAM	M	Outer_Full	13.19	17.79	PASS
n48	30	20	DFT-BPSK	H	Inner_1RB_Left	17.64	22.24	PASS
n48	30	20	DFT-BPSK	H	Inner_1RB_Right	17.43	22.03	PASS
n48	30	20	DFT-BPSK	H	Inner_Full	17.55	22.15	PASS
n48	30	20	DFT-BPSK	H	Outer_Full	17.28	21.88	PASS
n48	30	20	DFT-QPSK	H	Inner_1RB_Left	17.58	22.18	PASS
n48	30	20	DFT-QPSK	H	Inner_1RB_Right	17.46	22.06	PASS
n48	30	20	DFT-QPSK	H	Inner_Full	17.46	22.06	PASS
n48	30	20	DFT-QPSK	H	Outer_Full	16.72	21.32	PASS
n48	30	20	DFT-16QAM	H	Inner_1RB_Left	16.56	21.16	PASS
n48	30	20	DFT-16QAM	H	Inner_1RB_Right	16.24	20.84	PASS
n48	30	20	DFT-16QAM	H	Inner_Full	16.27	20.87	PASS
n48	30	20	DFT-16QAM	H	Outer_Full	15.45	20.05	PASS
n48	30	20	DFT-64QAM	H	Inner_1RB_Left	14.82	19.42	PASS
n48	30	20	DFT-64QAM	H	Inner_1RB_Right	14.78	19.38	PASS
n48	30	20	DFT-64QAM	H	Inner_Full	15.02	19.62	PASS
n48	30	20	DFT-64QAM	H	Outer_Full	14.86	19.46	PASS
n48	30	20	DFT-256QAM	H	Inner_1RB_Left	12.66	17.26	PASS
n48	30	20	DFT-256QAM	H	Inner_1RB_Right	12.34	16.94	PASS
n48	30	20	DFT-256QAM	H	Inner_Full	12.83	17.43	PASS
n48	30	20	DFT-256QAM	H	Outer_Full	12.78	17.38	PASS
n48	30	30	DFT-BPSK	L	Inner_1RB_Left	17.68	22.28	PASS
n48	30	30	DFT-BPSK	L	Inner_1RB_Right	17.44	22.04	PASS
n48	30	30	DFT-BPSK	L	Inner_Full	17.64	22.24	PASS
n48	30	30	DFT-BPSK	L	Outer_Full	14.79	19.39	PASS
n48	30	30	DFT-QPSK	L	Inner_1RB_Left	17.9	22.5	PASS
n48	30	30	DFT-QPSK	L	Inner_1RB_Right	17.75	22.35	PASS
n48	30	30	DFT-QPSK	L	Inner_Full	18.01	22.61	PASS
n48	30	30	DFT-QPSK	L	Outer_Full	16.75	21.35	PASS
n48	30	30	DFT-16QAM	L	Inner_1RB_Left	16.93	21.53	PASS
n48	30	30	DFT-16QAM	L	Inner_1RB_Right	16.68	21.28	PASS
n48	30	30	DFT-16QAM	L	Inner_Full	16.64	21.24	PASS
n48	30	30	DFT-16QAM	L	Outer_Full	15.7	20.3	PASS

n48	30	30	DFT-64QAM	L	Inner_1RB_Left	15.57	20.17	PASS
n48	30	30	DFT-64QAM	L	Inner_1RB_Right	15.11	19.71	PASS
n48	30	30	DFT-64QAM	L	Inner_Full	15.23	19.83	PASS
n48	30	30	DFT-64QAM	L	Outer_Full	15.26	19.86	PASS
n48	30	30	DFT-256QAM	L	Inner_1RB_Left	13.13	17.73	PASS
n48	30	30	DFT-256QAM	L	Inner_1RB_Right	12.72	17.32	PASS
n48	30	30	DFT-256QAM	L	Inner_Full	13.18	17.78	PASS
n48	30	30	DFT-256QAM	L	Outer_Full	13.12	17.72	PASS
n48	30	30	DFT-BPSK	M	Inner_1RB_Left	17.89	22.49	PASS
n48	30	30	DFT-BPSK	M	Inner_1RB_Right	17.39	21.99	PASS
n48	30	30	DFT-BPSK	M	Inner_Full	17.59	22.19	PASS
n48	30	30	DFT-BPSK	M	Outer_Full	14.7	19.3	PASS
n48	30	30	DFT-QPSK	M	Inner_1RB_Left	17.83	22.43	PASS
n48	30	30	DFT-QPSK	M	Inner_1RB_Right	17.54	22.14	PASS
n48	30	30	DFT-QPSK	M	Inner_Full	17.78	22.38	PASS
n48	30	30	DFT-QPSK	M	Outer_Full	16.55	21.15	PASS
n48	30	30	DFT-16QAM	M	Inner_1RB_Left	16.9	21.5	PASS
n48	30	30	DFT-16QAM	M	Inner_1RB_Right	16.38	20.98	PASS
n48	30	30	DFT-16QAM	M	Inner_Full	16.61	21.21	PASS
n48	30	30	DFT-16QAM	M	Outer_Full	15.61	20.21	PASS
n48	30	30	DFT-64QAM	M	Inner_1RB_Left	15.2	19.8	PASS
n48	30	30	DFT-64QAM	M	Inner_1RB_Right	14.86	19.46	PASS
n48	30	30	DFT-64QAM	M	Inner_Full	15.11	19.71	PASS
n48	30	30	DFT-64QAM	M	Outer_Full	15.15	19.75	PASS
n48	30	30	DFT-256QAM	M	Inner_1RB_Left	12.93	17.53	PASS
n48	30	30	DFT-256QAM	M	Inner_1RB_Right	12.7	17.3	PASS
n48	30	30	DFT-256QAM	M	Inner_Full	13.12	17.72	PASS
n48	30	30	DFT-256QAM	M	Outer_Full	12.97	17.57	PASS
n48	30	30	DFT-BPSK	H	Inner_1RB_Left	17.61	22.21	PASS
n48	30	30	DFT-BPSK	H	Inner_1RB_Right	17.17	21.77	PASS
n48	30	30	DFT-BPSK	H	Inner_Full	17.48	22.08	PASS
n48	30	30	DFT-BPSK	H	Outer_Full	14.54	19.14	PASS
n48	30	30	DFT-QPSK	H	Inner_1RB_Left	17.78	22.38	PASS
n48	30	30	DFT-QPSK	H	Inner_1RB_Right	17.19	21.79	PASS
n48	30	30	DFT-QPSK	H	Inner_Full	17.58	22.18	PASS
n48	30	30	DFT-QPSK	H	Outer_Full	16.44	21.04	PASS
n48	30	30	DFT-16QAM	H	Inner_1RB_Left	16.49	21.09	PASS
n48	30	30	DFT-16QAM	H	Inner_1RB_Right	16.32	20.92	PASS
n48	30	30	DFT-16QAM	H	Inner_Full	16.33	20.93	PASS
n48	30	30	DFT-16QAM	H	Outer_Full	15.3	19.9	PASS

n48	30	30	DFT-64QAM	H	Inner_1RB_Left	14.89	19.49	PASS
n48	30	30	DFT-64QAM	H	Inner_1RB_Right	14.63	19.23	PASS
n48	30	30	DFT-64QAM	H	Inner_Full	14.97	19.57	PASS
n48	30	30	DFT-64QAM	H	Outer_Full	14.79	19.39	PASS
n48	30	30	DFT-256QAM	H	Inner_1RB_Left	12.54	17.14	PASS
n48	30	30	DFT-256QAM	H	Inner_1RB_Right	12.29	16.89	PASS
n48	30	30	DFT-256QAM	H	Inner_Full	12.85	17.45	PASS
n48	30	30	DFT-256QAM	H	Outer_Full	12.7	17.3	PASS
n48	30	40	DFT-BPSK	L	Inner_1RB_Left	17.45	22.05	PASS
n48	30	40	DFT-BPSK	L	Inner_1RB_Right	17.23	21.83	PASS
n48	30	40	DFT-BPSK	L	Inner_Full	17.74	22.34	PASS
n48	30	40	DFT-BPSK	L	Outer_Full	14.63	19.23	PASS
n48	30	40	DFT-QPSK	L	Inner_1RB_Left	17.75	22.35	PASS
n48	30	40	DFT-QPSK	L	Inner_1RB_Right	17.36	21.96	PASS
n48	30	40	DFT-QPSK	L	Inner_Full	17.71	22.31	PASS
n48	30	40	DFT-QPSK	L	Outer_Full	14.85	19.45	PASS
n48	30	40	DFT-16QAM	L	Inner_1RB_Left	16.88	21.48	PASS
n48	30	40	DFT-16QAM	L	Inner_1RB_Right	16.55	21.15	PASS
n48	30	40	DFT-16QAM	L	Inner_Full	16.76	21.36	PASS
n48	30	40	DFT-16QAM	L	Outer_Full	15.66	20.26	PASS
n48	30	40	DFT-64QAM	L	Inner_1RB_Left	15.48	20.08	PASS
n48	30	40	DFT-64QAM	L	Inner_1RB_Right	14.84	19.44	PASS
n48	30	40	DFT-64QAM	L	Inner_Full	15.34	19.94	PASS
n48	30	40	DFT-64QAM	L	Outer_Full	15.44	20.04	PASS
n48	30	40	DFT-256QAM	L	Inner_1RB_Left	13	17.6	PASS
n48	30	40	DFT-256QAM	L	Inner_1RB_Right	12.51	17.11	PASS
n48	30	40	DFT-256QAM	L	Inner_Full	13.11	17.71	PASS
n48	30	40	DFT-256QAM	L	Outer_Full	13.32	17.92	PASS
n48	30	40	DFT-BPSK	M	Inner_1RB_Left	17.61	22.21	PASS
n48	30	40	DFT-BPSK	M	Inner_1RB_Right	17.09	21.69	PASS
n48	30	40	DFT-BPSK	M	Inner_Full	17.48	22.08	PASS
n48	30	40	DFT-BPSK	M	Outer_Full	14.79	19.39	PASS
n48	30	40	DFT-QPSK	M	Inner_1RB_Left	17.63	22.23	PASS
n48	30	40	DFT-QPSK	M	Inner_1RB_Right	17.41	22.01	PASS
n48	30	40	DFT-QPSK	M	Inner_Full	17.71	22.31	PASS
n48	30	40	DFT-QPSK	M	Outer_Full	14.73	19.33	PASS
n48	30	40	DFT-16QAM	M	Inner_1RB_Left	16.65	21.25	PASS
n48	30	40	DFT-16QAM	M	Inner_1RB_Right	16.32	20.92	PASS
n48	30	40	DFT-16QAM	M	Inner_Full	16.6	21.2	PASS
n48	30	40	DFT-16QAM	M	Outer_Full	15.63	20.23	PASS

n48	30	40	DFT-64QAM	M	Inner_1RB_Left	15.27	19.87	PASS
n48	30	40	DFT-64QAM	M	Inner_1RB_Right	14.69	19.29	PASS
n48	30	40	DFT-64QAM	M	Inner_Full	15.07	19.67	PASS
n48	30	40	DFT-64QAM	M	Outer_Full	15	19.6	PASS
n48	30	40	DFT-256QAM	M	Inner_1RB_Left	12.99	17.59	PASS
n48	30	40	DFT-256QAM	M	Inner_1RB_Right	12.19	16.79	PASS
n48	30	40	DFT-256QAM	M	Inner_Full	13	17.6	PASS
n48	30	40	DFT-256QAM	M	Outer_Full	12.99	17.59	PASS
n48	30	40	DFT-BPSK	H	Inner_1RB_Left	17.59	22.19	PASS
n48	30	40	DFT-BPSK	H	Inner_1RB_Right	16.97	21.57	PASS
n48	30	40	DFT-BPSK	H	Inner_Full	17.5	22.1	PASS
n48	30	40	DFT-BPSK	H	Outer_Full	0.4	5	PASS
n48	30	40	DFT-QPSK	H	Inner_1RB_Left	17.77	22.37	PASS
n48	30	40	DFT-QPSK	H	Inner_1RB_Right	17.08	21.68	PASS
n48	30	40	DFT-QPSK	H	Inner_Full	17.74	22.34	PASS
n48	30	40	DFT-QPSK	H	Outer_Full	14.52	19.12	PASS
n48	30	40	DFT-16QAM	H	Inner_1RB_Left	16.65	21.25	PASS
n48	30	40	DFT-16QAM	H	Inner_1RB_Right	15.94	20.54	PASS
n48	30	40	DFT-16QAM	H	Inner_Full	16.39	20.99	PASS
n48	30	40	DFT-16QAM	H	Outer_Full	15.3	19.9	PASS
n48	30	40	DFT-64QAM	H	Inner_1RB_Left	15.05	19.65	PASS
n48	30	40	DFT-64QAM	H	Inner_1RB_Right	14.53	19.13	PASS
n48	30	40	DFT-64QAM	H	Inner_Full	14.8	19.4	PASS
n48	30	40	DFT-64QAM	H	Outer_Full	15.04	19.64	PASS
n48	30	40	DFT-256QAM	H	Inner_1RB_Left	12.56	17.16	PASS
n48	30	40	DFT-256QAM	H	Inner_1RB_Right	12.17	16.77	PASS
n48	30	40	DFT-256QAM	H	Inner_Full	12.96	17.56	PASS
n48	30	40	DFT-256QAM	H	Outer_Full	14.99	19.59	PASS

Maximum EIRP and Maximum PSD for SA

Test Result

Ant8 Main:

Band	SCS	BW	Modulation	Channel	RB Config	Result (dBm/10MHz)	EIRP (dBm/10MHz)	Limit (dBm/10MHz)	PSD Limit	Verdict
n48	30	10	DFT-BPSK	L	Inner_1RB_Left	18.01	22.61	23	N/A	PASS
n48	30	10	DFT-BPSK	L	Inner_1RB_Right	17.95	22.55	23	N/A	PASS
n48	30	10	DFT-BPSK	L	Outer_Full	16.2	20.8	23	N/A	PASS
n48	30	10	DFT-BPSK	M	Inner_1RB_Left	18.33	22.93	23	N/A	PASS
n48	30	10	DFT-BPSK	M	Inner_1RB_Right	18.36	22.96	23	N/A	PASS
n48	30	10	DFT-BPSK	M	Outer_Full	16.86	21.46	23	N/A	PASS
n48	30	10	DFT-BPSK	H	Inner_1RB_Left	18.18	22.78	23	N/A	PASS
n48	30	10	DFT-BPSK	H	Inner_1RB_Right	18.04	22.64	23	N/A	PASS
n48	30	10	DFT-BPSK	H	Outer_Full	16.58	21.18	23	N/A	PASS
n48	30	15	DFT-BPSK	L	Inner_1RB_Left	17.84	22.44	23	N/A	PASS
n48	30	15	DFT-BPSK	L	Inner_1RB_Right	17.7	22.3	23	N/A	PASS
n48	30	15	DFT-BPSK	L	Outer_Full	14.74	19.34	23	N/A	PASS
n48	30	15	DFT-BPSK	M	Inner_1RB_Left	18.38	22.98	23	N/A	PASS
n48	30	15	DFT-BPSK	M	Inner_1RB_Right	18.31	22.91	23	N/A	PASS
n48	30	15	DFT-BPSK	M	Outer_Full	15.35	19.95	23	N/A	PASS
n48	30	15	DFT-BPSK	H	Inner_1RB_Left	18.26	22.86	23	N/A	PASS
n48	30	15	DFT-BPSK	H	Inner_1RB_Right	17.99	22.59	23	N/A	PASS
n48	30	15	DFT-BPSK	H	Outer_Full	15.15	19.75	23	N/A	PASS
n48	30	20	DFT-BPSK	L	Inner_1RB_Left	17.87	22.47	23	N/A	PASS
n48	30	20	DFT-BPSK	L	Inner_1RB_Right	17.94	22.54	23	N/A	PASS
n48	30	20	DFT-BPSK	L	Outer_Full	13.5	18.1	23	N/A	PASS
n48	30	20	DFT-BPSK	M	Inner_1RB_Left	18.37	22.97	23	N/A	PASS
n48	30	20	DFT-BPSK	M	Inner_1RB_Right	18.38	22.98	23	N/A	PASS
n48	30	20	DFT-BPSK	M	Outer_Full	14.18	18.78	23	N/A	PASS
n48	30	20	DFT-BPSK	H	Inner_1RB_Left	18.3	22.9	23	N/A	PASS
n48	30	20	DFT-BPSK	H	Inner_1RB_Right	17.98	22.58	23	N/A	PASS
n48	30	20	DFT-BPSK	H	Outer_Full	13.95	18.55	23	N/A	PASS
n48	30	30	DFT-BPSK	L	Inner_1RB_Left	18.35	22.95	23	N/A	PASS
n48	30	30	DFT-BPSK	L	Inner_1RB_Right	18.32	22.92	23	N/A	PASS
n48	30	30	DFT-BPSK	L	Outer_Full	10.12	14.72	23	N/A	PASS
n48	30	30	DFT-BPSK	M	Inner_1RB_Left	18.32	22.92	23	N/A	PASS
n48	30	30	DFT-BPSK	M	Inner_1RB_Right	18.11	22.71	23	N/A	PASS
n48	30	30	DFT-BPSK	M	Outer_Full	9.87	14.47	23	N/A	PASS
n48	30	30	DFT-BPSK	H	Inner_1RB_Left	18.19	22.79	23	N/A	PASS
n48	30	30	DFT-BPSK	H	Inner_1RB_Right	17.8	22.4	23	N/A	PASS
n48	30	30	DFT-BPSK	H	Outer_Full	9.8	14.4	23	N/A	PASS
n48	30	40	DFT-BPSK	L	Inner_1RB_Left	18.33	22.93	23	N/A	PASS
n48	30	40	DFT-BPSK	L	Inner_1RB_Right	18.15	22.75	23	N/A	PASS
n48	30	40	DFT-BPSK	L	Outer_Full	8.91	13.51	23	N/A	PASS

n48	30	40	DFT-BPSK	M	Inner_1RB_Left	18.22	22.82	23	N/A	PASS
n48	30	40	DFT-BPSK	M	Inner_1RB_Right	17.88	22.48	23	N/A	PASS
n48	30	40	DFT-BPSK	M	Outer_Full	8.67	13.27	23	N/A	PASS
n48	30	40	DFT-BPSK	H	Inner_1RB_Left	18.15	22.75	23	N/A	PASS
n48	30	40	DFT-BPSK	H	Inner_1RB_Right	17.53	22.13	23	N/A	PASS
n48	30	40	DFT-BPSK	H	Outer_Full	8.54	13.14	23	N/A	PASS

Peak-to-Average Ratio for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result	Limit	Verdict
N48	30	40	DFT-256QAM	L	Outer_Full	6.35	≤13	PASS
N48	30	40	CP-256QAM	L	Outer_Full	7.47	≤13	PASS
N48	30	40	DFT-256QAM	M	Outer_Full	6.15	≤13	PASS
N48	30	40	CP-256QAM	M	Outer_Full	7.37	≤13	PASS
N48	30	40	DFT-256QAM	H	Outer_Full	6.43	≤13	PASS
N48	30	40	CP-256QAM	H	Outer_Full	7.81	≤13	PASS

The figure displays four screenshots of the SPiNN-CTS software interface, arranged in a 2x2 grid. Each screenshot shows a power spectral density plot with frequency on the x-axis (ranging from 0.00 to 10.00 MHz) and power on the y-axis (ranging from -100 to 0 dBm). The plots show a typical cellular signal profile with a peak around 3.5 MHz and a sharp drop-off at higher frequencies.

- Top Left:** Screenshot titled "NTNV,N48_PC3_30_40_L_TID17_NS_01#1". The plot shows a peak power of approximately -10 dBm at 3.5 MHz. The average power is shown as 23.81 dBm.
- Top Right:** Screenshot titled "NTNV,N48_PC3_30_40_L_TID33_NS_01#1". The plot shows a peak power of approximately -10 dBm at 3.5 MHz. The average power is shown as 23.81 dBm.
- Bottom Left:** Screenshot titled "NTNV,N48_PC3_30_40_M_TID17_NS_01#1". The plot shows a peak power of approximately -10 dBm at 3.5 MHz. The average power is shown as 23.81 dBm.
- Bottom Right:** Screenshot titled "NTNV,N48_PC3_30_40_M_TID33_NS_01#1". The plot shows a peak power of approximately -10 dBm at 3.5 MHz. The average power is shown as 23.81 dBm.

Each screenshot includes a sidebar with various measurement parameters and a bottom status bar indicating the current state of the device (e.g., "Cell On").





Adjacent Channel leakage ratio

Test Result


Band	SCS	Bandwidth	Modulation	Channel	RB Config	Offset_MHz	MBW_MHz	Result	Limit	Verdict
N48	30	10	DFT-PI2BPSK	L	Outer_Full	-10	10	-42.27	≤-30	PASS
N48	30	10	DFT-PI2BPSK	L	Outer_Full	+10	10	-42.17	≤-30	PASS
N48	30	10	DFT-PI2BPSK	L	Edge_1RB_Left	-10	10	-39.47	≤-30	PASS
N48	30	10	DFT-PI2BPSK	L	Edge_1RB_Left	+10	10	-50.5	≤-30	PASS
N48	30	10	DFT-PI2BPSK	H	Outer_Full	-10	10	-42.36	≤-30	PASS
N48	30	10	DFT-PI2BPSK	H	Outer_Full	+10	10	-43.55	≤-30	PASS
N48	30	10	DFT-PI2BPSK	H	Edge_1RB_Right	-10	10	-44.52	≤-30	PASS
N48	30	10	DFT-PI2BPSK	H	Edge_1RB_Right	+10	10	-33.58	≤-30	PASS
N48	30	15	DFT-PI2BPSK	L	Outer_Full	-15	15	-43.88	≤-30	PASS
N48	30	15	DFT-PI2BPSK	L	Outer_Full	+15	15	-44.13	≤-30	PASS
N48	30	15	DFT-PI2BPSK	L	Edge_1RB_Left	-15	15	-37.43	≤-30	PASS
N48	30	15	DFT-PI2BPSK	L	Edge_1RB_Left	+15	15	-45.69	≤-30	PASS
N48	30	15	DFT-PI2BPSK	H	Outer_Full	-15	15	-42.4	≤-30	PASS
N48	30	15	DFT-PI2BPSK	H	Outer_Full	+15	15	-45.79	≤-30	PASS
N48	30	15	DFT-PI2BPSK	H	Edge_1RB_Right	-15	15	-47.18	≤-30	PASS
N48	30	15	DFT-PI2BPSK	H	Edge_1RB_Right	+15	15	-39.6	≤-30	PASS
N48	30	20	DFT-PI2BPSK	L	Outer_Full	-20	20	-43.34	≤-30	PASS
N48	30	20	DFT-PI2BPSK	L	Outer_Full	+20	20	-42.48	≤-30	PASS
N48	30	20	DFT-PI2BPSK	L	Edge_1RB_Left	-20	20	-37.02	≤-30	PASS
N48	30	20	DFT-PI2BPSK	L	Edge_1RB_Left	+20	20	-46.09	≤-30	PASS
N48	30	20	DFT-PI2BPSK	H	Outer_Full	-20	20	-41.72	≤-30	PASS
N48	30	20	DFT-PI2BPSK	H	Outer_Full	+20	20	-45.12	≤-30	PASS
N48	30	20	DFT-PI2BPSK	H	Edge_1RB_Right	-20	20	-43.68	≤-30	PASS
N48	30	20	DFT-PI2BPSK	H	Edge_1RB_Right	+20	20	-35.36	≤-30	PASS
N48	30	30	DFT-PI2BPSK	L	Outer_Full	-30	30	-42.55	≤-30	PASS
N48	30	30	DFT-PI2BPSK	L	Outer_Full	+30	30	-42.02	≤-30	PASS
N48	30	30	DFT-PI2BPSK	L	Edge_1RB_Left	-30	30	-35.08	≤-30	PASS
N48	30	30	DFT-PI2BPSK	L	Edge_1RB_Left	+30	30	-41.78	≤-30	PASS
N48	30	30	DFT-PI2BPSK	H	Outer_Full	-30	30	-41.46	≤-30	PASS
N48	30	30	DFT-PI2BPSK	H	Outer_Full	+30	30	-44.25	≤-30	PASS
N48	30	30	DFT-PI2BPSK	H	Edge_1RB_Right	-30	30	-45.49	≤-30	PASS
N48	30	30	DFT-PI2BPSK	H	Edge_1RB_Right	+30	30	-39.86	≤-30	PASS
N48	30	40	DFT-PI2BPSK	L	Outer_Full	-40	40	-40.29	≤-30	PASS
N48	30	40	DFT-PI2BPSK	L	Outer_Full	+40	40	-40.11	≤-30	PASS
N48	30	40	DFT-PI2BPSK	L	Edge_1RB_Left	-40	40	-36.42	≤-30	PASS
N48	30	40	DFT-PI2BPSK	L	Edge_1RB_Left	+40	40	-39.18	≤-30	PASS
N48	30	40	DFT-PI2BPSK	H	Outer_Full	-40	40	-40.02	≤-30	PASS
N48	30	40	DFT-PI2BPSK	H	Outer_Full	+40	40	-41.95	≤-30	PASS
N48	30	40	DFT-PI2BPSK	H	Edge_1RB_Right	-40	40	-40.97	≤-30	PASS
N48	30	40	DFT-PI2BPSK	H	Edge_1RB_Right	+40	40	-39.19	≤-30	PASS

Test Graphs







NTNV_N48_PC3_30_10_H_TID1_#1_-10_10




NTNV_N48_PC3_30_10_H_TID1_#1_+10_10




NTNV_N48_PC3_30_10_H_TID3_#1_-10_10




NTNV_N48_PC3_30_10_H_TID3_#1_+10_10






NTNV_N48_PC3_30_15_H_TID1_#1_-15_15




NTNV_N48_PC3_30_15_H_TID1_#1_+15_15




NTNV_N48_PC3_30_15_H_TID3_#1_-15_15




NTNV_N48_PC3_30_15_H_TID3_#1_+15_15




NTNV_N48_PC3_30_20_L_TID1_#1_-20_20



NTNV_N48_PC3_30_20_L_TID1_#1_+20_20




NTNV_N48_PC3_30_20_L_TID2_#1_-20_20




NTNV_N48_PC3_30_20_L_TID2_#1_+20_20



NTNV_N48_PC3_30_20_H_TID1_#1_-20_20




NTNV_N48_PC3_30_20_H_TID1_#1_+20_20




NTNV_N48_PC3_30_20_H_TID3_#1_-20_20




NTNV_N48_PC3_30_20_H_TID3_#1_+20_20




NTNV_N48_PC3_30_30_L_TID1_#1_-30_30




NTNV_N48_PC3_30_30_L_TID1_#1_+30_30




NTNV_N48_PC3_30_30_L_TID2_#1_-30_30




NTNV_N48_PC3_30_30_L_TID2_#1_+30_30







NTNV_N48_PC3_30_40_L_TID1_#1_-40_40




NTNV_N48_PC3_30_40_L_TID1_#1_+40_40



NTNV_N48_PC3_30_40_L_TID2_#1_-40_40




NTNV_N48_PC3_30_40_L_TID2_#1_+40_40




NTNV_N48_PC3_30_40_H_TID1_#1_-40_40



NTNV_N48_PC3_30_40_H_TID1_#1_+40_40



NTNV_N48_PC3_30_40_H_TID3_#1_-40_40



NTNV_N48_PC3_30_40_H_TID3_#1_+40_40

26dB Bandwidth and Occupied Bandwidth for SA

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result (99%)	Result (26dB)	Verdict
N48	30	10	DFT-PI2BPSK	L	Outer_Full	8.5958	9.717	PASS
N48	30	10	DFT-QPSK	L	Outer_Full	8.6199	9.720	PASS
N48	30	10	DFT-16QAM	L	Outer_Full	8.6189	9.872	PASS
N48	30	10	DFT-64QAM	L	Outer_Full	8.5925	9.876	PASS
N48	30	10	DFT-256QAM	L	Outer_Full	8.5898	9.648	PASS
N48	30	10	CP-QPSK	L	Outer_Full	8.6250	10.00	PASS
N48	30	10	CP-16QAM	L	Outer_Full	8.6099	10.13	PASS
N48	30	10	CP-64QAM	L	Outer_Full	8.6019	9.742	PASS
N48	30	10	CP-256QAM	L	Outer_Full	8.6007	9.829	PASS
N48	30	10	DFT-PI2BPSK	M	Outer_Full	8.6028	9.717	PASS
N48	30	10	DFT-QPSK	M	Outer_Full	8.5818	9.816	PASS
N48	30	10	DFT-16QAM	M	Outer_Full	8.6237	9.905	PASS
N48	30	10	DFT-64QAM	M	Outer_Full	8.5971	9.873	PASS
N48	30	10	DFT-256QAM	M	Outer_Full	8.5838	9.574	PASS
N48	30	10	CP-QPSK	M	Outer_Full	8.6257	10.03	PASS
N48	30	10	CP-16QAM	M	Outer_Full	8.6042	9.987	PASS
N48	30	10	CP-64QAM	M	Outer_Full	8.6096	9.728	PASS
N48	30	10	CP-256QAM	M	Outer_Full	8.6081	9.901	PASS
N48	30	10	DFT-PI2BPSK	H	Outer_Full	8.6064	9.932	PASS
N48	30	10	DFT-QPSK	H	Outer_Full	8.6125	9.894	PASS
N48	30	10	DFT-16QAM	H	Outer_Full	8.6097	9.933	PASS
N48	30	10	DFT-64QAM	H	Outer_Full	8.5822	9.833	PASS
N48	30	10	DFT-256QAM	H	Outer_Full	8.5885	9.588	PASS
N48	30	10	CP-QPSK	H	Outer_Full	8.6091	9.929	PASS
N48	30	10	CP-16QAM	H	Outer_Full	8.5988	9.945	PASS
N48	30	10	CP-64QAM	H	Outer_Full	8.6142	9.779	PASS
N48	30	10	CP-256QAM	H	Outer_Full	8.5990	9.913	PASS
N48	30	15	DFT-PI2BPSK	L	Outer_Full	12.893	14.35	PASS
N48	30	15	DFT-QPSK	L	Outer_Full	12.889	13.98	PASS
N48	30	15	DFT-16QAM	L	Outer_Full	12.935	14.25	PASS
N48	30	15	DFT-64QAM	L	Outer_Full	12.897	14.24	PASS
N48	30	15	DFT-256QAM	L	Outer_Full	12.880	14.18	PASS
N48	30	15	CP-QPSK	L	Outer_Full	13.609	15.32	PASS
N48	30	15	CP-16QAM	L	Outer_Full	13.585	15.13	PASS
N48	30	15	CP-64QAM	L	Outer_Full	13.597	15.05	PASS
N48	30	15	CP-256QAM	L	Outer_Full	13.625	15.10	PASS
N48	30	15	DFT-PI2BPSK	M	Outer_Full	12.904	14.21	PASS
N48	30	15	DFT-QPSK	M	Outer_Full	12.886	14.23	PASS
N48	30	15	DFT-16QAM	M	Outer_Full	12.915	14.12	PASS
N48	30	15	DFT-64QAM	M	Outer_Full	12.872	14.38	PASS

N48	30	15	DFT-256QAM	M	Outer_Full	12.876	14.11	PASS
N48	30	15	CP-QPSK	M	Outer_Full	13.612	15.24	PASS
N48	30	15	CP-16QAM	M	Outer_Full	13.597	15.26	PASS
N48	30	15	CP-64QAM	M	Outer_Full	13.586	15.04	PASS
N48	30	15	CP-256QAM	M	Outer_Full	13.594	15.03	PASS
N48	30	15	DFT-PI2BPSK	H	Outer_Full	12.868	14.17	PASS
N48	30	15	DFT-QPSK	H	Outer_Full	12.843	14.35	PASS
N48	30	15	DFT-16QAM	H	Outer_Full	12.871	14.01	PASS
N48	30	15	DFT-64QAM	H	Outer_Full	12.840	14.01	PASS
N48	30	15	DFT-256QAM	H	Outer_Full	12.869	14.15	PASS
N48	30	15	CP-QPSK	H	Outer_Full	13.575	14.86	PASS
N48	30	15	CP-16QAM	H	Outer_Full	13.606	14.98	PASS
N48	30	15	CP-64QAM	H	Outer_Full	13.604	14.94	PASS
N48	30	15	CP-256QAM	H	Outer_Full	13.571	14.96	PASS
N48	30	20	DFT-PI2BPSK	L	Outer_Full	17.795	18.97	PASS
N48	30	20	DFT-QPSK	L	Outer_Full	17.839	19.11	PASS
N48	30	20	DFT-16QAM	L	Outer_Full	17.841	19.50	PASS
N48	30	20	DFT-64QAM	L	Outer_Full	17.864	19.36	PASS
N48	30	20	DFT-256QAM	L	Outer_Full	17.808	19.15	PASS
N48	30	20	CP-QPSK	L	Outer_Full	18.203	19.69	PASS
N48	30	20	CP-16QAM	L	Outer_Full	18.249	19.53	PASS
N48	30	20	CP-64QAM	L	Outer_Full	18.203	19.43	PASS
N48	30	20	CP-256QAM	L	Outer_Full	18.219	19.72	PASS
N48	30	20	DFT-PI2BPSK	M	Outer_Full	17.838	19.15	PASS
N48	30	20	DFT-QPSK	M	Outer_Full	17.852	19.38	PASS
N48	30	20	DFT-16QAM	M	Outer_Full	17.844	19.33	PASS
N48	30	20	DFT-64QAM	M	Outer_Full	17.858	19.41	PASS
N48	30	20	DFT-256QAM	M	Outer_Full	17.835	19.37	PASS
N48	30	20	CP-QPSK	M	Outer_Full	18.235	19.72	PASS
N48	30	20	CP-16QAM	M	Outer_Full	18.210	19.48	PASS
N48	30	20	CP-64QAM	M	Outer_Full	18.201	19.62	PASS
N48	30	20	CP-256QAM	M	Outer_Full	18.228	19.74	PASS
N48	30	20	DFT-PI2BPSK	H	Outer_Full	17.802	19.42	PASS
N48	30	20	DFT-QPSK	H	Outer_Full	17.849	19.03	PASS
N48	30	20	DFT-16QAM	H	Outer_Full	17.837	19.10	PASS
N48	30	20	DFT-64QAM	H	Outer_Full	17.818	19.14	PASS
N48	30	20	DFT-256QAM	H	Outer_Full	17.827	19.23	PASS
N48	30	20	CP-QPSK	H	Outer_Full	18.193	19.75	PASS
N48	30	20	CP-16QAM	H	Outer_Full	18.248	19.78	PASS
N48	30	20	CP-64QAM	H	Outer_Full	18.172	19.52	PASS
N48	30	20	CP-256QAM	H	Outer_Full	18.215	19.80	PASS
N48	30	30	DFT-PI2BPSK	L	Outer_Full	26.785	28.58	PASS
N48	30	30	DFT-QPSK	L	Outer_Full	26.791	28.41	PASS
N48	30	30	DFT-16QAM	L	Outer_Full	26.789	28.23	PASS
N48	30	30	DFT-64QAM	L	Outer_Full	26.795	28.52	PASS

N48	30	30	DFT-256QAM	L	Outer_Full	26.795	28.47	PASS
N48	30	30	CP-QPSK	L	Outer_Full	27.840	29.50	PASS
N48	30	30	CP-16QAM	L	Outer_Full	27.876	29.63	PASS
N48	30	30	CP-64QAM	L	Outer_Full	27.825	29.68	PASS
N48	30	30	CP-256QAM	L	Outer_Full	27.831	29.48	PASS
N48	30	30	DFT-PI2BPSK	M	Outer_Full	26.810	28.52	PASS
N48	30	30	DFT-QPSK	M	Outer_Full	26.775	28.50	PASS
N48	30	30	DFT-16QAM	M	Outer_Full	26.806	28.42	PASS
N48	30	30	DFT-64QAM	M	Outer_Full	26.794	28.43	PASS
N48	30	30	DFT-256QAM	M	Outer_Full	26.839	28.53	PASS
N48	30	30	CP-QPSK	M	Outer_Full	27.835	29.62	PASS
N48	30	30	CP-16QAM	M	Outer_Full	27.788	29.54	PASS
N48	30	30	CP-64QAM	M	Outer_Full	27.868	29.65	PASS
N48	30	30	CP-256QAM	M	Outer_Full	27.884	29.91	PASS
N48	30	30	DFT-PI2BPSK	H	Outer_Full	26.800	28.56	PASS
N48	30	30	DFT-QPSK	H	Outer_Full	26.767	28.34	PASS
N48	30	30	DFT-16QAM	H	Outer_Full	26.835	28.53	PASS
N48	30	30	DFT-64QAM	H	Outer_Full	26.783	28.29	PASS
N48	30	30	DFT-256QAM	H	Outer_Full	26.806	28.28	PASS
N48	30	30	CP-QPSK	H	Outer_Full	27.814	29.48	PASS
N48	30	30	CP-16QAM	H	Outer_Full	27.892	29.67	PASS
N48	30	30	CP-64QAM	H	Outer_Full	27.814	29.52	PASS
N48	30	30	CP-256QAM	H	Outer_Full	27.804	29.66	PASS
N48	30	40	DFT-PI2BPSK	L	Outer_Full	35.753	37.51	PASS
N48	30	40	DFT-QPSK	L	Outer_Full	35.747	37.68	PASS
N48	30	40	DFT-16QAM	L	Outer_Full	35.730	37.48	PASS
N48	30	40	DFT-64QAM	L	Outer_Full	35.752	37.50	PASS
N48	30	40	DFT-256QAM	L	Outer_Full	35.749	37.53	PASS
N48	30	40	CP-QPSK	L	Outer_Full	37.843	39.88	PASS
N48	30	40	CP-16QAM	L	Outer_Full	37.831	39.43	PASS
N48	30	40	CP-64QAM	L	Outer_Full	37.832	39.92	PASS
N48	30	40	CP-256QAM	L	Outer_Full	37.954	39.95	PASS
N48	30	40	DFT-PI2BPSK	M	Outer_Full	35.818	37.79	PASS
N48	30	40	DFT-QPSK	M	Outer_Full	35.783	37.69	PASS
N48	30	40	DFT-16QAM	M	Outer_Full	35.771	37.69	PASS
N48	30	40	DFT-64QAM	M	Outer_Full	35.742	37.50	PASS
N48	30	40	DFT-256QAM	M	Outer_Full	35.725	37.45	PASS
N48	30	40	CP-QPSK	M	Outer_Full	37.869	39.80	PASS
N48	30	40	CP-16QAM	M	Outer_Full	37.784	39.84	PASS
N48	30	40	CP-64QAM	M	Outer_Full	37.894	39.94	PASS
N48	30	40	CP-256QAM	M	Outer_Full	37.924	39.93	PASS
N48	30	40	DFT-PI2BPSK	H	Outer_Full	35.787	37.67	PASS
N48	30	40	DFT-QPSK	H	Outer_Full	35.721	37.77	PASS
N48	30	40	DFT-16QAM	H	Outer_Full	35.729	37.58	PASS
N48	30	40	DFT-64QAM	H	Outer_Full	35.709	37.62	PASS

N48	30	40	DFT-256QAM	H	Outer_Full	35.731	37.53	PASS
N48	30	40	CP-QPSK	H	Outer_Full	37.780	40.02	PASS
N48	30	40	CP-16QAM	H	Outer_Full	37.806	39.83	PASS
N48	30	40	CP-64QAM	H	Outer_Full	37.865	40.13	PASS
N48	30	40	CP-256QAM	H	Outer_Full	37.879	39.91	PASS

Test Graphs

