



Appendix I: Test Data for E-UTRA Band 7

Product Name: Smart phone

Test Model: Smooth 6.26 Max

Environmental Conditions

Temperature:	23.5° C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Ling Zhu
Supervised by:	LI Huan



I.1 Conducted Average Power Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	21.68	PASS
Band7	5MHz	QPSK	20775	1RB#12	21.80	PASS
Band7	5MHz	QPSK	20775	1RB#24	21.82	PASS
Band7	5MHz	QPSK	20775	12RB#0	21.04	PASS
Band7	5MHz	QPSK	20775	12RB#6	21.10	PASS
Band7	5MHz	QPSK	20775	12RB#13	21.04	PASS
Band7	5MHz	QPSK	20775	25RB#0	21.11	PASS
Band7	5MHz	QPSK	21100	1RB#0	22.08	PASS
Band7	5MHz	QPSK	21100	1RB#12	22.42	PASS
Band7	5MHz	QPSK	21100	1RB#24	22.35	PASS
Band7	5MHz	QPSK	21100	12RB#0	21.32	PASS
Band7	5MHz	QPSK	21100	12RB#6	21.38	PASS
Band7	5MHz	QPSK	21100	12RB#13	21.33	PASS
Band7	5MHz	QPSK	21100	25RB#0	21.37	PASS
Band7	5MHz	QPSK	21425	1RB#0	22.37	PASS
Band7	5MHz	QPSK	21425	1RB#12	22.68	PASS
Band7	5MHz	QPSK	21425	1RB#24	22.40	PASS
Band7	5MHz	QPSK	21425	12RB#0	21.55	PASS
Band7	5MHz	QPSK	21425	12RB#6	21.63	PASS
Band7	5MHz	QPSK	21425	12RB#13	21.51	PASS
Band7	5MHz	QPSK	21425	25RB#0	21.61	PASS
Band7	5MHz	16QAM	20775	1RB#0	20.88	PASS
Band7	5MHz	16QAM	20775	1RB#12	20.91	PASS
Band7	5MHz	16QAM	20775	1RB#24	20.57	PASS
Band7	5MHz	16QAM	20775	12RB#0	20.04	PASS
Band7	5MHz	16QAM	20775	12RB#6	20.10	PASS
Band7	5MHz	16QAM	20775	12RB#13	20.04	PASS
Band7	5MHz	16QAM	20775	25RB#0	20.05	PASS
Band7	5MHz	16QAM	21100	1RB#0	21.02	PASS
Band7	5MHz	16QAM	21100	1RB#12	21.29	PASS
Band7	5MHz	16QAM	21100	1RB#24	21.23	PASS
Band7	5MHz	16QAM	21100	12RB#0	20.44	PASS



Band7	5MHz	16QAM	21100	12RB#6	20.41	PASS
Band7	5MHz	16QAM	21100	12RB#13	20.45	PASS
Band7	5MHz	16QAM	21100	25RB#0	20.55	PASS
Band7	5MHz	16QAM	21425	1RB#0	21.48	PASS
Band7	5MHz	16QAM	21425	1RB#12	21.62	PASS
Band7	5MHz	16QAM	21425	1RB#24	21.56	PASS
Band7	5MHz	16QAM	21425	12RB#0	20.65	PASS
Band7	5MHz	16QAM	21425	12RB#6	20.64	PASS
Band7	5MHz	16QAM	21425	12RB#13	20.55	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.54	PASS
Band7	10MHz	QPSK	20800	1RB#0	22.10	PASS
Band7	10MHz	QPSK	20800	1RB#24	22.44	PASS
Band7	10MHz	QPSK	20800	1RB#49	22.02	PASS
Band7	10MHz	QPSK	20800	25RB#0	21.38	PASS
Band7	10MHz	QPSK	20800	25RB#12	21.36	PASS
Band7	10MHz	QPSK	20800	25RB#25	21.46	PASS
Band7	10MHz	QPSK	20800	50RB#0	21.39	PASS
Band7	10MHz	QPSK	21100	1RB#0	22.22	PASS
Band7	10MHz	QPSK	21100	1RB#24	22.59	PASS
Band7	10MHz	QPSK	21100	1RB#49	22.43	PASS
Band7	10MHz	QPSK	21100	25RB#0	21.73	PASS
Band7	10MHz	QPSK	21100	25RB#12	21.72	PASS
Band7	10MHz	QPSK	21100	25RB#25	21.79	PASS
Band7	10MHz	QPSK	21100	50RB#0	21.74	PASS
Band7	10MHz	QPSK	21400	1RB#0	22.08	PASS
Band7	10MHz	QPSK	21400	1RB#24	22.52	PASS
Band7	10MHz	QPSK	21400	1RB#49	21.51	PASS
Band7	10MHz	QPSK	21400	25RB#0	22.29	PASS
Band7	10MHz	QPSK	21400	25RB#12	22.28	PASS
Band7	10MHz	QPSK	21400	25RB#25	22.11	PASS
Band7	10MHz	QPSK	21400	50RB#0	22.17	PASS
Band7	10MHz	16QAM	20800	1RB#0	21.39	PASS
Band7	10MHz	16QAM	20800	1RB#24	21.73	PASS
Band7	10MHz	16QAM	20800	1RB#49	21.18	PASS
Band7	10MHz	16QAM	20800	25RB#0	20.57	PASS
Band7	10MHz	16QAM	20800	25RB#12	20.55	PASS
Band7	10MHz	16QAM	20800	25RB#25	20.48	PASS



Band7	10MHz	16QAM	20800	50RB#0	20.42	PASS
Band7	10MHz	16QAM	21100	1RB#0	21.41	PASS
Band7	10MHz	16QAM	21100	1RB#24	22.16	PASS
Band7	10MHz	16QAM	21100	1RB#49	21.54	PASS
Band7	10MHz	16QAM	21100	25RB#0	20.75	PASS
Band7	10MHz	16QAM	21100	25RB#12	20.74	PASS
Band7	10MHz	16QAM	21100	25RB#25	20.74	PASS
Band7	10MHz	16QAM	21100	50RB#0	20.76	PASS
Band7	10MHz	16QAM	21400	1RB#0	21.00	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.44	PASS
Band7	10MHz	16QAM	21400	1RB#49	20.41	PASS
Band7	10MHz	16QAM	21400	25RB#0	21.39	PASS
Band7	10MHz	16QAM	21400	25RB#12	21.37	PASS
Band7	10MHz	16QAM	21400	25RB#25	21.20	PASS
Band7	10MHz	16QAM	21400	50RB#0	21.26	PASS
Band7	15MHz	QPSK	20825	1RB#0	22.13	PASS
Band7	15MHz	QPSK	20825	1RB#38	22.31	PASS
Band7	15MHz	QPSK	20825	1RB#74	22.16	PASS
Band7	15MHz	QPSK	20825	38RB#0	21.59	PASS
Band7	15MHz	QPSK	20825	38RB#18	22.13	PASS
Band7	15MHz	QPSK	20825	38RB#37	21.40	PASS
Band7	15MHz	QPSK	20825	75RB#0	21.36	PASS
Band7	15MHz	QPSK	21100	1RB#0	22.15	PASS
Band7	15MHz	QPSK	21100	1RB#38	22.66	PASS
Band7	15MHz	QPSK	21100	1RB#74	22.38	PASS
Band7	15MHz	QPSK	21100	38RB#0	21.47	PASS
Band7	15MHz	QPSK	21100	38RB#18	22.25	PASS
Band7	15MHz	QPSK	21100	38RB#37	21.61	PASS
Band7	15MHz	QPSK	21100	75RB#0	21.64	PASS
Band7	15MHz	QPSK	21375	1RB#0	22.47	PASS
Band7	15MHz	QPSK	21375	1RB#38	22.49	PASS
Band7	15MHz	QPSK	21375	1RB#74	21.72	PASS
Band7	15MHz	QPSK	21375	38RB#0	21.26	PASS
Band7	15MHz	QPSK	21375	38RB#18	21.60	PASS
Band7	15MHz	QPSK	21375	38RB#37	20.62	PASS
Band7	15MHz	QPSK	21375	75RB#0	21.21	PASS
Band7	15MHz	16QAM	20825	1RB#0	21.52	PASS



Band7	15MHz	16QAM	20825	1RB#38	22.11	PASS
Band7	15MHz	16QAM	20825	1RB#74	21.39	PASS
Band7	15MHz	16QAM	20825	38RB#0	21.60	PASS
Band7	15MHz	16QAM	20825	38RB#18	22.14	PASS
Band7	15MHz	16QAM	20825	38RB#37	21.32	PASS
Band7	15MHz	16QAM	20825	75RB#0	20.34	PASS
Band7	15MHz	16QAM	21100	1RB#0	21.52	PASS
Band7	15MHz	16QAM	21100	1RB#38	22.19	PASS
Band7	15MHz	16QAM	21100	1RB#74	21.70	PASS
Band7	15MHz	16QAM	21100	38RB#0	21.49	PASS
Band7	15MHz	16QAM	21100	38RB#18	22.26	PASS
Band7	15MHz	16QAM	21100	38RB#37	21.63	PASS
Band7	15MHz	16QAM	21100	75RB#0	20.62	PASS
Band7	15MHz	16QAM	21375	1RB#0	21.52	PASS
Band7	15MHz	16QAM	21375	1RB#38	21.68	PASS
Band7	15MHz	16QAM	21375	1RB#74	20.71	PASS
Band7	15MHz	16QAM	21375	38RB#0	21.29	PASS
Band7	15MHz	16QAM	21375	38RB#18	21.64	PASS
Band7	15MHz	16QAM	21375	38RB#37	21.11	PASS
Band7	15MHz	16QAM	21375	75RB#0	20.27	PASS
Band7	20MHz	QPSK	20850	1RB#0	21.75	PASS
Band7	20MHz	QPSK	20850	1RB#49	21.94	PASS
Band7	20MHz	QPSK	20850	1RB#99	21.73	PASS
Band7	20MHz	QPSK	20850	50RB#0	21.02	PASS
Band7	20MHz	QPSK	20850	50RB#25	21.05	PASS
Band7	20MHz	QPSK	20850	50RB#50	20.95	PASS
Band7	20MHz	QPSK	20850	100RB#0	20.50	PASS
Band7	20MHz	QPSK	21100	1RB#0	21.48	PASS
Band7	20MHz	QPSK	21100	1RB#49	21.81	PASS
Band7	20MHz	QPSK	21100	1RB#99	21.93	PASS
Band7	20MHz	QPSK	21100	50RB#0	21.01	PASS
Band7	20MHz	QPSK	21100	50RB#25	21.12	PASS
Band7	20MHz	QPSK	21100	50RB#50	21.26	PASS
Band7	20MHz	QPSK	21100	100RB#0	21.30	PASS
Band7	20MHz	QPSK	21350	1RB#0	22.21	PASS
Band7	20MHz	QPSK	21350	1RB#49	22.62	PASS
Band7	20MHz	QPSK	21350	1RB#99	21.96	PASS



Band7	20MHz	QPSK	21350	50RB#0	21.25	PASS
Band7	20MHz	QPSK	21350	50RB#25	21.28	PASS
Band7	20MHz	QPSK	21350	50RB#50	21.34	PASS
Band7	20MHz	QPSK	21350	100RB#0	21.40	PASS
Band7	20MHz	16QAM	20850	1RB#0	21.47	PASS
Band7	20MHz	16QAM	20850	1RB#49	21.90	PASS
Band7	20MHz	16QAM	20850	1RB#99	20.67	PASS
Band7	20MHz	16QAM	20850	50RB#0	20.07	PASS
Band7	20MHz	16QAM	20850	50RB#25	20.07	PASS
Band7	20MHz	16QAM	20850	50RB#50	19.43	PASS
Band7	20MHz	16QAM	20850	100RB#0	19.51	PASS
Band7	20MHz	16QAM	21100	1RB#0	20.83	PASS
Band7	20MHz	16QAM	21100	1RB#49	21.92	PASS
Band7	20MHz	16QAM	21100	1RB#99	21.48	PASS
Band7	20MHz	16QAM	21100	50RB#0	20.05	PASS
Band7	20MHz	16QAM	21100	50RB#25	20.11	PASS
Band7	20MHz	16QAM	21100	50RB#50	20.28	PASS
Band7	20MHz	16QAM	21100	100RB#0	20.24	PASS
Band7	20MHz	16QAM	21350	1RB#0	21.14	PASS
Band7	20MHz	16QAM	21350	1RB#49	21.45	PASS
Band7	20MHz	16QAM	21350	1RB#99	21.09	PASS
Band7	20MHz	16QAM	21350	50RB#0	20.35	PASS
Band7	20MHz	16QAM	21350	50RB#25	20.31	PASS
Band7	20MHz	16QAM	21350	50RB#50	20.45	PASS
Band7	20MHz	16QAM	21350	100RB#0	20.31	PASS



I.2 Peak-to-Average Ratio(CCDF)

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	4.28	13	PASS
Band7	5MHz	QPSK	20775	25RB#0	4.89	13	PASS
Band7	5MHz	QPSK	21100	1RB#0	4.14	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.80	13	PASS
Band7	5MHz	QPSK	21425	1RB#0	3.97	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	3.96	13	PASS
Band7	5MHz	16QAM	20775	1RB#0	5.17	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	5.68	13	PASS
Band7	5MHz	16QAM	21100	1RB#0	4.93	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	5.65	13	PASS
Band7	5MHz	16QAM	21425	1RB#0	5.06	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.88	13	PASS
Band7	10MHz	QPSK	20800	1RB#0	4.23	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	4.83	13	PASS
Band7	10MHz	QPSK	21100	1RB#0	4.12	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	4.81	13	PASS
Band7	10MHz	QPSK	21400	1RB#0	4.50	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	4.32	13	PASS
Band7	10MHz	16QAM	20800	1RB#0	5.10	13	PASS
Band7	10MHz	16QAM	20800	50RB#0	5.75	13	PASS
Band7	10MHz	16QAM	21100	1RB#0	5.16	13	PASS
Band7	10MHz	16QAM	21100	50RB#0	5.75	13	PASS
Band7	10MHz	16QAM	21400	1RB#0	4.98	13	PASS
Band7	10MHz	16QAM	21400	50RB#0	5.25	13	PASS
Band7	15MHz	QPSK	20825	1RB#0	4.55	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	5.21	13	PASS
Band7	15MHz	QPSK	21100	1RB#0	4.34	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	5.25	13	PASS
Band7	15MHz	QPSK	21375	1RB#0	4.16	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	5.02	13	PASS
Band7	15MHz	16QAM	20825	1RB#0	5.33	13	PASS
Band7	15MHz	16QAM	20825	75RB#0	5.95	13	PASS
Band7	15MHz	16QAM	21100	1RB#0	5.25	13	PASS
Band7	15MHz	16QAM	21100	75RB#0	5.95	13	PASS
Band7	15MHz	16QAM	21375	1RB#0	5.12	13	PASS
Band7	15MHz	16QAM	21375	75RB#0	5.84	13	PASS
Band7	20MHz	QPSK	20850	1RB#0	4.39	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	4.88	13	PASS




Band7	20MHz	QPSK	21100	1RB#0	4.15	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.00	13	PASS
Band7	20MHz	QPSK	21350	1RB#0	4.20	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	4.81	13	PASS
Band7	20MHz	16QAM	20850	1RB#0	5.18	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	5.73	13	PASS
Band7	20MHz	16QAM	21100	1RB#0	4.92	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	5.85	13	PASS
Band7	20MHz	16QAM	21350	1RB#0	5.43	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	5.67	13	PASS




Test Graphs


Band7-5MHz-QPSK-20775-1RB#0




Band7-5MHz-QPSK-20775-25RB#0




Band7-5MHz-QPSK-21100-1RB#0




Band7-5MHz-QPSK-21100-25RB#0




Band7-5MHz-QPSK-21425-1RB#0




Band7-5MHz-QPSK-21425-25RB#0




Band7-5MHz-16QAM-20775-1RB#0




Band7-5MHz-16QAM-20775-25RB#0




Band7-5MHz-16QAM-21100-1RB#0




Band7-5MHz-16QAM-21100-25RB#0




Band7-5MHz-16QAM-21425-1RB#0




Band7-5MHz-16QAM-21425-25RB#0




Band7-10MHz-QPSK-20800-1RB#0




Band7-10MHz-QPSK-20800-50RB#0




Band7-10MHz-QPSK-21100-1RB#0




Band7-10MHz-QPSK-21100-50RB#0




Band7-10MHz-QPSK-21400-1RB#0




Band7-10MHz-QPSK-21400-50RB#0




Band7-10MHz-16QAM-20800-1RB#0




Band7-10MHz-16QAM-20800-50RB#0




Band7-10MHz-16QAM-21100-1RB#0




Band7-10MHz-16QAM-21100-50RB#0




Band7-10MHz-16QAM-21400-1RB#0




Band7-10MHz-16QAM-21400-50RB#0




Band7-15MHz-QPSK-20825-1RB#0




Band7-15MHz-QPSK-20825-75RB#0




Band7-15MHz-QPSK-21100-1RB#0




Band7-15MHz-QPSK-21100-75RB#0




Band7-15MHz-QPSK-21375-75RB#0




Band7-15MHz-16QAM-20825-1RB#0




Band7-15MHz-16QAM-20825-75RB#0




Band7-15MHz-16QAM-21100-1RB#0




Band7-15MHz-16QAM-21100-75RB#0




Band7-15MHz-16QAM-21375-1RB#0




Band7-15MHz-16QAM-21375-75RB#0




Band7-20MHz-QPSK-20850-1RB#0




Band7-20MHz-QPSK-20850-100RB#0




Band7-20MHz-QPSK-21100-1RB#0




Band7-20MHz-QPSK-21100-100RB#0




Band7-20MHz-QPSK-21350-1RB#0




Band7-20MHz-QPSK-21350-100RB#0




Band7-20MHz-16QAM-20850-1RB#0




Band7-20MHz-16QAM-20850-100RB#0




Band7-20MHz-16QAM-21100-1RB#0




Band7-20MHz-16QAM-21100-100RB#0



Band7-20MHz-16QAM-21350-1RB#0



Band7-20MHz-16QAM-21350-100RB#0





I.3 26dB Bandwidth and Occupied Bandwidth


Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.5065	4.975	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.5054	5.007	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.5172	5.031	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.5006	4.985	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.5015	4.990	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5021	4.990	PASS
Band7	10MHz	QPSK	20800	50RB#0	8.9561	9.879	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.9668	9.812	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9441	9.812	PASS
Band7	10MHz	16QAM	20800	50RB#0	8.9667	9.852	PASS
Band7	10MHz	16QAM	21100	50RB#0	8.9838	9.853	PASS
Band7	10MHz	16QAM	21400	50RB#0	8.9673	9.841	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.457	14.82	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.447	14.82	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.410	14.67	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.453	14.75	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.441	14.59	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.421	14.69	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.903	19.37	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.943	19.42	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.913	19.41	PASS
Band7	20MHz	16QAM	20850	100RB#0	17.847	19.13	PASS
Band7	20MHz	16QAM	21100	100RB#0	17.971	19.42	PASS
Band7	20MHz	16QAM	21350	100RB#0	17.858	19.33	PASS




Test Graphs


Band7-5MHz-QPSK-20775-25RB#0




Band7-5MHz-QPSK-21100-25RB#0




Band7-5MHz-QPSK-21425-25RB#0




Band7-5MHz-16QAM-20775-25RB#0




Band7-5MHz-16QAM-21100-25RB#0



Band7-5MHz-16QAM-21425-25RB#0




Band7-10MHz-QPSK-20800-50RB#0




Band7-10MHz-QPSK-21100-50RB#0




Band7-10MHz-QPSK-21400-50RB#0




Band7-10MHz-16QAM-20800-50RB#0




Band7-10MHz-16QAM-21100-50RB#0



Band7-10MHz-16QAM-21400-50RB#0




Band7-15MHz-QPSK-20825-75RB#0




Band7-15MHz-QPSK-21100-75RB#0




Band7-15MHz-QPSK-21375-75RB#0




Band7-15MHz-16QAM-20825-75RB#0




Band7-15MHz-16QAM-21100-75RB#0




Band7-15MHz-16QAM-21375-75RB#0




Band7-20MHz-QPSK-20850-100RB#0




Band7-20MHz-QPSK-21100-100RB#0




Band7-20MHz-QPSK-21350-100RB#0




Band7-20MHz-16QAM-20850-100RB#0



Band7-20MHz-16QAM-21100-100RB#0



Band7-20MHz-16QAM-21350-100RB#0







I.4 Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	-47.46,-46.65,-44.31,-27.50	PASS
Band7	5MHz	QPSK	21425	25RB#0	-26.16,-34.83,-44.43,-46.62	PASS
Band7	5MHz	16QAM	20775	25RB#0	-48.58,-46.63,-43.53,-28.02	PASS
Band7	5MHz	16QAM	21425	25RB#0	-26.78,-36.60,-46.28,-47.87	PASS
Band7	10MHz	QPSK	20800	50RB#0	-47.09,-42.95,-41.64,-30.41	PASS
Band7	10MHz	QPSK	21400	50RB#0	-29.35,-35.93,-39.08,-46.10	PASS
Band7	10MHz	16QAM	20800	50RB#0	-47.11,-43.20,-41.69,-31.91	PASS
Band7	10MHz	16QAM	21400	50RB#0	-30.37,-36.77,-40.51,-46.94	PASS
Band7	15MHz	QPSK	20825	75RB#0	-43.44,-40.84,-39.55,-32.12	PASS
Band7	15MHz	QPSK	21375	75RB#0	-28.66,-34.46,-36.09,-46.03	PASS
Band7	15MHz	16QAM	20825	75RB#0	-44.43,-42.16,-40.89,-34.85	PASS
Band7	15MHz	16QAM	21375	75RB#0	-33.47,-38.61,-40.41,-46.67	PASS
Band7	20MHz	QPSK	20850	100RB#0	-44.68,-43.71,-42.76,-36.19	PASS
Band7	20MHz	QPSK	21350	100RB#0	-34.21,-39.82,-41.24,-46.13	PASS
Band7	20MHz	16QAM	20850	100RB#0	-44.47,-43.26,-42.25,-37.13	PASS
Band7	20MHz	16QAM	21350	100RB#0	-35.02,-39.98,-41.11,-46.19	PASS

Test Graphs







Band7-5MHz-16QAM-20775-25RB#0




Band7-5MHz-16QAM-21425-25RB#0




Band7-10MHz-QPSK-20800-50RB#0




Band7-10MHz-QPSK-21400-50RB#0




Band7-10MHz-16QAM-20800-50RB#0




Band7-10MHz-16QAM-21400-50RB#0




Band7-15MHz-QPSK-20825-75RB#0




Band7-15MHz-QPSK-21375-75RB#0



Band7-15MHz-16QAM-20825-75RB#0




Band7-15MHz-16QAM-21375-75RB#0




Band7-20MHz-QPSK-20850-100RB#0




Band7-20MHz-QPSK-21350-100RB#0



Band7-20MHz-16QAM-20850-100RB#0



Band7-20MHz-16QAM-21350-100RB#0





I.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	Range1:0.009~0.15MHz	-65.35	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range2:0.15~30MHz	-52.37	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range3:30~1000MHz	-42.26	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range4:1000~10000MHz	-45.5	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range5:10000~20000MHz	-49.53	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range6:20000~26500MHz	-37.43	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range1:0.009~0.15MHz	-66.19	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range2:0.15~30MHz	-52.38	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range3:30~1000MHz	-43.16	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range4:1000~10000MHz	-45.4	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range5:10000~20000MHz	-49.58	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range6:20000~26500MHz	-37.34	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range1:0.009~0.15MHz	-65.08	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range2:0.15~30MHz	-51.05	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range3:30~1000MHz	-43.45	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range4:1000~10000MHz	-45.35	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range5:10000~20000MHz	-49.56	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range6:20000~26500MHz	-37.34	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range1:0.009~0.15MHz	-65.77	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range2:0.15~30MHz	-54.22	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range3:30~1000MHz	-43.4	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range4:1000~10000MHz	-45.51	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range5:10000~20000MHz	-49.46	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range6:20000~26500MHz	-37.35	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range1:0.009~0.15MHz	-66.85	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range2:0.15~30MHz	-51.93	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range3:30~1000MHz	-42.62	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range4:1000~10000MHz	-45.54	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range5:10000~20000MHz	-49.35	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range6:20000~26500MHz	-37.43	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range1:0.009~0.15MHz	-64.64	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range2:0.15~30MHz	-52.49	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range3:30~1000MHz	-41.6	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range4:1000~10000MHz	-45.37	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range5:10000~20000MHz	-49.5	PASS



Band7	5MHz	16QAM	21425	1RB#0	Range6:20000~26500MHz	-37.43	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range1:0.009~0.15MHz	-66.42	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range2:0.15~30MHz	-52.26	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range3:30~1000MHz	-42.56	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range4:1000~10000MHz	-45.43	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range5:10000~20000MHz	-49.68	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range6:20000~26500MHz	-37.12	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range1:0.009~0.15MHz	-63.66	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range2:0.15~30MHz	-50.99	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range3:30~1000MHz	-43.74	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range4:1000~10000MHz	-45.32	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range5:10000~20000MHz	-49.56	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range6:20000~26500MHz	-37.32	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range1:0.009~0.15MHz	-64.44	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range2:0.15~30MHz	-52.56	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range3:30~1000MHz	-41.67	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range4:1000~10000MHz	-45.58	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range5:10000~20000MHz	-49.45	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range6:20000~26500MHz	-37.44	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range1:0.009~0.15MHz	-65.71	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range2:0.15~30MHz	-51.79	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range3:30~1000MHz	-42.75	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range4:1000~10000MHz	-45.43	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range5:10000~20000MHz	-49.4	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range6:20000~26500MHz	-37.24	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range1:0.009~0.15MHz	-66.11	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range2:0.15~30MHz	-51.09	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range3:30~1000MHz	-42.82	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range4:1000~10000MHz	-45.45	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range5:10000~20000MHz	-49.58	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range6:20000~26500MHz	-37.32	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range1:0.009~0.15MHz	-64.06	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range2:0.15~30MHz	-51.55	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range3:30~1000MHz	-42.37	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range4:1000~10000MHz	-45.33	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range5:10000~20000MHz	-49.51	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range6:20000~26500MHz	-37.31	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range1:0.009~0.15MHz	-65.18	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range2:0.15~30MHz	-50.82	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range3:30~1000MHz	-42.42	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range4:1000~10000MHz	-45.45	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range5:10000~20000MHz	-49.55	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range6:20000~26500MHz	-37.24	PASS




Band7	15MHz	QPSK	21100	1RB#0	Range1:0.009~0.15MHz	-66.43	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range2:0.15~30MHz	-51.4	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range3:30~1000MHz	-42.6	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range4:1000~10000MHz	-45.48	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range5:10000~20000MHz	-49.51	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range6:20000~26500MHz	-37.39	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range1:0.009~0.15MHz	-65.43	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range2:0.15~30MHz	-50.61	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range3:30~1000MHz	-42.72	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range4:1000~10000MHz	-45.48	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range5:10000~20000MHz	-49.46	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range6:20000~26500MHz	-37.33	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range1:0.009~0.15MHz	-65.77	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range2:0.15~30MHz	-51.68	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range3:30~1000MHz	-42.48	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range4:1000~10000MHz	-45.35	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range5:10000~20000MHz	-49.52	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range6:20000~26500MHz	-37.25	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range1:0.009~0.15MHz	-64.21	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range2:0.15~30MHz	-50.8	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range3:30~1000MHz	-42.68	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range4:1000~10000MHz	-45.31	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range5:10000~20000MHz	-49.56	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range6:20000~26500MHz	-37.3	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range1:0.009~0.15MHz	-63.96	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range2:0.15~30MHz	-51.64	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range3:30~1000MHz	-40.99	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range4:1000~10000MHz	-45.35	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range5:10000~20000MHz	-49.44	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range6:20000~26500MHz	-37.38	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range1:0.009~0.15MHz	-66.85	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range2:0.15~30MHz	-50.16	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range3:30~1000MHz	-42.28	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range4:1000~10000MHz	-45.44	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range5:10000~20000MHz	-49.7	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range6:20000~26500MHz	-37.41	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range1:0.009~0.15MHz	-66.68	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range2:0.15~30MHz	-50.72	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range3:30~1000MHz	-41.05	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range4:1000~10000MHz	-45.47	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range5:10000~20000MHz	-49.55	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range6:20000~26500MHz	-37.36	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range1:0.009~0.15MHz	-63.91	PASS




Band7	20MHz	QPSK	21350	1RB#0	Range2:0.15~30MHz	-50.64	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range3:30~1000MHz	-42.62	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range4:1000~10000MHz	-45.56	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range5:10000~20000MHz	-49.67	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range6:20000~26500MHz	-37.42	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range1:0.009~0.15MHz	-66.68	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range2:0.15~30MHz	-51.66	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range3:30~1000MHz	-42.99	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range4:1000~10000MHz	-45.34	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range5:10000~20000MHz	-49.54	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range6:20000~26500MHz	-37.31	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range1:0.009~0.15MHz	-65.34	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range2:0.15~30MHz	-51.34	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range3:30~1000MHz	-43.08	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range4:1000~10000MHz	-45.51	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range5:10000~20000MHz	-49.48	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range6:20000~26500MHz	-37.29	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range1:0.009~0.15MHz	-63.74	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range2:0.15~30MHz	-52.36	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range3:30~1000MHz	-42.11	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range4:1000~10000MHz	-45.47	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range5:10000~20000MHz	-49.67	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range6:20000~26500MHz	-37.38	PASS

Test Graphs


Band7-5MHz-QPSK-20775-1RB#0-Range1:0.009~0.15MHz




Band7-5MHz-QPSK-20775-1RB#0-Range2:0.15~30MHz




Band7-5MHz-QPSK-20775-1RB#0-Range3:30~1000MHz




Band7-5MHz-QPSK-20775-1RB#0-Range4:1000~10000MHz




Band7-5MHz-QPSK-20775-1RB#0-Range5:10000~20000MHz




Band7-5MHz-QPSK-20775-1RB#0-Range6:20000~26500MHz




Band7-5MHz-QPSK-21100-1RB#0-Range1:0.009~0.15MHz



Band7-5MHz-QPSK-21100-1RB#0-Range2:0.15~30MHz




Band7-5MHz-QPSK-21100-1RB#0-Range3:30~1000MHz




Band7-5MHz-QPSK-21100-1RB#0-Range4:1000~10000MHz




Band7-5MHz-QPSK-21100-1RB#0-Range5:10000~20000MHz




Band7-5MHz-QPSK-21100-1RB#0-Range6:20000~26500MHz




Band7-5MHz-QPSK-21425-1RB#0-Range1:0.009~0.15MHz



Band7-5MHz-QPSK-21425-1RB#0-Range2:0.15~30MHz




Band7-5MHz-QPSK-21425-1RB#0-Range3:30~1000MHz




Band7-5MHz-QPSK-21425-1RB#0-Range4:1000~10000MHz




Band7-5MHz-QPSK-21425-1RB#0-Range5:10000~20000MHz




Band7-5MHz-QPSK-21425-1RB#0-Range6:20000~26500MHz




Band7-5MHz-16QAM-20775-1RB#0-Range1:0.009~0.15MHz




Band7-5MHz-16QAM-20775-1RB#0-Range2:0.15~30MHz




Band7-5MHz-16QAM-20775-1RB#0-Range3:30~1000MHz




Band7-5MHz-16QAM-20775-1RB#0-Range4:1000~10000MHz




Band7-5MHz-16QAM-20775-1RB#0-Range5:10000~20000MHz




Band7-5MHz-16QAM-20775-1RB#0-Range6:20000~26500MHz




Band7-5MHz-16QAM-21100-1RB#0-Range1:0.009~0.15MHz




Band7-5MHz-16QAM-21100-1RB#0-Range2:0.15~30MHz




Band7-5MHz-16QAM-21100-1RB#0-Range3:30~1000MHz




Band7-5MHz-16QAM-21100-1RB#0-Range4:1000~10000MHz




Band7-5MHz-16QAM-21100-1RB#0-Range5:10000~20000MHz




Band7-5MHz-16QAM-21100-1RB#0-Range6:20000~26500MHz




Band7-5MHz-16QAM-21425-1RB#0-Range1:0.009~0.15MHz



Band7-5MHz-16QAM-21425-1RB#0-Range2:0.15~30MHz




Band7-5MHz-16QAM-21425-1RB#0-Range3:30~1000MHz




Band7-5MHz-16QAM-21425-1RB#0-Range4:1000~10000MHz




Band7-5MHz-16QAM-21425-1RB#0-Range5:10000~20000MHz




Band7-5MHz-16QAM-21425-1RB#0-Range6:20000~26500MHz




Band7-10MHz-QPSK-20800-1RB#0-Range1:0.009~0.15MHz



Band7-10MHz-QPSK-20800-1RB#0-Range2:0.15~30MHz




Band7-10MHz-QPSK-20800-1RB#0-Range3:30~1000MHz




Band7-10MHz-QPSK-20800-1RB#0-Range4:1000~10000MHz




Band7-10MHz-QPSK-20800-1RB#0-Range5:10000~20000MHz




Band7-10MHz-QPSK-20800-1RB#0-Range6:20000~26500MHz




Band7-10MHz-QPSK-21100-1RB#0-Range1:0.009~0.15MHz




Band7-10MHz-QPSK-21100-1RB#0-Range2:0.15~30MHz




Band7-10MHz-QPSK-21100-1RB#0-Range3:30~1000MHz




Band7-10MHz-QPSK-21100-1RB#0-Range4:1000~10000MHz




Band7-10MHz-QPSK-21100-1RB#0-Range5:10000~20000MHz




Band7-10MHz-QPSK-21100-1RB#0-Range6:20000~26500MHz




Band7-10MHz-QPSK-21400-1RB#0-Range1:0.009~0.15MHz



Band7-10MHz-QPSK-21400-1RB#0-Range2:0.15~30MHz




Band7-10MHz-QPSK-21400-1RB#0-Range3:30~1000MHz




Band7-10MHz-QPSK-21400-1RB#0-Range4:1000~10000MHz




Band7-10MHz-QPSK-21400-1RB#0-Range5:10000~20000MHz




Band7-10MHz-QPSK-21400-1RB#0-Range6:20000~26500MHz




Band7-10MHz-16QAM-20800-1RB#0-Range1:0.009~0.15MHz




Band7-10MHz-16QAM-20800-1RB#0-Range2:0.15~30MHz



Band7-10MHz-16QAM-20800-1RB#0-Range3:30~1000MHz



Band7-10MHz-16QAM-20800-1RB#0-Range4:1000~10000MHz



Band7-10MHz-16QAM-20800-1RB#0-Range5:10000~20000MHz