





















N26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHN26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH







**Conducted Band Edge**

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
26	15	5	165300	826.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
26	15	5	165300	826.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
26	15	5	169300	846.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
26	15	15	166300	831.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	15	166300	831.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	15	166300	831.5	DFT-s-OFDM BPSK	75@0	see graph	PASS
26	15	15	166300	831.5	DFT-s-OFDM QPSK	75@0	see graph	PASS
26	15	15	168300	841.5	DFT-s-OFDM BPSK	1@78	see graph	PASS
26	15	15	168300	841.5	DFT-s-OFDM QPSK	1@78	see graph	PASS
26	15	15	168300	841.5	DFT-s-OFDM BPSK	75@0	see graph	PASS
26	15	15	168300	841.5	DFT-s-OFDM QPSK	75@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
26	15	20	166800	834.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
26	15	20	167800	839.0	DFT-s-OFDM QPSK	100@0	see graph	PASS

N26(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN26(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN26(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN26(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CHN26(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN26(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH

N26(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN26(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CHN26(15M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN26(15M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN26(15M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN26(15M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH

N26(15M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN26(15M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHN26(15M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN26(15M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CHN26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH

N26(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN26(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CHN26(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN26(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CHN26(20M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN26(20M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CH



FR1 n66(Ant 0)

Transmitter Conducted Output Power and EIRP, ($G_T - L_C$)=1.2dB

NR Band	SCS	BandWidth	Arfcn	Freq(MHz)	Modulation	RB	Conducted Power(dBm)	EIRP(dBm)	EIRP(W)
66	15	5	342500	1712.5	DFT-s-OFDM PI/2 BPSK	1@1	23.63	24.83	0.3041
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@1	23.56	24.76	0.2992
66	15	5	342500	1712.5	DFT-s-OFDM 16 QAM	1@1	22.56	23.76	0.2377
66	15	5	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.38	24.58	0.2871
66	15	5	349000	1745	DFT-s-OFDM QPSK	1@1	23.53	24.73	0.2972
66	15	5	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.57	23.77	0.2382
66	15	5	355500	1777.5	DFT-s-OFDM PI/2 BPSK	1@1	23.47	24.67	0.2931
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@1	23.44	24.64	0.2911
66	15	5	355500	1777.5	DFT-s-OFDM 16 QAM	1@1	22.38	23.58	0.2280
66	15	10	343000	1715	DFT-s-OFDM PI/2 BPSK	1@1	23.73	24.93	0.3112
66	15	10	343000	1715	DFT-s-OFDM QPSK	1@1	23.68	24.88	0.3076
66	15	10	343000	1715	DFT-s-OFDM 16 QAM	1@1	22.58	23.78	0.2388
66	15	10	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.49	24.69	0.2944
66	15	10	349000	1745	DFT-s-OFDM QPSK	1@1	23.48	24.68	0.2938
66	15	10	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.44	23.64	0.2312
66	15	10	355000	1775	DFT-s-OFDM PI/2 BPSK	1@1	23.43	24.63	0.2904
66	15	10	355000	1775	DFT-s-OFDM QPSK	1@1	23.44	24.64	0.2911
66	15	10	355000	1775	DFT-s-OFDM 16 QAM	1@1	22.40	23.60	0.2291
66	15	15	343500	1717.5	DFT-s-OFDM PI/2 BPSK	1@1	23.85	25.05	0.3199
66	15	15	343500	1717.5	DFT-s-OFDM QPSK	1@1	23.76	24.96	0.3133
66	15	15	343500	1717.5	DFT-s-OFDM 16 QAM	1@1	22.72	23.92	0.2466
66	15	15	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.55	24.75	0.2985
66	15	15	349000	1745	DFT-s-OFDM QPSK	1@1	23.59	24.79	0.3013
66	15	15	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.59	23.79	0.2393
66	15	15	354500	1772.5	DFT-s-OFDM PI/2 BPSK	1@1	23.54	24.74	0.2979
66	15	15	354500	1772.5	DFT-s-OFDM QPSK	1@1	23.60	24.80	0.3020
66	15	15	354500	1772.5	DFT-s-OFDM 16 QAM	1@1	22.52	23.72	0.2355
66	15	20	344000	1720	DFT-s-OFDM PI/2 BPSK	1@1	23.79	24.99	0.3155
66	15	20	344000	1720	DFT-s-OFDM QPSK	1@1	23.81	25.01	0.3170
66	15	20	344000	1720	DFT-s-OFDM 16 QAM	1@1	22.70	23.90	0.2455
66	15	20	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.54	24.74	0.2979
66	15	20	349000	1745	DFT-s-OFDM QPSK	1@1	23.61	24.81	0.3027
66	15	20	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.50	23.70	0.2344
66	15	20	354000	1770	DFT-s-OFDM PI/2 BPSK	1@1	23.55	24.75	0.2985
66	15	20	354000	1770	DFT-s-OFDM QPSK	1@1	23.53	24.73	0.2972
66	15	20	354000	1770	DFT-s-OFDM 16 QAM	1@1	22.50	23.70	0.2344
66	15	25	344500	1722.5	DFT-s-OFDM PI/2 BPSK	1@1	24.01	25.21	0.3319



66	15	25	344500	1722.5	DFT-s-OFDM QPSK	1@1	23.91	25.11	0.3243
66	15	25	344500	1722.5	DFT-s-OFDM 16 QAM	1@1	22.82	24.02	0.2523
66	15	25	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.74	24.94	0.3119
66	15	25	349000	1745	DFT-s-OFDM QPSK	1@1	23.67	24.87	0.3069
66	15	25	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.58	23.78	0.2388
66	15	25	353500	1767.5	DFT-s-OFDM PI/2 BPSK	1@1	23.70	24.90	0.3090
66	15	25	353500	1767.5	DFT-s-OFDM QPSK	1@1	23.78	24.98	0.3148
66	15	25	353500	1767.5	DFT-s-OFDM 16 QAM	1@1	22.62	23.82	0.2410
66	15	30	345000	1725	DFT-s-OFDM PI/2 BPSK	1@1	23.68	24.88	0.3076
66	15	30	345000	1725	DFT-s-OFDM QPSK	1@1	23.63	24.83	0.3041
66	15	30	345000	1725	DFT-s-OFDM 16 QAM	1@1	22.54	23.74	0.2366
66	15	30	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.46	24.66	0.2924
66	15	30	349000	1745	DFT-s-OFDM QPSK	1@1	23.45	24.65	0.2917
66	15	30	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.31	23.51	0.2244
66	15	30	353000	1765	DFT-s-OFDM PI/2 BPSK	1@1	23.46	24.66	0.2924
66	15	30	353000	1765	DFT-s-OFDM QPSK	1@1	23.47	24.67	0.2931
66	15	30	353000	1765	DFT-s-OFDM 16 QAM	1@1	22.46	23.66	0.2323
66	15	35	345500	1727.5	DFT-s-OFDM PI/2 BPSK	1@1	23.81	25.01	0.3170
66	15	35	345500	1727.5	DFT-s-OFDM QPSK	1@1	23.77	24.97	0.3141
66	15	35	345500	1727.5	DFT-s-OFDM 16 QAM	1@1	22.71	23.91	0.2460
66	15	35	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.64	24.84	0.3048
66	15	35	349000	1745	DFT-s-OFDM QPSK	1@1	23.61	24.81	0.3027
66	15	35	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.49	23.69	0.2339
66	15	35	352500	1762.5	DFT-s-OFDM PI/2 BPSK	1@1	23.63	24.83	0.3041
66	15	35	352500	1762.5	DFT-s-OFDM QPSK	1@1	23.65	24.85	0.3055
66	15	35	352500	1762.5	DFT-s-OFDM 16 QAM	1@1	22.46	23.66	0.2323
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	108@54	23.54	24.74	0.2979
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@1	23.45	24.65	0.2917
66	15	40	346000	1730	DFT-s-OFDM PI/2 BPSK	1@214	23.42	24.62	0.2897
66	15	40	346000	1730	DFT-s-OFDM QPSK	108@54	23.49	24.69	0.2944
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@1	23.34	24.54	0.2844
66	15	40	346000	1730	DFT-s-OFDM QPSK	1@214	23.41	24.61	0.2891
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	108@54	22.46	23.66	0.2323
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@1	22.32	23.52	0.2249
66	15	40	346000	1730	DFT-s-OFDM 16 QAM	1@214	22.25	23.45	0.2213
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	108@54	21.00	22.20	0.1660
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@1	21.02	22.22	0.1667
66	15	40	346000	1730	DFT-s-OFDM 64 QAM	1@214	21.02	22.22	0.1667
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	108@54	18.98	20.18	0.1042
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@1	18.53	19.73	0.0940
66	15	40	346000	1730	DFT-s-OFDM 256 QAM	1@214	18.41	19.61	0.0914
66	15	40	346000	1730	CP-OFDM QPSK	108@54	22.00	23.20	0.2089
66	15	40	346000	1730	CP-OFDM QPSK	1@1	21.99	23.19	0.2084
66	15	40	346000	1730	CP-OFDM QPSK	1@214	21.82	23.02	0.2004
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	108@54	23.47	24.67	0.2931



66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@1	23.34	24.54	0.2844
66	15	40	349000	1745	DFT-s-OFDM PI/2 BPSK	1@214	23.28	24.48	0.2805
66	15	40	349000	1745	DFT-s-OFDM QPSK	108@54	23.40	24.60	0.2884
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@1	23.24	24.44	0.2780
66	15	40	349000	1745	DFT-s-OFDM QPSK	1@214	23.30	24.50	0.2818
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	108@54	22.39	23.59	0.2286
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@1	22.12	23.32	0.2148
66	15	40	349000	1745	DFT-s-OFDM 16 QAM	1@214	22.20	23.40	0.2188
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	108@54	20.84	22.04	0.1600
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@1	20.92	22.12	0.1629
66	15	40	349000	1745	DFT-s-OFDM 64 QAM	1@214	21.08	22.28	0.1690
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	108@54	18.52	19.72	0.0938
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@1	18.45	19.65	0.0923
66	15	40	349000	1745	DFT-s-OFDM 256 QAM	1@214	18.43	19.63	0.0918
66	15	40	349000	1745	CP-OFDM QPSK	108@54	21.96	23.16	0.2070
66	15	40	349000	1745	CP-OFDM QPSK	1@1	21.77	22.97	0.1982
66	15	40	349000	1745	CP-OFDM QPSK	1@214	21.79	22.99	0.1991
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	108@54	23.49	24.69	0.2944
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@1	23.23	24.43	0.2773
66	15	40	352000	1760	DFT-s-OFDM PI/2 BPSK	1@214	23.24	24.44	0.2780
66	15	40	352000	1760	DFT-s-OFDM QPSK	108@54	23.41	24.61	0.2891
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@1	23.26	24.46	0.2793
66	15	40	352000	1760	DFT-s-OFDM QPSK	1@214	23.30	24.50	0.2818
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	108@54	22.42	23.62	0.2301
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@1	22.16	23.36	0.2168
66	15	40	352000	1760	DFT-s-OFDM 16 QAM	1@214	22.24	23.44	0.2208
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	108@54	20.91	22.11	0.1626
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@1	20.94	22.14	0.1637
66	15	40	352000	1760	DFT-s-OFDM 64 QAM	1@214	20.95	22.15	0.1641
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	108@54	18.89	20.09	0.1021
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@1	18.46	19.66	0.0925
66	15	40	352000	1760	DFT-s-OFDM 256 QAM	1@214	18.39	19.59	0.0910
66	15	40	352000	1760	CP-OFDM QPSK	108@54	21.92	23.12	0.2051
66	15	40	352000	1760	CP-OFDM QPSK	1@1	21.79	22.99	0.1991
66	15	40	352000	1760	CP-OFDM QPSK	1@214	21.78	22.98	0.1986







Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0034	PASS	NV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0067	PASS	LV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0052	PASS	HV
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0041	PASS	-30℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0039	PASS	-20℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0042	PASS	-10℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0067	PASS	0℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0023	PASS	10℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0041	PASS	20℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0082	PASS	30℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0025	PASS	40℃
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	100@0	0.0037	PASS	50℃



N66(20M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH










Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
66	15	5	349000	1745.0	CP-OFDM QPSK	25@0	4.4847	5.124
66	15	5	349000	1745.0	CP-OFDM 16 QAM	25@0	4.4837	5.086
66	15	5	349000	1745.0	CP-OFDM 64 QAM	25@0	4.4831	5.113
66	15	5	349000	1745.0	CP-OFDM 256 QAM	25@0	4.4727	5.127
66	15	10	349000	1745.0	CP-OFDM QPSK	52@0	9.2859	9.966
66	15	10	349000	1745.0	CP-OFDM 16 QAM	52@0	9.2818	10.0
66	15	10	349000	1745.0	CP-OFDM 64 QAM	52@0	9.2867	9.964
66	15	10	349000	1745.0	CP-OFDM 256 QAM	52@0	9.3049	10.04
66	15	15	349000	1745.0	CP-OFDM QPSK	79@0	14.104	14.99
66	15	15	349000	1745.0	CP-OFDM 16 QAM	79@0	14.138	14.94
66	15	15	349000	1745.0	CP-OFDM 64 QAM	79@0	14.1	14.82
66	15	15	349000	1745.0	CP-OFDM 256 QAM	79@0	14.113	15.23
66	15	20	349000	1745.0	CP-OFDM QPSK	106@0	18.928	19.78
66	15	20	349000	1745.0	CP-OFDM 16 QAM	106@0	18.927	19.75
66	15	20	349000	1745.0	CP-OFDM 64 QAM	106@0	18.91	19.8
66	15	20	349000	1745.0	CP-OFDM 256 QAM	106@0	14.109	14.89
66	15	25	349000	1745.0	CP-OFDM QPSK	133@0	23.757	24.89
66	15	25	349000	1745.0	CP-OFDM 16 QAM	133@0	23.779	24.83
66	15	25	349000	1745.0	CP-OFDM 64 QAM	133@0	23.752	24.74
66	15	25	349000	1745.0	CP-OFDM 256 QAM	133@0	23.812	24.84
66	15	30	349000	1745.0	CP-OFDM QPSK	160@0	28.602	32.47
66	15	30	349000	1745.0	CP-OFDM 16 QAM	160@0	28.657	29.74
66	15	30	349000	1745.0	CP-OFDM 64 QAM	160@0	28.523	31.23
66	15	30	349000	1745.0	CP-OFDM 256 QAM	160@0	28.58	29.67
66	15	35	349000	1745.0	CP-OFDM QPSK	188@0	33.645	34.7




66	15	35	349000	1745.0	CP-OFDM 16 QAM	188@0	33.574	34.78
66	15	35	349000	1745.0	CP-OFDM 64 QAM	188@0	33.57	34.9
66	15	35	349000	1745.0	CP-OFDM 256 QAM	188@0	33.577	34.75
66	15	40	349000	1745.0	CP-OFDM QPSK	216@0	38.621	39.89
66	15	40	349000	1745.0	CP-OFDM 16 QAM	216@0	38.547	39.85
66	15	40	349000	1745.0	CP-OFDM 64 QAM	216@0	38.539	39.83
66	15	40	349000	1745.0	CP-OFDM 256 QAM	216@0	38.482	39.98


N66(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN66(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN66(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN66(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CHN66(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN66(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N66(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N66(15M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH









N66(15M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(15M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N66(20M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN66(20M)_CP-OFDM_16
QAM_Outer_Full_Mid_CHN66(20M)_CP-OFDM_64
QAM_Outer_Full_Mid_CHN66(20M)_CP-OFDM_256
QAM_Outer_Full_Mid_CHN66(25M)_CP-
OFDM_QPSK_Outer_Full_Mid_CHN66(25M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N66(25M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(25M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH




N66(30M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N66(30M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(30M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH







N66(35M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N66(35M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N66(35M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N66(35M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



N66(40M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH



N66(40M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH






N66(40M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N66(40M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH

















Conducted Spurious Emissions







NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	344000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@0	see graph	PASS



66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	349000	1745.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	---
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@0	see graph	PASS







N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHN66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH






N66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHN66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH

N66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CHN66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CHN66(40M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_High_CHN66(40M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_High_CH

**Conducted Band Edge**

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	342500	1712.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
66	15	5	355500	1777.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	344000	1720.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
66	15	20	354000	1770.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	346000	1730.0	DFT-s-OFDM QPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	1@215	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM BPSK	216@0	see graph	PASS
66	15	40	352000	1760.0	DFT-s-OFDM QPSK	216@0	see graph	PASS

N66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN66(5M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CHN66(5M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_High_CHN66(5M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_High_CH

N66(5M)_DFT-s-
OFDM_BPSK_Outer_Full_High_CHN66(5M)_DFT-s-
OFDM_QPSK_Outer_Full_High_CHN66(20M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CHN66(20M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CHN66(20M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CHN66(20M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH