



14.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2564	1	RMS	2564	-31.52	-25	6.52	Pass	20
2564	2565	1	RMS	2565	-28.94	-13	15.94	Pass	2
2565	2569	1	RMS	2569	-17.54	-10	7.54	Pass	5
2569	2570	0.1	RMS	2569.995	-24.14	-10	14.14	Pass	401
2570	2575	0.1	RMS	2572.288	7.73	30	22.27	Pass	401




14.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.763	21.87	30	8.13	Pass	401
2620	2621	0.051	RMS	2620	-10.58	-10	0.58	Pass*	401
2621	2625	1	RMS	2621	-24.96	-10	14.96	Pass	5
2625	2626	1	RMS	2625	-36.68	-13	23.68	Pass	401
2626	2645	1	RMS	2628.328	-39.43	-25	14.43	Pass	401




14.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2616.775	7.34	30	22.66	Pass	401
2620	2621	0.1	RMS	2620	-18.35	-10	8.35	Pass	401
2621	2625	1	RMS	2621	-19	-10	9	Pass	5
2625	2626	1	RMS	2625.003	-28.71	-13	15.71	Pass	401
2626	2645	1	RMS	2626	-32.72	-25	7.72	Pass	20




14.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2619.738	19.91	30	10.09	Pass	401
2620	2621	0.051	RMS	2620.003	-11.4	-10	1.4	Pass*	401
2621	2625	1	RMS	2621	-25.88	-10	15.88	Pass	5
2625	2626	1	RMS	2625	-38.68	-13	25.68	Pass	401
2626	2645	1	RMS	2628.28	-40.58	-25	15.58	Pass	401




14.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2615	2620	0.1	RMS	2617.138	6.63	30	23.37	Pass	401
2620	2621	0.1	RMS	2620	-19.19	-10	9.19	Pass	401
2621	2625	1	RMS	2621	-20.73	-10	10.73	Pass	5
2625	2626	1	RMS	2625.005	-29.23	-13	16.23	Pass	401
2626	2645	1	RMS	2626	-33.34	-25	8.34	Pass	20




14.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2552.838	-31.58	-25	6.58	Pass	401
2560	2565	1	RMS	2561.875	-26.23	-13	13.23	Pass	401
2565	2569	1	RMS	2569	-30.82	-10	20.82	Pass	5
2569	2570	0.2	RMS	2570	-24.02	-10	14.02	Pass	401
2570	2580	0.1	RMS	2570.675	22.87	30	7.13	Pass	401




14.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2557.638	-31.31	-25	6.31	Pass	401
2560	2565	1	RMS	2564.988	-17.67	-13	4.67	Pass*	401
2565	2569	1	RMS	2569	-13.61	-10	3.61	Pass*	5
2569	2570	0.2	RMS	2569.995	-17.63	-10	7.63	Pass	401
2570	2580	0.1	RMS	2575.6	6.48	30	23.52	Pass	401




14.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2552.725	-33.75	-25	8.75	Pass	401
2560	2565	1	RMS	2561.863	-27.23	-13	14.23	Pass	401
2565	2569	1	RMS	2569	-31.14	-10	21.14	Pass	5
2569	2570	0.2	RMS	2570	-23.65	-10	13.65	Pass	401
2570	2580	0.1	RMS	2570.7	21.73	30	8.27	Pass	401




**14.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:37800,
Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2560	1	RMS	2560	-31.38	-25	6.38	Pass	401
2560	2565	1	RMS	2564.98 8	-23.27	-13	10.27	Pass	401
2565	2569	1	RMS	2569	-19.03	-10	9.03	Pass	5
2569	2570	0.2	RMS	2569.99 5	-23.99	-10	13.99	Pass	401
2570	2580	0.1	RMS	2574.32 5	4.25	30	25.75	Pass	401




14.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.5	21.94	30	8.06	Pass	401
2620	2621	0.1	RMS	2620	-21.23	-10	11.23	Pass	401
2621	2625	1	RMS	2621	-29.65	-10	19.65	Pass	5
2625	2630	1	RMS	2628.338	-29.31	-13	16.31	Pass	401
2630	2645	1	RMS	2637.125	-33.46	-25	8.46	Pass	401




14.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2614.35	4.82	30	25.18	Pass	401
2620	2621	0.2	RMS	2620	-23.45	-10	13.45	Pass	401
2621	2625	1	RMS	2621	-21.47	-10	11.47	Pass	5
2625	2630	1	RMS	2627.713	-24.06	-13	11.06	Pass	401
2630	2645	1	RMS	2630.113	-32.62	-25	7.62	Pass	401




14.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2619.5	20.67	30	9.33	Pass	401
2620	2621	0.2	RMS	2620.003	-16.17	-10	6.17	Pass	401
2621	2625	1	RMS	2621	-28.77	-10	18.77	Pass	5
2625	2630	1	RMS	2628.313	-31.84	-13	18.84	Pass	401
2630	2645	1	RMS	2637.163	-35.92	-25	10.92	Pass	401




14.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2610	2620	0.1	RMS	2615.075	4.12	30	25.88	Pass	401
2620	2621	0.2	RMS	2620.003	-24.72	-10	14.72	Pass	401
2621	2625	1	RMS	2621	-22.54	-10	12.54	Pass	5
2625	2630	1	RMS	2625.063	-24.72	-13	11.72	Pass	401
2630	2645	1	RMS	2630.038	-32.16	-25	7.16	Pass	401




14.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2545	-36.93	-25	11.93	Pass	401
2555	2565	1	RMS	2557.575	-26.82	-13	13.82	Pass	401
2565	2569	1	RMS	2569	-29.31	-10	19.31	Pass	5
2569	2570	0.3	RMS	2570	-22.44	-10	12.44	Pass	401
2570	2585	0.1	RMS	2570.9	22.21	30	7.79	Pass	401




14.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2550.6	-31.84	-25	6.84	Pass	401
2555	2565	1	RMS	2564.925	-16.16	-13	3.16	Pass*	401
2565	2569	1	RMS	2569	-13.14	-10	3.14	Pass*	5
2569	2570	0.3	RMS	2569.478	-16.92	-10	6.92	Pass	401
2570	2585	0.1	RMS	2576.713	4.43	30	25.57	Pass	401




14.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2545.025	-37.62	-25	12.62	Pass	401
2555	2565	1	RMS	2557.6	-27.56	-13	14.56	Pass	401
2565	2569	1	RMS	2569	-28.12	-10	18.12	Pass	5
2569	2570	0.3	RMS	2569.993	-21.98	-10	11.98	Pass	401
2570	2585	0.1	RMS	2570.938	21.52	30	8.48	Pass	401




14.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2555	1	RMS	2554.775	-31.18	-25	6.18	Pass	401
2555	2565	1	RMS	2564.975	-20.37	-13	7.37	Pass	401
2565	2569	1	RMS	2569	-17.53	-10	7.53	Pass	5
2569	2570	0.3	RMS	2569.633	-21.06	-10	11.06	Pass	401
2570	2585	0.1	RMS	2576.488	3.04	30	26.96	Pass	401




14.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.25	21.52	30	8.48	Pass	401
2620	2621	0.3	RMS	2620.003	-17.38	-10	7.38	Pass	401
2621	2625	1	RMS	2621	-27.85	-10	17.85	Pass	5
2625	2635	1	RMS	2632.625	-29.87	-13	16.87	Pass	401
2635	2645	1	RMS	2644.925	-38.76	-25	13.76	Pass	401




14.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2611.488	3.25	30	26.75	Pass	401
2620	2621	0.3	RMS	2620.005	-24.2	-10	14.2	Pass	401
2621	2625	1	RMS	2621	-21.1	-10	11.1	Pass	5
2625	2635	1	RMS	2625.025	-23.57	-13	10.57	Pass	401
2635	2645	1	RMS	2635.025	-33.26	-25	8.26	Pass	401




14.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2619.213	20.4	30	9.6	Pass	401
2620	2621	0.3	RMS	2620.008	-18.08	-10	8.08	Pass	401
2621	2625	1	RMS	2621	-27.19	-10	17.19	Pass	5
2625	2635	1	RMS	2632.5	-31.33	-13	18.33	Pass	401
2635	2645	1	RMS	2644.825	-40.59	-25	15.59	Pass	401




14.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2605	2620	0.1	RMS	2611.563	2.42	30	27.58	Pass	401
2620	2621	0.3	RMS	2620.008	-25.5	-10	15.5	Pass	401
2621	2625	1	RMS	2621	-22.68	-10	12.68	Pass	5
2625	2635	1	RMS	2625.075	-24.54	-13	11.54	Pass	401
2635	2645	1	RMS	2635.025	-32.7	-25	7.7	Pass	401




14.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.7	-46.08	-25	21.08	Pass	401
2550	2565	1	RMS	2553.263	-31.9	-13	18.9	Pass	401
2565	2569	1	RMS	2569	-30.57	-10	20.57	Pass	5
2569	2570	0.51	RMS	2569.993	-22.42	-10	12.42	Pass	401
2570	2590	0.1	RMS	2571.2	21.53	30	8.47	Pass	401




14.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2545.325	-35.17	-25	10.17	Pass	401
2550	2565	1	RMS	2564.963	-18.02	-13	5.02	Pass*	401
2565	2569	1	RMS	2569	-16.02	-10	6.02	Pass	5
2569	2570	0.51	RMS	2569.995	-17.42	-10	7.42	Pass	401
2570	2590	0.1	RMS	2580.4	3.45	30	26.55	Pass	401




14.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2549.913	-45.87	-25	20.87	Pass	401
2550	2565	1	RMS	2553.338	-30.37	-13	17.37	Pass	401
2565	2569	1	RMS	2569	-29.68	-10	19.68	Pass	5
2569	2570	0.51	RMS	2570	-21.92	-10	11.92	Pass	401
2570	2590	0.1	RMS	2571.2	21.29	30	8.71	Pass	401




14.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2545	2550	1	RMS	2550	-35.1	-25	10.1	Pass	401
2550	2565	1	RMS	2565	-22.89	-13	9.89	Pass	401
2565	2569	1	RMS	2569	-21.5	-10	11.5	Pass	5
2569	2570	0.51	RMS	2569.99	-22.77	-10	12.77	Pass	401
2570	2590	0.1	RMS	2578.9	1.79	30	28.21	Pass	401




14.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2619	20.84	30	9.16	Pass	401
2620	2621	0.51	RMS	2620	-17.31	-10	7.31	Pass	401
2621	2625	1	RMS	2621	-29.69	-10	19.69	Pass	5
2625	2640	1	RMS	2636.813	-34.95	-13	21.95	Pass	401
2640	2645	1	RMS	2640.563	-45.88	-25	20.88	Pass	401




14.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2609.1	1.63	30	28.37	Pass	401
2620	2621	0.51	RMS	2620	-25.31	-10	15.31	Pass	401
2621	2625	1	RMS	2621	-24.44	-10	14.44	Pass	5
2625	2640	1	RMS	2625.038	-25.43	-13	12.43	Pass	401
2640	2645	1	RMS	2640.063	-36.27	-25	11.27	Pass	401




14.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2618.95	20.35	30	9.65	Pass	401
2620	2621	0.51	RMS	2620.003	-17.44	-10	7.44	Pass	401
2621	2625	1	RMS	2621	-28.61	-10	18.61	Pass	5
2625	2640	1	RMS	2636.813	-33	-13	20	Pass	401
2640	2645	1	RMS	2641.313	-45.32	-25	20.32	Pass	401



14.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2600	2620	0.1	RMS	2609.3	1.27	30	28.73	Pass	401
2620	2621	0.51	RMS	2620.008	-26.79	-10	16.79	Pass	401
2621	2625	1	RMS	2621	-25.33	-10	15.33	Pass	5
2625	2640	1	RMS	2625	-26.52	-13	13.52	Pass	401
2640	2645	1	RMS	2640.088	-35.36	-25	10.36	Pass	401



15. LTE_Band41 full


15.1 LTE Band Edge_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.9	-43.32	-25	18.32	Pass	401
2490	2495	1	RMS	2495	-30.08	-13	17.08	Pass	6
2495	2496	0.051	RMS	2496	-28.58	-13	15.58	Pass	401
2496	2501	0.1	RMS	2496.438	19.9	30	10.1	Pass	401




15.2 LTE Band Edge_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-38.72	-25	13.72	Pass	401
2490	2495	1	RMS	2495	-24.9	-13	11.9	Pass	6
2495	2496	0.051	RMS	2495.998	-32.87	-13	19.87	Pass	401
2496	2501	0.1	RMS	2497.763	6.34	30	23.66	Pass	401




15.3 LTE Band Edge_Part22-24-27(NTNV)(Subtest:3, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-44.01	-25	19.01	Pass	401
2490	2495	1	RMS	2495	-30.3	-13	17.3	Pass	6
2495	2496	0.051	RMS	2496	-29.96	-13	16.96	Pass	401
2496	2501	0.1	RMS	2496.425	18.5	30	11.5	Pass	401




15.4 LTE Band Edge_Part22-24-27(NTNV)(Subtest:4, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-39.06	-25	14.06	Pass	401
2490	2495	1	RMS	2495	-25.07	-13	12.07	Pass	6
2495	2496	0.051	RMS	2495.99	-33.92	-13	20.92	Pass	401
2496	2501	0.1	RMS	2497.775	4.99	30	25.01	Pass	401




15.5 LTE Band Edge_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.738	19.69	30	10.31	Pass	401
2690	2691	0.051	RMS	2690.003	-13.17	-10	3.17	Pass*	401
2691	2695	1	RMS	2691	-25.25	-10	15.25	Pass	5
2695	2696	1	RMS	2695.01	-40.91	-13	27.91	Pass	401
2696	2715	1	RMS	2698.803	-42.6	-25	17.6	Pass	401




15.6 LTE Band Edge_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.613	5.76	30	24.24	Pass	401
2690	2691	0.1	RMS	2690.003	-20.24	-10	10.24	Pass	401
2691	2695	1	RMS	2691	-22.25	-10	12.25	Pass	5
2695	2696	1	RMS	2695	-33.68	-13	20.68	Pass	401
2696	2715	1	RMS	2696	-38.28	-25	13.28	Pass	401




15.7 LTE Band Edge_Part22-24-27(NTNV)(Subtest:7, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2689.725	19.84	30	10.16	Pass	401
2690	2691	0.05	RMS	2690	-14	-10	4	Pass*	21
2691	2695	1	RMS	2691	-26.67	-10	16.67	Pass	5
2695	2696	1	RMS	2695.003	-41.59	-13	28.59	Pass	401
2696	2715	1	RMS	2698.375	-43.62	-25	18.62	Pass	401




15.8 LTE Band Edge_Part22-24-27(NTNV)(Subtest:8, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 25, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2685	2690	0.1	RMS	2687.563	5.28	30	24.72	Pass	401
2690	2691	0.1	RMS	2690	-21.59	-10	11.59	Pass	401
2691	2695	1	RMS	2691	-22.08	-10	12.08	Pass	5
2695	2696	1	RMS	2695	-35.09	-13	22.09	Pass	401
2696	2715	1	RMS	2696	-38.88	-25	13.88	Pass	401




15.9 LTE Band Edge_Part22-24-27(NTNV)(Subtest:9, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.863	-33.53	-25	8.53	Pass	401
2490	2495	1	RMS	2495	-34.42	-13	21.42	Pass	6
2495	2496	0.1	RMS	2495.993	-32	-13	19	Pass	401
2496	2506	0.1	RMS	2496.675	20.2	30	9.8	Pass	401




15.10 LTE Band Edge_Part22-24-27(NTNV)(Subtest:10, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-30.93	-25	5.93	Pass*	401
2490	2495	1	RMS	2495	-26.9	-13	13.9	Pass	6
2495	2496	0.1	RMS	2495.993	-33.72	-13	20.72	Pass	401
2496	2506	0.1	RMS	2500.3	2.92	30	27.08	Pass	401




15.11 LTE Band Edge_Part22-24-27(NTNV)(Subtest:11, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2487.825	-36.16	-25	11.16	Pass	401
2490	2495	1	RMS	2495	-32.43	-13	19.43	Pass	6
2495	2496	0.1	RMS	2495.998	-32.81	-13	19.81	Pass	401
2496	2506	0.1	RMS	2496.65	19.4	30	10.6	Pass	401




15.12 LTE Band Edge_Part22-24-27(NTNV)(Subtest:12, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.925	-31.62	-25	6.62	Pass	401
2490	2495	1	RMS	2495	-27.2	-13	14.2	Pass	6
2495	2496	0.1	RMS	2495.998	-34.81	-13	21.81	Pass	401
2496	2506	0.1	RMS	2501.075	2.65	30	27.35	Pass	401




15.13 LTE Band Edge_Part22-24-27(NTNV)(Subtest:13, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.5	20.82	30	9.18	Pass	401
2690	2691	0.2	RMS	2690.008	-17.05	-10	7.05	Pass	401
2691	2695	1	RMS	2691	-31.56	-10	21.56	Pass	5
2695	2700	1	RMS	2698.275	-36.67	-13	23.67	Pass	401
2700	2715	1	RMS	2707.275	-42.88	-25	17.88	Pass	401




15.14 LTE Band Edge_Part22-24-27(NTNV)(Subtest:14, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2683.925	3.06	30	26.94	Pass	401
2690	2691	0.2	RMS	2690.003	-26.49	-10	16.49	Pass	401
2691	2695	1	RMS	2691	-23.88	-10	13.88	Pass	5
2695	2700	1	RMS	2695.038	-27.52	-13	14.52	Pass	401
2700	2715	1	RMS	2700.075	-37.38	-25	12.38	Pass	401




15.15 LTE Band Edge_Part22-24-27(NTNV)(Subtest:15, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2689.525	19.71	30	10.29	Pass	401
2690	2691	0.2	RMS	2690	-18.4	-10	8.4	Pass	401
2691	2695	1	RMS	2691	-32.19	-10	22.19	Pass	5
2695	2700	1	RMS	2698.338	-35.82	-13	22.82	Pass	401
2700	2715	1	RMS	2707.088	-45.04	-25	20.04	Pass	401




15.16 LTE Band Edge_Part22-24-27(NTNV)(Subtest:16, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 50, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2680	2690	0.1	RMS	2684.375	2.18	30	27.82	Pass	401
2690	2691	0.2	RMS	2690.003	-26.41	-10	16.41	Pass	401
2691	2695	1	RMS	2691	-24.23	-10	14.23	Pass	5
2695	2700	1	RMS	2695.025	-28.03	-13	15.03	Pass	401
2700	2715	1	RMS	2700.038	-38.84	-25	13.84	Pass	401




15.17 LTE Band Edge_Part22-24-27(NTNV)(Subtest:17, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.663	-35.92	-25	10.92	Pass	401
2490	2495	1	RMS	2495	-30.75	-13	17.75	Pass	6
2495	2496	0.15	RMS	2495.993	-29.54	-13	16.54	Pass	401
2496	2511	0.1	RMS	2496.938	20.54	30	9.46	Pass	401




15.18 LTE Band Edge_Part22-24-27(NTNV)(Subtest:18, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-31.31	-25	6.31	Pass	401
2490	2495	1	RMS	2495	-27.85	-13	14.85	Pass	6
2495	2496	0.15	RMS	2495.953	-34.48	-13	21.48	Pass	401
2496	2511	0.1	RMS	2502.45	1.56	30	28.44	Pass	401




15.19 LTE Band Edge_Part22-24-27(NTNV)(Subtest:19, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2483.663	-38.1	-25	13.1	Pass	401
2490	2495	1	RMS	2495	-30.12	-13	17.12	Pass	6
2495	2496	0.15	RMS	2495.998	-29.9	-13	16.9	Pass	401
2496	2511	0.1	RMS	2496.938	19.21	30	10.79	Pass	401




15.20 LTE Band Edge_Part22-24-27(NTNV)(Subtest:20, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2490	-30.95	-25	5.95	Pass*	401
2490	2495	1	RMS	2495	-27.86	-13	14.86	Pass	6
2495	2496	0.15	RMS	2495.983	-34.23	-13	21.23	Pass	401
2496	2511	0.1	RMS	2501.063	0.33	30	29.67	Pass	401




15.21 LTE Band Edge_Part22-24-27(NTNV)(Subtest:21, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.25	20.38	30	9.62	Pass	401
2690	2691	0.3	RMS	2690.005	-19.5	-10	9.5	Pass	401
2691	2695	1	RMS	2691	-29.23	-10	19.23	Pass	5
2695	2705	1	RMS	2702.525	-36.24	-13	23.24	Pass	401
2705	2715	1	RMS	2705.075	-44.94	-25	19.94	Pass	401




15.22 LTE Band Edge_Part22-24-27(NTNV)(Subtest:22, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2682.013	1.85	30	28.15	Pass	401
2690	2691	0.3	RMS	2690.008	-28.11	-10	18.11	Pass	401
2691	2695	1	RMS	2691	-24.84	-10	14.84	Pass	5
2695	2705	1	RMS	2696.175	-27.92	-13	14.92	Pass	401
2705	2715	1	RMS	2705.075	-38.32	-25	13.32	Pass	401




15.23 LTE Band Edge_Part22-24-27(NTNV)(Subtest:23, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2689.288	19.17	30	10.83	Pass	401
2690	2691	0.3	RMS	2690	-19.99	-10	9.99	Pass	401
2691	2695	1	RMS	2691	-31.96	-10	21.96	Pass	5
2695	2705	1	RMS	2702.55	-38.45	-13	25.45	Pass	401
2705	2715	1	RMS	2714.95	-44.99	-25	19.99	Pass	401




15.24 LTE Band Edge_Part22-24-27(NTNV)(Subtest:24, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 75, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2675	2690	0.1	RMS	2680.513	0.89	30	29.11	Pass	401
2690	2691	0.3	RMS	2690.008	-28.36	-10	18.36	Pass	401
2691	2695	1	RMS	2691	-25.04	-10	15.04	Pass	5
2695	2705	1	RMS	2695.025	-27.28	-13	14.28	Pass	401
2705	2715	1	RMS	2705.075	-38.65	-25	13.65	Pass	401




15.25 LTE Band Edge_Part22-24-27(NTNV)(Subtest:25, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2479.313	-39.72	-25	14.72	Pass	401
2490	2495	1	RMS	2495	-32.29	-13	19.29	Pass	6
2495	2496	0.2	RMS	2495.998	-31.57	-13	18.57	Pass	401
2496	2516	0.1	RMS	2497.15	19.82	30	10.18	Pass	401




15.26 LTE Band Edge_Part22-24-27(NTNV)(Subtest:26, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.85	-32.57	-25	7.57	Pass	401
2490	2495	1	RMS	2495	-28.59	-13	15.59	Pass	6
2495	2496	0.2	RMS	2495.948	-33.35	-13	20.35	Pass	401
2496	2516	0.1	RMS	2505	0.82	30	29.18	Pass	401




15.27 LTE Band Edge_Part22-24-27(NTNV)(Subtest:27, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2479.275	-39.1	-25	14.1	Pass	401
2490	2495	1	RMS	2495	-31.16	-13	18.16	Pass	6
2495	2496	0.2	RMS	2495.995	-30.13	-13	17.13	Pass	401
2496	2516	0.1	RMS	2497.15	19.58	30	10.42	Pass	401




15.28 LTE Band Edge_Part22-24-27(NTNV)(Subtest:28, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2475	2490	1	RMS	2489.963	-31.68	-25	6.68	Pass	401
2490	2495	1	RMS	2495	-29.18	-13	16.18	Pass	6
2495	2496	0.2	RMS	2496	-33.82	-13	20.82	Pass	401
2496	2516	0.1	RMS	2506.1	-0.06	30	30.06	Pass	401




15.29 LTE Band Edge_Part22-24-27(NTNV)(Subtest:29, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2689.05	19.81	30	10.19	Pass	401
2690	2691	0.5	RMS	2690	-22.8	-10	12.8	Pass	3
2691	2695	1	RMS	2691.01	-29.52	-10	19.52	Pass	401
2695	2710	1	RMS	2706.775	-38.29	-13	25.29	Pass	401
2710	2715	1	RMS	2710.15	-46.27	-25	21.27	Pass	401




15.30 LTE Band Edge_Part22-24-27(NTNV)(Subtest:30, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2676.3	0.61	30	29.39	Pass	401
2690	2691	0.51	RMS	2690	-26.77	-10	16.77	Pass	401
2691	2695	1	RMS	2691	-25.84	-10	15.84	Pass	5
2695	2710	1	RMS	2695	-28.73	-13	15.73	Pass	401
2710	2715	1	RMS	2710.075	-40.23	-25	15.23	Pass	401



**15.31 LTE Band Edge_Part22-24-27(NTNV)(Subtest:31, Channel:41490,
Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2689.05	18.7	30	11.3	Pass	401
2690	2691	0.51	RMS	2690.008	-19.16	-10	9.16	Pass	401
2691	2695	1	RMS	2691	-31.31	-10	21.31	Pass	5
2695	2710	1	RMS	2695.038	-40.13	-13	27.13	Pass	401
2710	2715	1	RMS	2710.175	-46.23	-25	21.23	Pass	401



15.32 LTE Band Edge_Part22-24-27(NTNV)(Subtest:32, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:HIGH)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
2670	2690	0.1	RMS	2678.4	-0.81	30	30.81	Pass	401
2690	2691	0.51	RMS	2690	-27.2	-10	17.2	Pass	401
2691	2695	1	RMS	2691	-26.37	-10	16.37	Pass	5
2695	2710	1	RMS	2695.038	-28.03	-13	15.03	Pass	401
2710	2715	1	RMS	2710.025	-41.41	-25	16.41	Pass	401

