



Appendix K: Test Data for E-UTRA Band 7

Product Name: Handheld Data Terminal

Test Model: HT330

Environmental Conditions

Temperature:	23.6° C
Relative Humidity:	52.3%
ATM Pressure:	100.0 kPa
Test Engineer:	Ling Zhu
Supervised by:	Li huan





K.1 Conducted Output Power Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	21.75	PASS
Band7	5MHz	QPSK	20775	1RB#12	22.04	PASS
Band7	5MHz	QPSK	20775	1RB#24	21.86	PASS
Band7	5MHz	QPSK	20775	12RB#0	20.73	PASS
Band7	5MHz	QPSK	20775	12RB#6	20.71	PASS
Band7	5MHz	QPSK	20775	12RB#13	20.82	PASS
Band7	5MHz	QPSK	20775	25RB#0	20.79	PASS
Band7	5MHz	QPSK	21100	1RB#0	21.86	PASS
Band7	5MHz	QPSK	21100	1RB#12	21.92	PASS
Band7	5MHz	QPSK	21100	1RB#24	21.77	PASS
Band7	5MHz	QPSK	21100	12RB#0	20.80	PASS
Band7	5MHz	QPSK	21100	12RB#6	20.79	PASS
Band7	5MHz	QPSK	21100	12RB#13	20.83	PASS
Band7	5MHz	QPSK	21100	25RB#0	20.82	PASS
Band7	5MHz	QPSK	21425	1RB#0	22.16	PASS
Band7	5MHz	QPSK	21425	1RB#12	22.36	PASS
Band7	5MHz	QPSK	21425	1RB#24	22.20	PASS
Band7	5MHz	QPSK	21425	12RB#0	21.30	PASS
Band7	5MHz	QPSK	21425	12RB#6	21.28	PASS
Band7	5MHz	QPSK	21425	12RB#13	21.29	PASS
Band7	5MHz	QPSK	21425	25RB#0	21.29	PASS
Band7	5MHz	16QAM	20775	1RB#0	20.61	PASS
Band7	5MHz	16QAM	20775	1RB#12	20.84	PASS
Band7	5MHz	16QAM	20775	1RB#24	20.73	PASS
Band7	5MHz	16QAM	20775	12RB#0	19.70	PASS
Band7	5MHz	16QAM	20775	12RB#6	19.69	PASS
Band7	5MHz	16QAM	20775	12RB#13	19.85	PASS
Band7	5MHz	16QAM	20775	25RB#0	19.78	PASS
Band7	5MHz	16QAM	21100	1RB#0	20.66	PASS
Band7	5MHz	16QAM	21100	1RB#12	20.82	PASS





Band7	5MHz	16QAM	21100	1RB#24	20.60	PASS
Band7	5MHz	16QAM	21100	12RB#0	19.78	PASS
Band7	5MHz	16QAM	21100	12RB#6	19.75	PASS
Band7	5MHz	16QAM	21100	12RB#13	19.77	PASS
Band7	5MHz	16QAM	21100	25RB#0	19.88	PASS
Band7	5MHz	16QAM	21425	1RB#0	21.21	PASS
Band7	5MHz	16QAM	21425	1RB#12	21.38	PASS
Band7	5MHz	16QAM	21425	1RB#24	21.17	PASS
Band7	5MHz	16QAM	21425	12RB#0	20.37	PASS
Band7	5MHz	16QAM	21425	12RB#6	20.31	PASS
Band7	5MHz	16QAM	21425	12RB#13	20.31	PASS
Band7	5MHz	16QAM	21425	25RB#0	20.32	PASS
Band7	10MHz	QPSK	20800	1RB#0	21.81	PASS
Band7	10MHz	QPSK	20800	1RB#24	22.09	PASS
Band7	10MHz	QPSK	20800	1RB#49	21.96	PASS
Band7	10MHz	QPSK	20800	25RB#0	20.79	PASS
Band7	10MHz	QPSK	20800	25RB#12	20.81	PASS
Band7	10MHz	QPSK	20800	25RB#25	20.95	PASS
Band7	10MHz	QPSK	20800	50RB#0	20.83	PASS
Band7	10MHz	QPSK	21100	1RB#0	21.90	PASS
Band7	10MHz	QPSK	21100	1RB#24	21.98	PASS
Band7	10MHz	QPSK	21100	1RB#49	21.88	PASS
Band7	10MHz	QPSK	21100	25RB#0	20.89	PASS
Band7	10MHz	QPSK	21100	25RB#12	20.87	PASS
Band7	10MHz	QPSK	21100	25RB#25	20.89	PASS
Band7	10MHz	QPSK	21100	50RB#0	20.87	PASS
Band7	10MHz	QPSK	21400	1RB#0	22.28	PASS
Band7	10MHz	QPSK	21400	1RB#24	22.56	PASS
Band7	10MHz	QPSK	21400	1RB#49	22.36	PASS
Band7	10MHz	QPSK	21400	25RB#0	21.34	PASS
Band7	10MHz	QPSK	21400	25RB#12	21.34	PASS
Band7	10MHz	QPSK	21400	25RB#25	21.35	PASS
Band7	10MHz	QPSK	21400	50RB#0	21.31	PASS
Band7	10MHz	16QAM	20800	1RB#0	20.75	PASS
Band7	10MHz	16QAM	20800	1RB#24	21.11	PASS





Band7	10MHz	16QAM	20800	1RB#49	20.89	PASS
Band7	10MHz	16QAM	20800	25RB#0	19.81	PASS
Band7	10MHz	16QAM	20800	25RB#12	19.80	PASS
Band7	10MHz	16QAM	20800	25RB#25	19.90	PASS
Band7	10MHz	16QAM	20800	50RB#0	19.89	PASS
Band7	10MHz	16QAM	21100	1RB#0	20.92	PASS
Band7	10MHz	16QAM	21100	1RB#24	20.94	PASS
Band7	10MHz	16QAM	21100	1RB#49	20.80	PASS
Band7	10MHz	16QAM	21100	25RB#0	19.85	PASS
Band7	10MHz	16QAM	21100	25RB#12	19.89	PASS
Band7	10MHz	16QAM	21100	25RB#25	19.90	PASS
Band7	10MHz	16QAM	21100	50RB#0	19.85	PASS
Band7	10MHz	16QAM	21400	1RB#0	21.10	PASS
Band7	10MHz	16QAM	21400	1RB#24	21.16	PASS
Band7	10MHz	16QAM	21400	1RB#49	21.02	PASS
Band7	10MHz	16QAM	21400	25RB#0	20.38	PASS
Band7	10MHz	16QAM	21400	25RB#12	20.38	PASS
Band7	10MHz	16QAM	21400	25RB#25	20.42	PASS
Band7	10MHz	16QAM	21400	50RB#0	20.40	PASS
Band7	15MHz	QPSK	20825	1RB#0	21.74	PASS
Band7	15MHz	QPSK	20825	1RB#38	22.00	PASS
Band7	15MHz	QPSK	20825	1RB#74	21.95	PASS
Band7	15MHz	QPSK	20825	38RB#0	20.67	PASS
Band7	15MHz	QPSK	20825	38RB#18	20.99	PASS
Band7	15MHz	QPSK	20825	38RB#37	20.91	PASS
Band7	15MHz	QPSK	20825	75RB#0	20.98	PASS
Band7	15MHz	QPSK	21100	1RB#0	21.87	PASS
Band7	15MHz	QPSK	21100	1RB#38	21.85	PASS
Band7	15MHz	QPSK	21100	1RB#74	21.78	PASS
Band7	15MHz	QPSK	21100	38RB#0	20.90	PASS
Band7	15MHz	QPSK	21100	38RB#18	20.89	PASS
Band7	15MHz	QPSK	21100	38RB#37	20.58	PASS
Band7	15MHz	QPSK	21100	75RB#0	20.97	PASS
Band7	15MHz	QPSK	21375	1RB#0	22.04	PASS
Band7	15MHz	QPSK	21375	1RB#38	22.32	PASS





Band7	15MHz	QPSK	21375	1RB#74	22.13	PASS
Band7	15MHz	QPSK	21375	38RB#0	21.01	PASS
Band7	15MHz	QPSK	21375	38RB#18	21.04	PASS
Band7	15MHz	QPSK	21375	38RB#37	21.12	PASS
Band7	15MHz	QPSK	21375	75RB#0	21.35	PASS
Band7	15MHz	16QAM	20825	1RB#0	20.67	PASS
Band7	15MHz	16QAM	20825	1RB#38	20.93	PASS
Band7	15MHz	16QAM	20825	1RB#74	20.87	PASS
Band7	15MHz	16QAM	20825	38RB#0	20.74	PASS
Band7	15MHz	16QAM	20825	38RB#18	20.93	PASS
Band7	15MHz	16QAM	20825	38RB#37	20.88	PASS
Band7	15MHz	16QAM	20825	75RB#0	19.91	PASS
Band7	15MHz	16QAM	21100	1RB#0	20.98	PASS
Band7	15MHz	16QAM	21100	1RB#38	20.81	PASS
Band7	15MHz	16QAM	21100	1RB#74	20.68	PASS
Band7	15MHz	16QAM	21100	38RB#0	20.93	PASS
Band7	15MHz	16QAM	21100	38RB#18	20.82	PASS
Band7	15MHz	16QAM	21100	38RB#37	20.70	PASS
Band7	15MHz	16QAM	21100	75RB#0	19.89	PASS
Band7	15MHz	16QAM	21375	1RB#0	21.04	PASS
Band7	15MHz	16QAM	21375	1RB#38	21.29	PASS
Band7	15MHz	16QAM	21375	1RB#74	21.13	PASS
Band7	15MHz	16QAM	21375	38RB#0	20.80	PASS
Band7	15MHz	16QAM	21375	38RB#18	21.30	PASS
Band7	15MHz	16QAM	21375	38RB#37	21.07	PASS
Band7	15MHz	16QAM	21375	75RB#0	20.24	PASS
Band7	20MHz	QPSK	20850	1RB#0	21.62	PASS
Band7	20MHz	QPSK	20850	1RB#49	22.12	PASS
Band7	20MHz	QPSK	20850	1RB#99	21.76	PASS
Band7	20MHz	QPSK	20850	50RB#0	20.88	PASS
Band7	20MHz	QPSK	20850	50RB#25	20.88	PASS
Band7	20MHz	QPSK	20850	50RB#50	20.93	PASS
Band7	20MHz	QPSK	20850	100RB#0	20.88	PASS
Band7	20MHz	QPSK	21100	1RB#0	21.85	PASS
Band7	20MHz	QPSK	21100	1RB#49	22.12	PASS





Band7	20MHz	QPSK	21100	1RB#99	21.73	PASS
Band7	20MHz	QPSK	21100	50RB#0	20.86	PASS
Band7	20MHz	QPSK	21100	50RB#25	20.85	PASS
Band7	20MHz	QPSK	21100	50RB#50	20.87	PASS
Band7	20MHz	QPSK	21100	100RB#0	20.90	PASS
Band7	20MHz	QPSK	21350	1RB#0	21.90	PASS
Band7	20MHz	QPSK	21350	1RB#49	22.48	PASS
Band7	20MHz	QPSK	21350	1RB#99	22.05	PASS
Band7	20MHz	QPSK	21350	50RB#0	21.18	PASS
Band7	20MHz	QPSK	21350	50RB#25	21.21	PASS
Band7	20MHz	QPSK	21350	50RB#50	21.29	PASS
Band7	20MHz	QPSK	21350	100RB#0	21.29	PASS
Band7	20MHz	16QAM	20850	1RB#0	20.67	PASS
Band7	20MHz	16QAM	20850	1RB#49	21.20	PASS
Band7	20MHz	16QAM	20850	1RB#99	20.90	PASS
Band7	20MHz	16QAM	20850	50RB#0	19.94	PASS
Band7	20MHz	16QAM	20850	50RB#25	19.88	PASS
Band7	20MHz	16QAM	20850	50RB#50	20.06	PASS
Band7	20MHz	16QAM	20850	100RB#0	19.88	PASS
Band7	20MHz	16QAM	21100	1RB#0	20.95	PASS
Band7	20MHz	16QAM	21100	1RB#49	21.07	PASS
Band7	20MHz	16QAM	21100	1RB#99	20.66	PASS
Band7	20MHz	16QAM	21100	50RB#0	19.91	PASS
Band7	20MHz	16QAM	21100	50RB#25	19.91	PASS
Band7	20MHz	16QAM	21100	50RB#50	19.96	PASS
Band7	20MHz	16QAM	21100	100RB#0	19.90	PASS
Band7	20MHz	16QAM	21350	1RB#0	20.69	PASS
Band7	20MHz	16QAM	21350	1RB#49	21.29	PASS
Band7	20MHz	16QAM	21350	1RB#99	20.86	PASS
Band7	20MHz	16QAM	21350	50RB#0	20.23	PASS
Band7	20MHz	16QAM	21350	50RB#25	20.26	PASS
Band7	20MHz	16QAM	21350	50RB#50	20.39	PASS
Band7	20MHz	16QAM	21350	100RB#0	20.29	PASS





K.2 Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.57	13	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.82	13	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.94	13	PASS
Band7	5MHz	16QAM	20775	25RB#0	5.39	13	PASS
Band7	5MHz	16QAM	21100	25RB#0	5.60	13	PASS
Band7	5MHz	16QAM	21425	25RB#0	5.78	13	PASS
Band7	10MHz	QPSK	20800	50RB#0	4.62	13	PASS
Band7	10MHz	QPSK	21100	50RB#0	4.80	13	PASS
Band7	10MHz	QPSK	21400	50RB#0	5.08	13	PASS
Band7	10MHz	16QAM	20800	50RB#0	5.45	13	PASS
Band7	10MHz	16QAM	21100	50RB#0	5.65	13	PASS
Band7	10MHz	16QAM	21400	50RB#0	5.89	13	PASS
Band7	15MHz	QPSK	20825	75RB#0	5.06	13	PASS
Band7	15MHz	QPSK	21100	75RB#0	5.18	13	PASS
Band7	15MHz	QPSK	21375	75RB#0	5.46	13	PASS
Band7	15MHz	16QAM	20825	75RB#0	5.73	13	PASS
Band7	15MHz	16QAM	21100	75RB#0	5.83	13	PASS
Band7	15MHz	16QAM	21375	75RB#0	6.07	13	PASS
Band7	20MHz	QPSK	20850	100RB#0	5.16	13	PASS
Band7	20MHz	QPSK	21100	100RB#0	5.17	13	PASS
Band7	20MHz	QPSK	21350	100RB#0	5.29	13	PASS
Band7	20MHz	16QAM	20850	100RB#0	5.91	13	PASS
Band7	20MHz	16QAM	21100	100RB#0	5.91	13	PASS
Band7	20MHz	16QAM	21350	100RB#0	6.06	13	PASS






Test Graphs

Band7-5MHz-QPSK-20775-25RB#0




Band7-5MHz-QPSK-21100-25RB#0




Band7-5MHz-QPSK-21425-25RB#0






Band7-5MHz-16QAM-20775-25RB#0




Band7-5MHz-16QAM-21100-25RB#0




Band7-5MHz-16QAM-21425-25RB#0






Band7-10MHz-QPSK-20800-50RB#0




Band7-10MHz-QPSK-21100-50RB#0




Band7-10MHz-QPSK-21400-50RB#0






Band7-10MHz-16QAM-20800-50RB#0




Band7-10MHz-16QAM-21100-50RB#0




Band7-10MHz-16QAM-21400-50RB#0






Band7-15MHz-QPSK-20825-75RB#0




Band7-15MHz-QPSK-21100-75RB#0




Band7-15MHz-QPSK-21375-75RB#0






Band7-15MHz-16QAM-20825-75RB#0




Band7-15MHz-16QAM-21100-75RB#0




Band7-15MHz-16QAM-21375-75RB#0






Band7-20MHz-QPSK-20850-100RB#0




Band7-20MHz-QPSK-21100-100RB#0




Band7-20MHz-QPSK-21350-100RB#0






Band7-20MHz-16QAM-20850-100RB#0




Band7-20MHz-16QAM-21100-100RB#0



Band7-20MHz-16QAM-21350-100RB#0







K.3 26dB Bandwidth and Occupied Bandwidth

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	4.4992	4.908	PASS
Band7	5MHz	QPSK	21100	25RB#0	4.4882	4.923	PASS
Band7	5MHz	QPSK	21425	25RB#0	4.4993	4.912	PASS
Band7	5MHz	16QAM	20775	25RB#0	4.4899	4.892	PASS
Band7	5MHz	16QAM	21100	25RB#0	4.4943	4.961	PASS
Band7	5MHz	16QAM	21425	25RB#0	4.5077	4.959	PASS
Band7	10MHz	QPSK	20800	50RB#0	8.9736	9.839	PASS
Band7	10MHz	QPSK	21100	50RB#0	8.9942	9.750	PASS
Band7	10MHz	QPSK	21400	50RB#0	8.9670	9.805	PASS
Band7	10MHz	16QAM	20800	50RB#0	8.9495	9.726	PASS
Band7	10MHz	16QAM	21100	50RB#0	8.9907	9.742	PASS
Band7	10MHz	16QAM	21400	50RB#0	8.9900	9.705	PASS
Band7	15MHz	QPSK	20825	75RB#0	13.477	14.65	PASS
Band7	15MHz	QPSK	21100	75RB#0	13.450	14.63	PASS
Band7	15MHz	QPSK	21375	75RB#0	13.467	14.64	PASS
Band7	15MHz	16QAM	20825	75RB#0	13.467	14.60	PASS
Band7	15MHz	16QAM	21100	75RB#0	13.481	14.65	PASS
Band7	15MHz	16QAM	21375	75RB#0	13.472	14.61	PASS
Band7	20MHz	QPSK	20850	100RB#0	17.946	19.48	PASS
Band7	20MHz	QPSK	21100	100RB#0	17.951	19.35	PASS
Band7	20MHz	QPSK	21350	100RB#0	17.967	19.40	PASS
Band7	20MHz	16QAM	20850	100RB#0	17.981	19.38	PASS
Band7	20MHz	16QAM	21100	100RB#0	17.956	19.42	PASS
Band7	20MHz	16QAM	21350	100RB#0	18.021	19.51	PASS






Test Graphs

Band7-5MHz-QPSK-20775-25RB#0



Band7-5MHz-QPSK-21100-25RB#0



Band7-5MHz-QPSK-21425-25RB#0




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Band7-5MHz-16QAM-20775-25RB#0




Band7-5MHz-16QAM-21100-25RB#0




Band7-5MHz-16QAM-21425-25RB#0






Band7-10MHz-QPSK-20800-50RB#0




Band7-10MHz-QPSK-21100-50RB#0




Band7-10MHz-QPSK-21400-50RB#0






Band7-10MHz-16QAM-20800-50RB#0




Band7-10MHz-16QAM-21100-50RB#0




Band7-10MHz-16QAM-21400-50RB#0






Band7-15MHz-QPSK-20825-75RB#0




Band7-15MHz-QPSK-21100-75RB#0




Band7-15MHz-QPSK-21375-75RB#0






Band7-15MHz-16QAM-20825-75RB#0




Band7-15MHz-16QAM-21100-75RB#0




Band7-15MHz-16QAM-21375-75RB#0






Band7-20MHz-QPSK-20850-100RB#0




Band7-20MHz-QPSK-21100-100RB#0




Band7-20MHz-QPSK-21350-100RB#0






Band7-20MHz-16QAM-20850-100RB#0




Band7-20MHz-16QAM-21100-100RB#0



Band7-20MHz-16QAM-21350-100RB#0









K.4 Band Edge

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band7	5MHz	QPSK	20775	25RB#0	-44.29,-35.19,-31.45,-27.50	PASS
Band7	5MHz	QPSK	21425	25RB#0	-27.16,-30.95,-39.82,-40.79	PASS
Band7	5MHz	16QAM	20775	25RB#0	-45.24,-38.72,-32.87,-28.21	PASS
Band7	5MHz	16QAM	21425	25RB#0	-28.19,-31.61,-39.23,-41.63	PASS
Band7	10MHz	QPSK	20800	50RB#0	-45.47,-34.37,-30.41,-28.03	PASS
Band7	10MHz	QPSK	21400	50RB#0	-29.83,-31.42,-31.12,-40.19	PASS
Band7	10MHz	16QAM	20800	50RB#0	-44.44,-36.11,-31.80,-29.83	PASS
Band7	10MHz	16QAM	21400	50RB#0	-29.80,-31.36,-33.21,-39.07	PASS
Band7	15MHz	QPSK	20825	75RB#0	-37.54,-31.38,-28.45,-27.56	PASS
Band7	15MHz	QPSK	21375	75RB#0	-28.72,-28.56,-30.93,-38.46	PASS
Band7	15MHz	16QAM	20825	75RB#0	-40.05,-33.79,-30.92,-30.08	PASS
Band7	15MHz	16QAM	21375	75RB#0	-29.65,-29.05,-31.95,-38.19	PASS
Band7	20MHz	QPSK	20850	100RB#0	-36.88,-33.52,-30.85,-29.21	PASS
Band7	20MHz	QPSK	21350	100RB#0	-28.97,-30.25,-31.63,-41.57	PASS
Band7	20MHz	16QAM	20850	100RB#0	-38.91,-34.67,-31.97,-30.57	PASS
Band7	20MHz	16QAM	21350	100RB#0	-28.70,-29.81,-31.17,-40.68	PASS

Test Graphs






Band7-5MHz-16QAM-20775-25RB#0




Band7-5MHz-16QAM-21425-25RB#0




Band7-10MHz-QPSK-20800-50RB#0






Band7-10MHz-QPSK-21400-50RB#0




Band7-10MHz-16QAM-20800-50RB#0




Band7-10MHz-16QAM-21400-50RB#0






Band7-15MHz-QPSK-20825-75RB#0




Band7-15MHz-QPSK-21375-75RB#0




Band7-15MHz-16QAM-20825-75RB#0






Band7-15MHz-16QAM-21375-75RB#0




Band7-20MHz-QPSK-20850-100RB#0




Band7-20MHz-QPSK-21350-100RB#0






Band7-20MHz-16QAM-20850-100RB#0



Band7-20MHz-16QAM-21350-100RB#0





K.5 Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band7	5MHz	QPSK	20775	1RB#0	Range1:0.009~0.15MHz	-66.98	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range2:0.15~30MHz	-51.52	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range3:30~1000MHz	-41.58	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range4:1000~10000MHz	-44.98	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range5:10000~20000MHz	-49.21	PASS
Band7	5MHz	QPSK	20775	1RB#0	Range6:20000~26500MHz	-36.98	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range1:0.009~0.15MHz	-63.98	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range2:0.15~30MHz	-51.86	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range3:30~1000MHz	-42.01	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range4:1000~10000MHz	-44.85	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range5:10000~20000MHz	-49.19	PASS
Band7	5MHz	QPSK	21100	1RB#0	Range6:20000~26500MHz	-36.98	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range1:0.009~0.15MHz	-66.34	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range2:0.15~30MHz	-50.49	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range3:30~1000MHz	-41.02	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range4:1000~10000MHz	-45.16	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range5:10000~20000MHz	-49.21	PASS
Band7	5MHz	QPSK	21425	1RB#0	Range6:20000~26500MHz	-37.14	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range1:0.009~0.15MHz	-66.25	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range2:0.15~30MHz	-51.65	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range3:30~1000MHz	-41.34	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range4:1000~10000MHz	-45.05	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range5:10000~20000MHz	-49.26	PASS
Band7	5MHz	16QAM	20775	1RB#0	Range6:20000~26500MHz	-37.11	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range1:0.009~0.15MHz	-66.19	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range2:0.15~30MHz	-49.4	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range3:30~1000MHz	-39.91	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range4:1000~10000MHz	-45.07	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range5:10000~20000MHz	-49.27	PASS
Band7	5MHz	16QAM	21100	1RB#0	Range6:20000~26500MHz	-37.12	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range1:0.009~0.15MHz	-66.26	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range2:0.15~30MHz	-52.31	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range3:30~1000MHz	-41.25	PASS





Band7	5MHz	16QAM	21425	1RB#0	Range4:1000~10000MHz	-45.02	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range5:10000~20000MHz	-49.37	PASS
Band7	5MHz	16QAM	21425	1RB#0	Range6:20000~26500MHz	-37.23	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range1:0.009~0.15MHz	-66.28	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range2:0.15~30MHz	-51.31	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range3:30~1000MHz	-42.57	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range4:1000~10000MHz	-45.03	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range5:10000~20000MHz	-49.28	PASS
Band7	10MHz	QPSK	20800	1RB#0	Range6:20000~26500MHz	-37.11	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range1:0.009~0.15MHz	-66.49	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range2:0.15~30MHz	-51.87	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range3:30~1000MHz	-42.02	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range4:1000~10000MHz	-45.07	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range5:10000~20000MHz	-49.01	PASS
Band7	10MHz	QPSK	21100	1RB#0	Range6:20000~26500MHz	-36.99	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range1:0.009~0.15MHz	-64.73	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range2:0.15~30MHz	-50.75	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range3:30~1000MHz	-42.39	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range4:1000~10000MHz	-44.95	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range5:10000~20000MHz	-49.07	PASS
Band7	10MHz	QPSK	21400	1RB#0	Range6:20000~26500MHz	-37.05	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range1:0.009~0.15MHz	-65.69	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range2:0.15~30MHz	-50.69	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range3:30~1000MHz	-41.67	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range4:1000~10000MHz	-44.96	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range5:10000~20000MHz	-49.32	PASS
Band7	10MHz	16QAM	20800	1RB#0	Range6:20000~26500MHz	-37.16	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range1:0.009~0.15MHz	-65.2	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range2:0.15~30MHz	-50.05	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range3:30~1000MHz	-40.88	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range4:1000~10000MHz	-44.95	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range5:10000~20000MHz	-49.24	PASS
Band7	10MHz	16QAM	21100	1RB#0	Range6:20000~26500MHz	-37.18	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range1:0.009~0.15MHz	-64.71	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range2:0.15~30MHz	-50.94	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range3:30~1000MHz	-41.06	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range4:1000~10000MHz	-44.93	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range5:10000~20000MHz	-49.21	PASS
Band7	10MHz	16QAM	21400	1RB#0	Range6:20000~26500MHz	-37.03	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range1:0.009~0.15MHz	-65.9	PASS





Band7	15MHz	QPSK	20825	1RB#0	Range2:0.15~30MHz	-51.22	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range3:30~1000MHz	-41.1	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range4:1000~10000MHz	-44.91	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range5:10000~20000MHz	-49.17	PASS
Band7	15MHz	QPSK	20825	1RB#0	Range6:20000~26500MHz	-37.02	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range1:0.009~0.15MHz	-65.01	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range2:0.15~30MHz	-50.87	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range3:30~1000MHz	-42.31	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range4:1000~10000MHz	-45.09	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range5:10000~20000MHz	-49.17	PASS
Band7	15MHz	QPSK	21100	1RB#0	Range6:20000~26500MHz	-37.16	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range1:0.009~0.15MHz	-64.96	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range2:0.15~30MHz	-49.73	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range3:30~1000MHz	-41.77	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range4:1000~10000MHz	-45.05	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range5:10000~20000MHz	-49.23	PASS
Band7	15MHz	QPSK	21375	1RB#0	Range6:20000~26500MHz	-37.06	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range1:0.009~0.15MHz	-65.28	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range2:0.15~30MHz	-49.2	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range3:30~1000MHz	-42.07	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range4:1000~10000MHz	-45.01	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range5:10000~20000MHz	-49.21	PASS
Band7	15MHz	16QAM	20825	1RB#0	Range6:20000~26500MHz	-37.17	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range1:0.009~0.15MHz	-65.66	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range2:0.15~30MHz	-51.45	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range3:30~1000MHz	-41.39	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range4:1000~10000MHz	-45.1	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range5:10000~20000MHz	-49.21	PASS
Band7	15MHz	16QAM	21100	1RB#0	Range6:20000~26500MHz	-37.08	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range1:0.009~0.15MHz	-65.96	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range2:0.15~30MHz	-49.91	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range3:30~1000MHz	-42.53	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range4:1000~10000MHz	-45	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range5:10000~20000MHz	-49.09	PASS
Band7	15MHz	16QAM	21375	1RB#0	Range6:20000~26500MHz	-36.86	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range1:0.009~0.15MHz	-63.02	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range2:0.15~30MHz	-52.86	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range3:30~1000MHz	-42.24	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range4:1000~10000MHz	-45	PASS
Band7	20MHz	QPSK	20850	1RB#0	Range5:10000~20000MHz	-49.08	PASS






Band7	20MHz	QPSK	20850	1RB#0	Range6:20000~26500MHz	-37.09	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range1:0.009~0.15MHz	-65.25	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range2:0.15~30MHz	-50.17	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range3:30~1000MHz	-42.06	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range4:1000~10000MHz	-44.98	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range5:10000~20000MHz	-49.07	PASS
Band7	20MHz	QPSK	21100	1RB#0	Range6:20000~26500MHz	-37.07	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range1:0.009~0.15MHz	-65.81	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range2:0.15~30MHz	-52.08	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range3:30~1000MHz	-42.31	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range4:1000~10000MHz	-44.94	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range5:10000~20000MHz	-49.25	PASS
Band7	20MHz	QPSK	21350	1RB#0	Range6:20000~26500MHz	-37.08	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range1:0.009~0.15MHz	-63.75	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range2:0.15~30MHz	-50.98	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range3:30~1000MHz	-42.06	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range4:1000~10000MHz	-44.86	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range5:10000~20000MHz	-49.07	PASS
Band7	20MHz	16QAM	20850	1RB#0	Range6:20000~26500MHz	-37.02	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range1:0.009~0.15MHz	-64.43	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range2:0.15~30MHz	-50.31	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range3:30~1000MHz	-42.16	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range4:1000~10000MHz	-44.78	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range5:10000~20000MHz	-49.1	PASS
Band7	20MHz	16QAM	21100	1RB#0	Range6:20000~26500MHz	-37.09	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range1:0.009~0.15MHz	-65.81	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range2:0.15~30MHz	-51.22	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range3:30~1000MHz	-42.44	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range4:1000~10000MHz	-44.68	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range5:10000~20000MHz	-49.05	PASS
Band7	20MHz	16QAM	21350	1RB#0	Range6:20000~26500MHz	-37.01	PASS

Test Graphs


Band7-5MHz-QPSK-20775-1RB#0-Range1:0.009~0.15MHz




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



Band7-5MHz-QPSK-20775-1RB#0-Range2:0.15~30MHz




Band7-5MHz-QPSK-20775-1RB#0-Range3:30~1000MHz




Band7-5MHz-QPSK-20775-1RB#0-Range4:1000~10000MHz






Band7-5MHz-QPSK-20775-1RB#0-Range5:10000~20000MHz




Band7-5MHz-QPSK-20775-1RB#0-Range6:20000~26500MHz




Band7-5MHz-QPSK-21100-1RB#0-Range1:0.009~0.15MHz






Band7-5MHz-QPSK-21100-1RB#0-Range2:0.15~30MHz




Band7-5MHz-QPSK-21100-1RB#0-Range3:30~1000MHz




Band7-5MHz-QPSK-21100-1RB#0-Range4:1000~10000MHz






Band7-5MHz-QPSK-21100-1RB#0-Range5:10000~20000MHz




Band7-5MHz-QPSK-21100-1RB#0-Range6:20000~26500MHz




Band7-5MHz-QPSK-21425-1RB#0-Range1:0.009~0.15MHz






Band7-5MHz-QPSK-21425-1RB#0-Range2:0.15~30MHz




Band7-5MHz-QPSK-21425-1RB#0-Range3:30~1000MHz




Band7-5MHz-QPSK-21425-1RB#0-Range4:1000~10000MHz






Band7-5MHz-QPSK-21425-1RB#0-Range5:10000~20000MHz




Band7-5MHz-QPSK-21425-1RB#0-Range6:20000~26500MHz




Band7-5MHz-16QAM-20775-1RB#0-Range1:0.009~0.15MHz






Band7-5MHz-16QAM-20775-1RB#0-Range2:0.15~30MHz




Band7-5MHz-16QAM-20775-1RB#0-Range3:30~1000MHz




Band7-5MHz-16QAM-20775-1RB#0-Range4:1000~10000MHz






Band7-5MHz-16QAM-20775-1RB#0-Range5:10000~20000MHz




Band7-5MHz-16QAM-20775-1RB#0-Range6:20000~26500MHz




Band7-5MHz-16QAM-21100-1RB#0-Range1:0.009~0.15MHz






Band7-5MHz-16QAM-21100-1RB#0-Range2:0.15~30MHz




Band7-5MHz-16QAM-21100-1RB#0-Range3:30~1000MHz




Band7-5MHz-16QAM-21100-1RB#0-Range4:1000~10000MHz






Band7-5MHz-16QAM-21100-1RB#0-Range5:10000~20000MHz




Band7-5MHz-16QAM-21100-1RB#0-Range6:20000~26500MHz




Band7-5MHz-16QAM-21425-1RB#0-Range1:0.009~0.15MHz






Band7-5MHz-16QAM-21425-1RB#0-Range2:0.15~30MHz




Band7-5MHz-16QAM-21425-1RB#0-Range3:30~1000MHz




Band7-5MHz-16QAM-21425-1RB#0-Range4:1000~10000MHz






Band7-5MHz-16QAM-21425-1RB#0-Range5:10000~20000MHz




Band7-5MHz-16QAM-21425-1RB#0-Range6:20000~26500MHz




Band7-10MHz-QPSK-20800-1RB#0-Range1:0.009~0.15MHz






Band7-10MHz-QPSK-20800-1RB#0-Range2:0.15~30MHz




Band7-10MHz-QPSK-20800-1RB#0-Range3:30~1000MHz




Band7-10MHz-QPSK-20800-1RB#0-Range4:1000~10000MHz






Band7-10MHz-QPSK-20800-1RB#0-Range5:10000~20000MHz




Band7-10MHz-QPSK-20800-1RB#0-Range6:20000~26500MHz




Band7-10MHz-QPSK-21100-1RB#0-Range1:0.009~0.15MHz






Band7-10MHz-QPSK-21100-1RB#0-Range2:0.15~30MHz




Band7-10MHz-QPSK-21100-1RB#0-Range3:30~1000MHz




Band7-10MHz-QPSK-21100-1RB#0-Range4:1000~10000MHz






Band7-10MHz-QPSK-21100-1RB#0-Range5:10000~20000MHz




Band7-10MHz-QPSK-21100-1RB#0-Range6:20000~26500MHz




Band7-10MHz-QPSK-21400-1RB#0-Range1:0.009~0.15MHz






Band7-10MHz-QPSK-21400-1RB#0-Range2:0.15~30MHz




Band7-10MHz-QPSK-21400-1RB#0-Range3:30~1000MHz




Band7-10MHz-QPSK-21400-1RB#0-Range4:1000~10000MHz






Band7-10MHz-QPSK-21400-1RB#0-Range5:10000~20000MHz




Band7-10MHz-QPSK-21400-1RB#0-Range6:20000~26500MHz




Band7-10MHz-16QAM-20800-1RB#0-Range1:0.009~0.15MHz






Band7-10MHz-16QAM-20800-1RB#0-Range2:0.15~30MHz




Band7-10MHz-16QAM-20800-1RB#0-Range3:30~1000MHz




Band7-10MHz-16QAM-20800-1RB#0-Range4:1000~10000MHz






Band7-10MHz-16QAM-20800-1RB#0-Range5:10000~20000MHz




Band7-10MHz-16QAM-20800-1RB#0-Range6:20000~26500MHz




Band7-10MHz-16QAM-21100-1RB#0-Range1:0.009~0.15MHz






Band7-10MHz-16QAM-21100-1RB#0-Range2:0.15~30MHz




Band7-10MHz-16QAM-21100-1RB#0-Range3:30~1000MHz




Band7-10MHz-16QAM-21100-1RB#0-Range4:1000~10000MHz






Band7-10MHz-16QAM-21100-1RB#0-Range5:10000~20000MHz




Band7-10MHz-16QAM-21100-1RB#0-Range6:20000~26500MHz




Band7-10MHz-16QAM-21400-1RB#0-Range1:0.009~0.15MHz






Band7-10MHz-16QAM-21400-1RB#0-Range2:0.15~30MHz




Band7-10MHz-16QAM-21400-1RB#0-Range3:30~1000MHz




Band7-10MHz-16QAM-21400-1RB#0-Range4:1000~10000MHz






Band7-10MHz-16QAM-21400-1RB#0-Range5:10000~20000MHz




Band7-10MHz-16QAM-21400-1RB#0-Range6:20000~26500MHz




Band7-15MHz-QPSK-20825-1RB#0-Range1:0.009~0.15MHz






Band7-15MHz-QPSK-20825-1RB#0-Range2:0.15~30MHz




Band7-15MHz-QPSK-20825-1RB#0-Range3:30~1000MHz




Band7-15MHz-QPSK-20825-1RB#0-Range4:1000~10000MHz






Band7-15MHz-QPSK-20825-1RB#0-Range5:10000~20000MHz




Band7-15MHz-QPSK-20825-1RB#0-Range6:20000~26500MHz




Band7-15MHz-QPSK-21100-1RB#0-Range1:0.009~0.15MHz






Band7-15MHz-QPSK-21100-1RB#0-Range2:0.15~30MHz




Band7-15MHz-QPSK-21100-1RB#0-Range3:30~1000MHz




Band7-15MHz-QPSK-21100-1RB#0-Range4:1000~10000MHz






Band7-15MHz-QPSK-21100-1RB#0-Range5:10000~20000MHz




Band7-15MHz-QPSK-21100-1RB#0-Range6:20000~26500MHz




Band7-15MHz-QPSK-21375-1RB#0-Range1:0.009~0.15MHz






Band7-15MHz-QPSK-21375-1RB#0-Range2:0.15~30MHz




Band7-15MHz-QPSK-21375-1RB#0-Range3:30~1000MHz




Band7-15MHz-QPSK-21375-1RB#0-Range4:1000~10000MHz






Band7-15MHz-QPSK-21375-1RB#0-Range5:10000~20000MHz




Band7-15MHz-QPSK-21375-1RB#0-Range6:20000~26500MHz




Band7-15MHz-16QAM-20825-1RB#0-Range1:0.009~0.15MHz






Band7-15MHz-16QAM-20825-1RB#0-Range2:0.15~30MHz




Band7-15MHz-16QAM-20825-1RB#0-Range3:30~1000MHz




Band7-15MHz-16QAM-20825-1RB#0-Range4:1000~10000MHz






Band7-15MHz-16QAM-20825-1RB#0-Range5:10000~20000MHz




Band7-15MHz-16QAM-20825-1RB#0-Range6:20000~26500MHz




Band7-15MHz-16QAM-21100-1RB#0-Range1:0.009~0.15MHz






Band7-15MHz-16QAM-21100-1RB#0-Range2:0.15~30MHz




Band7-15MHz-16QAM-21100-1RB#0-Range3:30~1000MHz




Band7-15MHz-16QAM-21100-1RB#0-Range4:1000~10000MHz






Band7-15MHz-16QAM-21100-1RB#0-Range5:10000~20000MHz




Band7-15MHz-16QAM-21100-1RB#0-Range6:20000~26500MHz




Band7-15MHz-16QAM-21375-1RB#0-Range1:0.009~0.15MHz






Band7-15MHz-16QAM-21375-1RB#0-Range2:0.15~30MHz




Band7-15MHz-16QAM-21375-1RB#0-Range3:30~1000MHz




Band7-15MHz-16QAM-21375-1RB#0-Range4:1000~10000MHz






Band7-15MHz-16QAM-21375-1RB#0-Range5:10000~20000MHz




Band7-15MHz-16QAM-21375-1RB#0-Range6:20000~26500MHz




Band7-20MHz-QPSK-20850-1RB#0-Range1:0.009~0.15MHz






Band7-20MHz-QPSK-20850-1RB#0-Range2:0.15~30MHz




Band7-20MHz-QPSK-20850-1RB#0-Range3:30~1000MHz




Band7-20MHz-QPSK-20850-1RB#0-Range4:1000~10000MHz






Band7-20MHz-QPSK-20850-1RB#0-Range5:10000~20000MHz




Band7-20MHz-QPSK-20850-1RB#0-Range6:20000~26500MHz




Band7-20MHz-QPSK-21100-1RB#0-Range1:0.009~0.15MHz






Band7-20MHz-QPSK-21100-1RB#0-Range2:0.15~30MHz




Band7-20MHz-QPSK-21100-1RB#0-Range3:30~1000MHz




Band7-20MHz-QPSK-21100-1RB#0-Range4:1000~10000MHz






Band7-20MHz-QPSK-21100-1RB#0-Range5:10000~20000MHz




Band7-20MHz-QPSK-21100-1RB#0-Range6:20000~26500MHz



Band7-20MHz-QPSK-21350-1RB#0-Range1:0.009~0.15MHz






Band7-20MHz-QPSK-21350-1RB#0-Range2:0.15~30MHz




Band7-20MHz-QPSK-21350-1RB#0-Range3:30~1000MHz




Band7-20MHz-QPSK-21350-1RB#0-Range4:1000~10000MHz






Band7-20MHz-QPSK-21350-1RB#0-Range5:10000~20000MHz




Band7-20MHz-QPSK-21350-1RB#0-Range6:20000~26500MHz




Band7-20MHz-16QAM-20850-1RB#0-Range1:0.009~0.15MHz






Band7-20MHz-16QAM-20850-1RB#0-Range2:0.15~30MHz




Band7-20MHz-16QAM-20850-1RB#0-Range3:30~1000MHz




Band7-20MHz-16QAM-20850-1RB#0-Range4:1000~10000MHz






Band7-20MHz-16QAM-20850-1RB#0-Range5:10000~20000MHz




Band7-20MHz-16QAM-20850-1RB#0-Range6:20000~26500MHz




Band7-20MHz-16QAM-21100-1RB#0-Range1:0.009~0.15MHz






Band7-20MHz-16QAM-21100-1RB#0-Range2:0.15~30MHz




Band7-20MHz-16QAM-21100-1RB#0-Range3:30~1000MHz




Band7-20MHz-16QAM-21100-1RB#0-Range4:1000~10000MHz






Band7-20MHz-16QAM-21100-1RB#0-Range5:10000~20000MHz




Band7-20MHz-16QAM-21100-1RB#0-Range6:20000~26500MHz



Band7-20MHz-16QAM-21350-1RB#0-Range1:0.009~0.15MHz






Band7-20MHz-16QAM-21350-1RB#0-Range2:0.15~30MHz




Band7-20MHz-16QAM-21350-1RB#0-Range3:30~1000MHz




Band7-20MHz-16QAM-21350-1RB#0-Range4:1000~10000MHz





Band7-20MHz-16QAM-21350-1RB#0-Range5:10000~20000MHz



Band7-20MHz-16QAM-21350-1RB#0-Range6:20000~26500MHz

