

01 Conducted output power

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Power (dBm)	Verdict
Band41(2535-2655)	5	40065	1	#0	QPSK	26.15	PASS
Band41(2535-2655)	5	40065	1	#Mid	QPSK	26.22	PASS
Band41(2535-2655)	5	40065	1	#Max	QPSK	26.12	PASS
Band41(2535-2655)	5	40065	12	#0	QPSK	25.29	PASS
Band41(2535-2655)	5	40065	12	#Mid	QPSK	25.30	PASS
Band41(2535-2655)	5	40065	12	#Max	QPSK	25.28	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	25.22	PASS
Band41(2535-2655)	5	40065	1	#0	QAM16	25.19	PASS
Band41(2535-2655)	5	40065	1	#Mid	QAM16	25.26	PASS
Band41(2535-2655)	5	40065	1	#Max	QAM16	25.16	PASS
Band41(2535-2655)	5	40065	12	#0	QAM16	24.21	PASS
Band41(2535-2655)	5	40065	12	#Mid	QAM16	24.25	PASS
Band41(2535-2655)	5	40065	12	#Max	QAM16	24.20	PASS
Band41(2535-2655)	5	40065	25	#0	QAM16	24.22	PASS
Band41(2535-2655)	5	40640	1	#0	QPSK	25.67	PASS
Band41(2535-2655)	5	40640	1	#Mid	QPSK	25.76	PASS
Band41(2535-2655)	5	40640	1	#Max	QPSK	25.69	PASS
Band41(2535-2655)	5	40640	12	#0	QPSK	24.81	PASS
Band41(2535-2655)	5	40640	12	#Mid	QPSK	24.86	PASS
Band41(2535-2655)	5	40640	12	#Max	QPSK	24.83	PASS
Band41(2535-2655)	5	40640	25	#0	QPSK	24.77	PASS
Band41(2535-2655)	5	40640	1	#0	QAM16	24.71	PASS
Band41(2535-2655)	5	40640	1	#Mid	QAM16	24.84	PASS
Band41(2535-2655)	5	40640	1	#Max	QAM16	24.78	PASS
Band41(2535-2655)	5	40640	12	#0	QAM16	23.75	PASS
Band41(2535-2655)	5	40640	12	#Mid	QAM16	23.81	PASS
Band41(2535-2655)	5	40640	12	#Max	QAM16	23.78	PASS
Band41(2535-2655)	5	40640	25	#0	QAM16	23.78	PASS
Band41(2535-2655)	5	41215	1	#0	QPSK	26.04	PASS
Band41(2535-2655)	5	41215	1	#Mid	QPSK	26.17	PASS
Band41(2535-2655)	5	41215	1	#Max	QPSK	26.09	PASS
Band41(2535-2655)	5	41215	12	#0	QPSK	25.29	PASS
Band41(2535-2655)	5	41215	12	#Mid	QPSK	25.32	PASS
Band41(2535-2655)	5	41215	12	#Max	QPSK	25.29	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	25.23	PASS
Band41(2535-2655)	5	41215	1	#0	QAM16	25.07	PASS
Band41(2535-2655)	5	41215	1	#Mid	QAM16	25.18	PASS
Band41(2535-2655)	5	41215	1	#Max	QAM16	25.10	PASS
Band41(2535-2655)	5	41215	12	#0	QAM16	24.15	PASS
Band41(2535-2655)	5	41215	12	#Mid	QAM16	24.18	PASS
Band41(2535-2655)	5	41215	12	#Max	QAM16	24.20	PASS

Band41(2535-2655)	5	41215	25	#0	QAM16	24.15	PASS
Band41(2535-2655)	10	40090	1	#0	QPSK	26.16	PASS
Band41(2535-2655)	10	40090	1	#Mid	QPSK	26.23	PASS
Band41(2535-2655)	10	40090	1	#Max	QPSK	26.14	PASS
Band41(2535-2655)	10	40090	25	#0	QPSK	25.29	PASS
Band41(2535-2655)	10	40090	25	#Mid	QPSK	25.29	PASS
Band41(2535-2655)	10	40090	25	#Max	QPSK	25.28	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	25.35	PASS
Band41(2535-2655)	10	40090	1	#0	QAM16	25.28	PASS
Band41(2535-2655)	10	40090	1	#Mid	QAM16	25.35	PASS
Band41(2535-2655)	10	40090	1	#Max	QAM16	25.22	PASS
Band41(2535-2655)	10	40090	25	#0	QAM16	24.28	PASS
Band41(2535-2655)	10	40090	25	#Mid	QAM16	24.29	PASS
Band41(2535-2655)	10	40090	25	#Max	QAM16	24.28	PASS
Band41(2535-2655)	10	40090	50	#0	QAM16	24.34	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	25.75	PASS
Band41(2535-2655)	10	40640	1	#Mid	QPSK	25.85	PASS
Band41(2535-2655)	10	40640	1	#Max	QPSK	25.84	PASS
Band41(2535-2655)	10	40640	25	#0	QPSK	24.78	PASS
Band41(2535-2655)	10	40640	25	#Mid	QPSK	24.88	PASS
Band41(2535-2655)	10	40640	25	#Max	QPSK	24.89	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	24.98	PASS
Band41(2535-2655)	10	40640	1	#0	QAM16	24.86	PASS
Band41(2535-2655)	10	40640	1	#Mid	QAM16	24.94	PASS
Band41(2535-2655)	10	40640	1	#Max	QAM16	24.96	PASS
Band41(2535-2655)	10	40640	25	#0	QAM16	23.83	PASS
Band41(2535-2655)	10	40640	25	#Mid	QAM16	23.85	PASS
Band41(2535-2655)	10	40640	25	#Max	QAM16	23.86	PASS
Band41(2535-2655)	10	40640	50	#0	QAM16	23.93	PASS
Band41(2535-2655)	10	41190	1	#0	QPSK	26.11	PASS
Band41(2535-2655)	10	41190	1	#Mid	QPSK	26.24	PASS
Band41(2535-2655)	10	41190	1	#Max	QPSK	26.16	PASS
Band41(2535-2655)	10	41190	25	#0	QPSK	25.26	PASS
Band41(2535-2655)	10	41190	25	#Mid	QPSK	25.26	PASS
Band41(2535-2655)	10	41190	25	#Max	QPSK	25.24	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	25.31	PASS
Band41(2535-2655)	10	41190	1	#0	QAM16	25.17	PASS
Band41(2535-2655)	10	41190	1	#Mid	QAM16	25.23	PASS
Band41(2535-2655)	10	41190	1	#Max	QAM16	25.16	PASS
Band41(2535-2655)	10	41190	25	#0	QAM16	24.16	PASS
Band41(2535-2655)	10	41190	25	#Mid	QAM16	24.18	PASS
Band41(2535-2655)	10	41190	25	#Max	QAM16	24.20	PASS
Band41(2535-2655)	10	41190	50	#0	QAM16	24.24	PASS
Band41(2535-2655)	15	40115	1	#0	QPSK	26.04	PASS

Band41(2535-2655)	15	40115	1	#Mid	QPSK	26.12	PASS
Band41(2535-2655)	15	40115	1	#Max	QPSK	25.98	PASS
Band41(2535-2655)	15	40115	36	#0	QPSK	25.29	PASS
Band41(2535-2655)	15	40115	36	#Mid	QPSK	25.29	PASS
Band41(2535-2655)	15	40115	36	#Max	QPSK	25.32	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	25.24	PASS
Band41(2535-2655)	15	40115	1	#0	QAM16	25.17	PASS
Band41(2535-2655)	15	40115	1	#Mid	QAM16	25.21	PASS
Band41(2535-2655)	15	40115	1	#Max	QAM16	25.04	PASS
Band41(2535-2655)	15	40115	36	#0	QAM16	24.21	PASS
Band41(2535-2655)	15	40115	36	#Mid	QAM16	24.22	PASS
Band41(2535-2655)	15	40115	36	#Max	QAM16	24.20	PASS
Band41(2535-2655)	15	40115	75	#0	QAM16	24.21	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	25.71	PASS
Band41(2535-2655)	15	40640	1	#Mid	QPSK	25.76	PASS
Band41(2535-2655)	15	40640	1	#Max	QPSK	25.82	PASS
Band41(2535-2655)	15	40640	36	#0	QPSK	24.88	PASS
Band41(2535-2655)	15	40640	36	#Mid	QPSK	25.00	PASS
Band41(2535-2655)	15	40640	36	#Max	QPSK	24.98	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	24.88	PASS
Band41(2535-2655)	15	40640	1	#0	QAM16	24.78	PASS
Band41(2535-2655)	15	40640	1	#Mid	QAM16	24.83	PASS
Band41(2535-2655)	15	40640	1	#Max	QAM16	24.93	PASS
Band41(2535-2655)	15	40640	36	#0	QAM16	23.77	PASS
Band41(2535-2655)	15	40640	36	#Mid	QAM16	23.80	PASS
Band41(2535-2655)	15	40640	36	#Max	QAM16	23.85	PASS
Band41(2535-2655)	15	40640	75	#0	QAM16	23.85	PASS
Band41(2535-2655)	15	41165	1	#0	QPSK	26.06	PASS
Band41(2535-2655)	15	41165	1	#Mid	QPSK	26.11	PASS
Band41(2535-2655)	15	41165	1	#Max	QPSK	26.04	PASS
Band41(2535-2655)	15	41165	36	#0	QPSK	25.29	PASS
Band41(2535-2655)	15	41165	36	#Mid	QPSK	25.30	PASS
Band41(2535-2655)	15	41165	36	#Max	QPSK	25.27	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	25.27	PASS
Band41(2535-2655)	15	41165	1	#0	QAM16	25.17	PASS
Band41(2535-2655)	15	41165	1	#Mid	QAM16	25.17	PASS
Band41(2535-2655)	15	41165	1	#Max	QAM16	25.06	PASS
Band41(2535-2655)	15	41165	36	#0	QAM16	24.20	PASS
Band41(2535-2655)	15	41165	36	#Mid	QAM16	24.18	PASS
Band41(2535-2655)	15	41165	36	#Max	QAM16	24.16	PASS
Band41(2535-2655)	15	41165	75	#0	QAM16	24.20	PASS
Band41(2535-2655)	20	40140	1	#0	QPSK	25.91	PASS
Band41(2535-2655)	20	40140	1	#Mid	QPSK	26.23	PASS
Band41(2535-2655)	20	40140	1	#Max	QPSK	25.73	PASS

Band41(2535-2655)	20	40140	50	#0	QPSK	25.31	PASS
Band41(2535-2655)	20	40140	50	#Mid	QPSK	25.35	PASS
Band41(2535-2655)	20	40140	50	#Max	QPSK	25.31	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	25.35	PASS
Band41(2535-2655)	20	40140	1	#0	QAM16	25.03	PASS
Band41(2535-2655)	20	40140	1	#Mid	QAM16	25.29	PASS
Band41(2535-2655)	20	40140	1	#Max	QAM16	24.79	PASS
Band41(2535-2655)	20	40140	50	#0	QAM16	24.25	PASS
Band41(2535-2655)	20	40140	50	#Mid	QAM16	24.31	PASS
Band41(2535-2655)	20	40140	50	#Max	QAM16	24.23	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	24.28	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	25.63	PASS
Band41(2535-2655)	20	40640	1	#Mid	QPSK	25.85	PASS
Band41(2535-2655)	20	40640	1	#Max	QPSK	25.70	PASS
Band41(2535-2655)	20	40640	50	#0	QPSK	24.91	PASS
Band41(2535-2655)	20	40640	50	#Mid	QPSK	24.95	PASS
Band41(2535-2655)	20	40640	50	#Max	QPSK	24.97	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	24.98	PASS
Band41(2535-2655)	20	40640	1	#0	QAM16	24.70	PASS
Band41(2535-2655)	20	40640	1	#Mid	QAM16	24.92	PASS
Band41(2535-2655)	20	40640	1	#Max	QAM16	24.84	PASS
Band41(2535-2655)	20	40640	50	#0	QAM16	23.85	PASS
Band41(2535-2655)	20	40640	50	#Mid	QAM16	23.87	PASS
Band41(2535-2655)	20	40640	50	#Max	QAM16	23.93	PASS
Band41(2535-2655)	20	40640	100	#0	QAM16	23.92	PASS
Band41(2535-2655)	20	41140	1	#0	QPSK	25.92	PASS
Band41(2535-2655)	20	41140	1	#Mid	QPSK	26.19	PASS
Band41(2535-2655)	20	41140	1	#Max	QPSK	25.83	PASS
Band41(2535-2655)	20	41140	50	#0	QPSK	25.30	PASS
Band41(2535-2655)	20	41140	50	#Mid	QPSK	25.32	PASS
Band41(2535-2655)	20	41140	50	#Max	QPSK	25.29	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	25.32	PASS
Band41(2535-2655)	20	41140	1	#0	QAM16	25.05	PASS
Band41(2535-2655)	20	41140	1	#Mid	QAM16	25.26	PASS
Band41(2535-2655)	20	41140	1	#Max	QAM16	24.86	PASS
Band41(2535-2655)	20	41140	50	#0	QAM16	24.27	PASS
Band41(2535-2655)	20	41140	50	#Mid	QAM16	24.24	PASS
Band41(2535-2655)	20	41140	50	#Max	QAM16	24.21	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	24.24	PASS
Band5	1.4	20407	1	#0	QPSK	25.67	PASS
Band5	1.4	20407	1	#Mid	QPSK	25.83	PASS
Band5	1.4	20407	1	#Max	QPSK	25.72	PASS
Band5	1.4	20407	3	#0	QPSK	25.81	PASS
Band5	1.4	20407	3	#Mid	QPSK	25.89	PASS

Band5	1.4	20407	3	#Max	QPSK	25.85	PASS
Band5	1.4	20407	6	#0	QPSK	24.87	PASS
Band5	1.4	20407	1	#0	QAM16	24.93	PASS
Band5	1.4	20407	1	#Mid	QAM16	24.94	PASS
Band5	1.4	20407	1	#Max	QAM16	24.83	PASS
Band5	1.4	20407	3	#0	QAM16	24.75	PASS
Band5	1.4	20407	3	#Mid	QAM16	24.76	PASS
Band5	1.4	20407	3	#Max	QAM16	24.69	PASS
Band5	1.4	20407	6	#0	QAM16	23.92	PASS
Band5	1.4	20525	1	#0	QPSK	25.90	PASS
Band5	1.4	20525	1	#Mid	QPSK	26.04	PASS
Band5	1.4	20525	1	#Max	QPSK	25.89	PASS
Band5	1.4	20525	3	#0	QPSK	26.02	PASS
Band5	1.4	20525	3	#Mid	QPSK	26.05	PASS
Band5	1.4	20525	3	#Max	QPSK	26.01	PASS
Band5	1.4	20525	6	#0	QPSK	25.06	PASS
Band5	1.4	20525	1	#0	QAM16	25.14	PASS
Band5	1.4	20525	1	#Mid	QAM16	25.10	PASS
Band5	1.4	20525	1	#Max	QAM16	25.08	PASS
Band5	1.4	20525	3	#0	QAM16	24.89	PASS
Band5	1.4	20525	3	#Mid	QAM16	24.94	PASS
Band5	1.4	20525	3	#Max	QAM16	24.89	PASS
Band5	1.4	20525	6	#0	QAM16	24.08	PASS
Band5	1.4	20643	1	#0	QPSK	25.70	PASS
Band5	1.4	20643	1	#Mid	QPSK	25.85	PASS
Band5	1.4	20643	1	#Max	QPSK	25.65	PASS
Band5	1.4	20643	3	#0	QPSK	25.81	PASS
Band5	1.4	20643	3	#Mid	QPSK	25.83	PASS
Band5	1.4	20643	3	#Max	QPSK	25.73	PASS
Band5	1.4	20643	6	#0	QPSK	24.80	PASS
Band5	1.4	20643	1	#0	QAM16	24.85	PASS
Band5	1.4	20643	1	#Mid	QAM16	24.82	PASS
Band5	1.4	20643	1	#Max	QAM16	24.79	PASS
Band5	1.4	20643	3	#0	QAM16	24.54	PASS
Band5	1.4	20643	3	#Mid	QAM16	24.57	PASS
Band5	1.4	20643	3	#Max	QAM16	24.61	PASS
Band5	1.4	20643	6	#0	QAM16	23.75	PASS
Band5	3	20415	1	#0	QPSK	25.75	PASS
Band5	3	20415	1	#Mid	QPSK	25.69	PASS
Band5	3	20415	1	#Max	QPSK	25.59	PASS
Band5	3	20415	8	#0	QPSK	24.66	PASS
Band5	3	20415	8	#Mid	QPSK	24.73	PASS
Band5	3	20415	8	#Max	QPSK	24.74	PASS
Band5	3	20415	15	#0	QPSK	24.70	PASS

Band5	3	20415	1	#0	QAM16	24.71	PASS
Band5	3	20415	1	#Mid	QAM16	24.76	PASS
Band5	3	20415	1	#Max	QAM16	24.73	PASS
Band5	3	20415	8	#0	QAM16	23.59	PASS
Band5	3	20415	8	#Mid	QAM16	23.73	PASS
Band5	3	20415	8	#Max	QAM16	23.83	PASS
Band5	3	20415	15	#0	QAM16	23.79	PASS
Band5	3	20525	1	#0	QPSK	25.93	PASS
Band5	3	20525	1	#Mid	QPSK	25.80	PASS
Band5	3	20525	1	#Max	QPSK	25.79	PASS
Band5	3	20525	8	#0	QPSK	24.95	PASS
Band5	3	20525	8	#Mid	QPSK	24.94	PASS
Band5	3	20525	8	#Max	QPSK	24.98	PASS
Band5	3	20525	15	#0	QPSK	24.99	PASS
Band5	3	20525	1	#0	QAM16	24.98	PASS
Band5	3	20525	1	#Mid	QAM16	24.90	PASS
Band5	3	20525	1	#Max	QAM16	24.90	PASS
Band5	3	20525	8	#0	QAM16	23.88	PASS
Band5	3	20525	8	#Mid	QAM16	24.07	PASS
Band5	3	20525	8	#Max	QAM16	23.96	PASS
Band5	3	20525	15	#0	QAM16	23.99	PASS
Band5	3	20635	1	#0	QPSK	25.77	PASS
Band5	3	20635	1	#Mid	QPSK	25.61	PASS
Band5	3	20635	1	#Max	QPSK	25.58	PASS
Band5	3	20635	8	#0	QPSK	24.56	PASS
Band5	3	20635	8	#Mid	QPSK	24.63	PASS
Band5	3	20635	8	#Max	QPSK	24.64	PASS
Band5	3	20635	15	#0	QPSK	24.61	PASS
Band5	3	20635	1	#0	QAM16	24.76	PASS
Band5	3	20635	1	#Mid	QAM16	24.74	PASS
Band5	3	20635	1	#Max	QAM16	24.59	PASS
Band5	3	20635	8	#0	QAM16	23.56	PASS
Band5	3	20635	8	#Mid	QAM16	23.71	PASS
Band5	3	20635	8	#Max	QAM16	23.65	PASS
Band5	3	20635	15	#0	QAM16	23.71	PASS
Band5	5	20425	1	#0	QPSK	25.62	PASS
Band5	5	20425	1	#Mid	QPSK	25.47	PASS
Band5	5	20425	1	#Max	QPSK	25.34	PASS
Band5	5	20425	12	#0	QPSK	24.52	PASS
Band5	5	20425	12	#Mid	QPSK	24.64	PASS
Band5	5	20425	12	#Max	QPSK	24.51	PASS
Band5	5	20425	25	#0	QPSK	24.58	PASS
Band5	5	20425	1	#0	QAM16	24.56	PASS
Band5	5	20425	1	#Mid	QAM16	24.58	PASS

Band5	5	20425	1	#Max	QAM16	24.54	PASS
Band5	5	20425	12	#0	QAM16	23.34	PASS
Band5	5	20425	12	#Mid	QAM16	23.49	PASS
Band5	5	20425	12	#Max	QAM16	23.58	PASS
Band5	5	20425	25	#0	QAM16	23.59	PASS
Band5	5	20525	1	#0	QPSK	25.84	PASS
Band5	5	20525	1	#Mid	QPSK	25.63	PASS
Band5	5	20525	1	#Max	QPSK	25.50	PASS
Band5	5	20525	12	#0	QPSK	24.69	PASS
Band5	5	20525	12	#Mid	QPSK	24.96	PASS
Band5	5	20525	12	#Max	QPSK	24.90	PASS
Band5	5	20525	25	#0	QPSK	24.75	PASS
Band5	5	20525	1	#0	QAM16	24.64	PASS
Band5	5	20525	1	#Mid	QAM16	24.95	PASS
Band5	5	20525	1	#Max	QAM16	24.78	PASS
Band5	5	20525	12	#0	QAM16	23.70	PASS
Band5	5	20525	12	#Mid	QAM16	23.74	PASS
Band5	5	20525	12	#Max	QAM16	23.87	PASS
Band5	5	20525	25	#0	QAM16	23.90	PASS
Band5	5	20625	1	#0	QPSK	25.75	PASS
Band5	5	20625	1	#Mid	QPSK	25.52	PASS
Band5	5	20625	1	#Max	QPSK	25.40	PASS
Band5	5	20625	12	#0	QPSK	24.53	PASS
Band5	5	20625	12	#Mid	QPSK	24.63	PASS
Band5	5	20625	12	#Max	QPSK	24.51	PASS
Band5	5	20625	25	#0	QPSK	24.67	PASS
Band5	5	20625	1	#0	QAM16	24.57	PASS
Band5	5	20625	1	#Mid	QAM16	24.57	PASS
Band5	5	20625	1	#Max	QAM16	24.49	PASS
Band5	5	20625	12	#0	QAM16	23.51	PASS
Band5	5	20625	12	#Mid	QAM16	23.56	PASS
Band5	5	20625	12	#Max	QAM16	23.44	PASS
Band5	5	20625	25	#0	QAM16	23.58	PASS
Band5	10	20450	1	#0	QPSK	25.72	PASS
Band5	10	20450	1	#Mid	QPSK	25.63	PASS
Band5	10	20450	1	#Max	QPSK	25.51	PASS
Band5	10	20450	25	#0	QPSK	24.45	PASS
Band5	10	20450	25	#Mid	QPSK	24.63	PASS
Band5	10	20450	25	#Max	QPSK	24.84	PASS
Band5	10	20450	50	#0	QPSK	24.59	PASS
Band5	10	20450	1	#0	QAM16	24.60	PASS
Band5	10	20450	1	#Mid	QAM16	24.63	PASS
Band5	10	20450	1	#Max	QAM16	24.71	PASS
Band5	10	20450	25	#0	QAM16	23.55	PASS


Band5	10	20450	25	#Mid	QAM16	23.63	PASS
Band5	10	20450	25	#Max	QAM16	23.59	PASS
Band5	10	20450	50	#0	QAM16	23.55	PASS
Band5	10	20525	1	#0	QPSK	25.83	PASS
Band5	10	20525	1	#Mid	QPSK	25.70	PASS
Band5	10	20525	1	#Max	QPSK	25.48	PASS
Band5	10	20525	25	#0	QPSK	24.63	PASS
Band5	10	20525	25	#Mid	QPSK	24.70	PASS
Band5	10	20525	25	#Max	QPSK	24.68	PASS
Band5	10	20525	50	#0	QPSK	24.75	PASS
Band5	10	20525	1	#0	QAM16	24.89	PASS
Band5	10	20525	1	#Mid	QAM16	24.86	PASS
Band5	10	20525	1	#Max	QAM16	24.78	PASS
Band5	10	20525	25	#0	QAM16	23.65	PASS
Band5	10	20525	25	#Mid	QAM16	23.83	PASS
Band5	10	20525	25	#Max	QAM16	23.80	PASS
Band5	10	20525	50	#0	QAM16	23.85	PASS
Band5	10	20600	1	#0	QPSK	25.93	PASS
Band5	10	20600	1	#Mid	QPSK	25.55	PASS
Band5	10	20600	1	#Max	QPSK	25.27	PASS
Band5	10	20600	25	#0	QPSK	24.61	PASS
Band5	10	20600	25	#Mid	QPSK	24.56	PASS
Band5	10	20600	25	#Max	QPSK	24.60	PASS
Band5	10	20600	50	#0	QPSK	24.61	PASS
Band5	10	20600	1	#0	QAM16	24.79	PASS
Band5	10	20600	1	#Mid	QAM16	24.65	PASS
Band5	10	20600	1	#Max	QAM16	24.43	PASS
Band5	10	20600	25	#0	QAM16	23.59	PASS
Band5	10	20600	25	#Mid	QAM16	23.59	PASS
Band5	10	20600	25	#Max	QAM16	23.42	PASS
Band5	10	20600	50	#0	QAM16	23.57	PASS

03 Peak-to-Average Ratio


Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Result (dB)	high Limit (dB)	Verdict
Band41(2535-2655)	5	40640	1	#0	QPSK	6.28	13	PASS
Band41(2535-2655)	5	40640	1	#0	QAM16	7.67	13	PASS
Band41(2535-2655)	10	40640	1	#0	QPSK	7.50	13	PASS
Band41(2535-2655)	10	40640	1	#0	QAM16	7.16	13	PASS
Band41(2535-2655)	15	40640	1	#0	QPSK	7.11	13	PASS
Band41(2535-2655)	15	40640	1	#0	QAM16	7.40	13	PASS
Band41(2535-2655)	20	40640	1	#0	QPSK	6.81	13	PASS
Band41(2535-2655)	20	40640	1	#0	QAM16	7.50	13	PASS

Band5	1.4	20525	1	#0	QPSK	3.93	13	PASS
Band5	1.4	20525	1	#0	QAM16	4.89	13	PASS
Band5	3	20525	1	#0	QPSK	3.90	13	PASS
Band5	3	20525	1	#0	QAM16	4.94	13	PASS
Band5	5	20525	1	#0	QPSK	3.92	13	PASS
Band5	5	20525	1	#0	QAM16	4.93	13	PASS
Band5	10	20525	1	#0	QPSK	3.82	13	PASS
Band5	10	20525	1	#0	QAM16	4.96	13	PASS


Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QAM16 BW=5MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QAM16 BW=15MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=1 Position=#0




Band41(2535-2655) QAM16 BW=20MHz Channel=40640 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=1 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=1 Position=#0



Band5 QPSK BW=10MHz Channel=20525 RB Size=1 Position=#0




Band5 QAM16 BW=10MHz Channel=20525 RB Size=1 Position=#0




04 Occupied bandwidth

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
Band41(2535-2655)	5	40640	25	#0	QPSK	4.516	5.170	PASS
Band41(2535-2655)	5	40640	25	#0	QAM16	4.479	4.813	PASS
Band41(2535-2655)	10	40640	50	#0	QPSK	9.008	9.857	PASS
Band41(2535-2655)	10	40640	50	#0	QAM16	8.980	10.464	PASS
Band41(2535-2655)	15	40640	75	#0	QPSK	13.490	14.395	PASS
Band41(2535-2655)	15	40640	75	#0	QAM16	13.442	15.170	PASS
Band41(2535-2655)	20	40640	100	#0	QPSK	17.964	21.165	PASS
Band41(2535-2655)	20	40640	100	#0	QAM16	17.943	19.122	PASS
Band5	1.4	20525	6	#0	QPSK	1.092	1.275	PASS
Band5	1.4	20525	6	#0	QAM16	1.099	1.283	PASS
Band5	3	20525	15	#0	QPSK	2.689	2.942	PASS
Band5	3	20525	15	#0	QAM16	2.694	2.933	PASS
Band5	5	20525	25	#0	QPSK	4.490	4.900	PASS
Band5	5	20525	25	#0	QAM16	4.509	4.881	PASS
Band5	10	20525	50	#0	QPSK	8.983	9.724	PASS
Band5	10	20525	50	#0	QAM16	8.969	9.614	PASS


Band41(2535-2655) QPSK BW=5MHz Channel=40640 RB Size=25 Position=#0




Band41(2535-2655) QAM16 BW=5MHz Channel=40640 RB Size=25 Position=#0




Band41(2535-2655) QPSK BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=40640 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41(2535-2655) QAM16 BW=15MHz Channel=40640 RB Size=75 Position=#0




Band41(2535-2655) QPSK BW=20MHz Channel=40640 RB Size=100 Position=#0




Band41(2535-2655) QAM16 BW=20MHz Channel=40640 RB Size=100 Position=#0




Band5 QPSK BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20525 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20525 RB Size=15 Position=#0




Band5 QPSK BW=5MHz Channel=20525 RB Size=25 Position=#0




Band5 QAM16 BW=5MHz Channel=20525 RB Size=25 Position=#0



Band5 QPSK BW=10MHz Channel=20525 RB Size=50 Position=#0



Band5 QAM16 BW=10MHz Channel=20525 RB Size=50 Position=#0




05 Band edge

Band	Bandwidth (MHz)	UL Channel	RB Size	RB Position	Modulation	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
Band41(2535-2655)	5	40065	1	#0	QPSK	2533.99	-11.76	-10	PASS
Band41(2535-2655)	5	40065	1	#Max	QPSK	2528.82	-37.86	-25	PASS
Band41(2535-2655)	5	40065	25	#0	QPSK	2528.89	-37.20	-25	PASS
Band41(2535-2655)	5	40065	1	#0	QAM16	2533.99	-13.24	-10	PASS
Band41(2535-2655)	5	40065	1	#Max	QAM16	2528.64	-38.54	-25	PASS
Band41(2535-2655)	5	40065	25	#0	QAM16	2533.99	-24.30	-10	PASS
Band41(2535-2655)	5	41215	1	#0	QPSK	2661.64	-39.11	-25	PASS
Band41(2535-2655)	5	41215	1	#Max	QPSK	2656.01	-11.77	-10	PASS
Band41(2535-2655)	5	41215	25	#0	QPSK	2656.04	-21.10	-10	PASS
Band41(2535-2655)	5	41215	1	#0	QAM16	2661.30	-39.33	-25	PASS
Band41(2535-2655)	5	41215	1	#Max	QAM16	2656.00	-13.52	-10	PASS
Band41(2535-2655)	5	41215	25	#0	QAM16	2656.02	-22.66	-10	PASS
Band41(2535-2655)	10	40090	1	#0	QPSK	2533.97	-20.86	-10	PASS
Band41(2535-2655)	10	40090	1	#Max	QPSK	2524.49	-39.92	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QPSK	2524.73	-39.26	-25	PASS
Band41(2535-2655)	10	40090	1	#0	QAM16	2534.00	-23.21	-10	PASS
Band41(2535-2655)	10	40090	1	#Max	QAM16	2522.69	-39.79	-25	PASS
Band41(2535-2655)	10	40090	50	#0	QAM16	2524.62	-39.48	-25	PASS
Band41(2535-2655)	10	41190	1	#0	QPSK	2667.32	-39.68	-25	PASS
Band41(2535-2655)	10	41190	1	#Max	QPSK	2656.06	-22.84	-10	PASS
Band41(2535-2655)	10	41190	50	#0	QPSK	2656.04	-23.06	-10	PASS
Band41(2535-2655)	10	41190	1	#0	QAM16	2665.04	-39.41	-25	PASS
Band41(2535-2655)	10	41190	1	#Max	QAM16	2656.00	-23.88	-10	PASS
Band41(2535-2655)	10	41190	50	#0	QAM16	2665.40	-39.28	-25	PASS
Band41(2535-2655)	15	40115	1	#0	QPSK	2533.90	-23.98	-10	PASS
Band41(2535-2655)	15	40115	1	#Max	QPSK	2518.89	-39.88	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QPSK	2519.52	-39.69	-25	PASS
Band41(2535-2655)	15	40115	1	#0	QAM16	2533.89	-23.74	-10	PASS
Band41(2535-2655)	15	40115	1	#Max	QAM16	2516.54	-39.78	-25	PASS
Band41(2535-2655)	15	40115	75	#0	QAM16	2519.30	-39.59	-25	PASS
Band41(2535-2655)	15	41165	1	#0	QPSK	2670.22	-39.67	-25	PASS
Band41(2535-2655)	15	41165	1	#Max	QPSK	2655.02	-23.93	-10	PASS
Band41(2535-2655)	15	41165	75	#0	QPSK	2671.30	-39.65	-25	PASS
Band41(2535-2655)	15	41165	1	#0	QAM16	2670.56	-39.76	-25	PASS
Band41(2535-2655)	15	41165	1	#Max	QAM16	2670.36	-39.81	-25	PASS
Band41(2535-2655)	15	41165	75	#0	QAM16	2671.45	-39.52	-25	PASS
Band41(2535-2655)	20	40140	1	#0	QPSK	2534.61	-24.81	-10	PASS
Band41(2535-2655)	20	40140	1	#Max	QPSK	2512.27	-39.53	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QPSK	2512.44	-39.69	-25	PASS
Band41(2535-2655)	20	40140	1	#0	QAM16	2510.60	-39.79	-25	PASS
Band41(2535-2655)	20	40140	1	#Max	QAM16	2513.34	-39.73	-25	PASS
Band41(2535-2655)	20	40140	100	#0	QAM16	2513.90	-39.74	-25	PASS


Band41(2535-2655)	20	41140	1	#0	QPSK	2675.20	-39.43	-25	PASS
Band41(2535-2655)	20	41140	1	#Max	QPSK	2676.33	-39.74	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QPSK	2677.72	-39.60	-25	PASS
Band41(2535-2655)	20	41140	1	#0	QAM16	2676.41	-39.87	-25	PASS
Band41(2535-2655)	20	41140	1	#Max	QAM16	2677.98	-39.80	-25	PASS
Band41(2535-2655)	20	41140	100	#0	QAM16	2675.34	-39.82	-25	PASS
Band5	1.4	20407	1	#0	QPSK	824.00	-18.74	-13	PASS
Band5	1.4	20407	1	#Max	QPSK	823.34	-34.44	-13	PASS
Band5	1.4	20407	6	#0	QPSK	823.99	-22.80	-13	PASS
Band5	1.4	20407	1	#0	QAM16	824.00	-18.88	-13	PASS
Band5	1.4	20407	1	#Max	QAM16	823.36	-36.50	-13	PASS
Band5	1.4	20407	6	#0	QAM16	823.99	-24.96	-13	PASS
Band5	1.4	20643	1	#0	QPSK	849.63	-36.20	-13	PASS
Band5	1.4	20643	1	#Max	QPSK	849.00	-18.95	-13	PASS
Band5	1.4	20643	6	#0	QPSK	849.00	-25.22	-13	PASS
Band5	1.4	20643	1	#0	QAM16	849.65	-37.88	-13	PASS
Band5	1.4	20643	1	#Max	QAM16	849.00	-19.98	-13	PASS
Band5	1.4	20643	6	#0	QAM16	849.03	-26.53	-13	PASS
Band5	3	20415	1	#0	QPSK	824.00	-17.11	-13	PASS
Band5	3	20415	1	#Max	QPSK	821.71	-32.31	-13	PASS
Band5	3	20415	15	#0	QPSK	824.00	-24.33	-13	PASS
Band5	3	20415	1	#0	QAM16	823.99	-18.37	-13	PASS
Band5	3	20415	1	#Max	QAM16	821.74	-33.99	-13	PASS
Band5	3	20415	15	#0	QAM16	823.99	-28.33	-13	PASS
Band5	3	20635	1	#0	QPSK	851.28	-34.16	-13	PASS
Band5	3	20635	1	#Max	QPSK	849.00	-16.97	-13	PASS
Band5	3	20635	15	#0	QPSK	849.00	-26.88	-13	PASS
Band5	3	20635	1	#0	QAM16	851.28	-34.18	-13	PASS
Band5	3	20635	1	#Max	QAM16	849.00	-18.66	-13	PASS
Band5	3	20635	15	#0	QAM16	849.00	-29.20	-13	PASS
Band5	5	20425	1	#0	QPSK	824.00	-16.25	-13	PASS
Band5	5	20425	1	#Max	QPSK	820.02	-31.20	-13	PASS
Band5	5	20425	25	#0	QPSK	824.00	-24.77	-13	PASS
Band5	5	20425	1	#0	QAM16	823.99	-17.41	-13	PASS
Band5	5	20425	1	#Max	QAM16	820.04	-31.89	-13	PASS
Band5	5	20425	25	#0	QAM16	823.97	-28.69	-13	PASS
Band5	5	20625	1	#0	QPSK	852.94	-33.12	-13	PASS
Band5	5	20625	1	#Max	QPSK	849.00	-16.68	-13	PASS
Band5	5	20625	25	#0	QPSK	849.00	-27.93	-13	PASS
Band5	5	20625	1	#0	QAM16	853.01	-33.67	-13	PASS
Band5	5	20625	1	#Max	QAM16	849.00	-18.87	-13	PASS
Band5	5	20625	25	#0	QAM16	849.03	-29.90	-13	PASS
Band5	10	20450	1	#0	QPSK	824.00	-19.59	-13	PASS
Band5	10	20450	1	#Max	QPSK	815.78	-31.93	-13	PASS

Band5	10	20450	50	#0	QPSK	824.00	-26.48	-13	PASS
Band5	10	20450	1	#0	QAM16	823.94	-23.19	-13	PASS
Band5	10	20450	1	#Max	QAM16	815.76	-33.47	-13	PASS
Band5	10	20450	50	#0	QAM16	824.00	-28.96	-13	PASS
Band5	10	20600	1	#0	QPSK	857.18	-36.99	-13	PASS
Band5	10	20600	1	#Max	QPSK	849.00	-19.72	-13	PASS
Band5	10	20600	50	#0	QPSK	849.00	-27.97	-13	PASS
Band5	10	20600	1	#0	QAM16	857.16	-37.77	-13	PASS
Band5	10	20600	1	#Max	QAM16	849.00	-19.21	-13	PASS
Band5	10	20600	50	#0	QAM16	849.04	-30.61	-13	PASS

Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=1 Position=#0



Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.816	-37.86	-25
2	2529	2530	1000	2529.293	-36.66	-13
3	2530	2534	1000	2531.572	-33.21	-10
4	2534	2535	100	2534.417	-46.36	-10

Band41(2535-2655) QPSK BW=5MHz Channel=40065 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.892	-37.2	-25
2	2529	2530	1000	2529.953	-35.4	-13
3	2530	2534	1000	2533.968	-23.34	-10
4	2534	2535	100	2534.984	-31.37	-10

Band41(2535-2655) QAM16 BW=5MHz Channel=40065 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.908	-36.46	-25
2	2529	2530	1000	2529.975	-33.79	-13
3	2530	2534	1000	2533.992	-13.24	-10
4	2534	2535	100	2534.965	-24.58	-10

Band41(2535-2655) QAM16 BW=5MHz Channel=40065 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2528.636	-38.54	-25
2	2529	2530	1000	2529.951	-35.71	-13
3	2530	2534	1000	2533.308	-32.47	-10
4	2534	2535	100	2534.979	-44.61	-10

Band41(2535-2655) QAM16 BW=5MHz Channel=40065 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2525	2529	1000	2527.64	-39.65	-25
2	2529	2530	1000	2529.752	-34.73	-13
3	2530	2534	1000	2533.992	-24.3	-10
4	2534	2535	100	2534.955	-34.52	-10

Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.01	-45.78	-10
2	2656	2660	1000	2659.112	-32.77	-10
3	2660	2661	1000	2660.127	-36.55	-13
4	2661	2665	1000	2661.64	-39.11	-25

Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=1 Position=#Max



Band41(2535-2655) QPSK BW=5MHz Channel=41215 RB Size=25 Position=#0




Band41(2535-2655) QAM16 BW=5MHz Channel=41215 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.176	-46.92	-10
2	2656	2660	1000	2656.184	-34.01	-10
3	2660	2661	1000	2660.276	-37.65	-13
4	2661	2665	1000	2661.304	-39.33	-25

Band41(2535-2655) QAM16 BW=5MHz Channel=41215 RB Size=1 Position=#Max



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.001	-27.16	-10
2	2656	2660	1000	2656.004	-13.52	-10
3	2660	2661	1000	2660.027	-35.7	-13
4	2661	2665	1000	2663.512	-38.11	-25

Band41(2535-2655) QAM16 BW=5MHz Channel=41215 RB Size=25 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	100	2655.052	-32.02	-10
2	2656	2660	1000	2656.016	-22.66	-10
3	2660	2661	1000	2660.33	-37.02	-13
4	2661	2665	1000	2661.016	-39.29	-25

Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.8475	-38.87	-25
2	2525	2530	1000	2528.655	-33.41	-13
3	2530	2534	1000	2533.972	-20.86	-10
4	2534	2535	200	2534.987	-24.56	-10


Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=1 Position=#Max




Band41(2535-2655) QPSK BW=10MHz Channel=40090 RB Size=50 Position=#0




Band41(2535-2655) QAM16 BW=10MHz Channel=40090 RB Size=1 Position=#0



Band41(2535-2655) QAM16 BW=10MHz Channel=40090 RB Size=1 Position=#Max



Band41(2535-2655) QAM16 BW=10MHz Channel=40090 RB Size=50 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2522.5	2525	1000	2524.6225	-39.48	-25
2	2525	2530	1000	2529.61	-32.18	-13
3	2530	2534	1000	2532.996	-28.41	-10
4	2534	2535	200	2534.767	-32.07	-10

Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	200	2655.651	-44.18	-10
2	2656	2660	1000	2656.46	-36.77	-10
3	2660	2665	1000	2663.025	-33.04	-13
4	2665	2667.5	1000	2667.315	-39.68	-25

Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=1 Position=#Max



Band41(2535-2655) QPSK BW=10MHz Channel=41190 RB Size=50 Position=#0



Band41(2535-2655) QAM16 BW=10MHz Channel=41190 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	200	2655.239	-45.11	-10
2	2656	2660	1000	2656.6	-37.52	-10
3	2660	2665	1000	2663.6	-34.55	-13
4	2665	2667.5	1000	2665.0375	-39.41	-25

Band41(2535-2655) QAM16 BW=10MHz Channel=41190 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	200	2655.063	-26.27	-10
2	2656	2660	1000	2656.004	-23.88	-10
3	2660	2665	1000	2660.215	-34.08	-13
4	2665	2667.5	1000	2665.19	-39.71	-25


Band41(2535-2655) QAM16 BW=10MHz Channel=41190 RB Size=50 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=1 Position=#0




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=1 Position=#Max




Band41(2535-2655) QPSK BW=15MHz Channel=40115 RB Size=75 Position=#0



Band41(2535-2655) QAM16 BW=15MHz Channel=40115 RB Size=1 Position=#0



Band41(2535-2655) QAM16 BW=15MHz Channel=40115 RB Size=1 Position=#Max



Band41(2535-2655) QAM16 BW=15MHz Channel=40115 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2516.25	2520	1000	2519.295	-39.59	-25
2	2520	2530	1000	2529.16	-31.61	-13
3	2530	2534	1000	2533.112	-28.74	-10
4	2534	2535	300	2534.138	-33.42	-10

Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	300	2655.173	-43.81	-10
2	2656	2660	1000	2658.348	-38.75	-10
3	2660	2670	1000	2667.59	-34.5	-13
4	2670	2673.75	1000	2670.2175	-39.67	-25

Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	300	2655.026	-29.59	-10
2	2656	2660	1000	2656.084	-25.16	-10
3	2660	2670	1000	2660.57	-28.45	-13
4	2670	2673.75	1000	2671.2975	-39.65	-25

Band41(2535-2655) QPSK BW=15MHz Channel=41165 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	300	2655.021	-23.93	-10
2	2656	2660	1000	2656.172	-24.84	-10
3	2660	2670	1000	2661.28	-35.26	-13
4	2670	2673.75	1000	2673.46875	-39.76	-25

Band41(2535-2655) QAM16 BW=15MHz Channel=41165 RB Size=1 Position=#0



Band41(2535-2655) QAM16 BW=15MHz Channel=41165 RB Size=1 Position=#Max



Band41(2535-2655) QAM16 BW=15MHz Channel=41165 RB Size=75 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	300	2655.139	-32.89	-10
2	2656	2660	1000	2656.068	-28.15	-10
3	2660	2670	1000	2660.09	-31.04	-13
4	2670	2673.75	1000	2671.4475	-39.52	-25

Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2510.71	-39.82	-25
2	2515	2530	1000	2529.385	-34.51	-13
3	2530	2534	1000	2533.604	-26.55	-10
4	2534	2535	430	2534.608	-24.81	-10


Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=1 Position=#Max




Band41(2535-2655) QPSK BW=20MHz Channel=40140 RB Size=100 Position=#0




Band41(2535-2655) QAM16 BW=20MHz Channel=40140 RB Size=1 Position=#0



Band41(2535-2655) QAM16 BW=20MHz Channel=40140 RB Size=1 Position=#Max



Band41(2535-2655) QAM16 BW=20MHz Channel=40140 RB Size=100 Position=#0



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2510	2515	1000	2513.9	-39.74	-25
2	2515	2530	1000	2528.2	-32.23	-13
3	2530	2534	1000	2533.396	-29.53	-10
4	2534	2535	430	2534.889	-32.31	-10

Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=1 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	430	2655.473	-41.79	-10
2	2656	2660	1000	2656.248	-38.97	-10
3	2660	2675	1000	2671.715	-34.84	-13
4	2675	2680	1000	2675.195	-39.43	-25

Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=1 Position=#Max




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	430	2655.085	-26.08	-10
2	2656	2660	1000	2656.312	-26.14	-10
3	2660	2675	1000	2660.93	-34.51	-13
4	2675	2680	1000	2676.33	-39.74	-25

Band41(2535-2655) QPSK BW=20MHz Channel=41140 RB Size=100 Position=#0




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	2655	2656	430	2655.643	-29.87	-10
2	2656	2660	1000	2656.688	-26.76	-10
3	2660	2675	1000	2660.09	-29.1	-13
4	2675	2680	1000	2677.72	-39.6	-25


Band41(2535-2655) QAM16 BW=20MHz Channel=41140 RB Size=1 Position=#0




Band41(2535-2655) QAM16 BW=20MHz Channel=41140 RB Size=1 Position=#Max




Band41(2535-2655) QAM16 BW=20MHz Channel=41140 RB Size=100 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=1 Position=#Max




Band5 QPSK BW=1.4MHz Channel=20407 RB Size=6 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=1 Position=#Max




Band5 QAM16 BW=1.4MHz Channel=20407 RB Size=6 Position=#0



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 QPSK BW=1.4MHz Channel=20643 RB Size=1 Position=#Max



Band5 QPSK BW=1.4MHz Channel=20643 RB Size=6 Position=#0



Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#0




Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=1 Position=#Max



Band5 QAM16 BW=1.4MHz Channel=20643 RB Size=6 Position=#0




Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 QPSK BW=3MHz Channel=20415 RB Size=1 Position=#Max




Band5 QPSK BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#0



Band5 QAM16 BW=3MHz Channel=20415 RB Size=1 Position=#Max




Band5 QAM16 BW=3MHz Channel=20415 RB Size=15 Position=#0




Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#0



Band5 QPSK BW=3MHz Channel=20635 RB Size=1 Position=#Max




Band5 QPSK BW=3MHz Channel=20635 RB Size=15 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#0



Band5 QAM16 BW=3MHz Channel=20635 RB Size=1 Position=#Max



Band5 QAM16 BW=3MHz Channel=20635 RB Size=15 Position=#0