

LTE Band26(814-824) Test Data

Report No. ENS2408260033W00207R Page 16

Appendix A: Output Power Data

Report No. ENS2408260033W00207R Page 41

Appendix B: Peak-to-Average Ratio

Report No. ENS2408260033W00207R Page 21

Appendix C: 26dB Bandwidth and Occupied Bandwidth

Report No. ENS2408260033W00207R Page 23

Appendix D: Band Edge

Report No. ENS2408260033W00207R Page 25

Appendix E: Conducted Spurious Emission

Report No. ENS2408260033W00207R Page 40

Appendix F: Frequency Stability

Appendix A: Output Power Data

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dBm)	Verdict
Band26	1.4MHz	QPSK	26697	1RB#0	24.00	PASS
Band26	1.4MHz	QPSK	26697	1RB#2	24.02	PASS
Band26	1.4MHz	QPSK	26697	1RB#5	23.94	PASS
Band26	1.4MHz	QPSK	26697	3RB#0	23.93	PASS
Band26	1.4MHz	QPSK	26697	3RB#1	23.96	PASS
Band26	1.4MHz	QPSK	26697	3RB#3	23.93	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	23.04	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	24.03	PASS
Band26	1.4MHz	QPSK	26740	1RB#2	24.07	PASS
Band26	1.4MHz	QPSK	26740	1RB#5	24.01	PASS
Band26	1.4MHz	QPSK	26740	3RB#0	24.03	PASS
Band26	1.4MHz	QPSK	26740	3RB#1	24.03	PASS
Band26	1.4MHz	QPSK	26740	3RB#3	23.99	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	23.02	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	24.00	PASS
Band26	1.4MHz	QPSK	26783	1RB#2	24.01	PASS
Band26	1.4MHz	QPSK	26783	1RB#5	24.02	PASS
Band26	1.4MHz	QPSK	26783	3RB#0	24.03	PASS
Band26	1.4MHz	QPSK	26783	3RB#1	23.99	PASS
Band26	1.4MHz	QPSK	26783	3RB#3	24.04	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	23.05	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	23.19	PASS
Band26	1.4MHz	16QAM	26697	1RB#2	23.30	PASS
Band26	1.4MHz	16QAM	26697	1RB#5	23.15	PASS
Band26	1.4MHz	16QAM	26697	3RB#0	22.91	PASS
Band26	1.4MHz	16QAM	26697	3RB#1	22.94	PASS
Band26	1.4MHz	16QAM	26697	3RB#3	22.91	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	22.11	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	23.16	PASS
Band26	1.4MHz	16QAM	26740	1RB#2	23.08	PASS
Band26	1.4MHz	16QAM	26740	1RB#5	23.26	PASS
Band26	1.4MHz	16QAM	26740	3RB#0	23.03	PASS
Band26	1.4MHz	16QAM	26740	3RB#1	23.01	PASS

Band26	1.4MHz	16QAM	26740	3RB#3	22.99	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	21.99	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	23.01	PASS
Band26	1.4MHz	16QAM	26783	1RB#2	23.29	PASS
Band26	1.4MHz	16QAM	26783	1RB#5	22.97	PASS
Band26	1.4MHz	16QAM	26783	3RB#0	22.96	PASS
Band26	1.4MHz	16QAM	26783	3RB#1	22.98	PASS
Band26	1.4MHz	16QAM	26783	3RB#3	23.08	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	22.00	PASS
Band26	3MHz	QPSK	26705	1RB#0	23.99	PASS
Band26	3MHz	QPSK	26705	1RB#8	24.01	PASS
Band26	3MHz	QPSK	26705	1RB#14	24.03	PASS
Band26	3MHz	QPSK	26705	8RB#0	23.07	PASS
Band26	3MHz	QPSK	26705	8RB#4	23.02	PASS
Band26	3MHz	QPSK	26705	8RB#7	23.06	PASS
Band26	3MHz	QPSK	26705	15RB#0	23.07	PASS
Band26	3MHz	QPSK	26740	1RB#0	24.12	PASS
Band26	3MHz	QPSK	26740	1RB#8	24.10	PASS
Band26	3MHz	QPSK	26740	1RB#14	24.10	PASS
Band26	3MHz	QPSK	26740	8RB#0	23.07	PASS
Band26	3MHz	QPSK	26740	8RB#4	23.08	PASS
Band26	3MHz	QPSK	26740	8RB#7	23.09	PASS
Band26	3MHz	QPSK	26740	15RB#0	23.11	PASS
Band26	3MHz	QPSK	26775	1RB#0	24.13	PASS
Band26	3MHz	QPSK	26775	1RB#8	24.09	PASS
Band26	3MHz	QPSK	26775	1RB#14	24.11	PASS
Band26	3MHz	QPSK	26775	8RB#0	23.08	PASS
Band26	3MHz	QPSK	26775	8RB#4	23.05	PASS
Band26	3MHz	QPSK	26775	8RB#7	23.07	PASS
Band26	3MHz	QPSK	26775	15RB#0	23.11	PASS
Band26	3MHz	16QAM	26705	1RB#0	23.28	PASS
Band26	3MHz	16QAM	26705	1RB#8	23.29	PASS
Band26	3MHz	16QAM	26705	1RB#14	23.24	PASS
Band26	3MHz	16QAM	26705	8RB#0	22.15	PASS
Band26	3MHz	16QAM	26705	8RB#4	22.10	PASS
Band26	3MHz	16QAM	26705	8RB#7	22.13	PASS
Band26	3MHz	16QAM	26705	15RB#0	22.05	PASS

Band26	3MHz	16QAM	26740	1RB#0	23.03	PASS
Band26	3MHz	16QAM	26740	1RB#8	23.07	PASS
Band26	3MHz	16QAM	26740	1RB#14	23.05	PASS
Band26	3MHz	16QAM	26740	8RB#0	22.19	PASS
Band26	3MHz	16QAM	26740	8RB#4	22.15	PASS
Band26	3MHz	16QAM	26740	8RB#7	22.19	PASS
Band26	3MHz	16QAM	26740	15RB#0	22.18	PASS
Band26	3MHz	16QAM	26775	1RB#0	23.26	PASS
Band26	3MHz	16QAM	26775	1RB#8	23.29	PASS
Band26	3MHz	16QAM	26775	1RB#14	23.25	PASS
Band26	3MHz	16QAM	26775	8RB#0	22.17	PASS
Band26	3MHz	16QAM	26775	8RB#4	22.16	PASS
Band26	3MHz	16QAM	26775	8RB#7	22.17	PASS
Band26	3MHz	16QAM	26775	15RB#0	22.12	PASS
Band26	5MHz	QPSK	26715	1RB#0	24.08	PASS
Band26	5MHz	QPSK	26715	1RB#12	24.21	PASS
Band26	5MHz	QPSK	26715	1RB#24	24.12	PASS
Band26	5MHz	QPSK	26715	12RB#0	23.11	PASS
Band26	5MHz	QPSK	26715	12RB#6	23.08	PASS
Band26	5MHz	QPSK	26715	12RB#13	23.10	PASS
Band26	5MHz	QPSK	26715	25RB#0	23.12	PASS
Band26	5MHz	QPSK	26740	1RB#0	24.11	PASS
Band26	5MHz	QPSK	26740	1RB#12	24.21	PASS
Band26	5MHz	QPSK	26740	1RB#24	24.10	PASS
Band26	5MHz	QPSK	26740	12RB#0	23.08	PASS
Band26	5MHz	QPSK	26740	12RB#6	23.06	PASS
Band26	5MHz	QPSK	26740	12RB#13	23.08	PASS
Band26	5MHz	QPSK	26740	25RB#0	23.13	PASS
Band26	5MHz	QPSK	26765	1RB#0	24.17	PASS
Band26	5MHz	QPSK	26765	1RB#12	24.20	PASS
Band26	5MHz	QPSK	26765	1RB#24	24.13	PASS
Band26	5MHz	QPSK	26765	12RB#0	23.12	PASS
Band26	5MHz	QPSK	26765	12RB#6	23.14	PASS
Band26	5MHz	QPSK	26765	12RB#13	23.08	PASS
Band26	5MHz	QPSK	26765	25RB#0	23.10	PASS
Band26	5MHz	16QAM	26715	1RB#0	23.20	PASS
Band26	5MHz	16QAM	26715	1RB#12	23.25	PASS

Band26	5MHz	16QAM	26715	1RB#24	23.22	PASS
Band26	5MHz	16QAM	26715	12RB#0	22.17	PASS
Band26	5MHz	16QAM	26715	12RB#6	22.14	PASS
Band26	5MHz	16QAM	26715	12RB#13	22.14	PASS
Band26	5MHz	16QAM	26715	25RB#0	22.15	PASS
Band26	5MHz	16QAM	26740	1RB#0	23.39	PASS
Band26	5MHz	16QAM	26740	1RB#12	23.44	PASS
Band26	5MHz	16QAM	26740	1RB#24	23.37	PASS
Band26	5MHz	16QAM	26740	12RB#0	22.20	PASS
Band26	5MHz	16QAM	26740	12RB#6	22.27	PASS
Band26	5MHz	16QAM	26740	12RB#13	22.23	PASS
Band26	5MHz	16QAM	26740	25RB#0	22.19	PASS
Band26	5MHz	16QAM	26765	1RB#0	23.44	PASS
Band26	5MHz	16QAM	26765	1RB#12	23.48	PASS
Band26	5MHz	16QAM	26765	1RB#24	23.39	PASS
Band26	5MHz	16QAM	26765	12RB#0	22.29	PASS
Band26	5MHz	16QAM	26765	12RB#6	22.22	PASS
Band26	5MHz	16QAM	26765	12RB#13	22.19	PASS
Band26	5MHz	16QAM	26765	25RB#0	22.13	PASS
Band26	10MHz	QPSK	26740	1RB#0	23.99	PASS
Band26	10MHz	QPSK	26740	1RB#24	24.06	PASS
Band26	10MHz	QPSK	26740	1RB#49	24.04	PASS
Band26	10MHz	QPSK	26740	25RB#0	23.13	PASS
Band26	10MHz	QPSK	26740	25RB#12	23.14	PASS
Band26	10MHz	QPSK	26740	25RB#25	23.12	PASS
Band26	10MHz	QPSK	26740	50RB#0	23.15	PASS
Band26	10MHz	16QAM	26740	1RB#0	23.27	PASS
Band26	10MHz	16QAM	26740	1RB#24	23.25	PASS
Band26	10MHz	16QAM	26740	1RB#49	23.22	PASS
Band26	10MHz	16QAM	26740	25RB#0	23.24	PASS
Band26	10MHz	16QAM	26740	25RB#12	22.18	PASS
Band26	10MHz	16QAM	26740	25RB#25	22.20	PASS
Band26	10MHz	16QAM	26740	50RB#0	22.14	PASS

Appendix B: Peak-to-Average Ratio(CCDF)

Test Result


Band	Bandwidth	Modulation	Channel	RB Configuration	Result(dB)	Limit(dB)	Verdict
Band26	1.4MHz	QPSK	26697	1RB#0	3.44	13	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	4.47	13	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	3.70	13	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	4.78	13	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	3.72	13	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	4.95	13	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	4.79	13	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	5.64	13	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	5.59	13	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	6.03	13	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	5.51	13	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	5.86	13	PASS
Band26	3MHz	QPSK	26705	1RB#0	3.25	13	PASS
Band26	3MHz	QPSK	26705	15RB#0	4.47	13	PASS
Band26	3MHz	QPSK	26740	1RB#0	3.53	13	PASS
Band26	3MHz	QPSK	26740	15RB#0	4.59	13	PASS
Band26	3MHz	QPSK	26775	1RB#0	3.52	13	PASS
Band26	3MHz	QPSK	26775	15RB#0	4.53	13	PASS
Band26	3MHz	16QAM	26705	1RB#0	4.70	13	PASS
Band26	3MHz	16QAM	26705	15RB#0	5.67	13	PASS
Band26	3MHz	16QAM	26740	1RB#0	5.29	13	PASS
Band26	3MHz	16QAM	26740	15RB#0	5.95	13	PASS
Band26	3MHz	16QAM	26775	1RB#0	5.42	13	PASS
Band26	3MHz	16QAM	26775	15RB#0	5.93	13	PASS
Band26	5MHz	QPSK	26715	1RB#0	4.16	13	PASS
Band26	5MHz	QPSK	26715	25RB#0	4.68	13	PASS
Band26	5MHz	QPSK	26740	1RB#0	3.49	13	PASS
Band26	5MHz	QPSK	26740	25RB#0	4.84	13	PASS
Band26	5MHz	QPSK	26765	1RB#0	3.54	13	PASS
Band26	5MHz	QPSK	26765	25RB#0	6.13	13	PASS
Band26	5MHz	16QAM	26715	1RB#0	9.04	13	PASS

Band26	5MHz	16QAM	26715	25RB#0	5.82	13	PASS
Band26	5MHz	16QAM	26740	1RB#0	5.12	13	PASS
Band26	5MHz	16QAM	26740	25RB#0	5.93	13	PASS
Band26	5MHz	16QAM	26765	1RB#0	5.20	13	PASS
Band26	5MHz	16QAM	26765	25RB#0	5.96	13	PASS
Band26	10MHz	QPSK	26740	1RB#0	3.28	13	PASS
Band26	10MHz	QPSK	26740	50RB#0	4.75	13	PASS
Band26	10MHz	16QAM	26740	1RB#0	4.81	13	PASS
Band26	10MHz	16QAM	26740	50RB#0	5.91	13	PASS




Test Graphs

Band26-1.4MHz-QPSK-26697-1RB#0




Band26-1.4MHz-QPSK-26697-6RB#0




Band26-1.4MHz-QPSK-26740-1RB#0




Band26-1.4MHz-QPSK-26740-6RB#0




Band26-1.4MHz-QPSK-26783-1RB#0




Band26-1.4MHz-QPSK-26783-6RB#0




Band26-1.4MHz-16QAM-26697-1RB#0




Band26-1.4MHz-16QAM-26697-6RB#0




Band26-1.4MHz-16QAM-26740-1RB#0




Band26-1.4MHz-16QAM-26740-6RB#0




Band26-1.4MHz-16QAM-26783-1RB#0




Band26-1.4MHz-16QAM-26783-6RB#0




Band26-3MHz-QPSK-26705-1RB#0




Band26-3MHz-QPSK-26705-15RB#0




Band26-3MHz-QPSK-26740-1RB#0




Band26-3MHz-QPSK-26740-15RB#0




Band26-3MHz-QPSK-26775-1RB#0




Band26-3MHz-QPSK-26775-15RB#0




Band26-3MHz-16QAM-26705-1RB#0




Band26-3MHz-16QAM-26705-15RB#0




Band26-3MHz-16QAM-26740-1RB#0




Band26-3MHz-16QAM-26740-15RB#0




Band26-3MHz-16QAM-26775-1RB#0




Band26-3MHz-16QAM-26775-15RB#0




Band26-5MHz-QPSK-26715-1RB#0




Band26-5MHz-QPSK-26715-25RB#0




Band26-5MHz-QPSK-26740-1RB#0




Band26-5MHz-QPSK-26740-25RB#0




Band26-5MHz-QPSK-26765-1RB#0




Band26-5MHz-QPSK-26765-25RB#0




Band26-5MHz-16QAM-26715-1RB#0




Band26-5MHz-16QAM-26715-25RB#0




Band26-5MHz-16QAM-26740-1RB#0




Band26-5MHz-16QAM-26740-25RB#0




Band26-5MHz-16QAM-26765-1RB#0




Band26-5MHz-16QAM-26765-25RB#0




Band26-10MHz-QPSK-26740-1RB#0



Band26-10MHz-QPSK-26740-50RB#0



Band26-10MHz-16QAM-26740-1RB#0



Band26-10MHz-16QAM-26740-50RB#0




Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Occupied Bandwidth (MHz)	26dB Bandwidth (MHz)	Verdict
Band26	1.4MHz	QPSK	26697	6RB#0	1.0894	1.220	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	1.0913	1.226	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	1.0887	1.222	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	1.0899	1.229	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	1.0891	1.230	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	1.0883	1.209	PASS
Band26	3MHz	QPSK	26705	15RB#0	2.6938	2.896	PASS
Band26	3MHz	QPSK	26740	15RB#0	2.6989	2.928	PASS
Band26	3MHz	QPSK	26775	15RB#0	2.6918	2.928	PASS
Band26	3MHz	16QAM	26705	15RB#0	2.6936	2.900	PASS
Band26	3MHz	16QAM	26740	15RB#0	2.6987	2.924	PASS
Band26	3MHz	16QAM	26775	15RB#0	2.6937	2.944	PASS
Band26	5MHz	QPSK	26715	25RB#0	4.5033	4.889	PASS
Band26	5MHz	QPSK	26740	25RB#0	4.5023	4.867	PASS
Band26	5MHz	QPSK	26765	25RB#0	4.4998	4.873	PASS
Band26	5MHz	16QAM	26715	25RB#0	4.5090	4.856	PASS
Band26	5MHz	16QAM	26740	25RB#0	4.5085	4.890	PASS
Band26	5MHz	16QAM	26765	25RB#0	4.5074	4.861	PASS
Band26	10MHz	QPSK	26740	50RB#0	8.9891	9.599	PASS
Band26	10MHz	16QAM	26740	50RB#0	8.9872	9.560	PASS

Test Graphs

Band26-1.4MHz-QPSK-26697-6RB#0




Band26-1.4MHz-QPSK-26740-6RB#0



Band26-1.4MHz-QPSK-26783-6RB#0




Band26-1.4MHz-16QAM-26697-6RB#0



Band26-1.4MHz-16QAM-26740-6RB#0



Band26-1.4MHz-16QAM-26783-6RB#0



Band26-3MHz-QPSK-26705-15RB#0



Band26-3MHz-QPSK-26740-15RB#0



Band26-3MHz-QPSK-26775-15RB#0



Band26-3MHz-16QAM-26705-15RB#0



Band26-3MHz-16QAM-26740-15RB#0



Band26-3MHz-16QAM-26775-15RB#0



Band26-5MHz-QPSK-26715-25RB#0




Band26-5MHz-QPSK-26740-25RB#0



Band26-5MHz-QPSK-26765-25RB#0



Band26-5MHz-16QAM-26715-25RB#0




Band26-5MHz-16QAM-26740-25RB#0



Band26-5MHz-16QAM-26765-25RB#0



Band26-10MHz-QPSK-26740-50RB#0



Appendix D: Band Edge


Test Result

Band	Bandwidth	Modulation	Channel	RB Config.	Result (dBm)	Verdict
Band26	1.4MHz	QPSK	26697	1RB#0	-24.42,-31.60	PASS
Band26	1.4MHz	QPSK	26697	1RB#5	-50.56,-47.33	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	-25.30,-24.98	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	-48.30,-47.34	PASS
Band26	1.4MHz	QPSK	26783	1RB#5	-47.41,-47.96	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	-25.52,-25.49	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	-27.05,-31.55	PASS
Band26	1.4MHz	16QAM	26697	1RB#5	-50.44,-46.28	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	-25.67,-26.14	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	-49.89,-48.04	PASS
Band26	1.4MHz	16QAM	26783	1RB#5	-25.73,-28.84	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	-26.44,-26.08	PASS
Band26	3MHz	QPSK	26705	1RB#0	-32.66,-41.77	PASS
Band26	3MHz	QPSK	26705	1RB#14	-56.00,-56.28	PASS
Band26	3MHz	QPSK	26705	15RB#0	-27.99,-31.25	PASS
Band26	3MHz	QPSK	26775	1RB#0	-56.14,-56.06	PASS
Band26	3MHz	QPSK	26775	1RB#14	-31.58,-39.52	PASS
Band26	3MHz	QPSK	26775	15RB#0	-28.72,-31.36	PASS
Band26	3MHz	16QAM	26705	1RB#0	-34.55,-42.66	PASS
Band26	3MHz	16QAM	26705	1RB#14	-56.44,-56.25	PASS
Band26	3MHz	16QAM	26705	15RB#0	-30.11,-31.25	PASS
Band26	3MHz	16QAM	26775	1RB#0	-56.75,-56.00	PASS
Band26	3MHz	16QAM	26775	1RB#14	-34.69,-41.93	PASS
Band26	3MHz	16QAM	26775	15RB#0	-22.24,-25.98	PASS
Band26	5MHz	QPSK	26715	1RB#0	-34.81,-41.68	PASS
Band26	5MHz	QPSK	26715	1RB#24	-54.00,-53.43	PASS
Band26	5MHz	QPSK	26715	25RB#0	-40.84,-43.52	PASS
Band26	5MHz	QPSK	26765	1RB#0	-53.80,-53.40	PASS
Band26	5MHz	QPSK	26765	1RB#24	-32.91,-38.89	PASS
Band26	5MHz	QPSK	26765	25RB#0	-40.23,-42.70	PASS
Band26	5MHz	16QAM	26715	1RB#0	-36.21,-42.23	PASS
Band26	5MHz	16QAM	26715	1RB#24	-53.98,-53.46	PASS

Band26	5MHz	16QAM	26715	25RB#0	-42.96,-45.84	PASS
Band26	5MHz	16QAM	26765	1RB#0	-53.79,-53.42	PASS
Band26	5MHz	16QAM	26765	1RB#24	-34.58,-39.92	PASS
Band26	5MHz	16QAM	26765	25RB#0	-42.76,-45.86	PASS
Band26	10MHz	QPSK	26740	1RB#0	-25.46,-20.91,-46.23,-42.95	PASS
Band26	10MHz	QPSK	26740	1RB#49	-49.97,-48.92,-32.66,-35.09	PASS
Band26	10MHz	QPSK	26740	50RB#0	-21.25,-20.32,-21.51,-22.08	PASS
Band26	10MHz	16QAM	26740	1RB#0	-40.53,-35.45,-50.37,-50.28	PASS
Band26	10MHz	16QAM	26740	1RB#49	-50.32,-50.05,-32.88,-35.27	PASS
Band26	10MHz	16QAM	26740	50RB#0	-25.05,-23.91,-25.52,-25.85	PASS



Test Graphs



Band26-1.4MHz-QPSK-26783-1RB#0



Band26-1.4MHz-QPSK-26783-1RB#5



Band26-1.4MHz-QPSK-26783-6RB#0



Band26-1.4MHz-16QAM-26697-1RB#0



Band26-1.4MHz-16QAM-26697-1RB#5



Band26-1.4MHz-16QAM-26697-6RB#0



Band26-1.4MHz-16QAM-26783-1RB#0



Band26-1.4MHz-16QAM-26783-1RB#5



Band26-1.4MHz-16QAM-26783-6RB#0



Band26-3MHz-QPSK-26705-1RB#0



Band26-3MHz-QPSK-26705-1RB#14



Band26-3MHz-QPSK-26705-15RB#0




Band26-3MHz-QPSK-26775-1RB#0



Band26-3MHz-QPSK-26775-1RB#14



Band26-3MHz-QPSK-26775-15RB#0



Band26-3MHz-16QAM-26705-1RB#0



Band26-3MHz-16QAM-26705-1RB#14



Band26-3MHz-16QAM-26705-15RB#0



Band26-3MHz-16QAM-26775-1RB#0



Band26-3MHz-16QAM-26775-1RB#14



Band26-3MHz-16QAM-26775-15RB#0



Band26-5MHz-QPSK-26715-1RB#0



Band26-5MHz-QPSK-26715-1RB#24



Band26-5MHz-QPSK-26715-25RB#0



Band26-5MHz-QPSK-26765-1RB#0



Band26-5MHz-QPSK-26765-1RB#24



Band26-5MHz-QPSK-26765-25RB#0



Band26-5MHz-16QAM-26715-1RB#0



Band26-5MHz-16QAM-26715-1RB#24



Band26-5MHz-16QAM-26715-25RB#0



Band26-5MHz-16QAM-26765-1RB#0



Band26-5MHz-16QAM-26765-1RB#24



Band26-5MHz-16QAM-26765-25RB#0



Band26-10MHz-QPSK-26740-1RB#0



Band26-10MHz-QPSK-26740-1RB#49



Band26-10MHz-QPSK-26740-50RB#0



Band26-10MHz-16QAM-26740-1RB#0



Band26-10MHz-16QAM-26740-1RB#49



Band26-10MHz-16QAM-26740-50RB#0



Appendix E: Conducted Spurious Emission

Test Result

Band	Bandwidth	Modulation	Channel	RB Configuration	Frequency Range	Result (dBm)	Verdict
Band26	1.4MHz	QPSK	26697	1RB#0	Range1:30~1000MHz	-26.38	PASS
Band26	1.4MHz	QPSK	26697	1RB#0	Range2:1000~10000MHz	-23.69	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-26.98	PASS
Band26	1.4MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-27.23	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	Range1:30~1000MHz	-27.09	PASS
Band26	1.4MHz	QPSK	26783	1RB#0	Range2:1000~10000MHz	-29.96	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	Range1:30~1000MHz	-25.85	PASS
Band26	1.4MHz	16QAM	26697	1RB#0	Range2:1000~10000MHz	-29.74	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-26.16	PASS
Band26	1.4MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-30.06	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	Range1:30~1000MHz	-26.22	PASS
Band26	1.4MHz	16QAM	26783	1RB#0	Range2:1000~10000MHz	-27.1	PASS
Band26	3MHz	QPSK	26705	1RB#0	Range1:30~1000MHz	-26.08	PASS
Band26	3MHz	QPSK	26705	1RB#0	Range2:1000~10000MHz	-27.09	PASS
Band26	3MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-25.82	PASS
Band26	3MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-24.61	PASS
Band26	3MHz	QPSK	26775	1RB#0	Range1:30~1000MHz	-26.77	PASS

					00MHz		
Band26	3MHz	QPSK	26775	1RB#0	Range2:1000~10000MHz	-29.29	PASS
Band26	3MHz	16QAM	26705	1RB#0	Range1:30~1000MHz	-26.48	PASS
Band26	3MHz	16QAM	26705	1RB#0	Range2:1000~10000MHz	-27.68	PASS
Band26	3MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-26.36	PASS
Band26	3MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-24.46	PASS
Band26	3MHz	16QAM	26775	1RB#0	Range1:30~1000MHz	-26.84	PASS
Band26	3MHz	16QAM	26775	1RB#0	Range2:1000~10000MHz	-30.24	PASS
Band26	5MHz	QPSK	26715	1RB#0	Range1:30~1000MHz	-25.95	PASS
Band26	5MHz	QPSK	26715	1RB#0	Range2:1000~10000MHz	-29.04	PASS
Band26	5MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-27.22	PASS
Band26	5MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-25.94	PASS
Band26	5MHz	QPSK	26765	1RB#0	Range1:30~1000MHz	-26.4	PASS
Band26	5MHz	QPSK	26765	1RB#0	Range2:1000~10000MHz	-29.41	PASS
Band26	5MHz	16QAM	26715	1RB#0	Range1:30~1000MHz	-26.63	PASS
Band26	5MHz	16QAM	26715	1RB#0	Range2:1000~10000MHz	-29.22	PASS
Band26	5MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-26.72	PASS
Band26	5MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-29.42	PASS
Band26	5MHz	16QAM	26765	1RB#0	Range1:30~1000MHz	-25.94	PASS

Band26	5MHz	16QAM	26765	1RB#0	Range2:1000~10000MHz	-30.1	PASS
Band26	10MHz	QPSK	26740	1RB#0	Range1:30~1000MHz	-26.13	PASS
Band26	10MHz	QPSK	26740	1RB#0	Range2:1000~10000MHz	-28.56	PASS
Band26	10MHz	16QAM	26740	1RB#0	Range1:30~1000MHz	-24.61	PASS
Band26	10MHz	16QAM	26740	1RB#0	Range2:1000~10000MHz	-24.6	PASS



Test Graphs

Band26-1.4MHz-QPSK-26697-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-QPSK-26697-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-QPSK-26740-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-QPSK-26783-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-QPSK-26783-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-16QAM-26697-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-16QAM-26697-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-16QAM-26740-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz



Band26-1.4MHz-16QAM-26783-1RB#0-Range1:30~1000MHz



Band26-1.4MHz-16QAM-26783-1RB#0-Range2:1000~10000MHz



Band26-3MHz-QPSK-26705-1RB#0-Range1:30~1000MHz




Band26-3MHz-QPSK-26705-1RB#0-Range2:1000~10000MHz



Band26-3MHz-QPSK-26740-1RB#0-Range1:30~1000MHz



Band26-3MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz



Band26-3MHz-QPSK-26775-1RB#0-Range1:30~1000MHz



Band26-3MHz-QPSK-26775-1RB#0-Range2: 1000~10000MHz



Band26-3MHz-16QAM-26705-1RB#0-Range1:30~1000MHz



Band26-3MHz-16QAM-26705-1RB#0-Range2:1000~10000MHz



Band26-3MHz-16QAM-26740-1RB#0-Range1:30~1000MHz



Band26-3MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz



Band26-3MHz-16QAM-26775-1RB#0-Range1:30~1000MHz



Band26-3MHz-16QAM-26775-1RB#0-Range2:1000~10000MHz



Band26-5MHz-QPSK-26715-1RB#0-Range1:30~1000MHz



Band26-5MHz-QPSK-26715-1RB#0-Range2:1000~10000MHz



Band26-5MHz-QPSK-26740-1RB#0-Range1:30~1000MHz



Band26-5MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz



Band26-5MHz-QPSK-26765-1RB#0-Range1:30~1000MHz



Band26-5MHz-QPSK-26765-1RB#0-Range2:1000~10000MHz



Band26-5MHz-16QAM-26715-1RB#0-Range1:30~1000MHz



Band26-5MHz-16QAM-26715-1RB#0-Range2:1000~10000MHz



Band26-5MHz-16QAM-26740-1RB#0-Range1:30~1000MHz



Band26-5MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz



Band26-5MHz-16QAM-26765-1RB#0-Range1:30~1000MHz



Band26-5MHz-16QAM-26765-1RB#0-Range2:1000~10000MHz



Band26-10MHz-QPSK-26740-1RB#0-Range1:30~1000MHz




Band26-10MHz-QPSK-26740-1RB#0-Range2:1000~10000MHz



Band26-10MHz-16QAM-26740-1RB#0-Range1:30~1000MHz



Band26-10MHz-16QAM-26740-1RB#0-Range2:1000~10000MHz



Appendix F: Frequency Stability

Test Result

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	1.4MHz	QPSK	26697	6RB#0	VL	NT	-14.75	-0.018105	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	VN	NT	-11.87	-0.014570	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	VH	NT	-12.47	-0.015306	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	VL	NT	-5.42	-0.006618	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	VN	NT	-2.80	-0.003419	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	VH	NT	-5.84	-0.007131	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	VL	NT	-20.04	-0.024341	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	VN	NT	-21.54	-0.026163	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	VH	NT	-15.94	-0.019361	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	VL	NT	-5.88	-0.007217	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	VN	NT	3.52	0.004321	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	VH	NT	-7.82	-0.009599	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	VL	NT	10.03	0.012247	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	VN	NT	12.80	0.015629	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	VH	NT	4.29	0.005238	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	VL	NT	-5.22	-0.006340	±2.5	PASS

Band26	1.4MHz	16QAM	26783	6RB#0	VN	NT	-1.93	-0.0023 44	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	VH	NT	2.50	0.00303 7	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	VL	NT	-4.79	-0.0058 74	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	VN	NT	-5.01	-0.0061 43	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	VH	NT	-3.45	-0.0042 31	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	VL	NT	-3.18	-0.0038 83	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	VN	NT	-9.41	-0.01149 0	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	VH	NT	-8.40	-0.0102 56	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	VL	NT	4.22	0.00513 1	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	VN	NT	8.94	0.01086 9	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	VH	NT	3.16	0.00384 2	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	VL	NT	2.37	0.00290 6	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	VN	NT	-8.18	-0.0100 31	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	VH	NT	1.34	0.00164 3	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	VL	NT	-2.37	-0.0028 94	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	VN	NT	1.23	0.00150 2	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	VH	NT	2.16	0.00263 7	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	VL	NT	5.46	0.00663 8	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	VN	NT	-16.54	-0.0201	±2.5	PASS

								09		
Band26	3MHz	16QAM	26775	15RB#0	VH	NT	8.41	0.01022 5	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	VL	NT	2.22	0.00271 9	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	VN	NT	8.43	0.01032 5	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	VH	NT	3.13	0.00383 3	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	VL	NT	-9.07	-0.01107 4	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	VN	NT	-5.48	-0.0066 91	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	VH	NT	-5.62	-0.0068 62	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	VL	NT	-3.66	-0.0044 55	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	VN	NT	-4.39	-0.0053 44	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	VH	NT	-6.85	-0.0083 38	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	VL	NT	6.61	0.00809 6	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	VN	NT	7.30	0.00894 1	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	VH	NT	5.59	0.00684 6	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	VL	NT	-5.88	-0.0071 79	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	VN	NT	-3.52	-0.0042 98	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	VH	NT	-6.85	-0.0083 64	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	VL	NT	-5.55	-0.0067 56	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	VN	NT	-5.06	-0.0061 59	±2.5	PASS

Band26	5MHz	16QAM	26765	25RB#0	VH	NT	-7.70	-0.0093 73	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	VL	NT	-6.51	-0.0079 49	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	VN	NT	-8.61	-0.0105 13	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	VH	NT	-4.21	-0.0051 40	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	VL	NT	-8.73	-0.0106 59	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	VN	NT	-5.82	-0.0071 06	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	VH	NT	-2.27	-0.0027 72	±2.5	PASS

Voltage										
Band	Bandwidth	Modulation	Channel	RB Configure	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band26	1.4MHz	QPSK	26697	6RB#0	NV	-30	-13.96	-0.0171 35	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	-20	-16.34	-0.0200 56	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	-10	-12.15	-0.0149 13	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	0	-13.83	-0.0169 76	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	10	-3.79	-0.0046 52	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	20	-9.24	-0.01134 2	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	30	-2.98	-0.0036 58	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	40	-5.68	-0.0069 72	±2.5	PASS
Band26	1.4MHz	QPSK	26697	6RB#0	NV	50	-4.85	-0.0059 53	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	-30	-4.88	-0.0059 58	±2.5	PASS

Band26	1.4MHz	QPSK	26740	6RB#0	NV	-20	6.51	0.00794 9	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	-10	7.57	0.00924 3	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	0	11.01	0.01344 3	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	10	14.45	0.01764 3	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	20	10.73	0.01310 1	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	30	-1.82	-0.0022 22	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	40	2.65	0.00323 6	±2.5	PASS
Band26	1.4MHz	QPSK	26740	6RB#0	NV	50	-5.39	-0.0065 81	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	-30	-10.67	-0.0129 60	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	-20	-7.05	-0.0085 63	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	-10	-8.37	-0.0101 66	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	0	-9.01	-0.0109 44	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	10	2.35	0.00285 4	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	20	-8.04	-0.0097 66	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	30	-7.62	-0.0092 55	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	40	-7.20	-0.0087 45	±2.5	PASS
Band26	1.4MHz	QPSK	26783	6RB#0	NV	50	-5.54	-0.0067 29	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	-30	-5.34	-0.0065 55	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	-20	2.16	0.00265	±2.5	PASS

								1		
Band26	1.4MHz	16QAM	26697	6RB#0	NV	-10	-3.91	-0.0047 99	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	0	-2.73	-0.0033 51	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	10	-6.05	-0.0074 26	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	20	-1.17	-0.0014 36	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	30	-4.78	-0.0058 67	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	40	3.06	0.00375 6	±2.5	PASS
Band26	1.4MHz	16QAM	26697	6RB#0	NV	50	-3.06	-0.0037 56	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	-30	-2.92	-0.0035 65	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	-20	5.09	0.00621 5	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	-10	-1.67	-0.0020 39	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	0	5.09	0.00621 5	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	10	3.22	0.00393 2	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	20	1.33	0.00162 4	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	30	-0.97	-0.00118 4	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	40	-1.80	-0.0021 98	±2.5	PASS
Band26	1.4MHz	16QAM	26740	6RB#0	NV	50	-4.39	-0.0053 60	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	-30	-13.72	-0.0166 65	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	-20	-15.34	-0.0186 32	±2.5	PASS

Band26	1.4MHz	16QAM	26783	6RB#0	NV	-10	-6.45	-0.0078 34	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	0	-6.49	-0.0078 83	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	10	-8.01	-0.0097 29	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	20	-11.97	-0.0145 39	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	30	-10.99	-0.0133 49	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	40	-1.65	-0.0020 04	±2.5	PASS
Band26	1.4MHz	16QAM	26783	6RB#0	NV	50	-5.88	-0.0071 42	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	-30	-1.60	-0.0019 62	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	-20	-6.14	-0.0075 29	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	-10	-1.44	-0.0017 66	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	0	-6.11	-0.0074 92	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	10	2.37	0.00290 6	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	20	-4.29	-0.0052 61	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	30	-8.30	-0.0101 78	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	40	-2.20	-0.0026 98	±2.5	PASS
Band26	3MHz	QPSK	26705	15RB#0	NV	50	-5.61	-0.0068 79	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	-30	-5.66	-0.00691 1	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	-20	-9.04	-0.01103 8	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	-10	-3.25	-0.0039	±2.5	PASS

								68		
Band26	3MHz	QPSK	26740	15RB#0	NV	0	-5.46	-0.0066 67	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	10	-29.93	-0.0365 45	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	20	-8.71	-0.0106 35	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	30	-3.25	-0.0039 68	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	40	2.85	0.00348 0	±2.5	PASS
Band26	3MHz	QPSK	26740	15RB#0	NV	50	-1.59	-0.0019 41	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	-30	2.45	0.00297 9	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	-20	3.16	0.00384 2	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	-10	6.44	0.00783 0	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	0	8.81	0.01071 1	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	10	3.55	0.00431 6	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	20	7.11	0.00864 4	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	30	1.49	0.00181 2	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	40	5.94	0.00722 2	±2.5	PASS
Band26	3MHz	QPSK	26775	15RB#0	NV	50	2.65	0.00322 2	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	-30	-1.70	-0.0020 85	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	-20	-2.62	-0.0032 13	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	-10	-3.26	-0.0039 98	±2.5	PASS

Band26	3MHz	16QAM	26705	15RB#0	NV	0	-4.59	-0.0056 28	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	10	-3.28	-0.0040 22	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	20	-6.29	-0.0077 13	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	30	-6.54	-0.0080 20	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	40	-8.28	-0.0101 53	±2.5	PASS
Band26	3MHz	16QAM	26705	15RB#0	NV	50	3.00	0.00367 9	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	-30	-6.59	-0.0080 46	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	-20	-5.34	-0.0065 20	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	-10	-3.66	-0.0044 69	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	0	1.96	0.00239 3	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	10	-5.22	-0.0063 74	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	20	-2.49	-0.0030 40	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	30	-7.21	-0.0088 03	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	40	-5.44	-0.0066 42	±2.5	PASS
Band26	3MHz	16QAM	26740	15RB#0	NV	50	2.86	0.00349 2	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	-30	7.94	0.00965 3	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	-20	-20.97	-0.0254 95	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	-10	4.22	0.00513 1	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	0	9.31	0.01131	±2.5	PASS

								9		
Band26	3MHz	16QAM	26775	15RB#0	NV	10	9.30	0.01130 7	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	20	8.68	0.01055 3	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	30	3.26	0.00396 4	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	40	10.20	0.01240 1	±2.5	PASS
Band26	3MHz	16QAM	26775	15RB#0	NV	50	1.96	0.00238 3	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	-30	7.22	0.00884 3	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	-20	1.44	0.00176 4	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	-10	2.79	0.00341 7	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	0	4.01	0.00491 1	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	10	6.05	0.00741 0	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	20	-2.65	-0.0032 46	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	30	3.59	0.00439 7	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	40	7.38	0.00903 9	±2.5	PASS
Band26	5MHz	QPSK	26715	25RB#0	NV	50	2.62	0.00320 9	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	-30	-4.92	-0.0060 07	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	-20	-2.99	-0.0036 51	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	-10	-4.46	-0.0054 46	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	0	-4.86	-0.0059 34	±2.5	PASS

Band26	5MHz	QPSK	26740	25RB#0	NV	10	-2.45	-0.0029 91	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	20	-9.21	-0.01124 5	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	30	-4.82	-0.0058 85	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	40	-3.10	-0.0037 85	±2.5	PASS
Band26	5MHz	QPSK	26740	25RB#0	NV	50	-8.63	-0.0105 37	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	-30	-6.15	-0.0074 86	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	-20	2.37	0.00288 5	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	-10	-2.26	-0.0027 51	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	0	2.26	0.00275 1	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	10	-8.20	-0.0099 82	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	20	-3.99	-0.0048 57	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	30	-9.20	-0.01119 9	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	40	-6.18	-0.0075 23	±2.5	PASS
Band26	5MHz	QPSK	26765	25RB#0	NV	50	1.46	0.00177 7	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	-30	2.95	0.00361 3	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	-20	11.33	0.01387 6	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	-10	9.28	0.01136 6	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	0	7.85	0.00961 4	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	10	7.20	0.00881	±2.5	PASS

								8		
Band26	5MHz	16QAM	26715	25RB#0	NV	20	5.64	0.00690 8	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	30	2.33	0.00285 4	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	40	2.99	0.00366 2	±2.5	PASS
Band26	5MHz	16QAM	26715	25RB#0	NV	50	1.76	0.00215 6	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	-30	-9.26	-0.01130 6	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	-20	2.33	0.00284 5	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	-10	-1.43	-0.0017 46	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	0	-2.79	-0.0034 07	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	10	-3.12	-0.0038 10	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	20	-5.39	-0.0065 81	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	30	-7.64	-0.0093 28	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	40	2.60	0.00317 5	±2.5	PASS
Band26	5MHz	16QAM	26740	25RB#0	NV	50	-1.09	-0.0013 31	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	-30	-9.30	-0.01132 1	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	-20	1.77	0.00215 5	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	-10	-1.57	-0.00191 1	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	0	-3.09	-0.0037 61	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	10	-4.41	-0.0053 68	±2.5	PASS

Band26	5MHz	16QAM	26765	25RB#0	NV	20	-4.89	-0.0059 53	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	30	-6.78	-0.0082 53	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	40	2.89	0.00351 8	±2.5	PASS
Band26	5MHz	16QAM	26765	25RB#0	NV	50	-4.06	-0.0049 42	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	-30	-7.42	-0.0090 60	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	-20	-7.15	-0.0087 30	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	-10	-9.00	-0.0109 89	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	0	-7.41	-0.0090 48	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	10	-7.72	-0.0094 26	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	20	-6.72	-0.0082 05	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	30	-3.58	-0.0043 71	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	40	-10.73	-0.0131 01	±2.5	PASS
Band26	10MHz	QPSK	26740	50RB#0	NV	50	-6.48	-0.0079 12	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	-30	-3.91	-0.0047 74	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	-20	-6.11	-0.0074 60	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	-10	-1.43	-0.0017 46	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	0	-3.93	-0.0047 99	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	10	-7.65	-0.0093 41	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	20	-9.30	-0.01135	±2.5	PASS

								5		
Band26	10MHz	16QAM	26740	50RB#0	NV	30	-10.93	-0.0133 46	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	40	-5.44	-0.0066 42	±2.5	PASS
Band26	10MHz	16QAM	26740	50RB#0	NV	50	-8.74	-0.0106 72	±2.5	PASS

--- The End---

