


Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
13	15	5	150200	782.0	DFT-s-OFDM PI/2 BPSK	25@0	4.4816	4.997
13	15	5	150200	782.0	DFT-s-OFDM QPSK	25@0	4.4745	4.981
13	15	5	150200	782.0	CP-OFDM QPSK	25@0	4.4596	5.07
13	15	5	150200	782.0	CP-OFDM 16 QAM	25@0	4.488	5.161
13	15	5	150200	782.0	CP-OFDM 64 QAM	25@0	4.4593	4.907
13	15	5	150200	782.0	CP-OFDM 256 QAM	25@0	4.4813	5.001
13	15	10	150200	782.0	DFT-s-OFDM PI/2 BPSK	50@0	8.8855	9.426
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	8.898	9.615
13	15	10	150200	782.0	CP-OFDM QPSK	52@0	9.2626	9.92
13	15	10	150200	782.0	CP-OFDM 16 QAM	52@0	9.2753	9.866
13	15	10	150200	782.0	CP-OFDM 64 QAM	52@0	9.2555	9.934
13	15	10	150200	782.0	CP-OFDM 256 QAM	52@0	9.258	9.931


N13(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N13(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




N13(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N13(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N13(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N13(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



N13(10M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N13(10M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




N13(10M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH



N13(10M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH



N13(10M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH



N13(10M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
13	15	5	149700	779.5	DFT-s-OFDM BPSK	1@0	see graph	---
13	15	5	149700	779.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	5	149700	779.5	DFT-s-OFDM QPSK	1@0	see graph	---
13	15	5	149700	779.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
13	15	5	150200	782.0	DFT-s-OFDM BPSK	1@0	see graph	---
13	15	5	150200	782.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	5	150200	782.0	DFT-s-OFDM QPSK	1@0	see graph	---
13	15	5	150200	782.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM BPSK	1@0	see graph	---
13	15	5	150700	784.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM QPSK	1@0	see graph	---
13	15	5	150700	784.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM BPSK	1@0	see graph	---
13	15	10	150200	782.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM QPSK	1@0	see graph	---
13	15	10	150200	782.0	DFT-s-OFDM QPSK	1@0	see graph	PASS

N13(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N13(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N13(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N13(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N13(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



N13(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N13(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N13(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
13	15	5	149700	779.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	5	149700	779.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
13	15	5	149700	779.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
13	15	5	149700	779.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
13	15	5	150700	784.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
13	15	10	150200	782.0	DFT-s-OFDM QPSK	50@0	see graph	PASS


N13(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




N13(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N13(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N13(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N13(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N13(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N13(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH



N13(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N13(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N13(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N13(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_Mid_CH



N13(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_Mid_CH



N13(10M)_DFT-s- OFDM_BPSK_Outer_Full_Mid_CH



N13(10M)_DFT-s- OFDM_QPSK_Outer_Full_Mid_CH



FR1 N25

Transmitter Conducted Output Power and EIRP, ($G_T - L_C$)=-3.8dB

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
25	15	5	370500	1852.5	DFT-s-OFDM QPSK	1@1	23.18	19.38	0.0867
25	15	5	370500	1852.5	DFT-s-OFDM 16 QAM	1@1	23.16	19.36	0.0863
25	15	5	376500	1882.5	DFT-s-OFDM QPSK	1@1	23.29	19.49	0.0889
25	15	5	376500	1882.5	DFT-s-OFDM 16 QAM	1@1	22.85	19.05	0.0804
25	15	5	382500	1912.5	DFT-s-OFDM QPSK	1@1	23.51	19.71	0.0935
25	15	5	382500	1912.5	DFT-s-OFDM 16 QAM	1@1	23.48	19.68	0.0929
25	15	10	371000	1855.0	DFT-s-OFDM QPSK	1@1	23.05	19.25	0.0841
25	15	10	371000	1855.0	DFT-s-OFDM 16 QAM	1@1	23.01	19.21	0.0834
25	15	10	376500	1882.5	DFT-s-OFDM QPSK	1@1	22.98	19.18	0.0828
25	15	10	376500	1882.5	DFT-s-OFDM 16 QAM	1@1	22.88	19.08	0.0809
25	15	10	382000	1910.0	DFT-s-OFDM QPSK	1@1	23.28	19.48	0.0887
25	15	10	382000	1910.0	DFT-s-OFDM 16 QAM	1@1	23.2	19.4	0.0871
25	15	15	371500	1857.5	DFT-s-OFDM QPSK	1@1	23.17	19.37	0.0865
25	15	15	371500	1857.5	DFT-s-OFDM 16 QAM	1@1	23.15	19.35	0.0861
25	15	15	376500	1882.5	DFT-s-OFDM QPSK	1@1	23.39	19.59	0.0910
25	15	15	376500	1882.5	DFT-s-OFDM 16 QAM	1@1	23.28	19.48	0.0887
25	15	15	381500	1907.5	DFT-s-OFDM QPSK	1@1	23.35	19.55	0.0902
25	15	15	381500	1907.5	DFT-s-OFDM 16 QAM	1@1	23.25	19.45	0.0881
25	15	20	372000	1860.0	DFT-s-OFDM PI/2 BPSK	50@25	23.31	19.51	0.0893
25	15	20	372000	1860.0	DFT-s-OFDM PI/2 BPSK	1@1	23.04	19.24	0.0839
25	15	20	372000	1860.0	DFT-s-OFDM PI/2 BPSK	1@104	23.25	19.45	0.0881
25	15	20	372000	1860.0	DFT-s-OFDM QPSK	50@25	23.36	19.56	0.0904

25	15	20	372000	1860.0	DFT-s-OFDM QPSK	1@1	23.29	19.49	0.0889
25	15	20	372000	1860.0	DFT-s-OFDM QPSK	1@104	23.51	19.71	0.0935
25	15	20	372000	1860.0	DFT-s-OFDM 16 QAM	50@25	23.11	19.31	0.0853
25	15	20	372000	1860.0	DFT-s-OFDM 16 QAM	1@1	23.08	19.28	0.0847
25	15	20	372000	1860.0	DFT-s-OFDM 16 QAM	1@104	23.37	19.57	0.0906
25	15	20	372000	1860.0	DFT-s-OFDM 64 QAM	50@25	21.69	17.89	0.0615
25	15	20	372000	1860.0	DFT-s-OFDM 64 QAM	1@1	21.55	17.75	0.0596
25	15	20	372000	1860.0	DFT-s-OFDM 64 QAM	1@104	21.93	18.13	0.0650
25	15	20	372000	1860.0	DFT-s-OFDM 256 QAM	50@25	19.69	15.89	0.0388
25	15	20	372000	1860.0	DFT-s-OFDM 256 QAM	1@1	19.25	15.45	0.0351
25	15	20	372000	1860.0	DFT-s-OFDM 256 QAM	1@104	19.47	15.67	0.0369
25	15	20	372000	1860.0	CP-OFDM QPSK	53@26	22.77	18.97	0.0789
25	15	20	372000	1860.0	CP-OFDM QPSK	1@1	22.63	18.83	0.0764
25	15	20	372000	1860.0	CP-OFDM QPSK	1@104	22.69	18.89	0.0774
25	15	20	376500	1882.5	DFT-s-OFDM PI/2 BPSK	50@25	23.12	19.32	0.0855
25	15	20	376500	1882.5	DFT-s-OFDM PI/2 BPSK	1@1	23.09	19.29	0.0849
25	15	20	376500	1882.5	DFT-s-OFDM PI/2 BPSK	1@104	22.96	19.16	0.0824
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	50@25	23.09	19.29	0.0849
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	1@1	23.16	19.36	0.0863
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	1@104	23.19	19.39	0.0869
25	15	20	376500	1882.5	DFT-s-OFDM 16 QAM	50@25	23	19.2	0.0832
25	15	20	376500	1882.5	DFT-s-OFDM 16 QAM	1@1	23.03	19.23	0.0838
25	15	20	376500	1882.5	DFT-s-OFDM 16 QAM	1@104	23.07	19.27	0.0845
25	15	20	376500	1882.5	DFT-s-OFDM 64 QAM	50@25	21.55	17.75	0.0596
25	15	20	376500	1882.5	DFT-s-OFDM 64 QAM	1@1	21.8	18	0.0631
25	15	20	376500	1882.5	DFT-s-OFDM 64 QAM	1@104	21.65	17.85	0.0610
25	15	20	376500	1882.5	DFT-s-OFDM 256 QAM	50@25	19.54	15.74	0.0375

25	15	20	376500	1882.5	DFT-s-OFDM 256 QAM	1@1	19.41	15.61	0.0364
25	15	20	376500	1882.5	DFT-s-OFDM 256 QAM	1@104	19.24	15.44	0.0350
25	15	20	376500	1882.5	CP-OFDM QPSK	53@26	22.74	18.94	0.0783
25	15	20	376500	1882.5	CP-OFDM QPSK	1@1	22.68	18.88	0.0773
25	15	20	376500	1882.5	CP-OFDM QPSK	1@104	22.16	18.36	0.0685
25	15	20	381000	1905.0	DFT-s-OFDM PI/2 BPSK	50@25	23.41	19.61	0.0914
25	15	20	381000	1905.0	DFT-s-OFDM PI/2 BPSK	1@1	22.96	19.16	0.0824
25	15	20	381000	1905.0	DFT-s-OFDM PI/2 BPSK	1@104	23.38	19.58	0.0908
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	50@25	23.45	19.65	0.0923
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	1@1	23.08	19.28	0.0847
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	1@104	23.63	19.83	0.0962
25	15	20	381000	1905.0	DFT-s-OFDM 16 QAM	50@25	23.26	19.46	0.0883
25	15	20	381000	1905.0	DFT-s-OFDM 16 QAM	1@1	23.09	19.29	0.0849
25	15	20	381000	1905.0	DFT-s-OFDM 16 QAM	1@104	23.13	19.33	0.0857
25	15	20	381000	1905.0	DFT-s-OFDM 64 QAM	50@25	21.77	17.97	0.0627
25	15	20	381000	1905.0	DFT-s-OFDM 64 QAM	1@1	21.56	17.76	0.0597
25	15	20	381000	1905.0	DFT-s-OFDM 64 QAM	1@104	21.99	18.19	0.0659
25	15	20	381000	1905.0	DFT-s-OFDM 256 QAM	50@25	19.55	15.75	0.0376
25	15	20	381000	1905.0	DFT-s-OFDM 256 QAM	1@1	19.35	15.55	0.0359
25	15	20	381000	1905.0	DFT-s-OFDM 256 QAM	1@104	19.71	15.91	0.0390
25	15	20	381000	1905.0	CP-OFDM QPSK	53@26	23.05	19.25	0.0841
25	15	20	381000	1905.0	CP-OFDM QPSK	1@1	22.56	18.76	0.0752
25	15	20	381000	1905.0	CP-OFDM QPSK	1@104	22.6	18.8	0.0759

Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (ppm)	Verdict	Environment
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0030	PASS	NV
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0021	PASS	LV
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0066	PASS	HV
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0035	PASS	-30°C
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0055	PASS	-20°C
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0058	PASS	-10°C
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0065	PASS	0°C
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0061	PASS	10°C
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0030	PASS	20°C
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0064	PASS	30°C
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0055	PASS	40°C
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	0.0048	PASS	50°C

Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
25	15	20	372000	1860.0	DFT-s-OFDM PI/2 BPSK	100@0	3.94	13	PASS
25	15	20	372000	1860.0	DFT-s-OFDM PI/2 BPSK	1@0	3.52	13	PASS
25	15	20	372000	1860.0	DFT-s-OFDM QPSK	100@0	4.88	13	PASS
25	15	20	372000	1860.0	DFT-s-OFDM QPSK	1@0	4.13	13	PASS
25	15	20	376500	1882.5	DFT-s-OFDM PI/2 BPSK	100@0	3.74	13	PASS
25	15	20	376500	1882.5	DFT-s-OFDM PI/2 BPSK	1@0	3.28	13	PASS
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	4.42	13	PASS
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	1@0	3.26	13	PASS
25	15	20	381000	1905.0	DFT-s-OFDM PI/2 BPSK	100@0	3.73	13	PASS
25	15	20	381000	1905.0	DFT-s-OFDM PI/2 BPSK	1@0	3.19	13	PASS
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	100@0	4.51	13	PASS
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	1@0	3.54	13	PASS

N25(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Low_CH



N25(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Low_CH



N25(20M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N25(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N25(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N25(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_Mid_CH



N25(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH



N25(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N25(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_High_CH



N25(20M)_DFT-s-OFDM_PI_2-BPSK_Edge_1RB_Left_High_CH



N25(20M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N25(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Occupied Bandwidth

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
25	15	5	376500	1882.5	DFT-s-OFDM PI/2 BPSK	25@0	4.4872	4.981
25	15	5	376500	1882.5	DFT-s-OFDM QPSK	25@0	4.4652	4.984
25	15	5	376500	1882.5	CP-OFDM QPSK	25@0	4.4759	5.072
25	15	5	376500	1882.5	CP-OFDM 16 QAM	25@0	4.4704	5.176
25	15	5	376500	1882.5	CP-OFDM 64 QAM	25@0	4.4722	5.105
25	15	5	376500	1882.5	CP-OFDM 256 QAM	25@0	4.4732	5.047
25	15	10	376500	1882.5	DFT-s-OFDM PI/2 BPSK	50@0	8.901	9.524
25	15	10	376500	1882.5	DFT-s-OFDM QPSK	50@0	8.9275	9.586
25	15	10	376500	1882.5	CP-OFDM QPSK	52@0	9.3068	10.2
25	15	10	376500	1882.5	CP-OFDM 16 QAM	52@0	9.3151	10.01
25	15	10	376500	1882.5	CP-OFDM 64 QAM	52@0	9.2668	10.01
25	15	10	376500	1882.5	CP-OFDM 256 QAM	52@0	9.2792	9.99
25	15	15	376500	1882.5	DFT-s-OFDM PI/2 BPSK	75@0	13.403	14.35
25	15	15	376500	1882.5	DFT-s-OFDM QPSK	75@0	13.4	14.37
25	15	15	376500	1882.5	CP-OFDM QPSK	79@0	14.094	14.83
25	15	15	376500	1882.5	CP-OFDM 16 QAM	79@0	14.113	14.96
25	15	15	376500	1882.5	CP-OFDM 64 QAM	79@0	14.123	14.88
25	15	15	376500	1882.5	CP-OFDM 256 QAM	79@0	14.089	14.92
25	15	20	376500	1882.5	DFT-s-OFDM PI/2 BPSK	100@0	17.89	18.74
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	100@0	17.852	18.86
25	15	20	376500	1882.5	CP-OFDM QPSK	106@0	18.907	20.36
25	15	20	376500	1882.5	CP-OFDM 16 QAM	106@0	18.932	19.91
25	15	20	376500	1882.5	CP-OFDM 64 QAM	106@0	18.917	19.81
25	15	20	376500	1882.5	CP-OFDM 256 QAM	106@0	17.827	18.69

N25(5M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N25(5M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH




N25(5M)_CP-
OFDM_QPSK_Outer_Full_Mid_CH




N25(5M)_CP-OFDM_16
QAM_Outer_Full_Mid_CH




N25(5M)_CP-OFDM_64
QAM_Outer_Full_Mid_CH




N25(5M)_CP-OFDM_256
QAM_Outer_Full_Mid_CH



N25(10M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



N25(10M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N25(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N25(10M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N25(10M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N25(10M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N25(15M)_DFT-s-OFDM_PI_2-
BPSK_Outer_Full_Mid_CH




N25(15M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N25(15M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N25(15M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




N25(15M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




N25(15M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




N25(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH




N25(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH




N25(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




N25(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



N25(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



N25(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




Conducted Spurious Emissions


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
25	15	5	370500	1852.5	DFT-s-OFDM BPSK	1@0	see graph	---
25	15	5	370500	1852.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	5	370500	1852.5	DFT-s-OFDM QPSK	1@0	see graph	---
25	15	5	370500	1852.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	5	376500	1882.5	DFT-s-OFDM BPSK	1@0	see graph	---
25	15	5	376500	1882.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	5	376500	1882.5	DFT-s-OFDM QPSK	1@0	see graph	---
25	15	5	376500	1882.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	5	382500	1912.5	DFT-s-OFDM BPSK	1@0	see graph	---
25	15	5	382500	1912.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	5	382500	1912.5	DFT-s-OFDM QPSK	1@0	see graph	---
25	15	5	382500	1912.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	10	371000	1855.0	DFT-s-OFDM BPSK	1@0	see graph	---
25	15	10	371000	1855.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	10	371000	1855.0	DFT-s-OFDM QPSK	1@0	see graph	---
25	15	10	371000	1855.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	10	376500	1882.5	DFT-s-OFDM BPSK	1@0	see graph	---
25	15	10	376500	1882.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	10	376500	1882.5	DFT-s-OFDM QPSK	1@0	see graph	---
25	15	10	376500	1882.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	10	382000	1910.0	DFT-s-OFDM BPSK	1@0	see graph	---
25	15	10	382000	1910.0	DFT-s-OFDM BPSK	1@0	see graph	PASS

25	15	10	382000	1910.0	DFT-s-OFDM QPSK	1@0	see graph	---
25	15	10	382000	1910.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	20	372000	1860.0	DFT-s-OFDM BPSK	1@0	see graph	---
25	15	20	372000	1860.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	20	372000	1860.0	DFT-s-OFDM QPSK	1@0	see graph	---
25	15	20	372000	1860.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	20	376500	1882.5	DFT-s-OFDM BPSK	1@0	see graph	---
25	15	20	376500	1882.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	1@0	see graph	---
25	15	20	376500	1882.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	20	381000	1905.0	DFT-s-OFDM BPSK	1@0	see graph	---
25	15	20	381000	1905.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	1@0	see graph	---
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	1@0	see graph	PASS

N25(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N25(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N25(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




N25(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N25(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N25(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




N25(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N25(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N25(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N25(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




N25(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N25(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



N25(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N25(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N25(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



N25(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



N25(20M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH




N25(20M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
25	15	5	370500	1852.5	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	5	370500	1852.5	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	5	370500	1852.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
25	15	5	370500	1852.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
25	15	5	382500	1912.5	DFT-s-OFDM BPSK	1@24	see graph	PASS
25	15	5	382500	1912.5	DFT-s-OFDM QPSK	1@24	see graph	PASS
25	15	5	382500	1912.5	DFT-s-OFDM BPSK	25@0	see graph	PASS
25	15	5	382500	1912.5	DFT-s-OFDM QPSK	25@0	see graph	PASS
25	15	10	371000	1855.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	10	371000	1855.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	10	371000	1855.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
25	15	10	371000	1855.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
25	15	10	382000	1910.0	DFT-s-OFDM BPSK	1@51	see graph	PASS
25	15	10	382000	1910.0	DFT-s-OFDM QPSK	1@51	see graph	PASS
25	15	10	382000	1910.0	DFT-s-OFDM BPSK	50@0	see graph	PASS
25	15	10	382000	1910.0	DFT-s-OFDM QPSK	50@0	see graph	PASS
25	15	20	372000	1860.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
25	15	20	372000	1860.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
25	15	20	372000	1860.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
25	15	20	372000	1860.0	DFT-s-OFDM QPSK	100@0	see graph	PASS
25	15	20	381000	1905.0	DFT-s-OFDM BPSK	1@105	see graph	PASS
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	1@105	see graph	PASS
25	15	20	381000	1905.0	DFT-s-OFDM BPSK	100@0	see graph	PASS
25	15	20	381000	1905.0	DFT-s-OFDM QPSK	100@0	see graph	PASS


N25(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N25(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




N25(5M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH




N25(5M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH




N25(5M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH




N25(5M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N25(5M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N25(5M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N25(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



N25(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



N25(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



N25(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH

