

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B26b_1.4MHz_ERP

Band: 26b / Bandwidth: 1.4MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	824.7	1	0	23.19	-6.00	15.04	<=38.45	Pass
			2	23.17	-6.00	15.02	<=38.45	Pass
			5	23.31	-6.00	15.16	<=38.45	Pass
		3	0	23.23	-6.00	15.08	<=38.45	Pass
			2	23.21	-6.00	15.06	<=38.45	Pass
			3	23.21	-6.00	15.06	<=38.45	Pass
	6	0	22.26	-6.00	14.11	<=38.45	Pass	
	836.5	1	0	23.20	-6.00	15.05	<=38.45	Pass
			2	23.17	-6.00	15.02	<=38.45	Pass
			5	23.13	-6.00	14.98	<=38.45	Pass
		3	0	23.25	-6.00	15.10	<=38.45	Pass
			2	23.19	-6.00	15.04	<=38.45	Pass
			3	23.10	-6.00	14.95	<=38.45	Pass
	6	0	22.23	-6.00	14.08	<=38.45	Pass	
	848.3	1	0	23.12	-6.00	14.97	<=38.45	Pass
			2	22.95	-6.00	14.80	<=38.45	Pass
			5	23.12	-6.00	14.97	<=38.45	Pass
		3	0	23.26	-6.00	15.11	<=38.45	Pass
2			23.16	-6.00	15.01	<=38.45	Pass	
3			23.16	-6.00	15.01	<=38.45	Pass	
6	0	22.18	-6.00	14.03	<=38.45	Pass		
16QAM	824.7	1	0	22.25	-6.00	14.10	<=38.45	Pass
			2	22.54	-6.00	14.39	<=38.45	Pass
			5	22.35	-6.00	14.20	<=38.45	Pass
		3	0	22.27	-6.00	14.12	<=38.45	Pass
			2	22.08	-6.00	13.93	<=38.45	Pass
			3	22.15	-6.00	14.00	<=38.45	Pass
	6	0	21.14	-6.00	12.99	<=38.45	Pass	
	836.5	1	0	22.28	-6.00	14.13	<=38.45	Pass
			2	22.32	-6.00	14.17	<=38.45	Pass
			5	22.45	-6.00	14.30	<=38.45	Pass
		3	0	22.19	-6.00	14.04	<=38.45	Pass
			2	22.25	-6.00	14.10	<=38.45	Pass
			3	22.18	-6.00	14.03	<=38.45	Pass
	6	0	21.07	-6.00	12.92	<=38.45	Pass	
	848.3	1	0	22.29	-6.00	14.14	<=38.45	Pass
			2	22.33	-6.00	14.18	<=38.45	Pass
			5	22.32	-6.00	14.17	<=38.45	Pass
		3	0	22.21	-6.00	14.06	<=38.45	Pass
2			22.27	-6.00	14.12	<=38.45	Pass	
3			22.15	-6.00	14.00	<=38.45	Pass	
6	0	21.37	-6.00	13.22	<=38.45	Pass		
64QAM	824.7	1	0	21.27	-6.00	13.12	<=38.45	Pass
			2	21.25	-6.00	13.10	<=38.45	Pass
			5	21.30	-6.00	13.15	<=38.45	Pass
		3	0	21.36	-6.00	13.21	<=38.45	Pass
			2	21.23	-6.00	13.08	<=38.45	Pass
			3	21.24	-6.00	13.09	<=38.45	Pass
6	0	20.27	-6.00	12.12	<=38.45	Pass		

	836.5	1	0	21.31	-6.00	13.16	<=38.45	Pass	
			2	21.35	-6.00	13.20	<=38.45	Pass	
			5	21.01	-6.00	12.86	<=38.45	Pass	
		3	0	21.22	-6.00	13.07	<=38.45	Pass	
			2	21.55	-6.00	13.40	<=38.45	Pass	
			3	21.25	-6.00	13.10	<=38.45	Pass	
	6	0	20.29	-6.00	12.14	<=38.45	Pass		
	848.3	1	0	21.44	-6.00	13.29	<=38.45	Pass	
			2	21.25	-6.00	13.10	<=38.45	Pass	
			5	21.05	-6.00	12.90	<=38.45	Pass	
		3	0	21.05	-6.00	12.90	<=38.45	Pass	
			2	21.44	-6.00	13.29	<=38.45	Pass	
			3	21.06	-6.00	12.91	<=38.45	Pass	
	6	0	20.25	-6.00	12.10	<=38.45	Pass		
	256QAM	824.7	1	0	18.35	-6.00	10.20	<=38.45	Pass
				2	18.32	-6.00	10.17	<=38.45	Pass
				5	18.29	-6.00	10.14	<=38.45	Pass
			3	0	18.22	-6.00	10.07	<=38.45	Pass
2				18.25	-6.00	10.10	<=38.45	Pass	
3				18.27	-6.00	10.12	<=38.45	Pass	
6		0	18.27	-6.00	10.12	<=38.45	Pass		
836.5		1	0	18.48	-6.00	10.33	<=38.45	Pass	
			2	18.43	-6.00	10.28	<=38.45	Pass	
			5	18.37	-6.00	10.22	<=38.45	Pass	
		3	0	18.41	-6.00	10.26	<=38.45	Pass	
			2	18.40	-6.00	10.25	<=38.45	Pass	
			3	18.39	-6.00	10.24	<=38.45	Pass	
6		0	18.36	-6.00	10.21	<=38.45	Pass		
848.3		1	0	18.36	-6.00	10.21	<=38.45	Pass	
			2	18.23	-6.00	10.08	<=38.45	Pass	
			5	18.33	-6.00	10.18	<=38.45	Pass	
		3	0	18.35	-6.00	10.20	<=38.45	Pass	
	2		18.18	-6.00	10.03	<=38.45	Pass		
	3		18.20	-6.00	10.05	<=38.45	Pass		
6	0	18.37	-6.00	10.22	<=38.45	Pass			

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.2 B26b_3MHz_ERP

Band: 26b / Bandwidth: 3MHz / NTV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	825.5	1	0	23.22	-6.00	15.07	<=38.45	Pass
			7	23.20	-6.00	15.05	<=38.45	Pass
			14	23.15	-6.00	15.00	<=38.45	Pass
		8	0	22.04	-6.00	13.89	<=38.45	Pass
			4	22.09	-6.00	13.94	<=38.45	Pass
			7	22.15	-6.00	14.00	<=38.45	Pass
	15	0	22.23	-6.00	14.08	<=38.45	Pass	
	836.5	1	0	23.15	-6.00	15.00	<=38.45	Pass
			7	23.23	-6.00	15.08	<=38.45	Pass
			14	23.14	-6.00	14.99	<=38.45	Pass
		8	0	22.28	-6.00	14.13	<=38.45	Pass
			4	22.27	-6.00	14.12	<=38.45	Pass
			7	22.19	-6.00	14.04	<=38.45	Pass
	15	0	22.08	-6.00	13.93	<=38.45	Pass	
	847.5	1	0	23.30	-6.00	15.15	<=38.45	Pass

		8	7	23.23	-6.00	15.08	<=38.45	Pass
			14	23.11	-6.00	14.96	<=38.45	Pass
			0	22.21	-6.00	14.06	<=38.45	Pass
			4	22.25	-6.00	14.10	<=38.45	Pass
			7	22.19	-6.00	14.04	<=38.45	Pass
15	0	22.14	-6.00	13.99	<=38.45	Pass		
16QAM	825.5	1	0	22.38	-6.00	14.23	<=38.45	Pass
			7	22.34	-6.00	14.19	<=38.45	Pass
			14	22.34	-6.00	14.19	<=38.45	Pass
		8	0	21.31	-6.00	13.16	<=38.45	Pass
			4	21.30	-6.00	13.15	<=38.45	Pass
			7	21.29	-6.00	13.14	<=38.45	Pass
	15	0	21.25	-6.00	13.10	<=38.45	Pass	
	836.5	1	0	22.49	-6.00	14.34	<=38.45	Pass
			7	22.51	-6.00	14.36	<=38.45	Pass
			14	22.38	-6.00	14.23	<=38.45	Pass
		8	0	21.28	-6.00	13.13	<=38.45	Pass
			4	21.29	-6.00	13.14	<=38.45	Pass
			7	21.27	-6.00	13.12	<=38.45	Pass
	15	0	21.14	-6.00	12.99	<=38.45	Pass	
	847.5	1	0	22.40	-6.00	14.25	<=38.45	Pass
			7	22.43	-6.00	14.28	<=38.45	Pass
			14	22.49	-6.00	14.34	<=38.45	Pass
		8	0	21.28	-6.00	13.13	<=38.45	Pass
4			21.27	-6.00	13.12	<=38.45	Pass	
7			21.19	-6.00	13.04	<=38.45	Pass	
15	0	21.14	-6.00	12.99	<=38.45	Pass		
64QAM	825.5	1	0	21.24	-6.00	13.09	<=38.45	Pass
			7	21.45	-6.00	13.30	<=38.45	Pass
			14	21.23	-6.00	13.08	<=38.45	Pass
		8	0	20.29	-6.00	12.14	<=38.45	Pass
			4	20.18	-6.00	12.03	<=38.45	Pass
			7	20.31	-6.00	12.16	<=38.45	Pass
	15	0	20.27	-6.00	12.12	<=38.45	Pass	
	836.5	1	0	21.32	-6.00	13.17	<=38.45	Pass
			7	21.46	-6.00	13.31	<=38.45	Pass
			14	21.26	-6.00	13.11	<=38.45	Pass
		8	0	20.42	-6.00	12.27	<=38.45	Pass
			4	20.38	-6.00	12.23	<=38.45	Pass
			7	20.41	-6.00	12.26	<=38.45	Pass
	15	0	20.28	-6.00	12.13	<=38.45	Pass	
	847.5	1	0	21.38	-6.00	13.23	<=38.45	Pass
			7	21.27	-6.00	13.12	<=38.45	Pass
			14	21.43	-6.00	13.28	<=38.45	Pass
		8	0	20.40	-6.00	12.25	<=38.45	Pass
4			20.36	-6.00	12.21	<=38.45	Pass	
7			20.43	-6.00	12.28	<=38.45	Pass	
15	0	20.32	-6.00	12.17	<=38.45	Pass		
256QAM	825.5	1	0	18.32	-6.00	10.17	<=38.45	Pass
			7	18.26	-6.00	10.11	<=38.45	Pass
			14	18.20	-6.00	10.05	<=38.45	Pass
		8	0	18.29	-6.00	10.14	<=38.45	Pass
			4	18.24	-6.00	10.09	<=38.45	Pass
			7	18.21	-6.00	10.06	<=38.45	Pass
	15	0	18.25	-6.00	10.10	<=38.45	Pass	
	836.5	1	0	18.42	-6.00	10.27	<=38.45	Pass
			7	18.37	-6.00	10.22	<=38.45	Pass
			14	18.40	-6.00	10.25	<=38.45	Pass
		8	0	18.36	-6.00	10.21	<=38.45	Pass

		4	18.34	-6.00	10.19	<=38.45	Pass	
			7	18.29	-6.00	10.14	<=38.45	Pass
		15	0	18.29	-6.00	10.14	<=38.45	Pass
	847.5	1	0	18.37	-6.00	10.22	<=38.45	Pass
			7	18.30	-6.00	10.15	<=38.45	Pass
			14	18.35	-6.00	10.20	<=38.45	Pass
	8	0	18.35	-6.00	10.20	<=38.45	Pass	
		4	18.36	-6.00	10.21	<=38.45	Pass	
		7	18.34	-6.00	10.19	<=38.45	Pass	
	15	0	18.31	-6.00	10.16	<=38.45	Pass	
Note1: ERP=Conducted Power+Antenna Gain-2.15								

1.1.3 B26b_5MHz_ERP

Band: 26b / Bandwidth: 5MHz / NTNV									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	826.5	1	0	23.38	-6.00	15.23	<=38.45	Pass	
			13	23.24	-6.00	15.09	<=38.45	Pass	
			24	23.25	-6.00	15.10	<=38.45	Pass	
		12	0	22.27	-6.00	14.12	<=38.45	Pass	
			6	22.24	-6.00	14.09	<=38.45	Pass	
			13	22.27	-6.00	14.12	<=38.45	Pass	
	25	0	22.34	-6.00	14.19	<=38.45	Pass		
	836.5	1	0	22.74	-6.00	14.59	<=38.45	Pass	
			13	23.17	-6.00	15.02	<=38.45	Pass	
			24	23.18	-6.00	15.03	<=38.45	Pass	
		12	0	22.29	-6.00	14.14	<=38.45	Pass	
			6	22.29	-6.00	14.14	<=38.45	Pass	
			13	22.25	-6.00	14.10	<=38.45	Pass	
	25	0	22.23	-6.00	14.08	<=38.45	Pass		
	846.5	1	0	23.33	-6.00	15.18	<=38.45	Pass	
			13	23.35	-6.00	15.20	<=38.45	Pass	
			24	23.10	-6.00	14.95	<=38.45	Pass	
		12	0	22.30	-6.00	14.15	<=38.45	Pass	
			6	22.29	-6.00	14.14	<=38.45	Pass	
			13	22.30	-6.00	14.15	<=38.45	Pass	
	25	0	22.33	-6.00	14.18	<=38.45	Pass		
	16QAM	826.5	1	0	22.40	-6.00	14.25	<=38.45	Pass
				13	22.33	-6.00	14.18	<=38.45	Pass
				24	22.50	-6.00	14.35	<=38.45	Pass
12			0	21.34	-6.00	13.19	<=38.45	Pass	
			6	21.30	-6.00	13.15	<=38.45	Pass	
			13	21.24	-6.00	13.09	<=38.45	Pass	
25		0	21.32	-6.00	13.17	<=38.45	Pass		
836.5		1	0	22.40	-6.00	14.25	<=38.45	Pass	
			13	21.85	-6.00	13.70	<=38.45	Pass	
			24	22.46	-6.00	14.31	<=38.45	Pass	
		12	0	21.31	-6.00	13.16	<=38.45	Pass	
			6	21.27	-6.00	13.12	<=38.45	Pass	
			13	21.18	-6.00	13.03	<=38.45	Pass	
25		0	21.23	-6.00	13.08	<=38.45	Pass		
846.5		1	0	22.44	-6.00	14.29	<=38.45	Pass	
			13	22.44	-6.00	14.29	<=38.45	Pass	
			24	22.44	-6.00	14.29	<=38.45	Pass	
		12	0	21.36	-6.00	13.21	<=38.45	Pass	
			6	21.29	-6.00	13.14	<=38.45	Pass	
			13	21.29	-6.00	13.14	<=38.45	Pass	

64QAM	826.5	1	13	21.19	-6.00	13.04	<=38.45	Pass	
			25	0	21.31	-6.00	13.16	<=38.45	Pass
			0	21.42	-6.00	13.27	<=38.45	Pass	
		12	13	21.34	-6.00	13.19	<=38.45	Pass	
			24	21.33	-6.00	13.18	<=38.45	Pass	
			0	20.36	-6.00	12.21	<=38.45	Pass	
		25	6	20.33	-6.00	12.18	<=38.45	Pass	
			13	20.36	-6.00	12.21	<=38.45	Pass	
			0	20.32	-6.00	12.17	<=38.45	Pass	
	836.5	1	0	21.41	-6.00	13.26	<=38.45	Pass	
			13	21.33	-6.00	13.18	<=38.45	Pass	
			24	21.36	-6.00	13.21	<=38.45	Pass	
		12	0	20.39	-6.00	12.24	<=38.45	Pass	
			6	20.27	-6.00	12.12	<=38.45	Pass	
			13	20.41	-6.00	12.26	<=38.45	Pass	
		25	0	20.43	-6.00	12.28	<=38.45	Pass	
			1	21.49	-6.00	13.34	<=38.45	Pass	
			13	21.24	-6.00	13.09	<=38.45	Pass	
	846.5	1	24	21.21	-6.00	13.06	<=38.45	Pass	
			0	20.43	-6.00	12.28	<=38.45	Pass	
			6	20.41	-6.00	12.26	<=38.45	Pass	
		12	13	20.14	-6.00	11.99	<=38.45	Pass	
			0	20.36	-6.00	12.21	<=38.45	Pass	
			1	18.39	-6.00	10.24	<=38.45	Pass	
		826.5	1	13	18.23	-6.00	10.08	<=38.45	Pass
24				18.33	-6.00	10.18	<=38.45	Pass	
0				18.32	-6.00	10.17	<=38.45	Pass	
12	6		18.32	-6.00	10.17	<=38.45	Pass		
	13		18.31	-6.00	10.16	<=38.45	Pass		
	0		18.27	-6.00	10.12	<=38.45	Pass		
836.5	1		0	18.48	-6.00	10.33	<=38.45	Pass	
			13	18.39	-6.00	10.24	<=38.45	Pass	
			24	18.45	-6.00	10.30	<=38.45	Pass	
	12	0	18.37	-6.00	10.22	<=38.45	Pass		
		6	18.32	-6.00	10.17	<=38.45	Pass		
		13	18.26	-6.00	10.11	<=38.45	Pass		
	25	0	18.34	-6.00	10.19	<=38.45	Pass		
		1	18.44	-6.00	10.29	<=38.45	Pass		
		13	18.31	-6.00	10.16	<=38.45	Pass		
846.5	1	24	18.49	-6.00	10.34	<=38.45	Pass		
		0	18.34	-6.00	10.19	<=38.45	Pass		
		6	18.32	-6.00	10.17	<=38.45	Pass		
	12	13	18.33	-6.00	10.18	<=38.45	Pass		
		0	18.37	-6.00	10.22	<=38.45	Pass		
		25	0	18.37	-6.00	10.22	<=38.45	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.4 B26b_10MHz_ERP

Band: 26b / Bandwidth: 10MHz / NTN								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	829	1	0	23.29	-6.00	15.14	<=38.45	Pass
			25	23.14	-6.00	14.99	<=38.45	Pass
			49	23.23	-6.00	15.08	<=38.45	Pass
		25	0	22.38	-6.00	14.23	<=38.45	Pass
			13	22.34	-6.00	14.19	<=38.45	Pass
			25	22.34	-6.00	14.19	<=38.45	Pass

		50	0	22.32	-6.00	14.17	<=38.45	Pass		
		836.5	1	0	23.29	-6.00	15.14	<=38.45	Pass	
				25	23.22	-6.00	15.07	<=38.45	Pass	
				49	23.29	-6.00	15.14	<=38.45	Pass	
			25	0	22.33	-6.00	14.18	<=38.45	Pass	
				13	22.30	-6.00	14.15	<=38.45	Pass	
				25	22.28	-6.00	14.13	<=38.45	Pass	
		50	0	22.31	-6.00	14.16	<=38.45	Pass		
		844	1	0	23.26	-6.00	15.11	<=38.45	Pass	
				25	23.12	-6.00	14.97	<=38.45	Pass	
				49	23.05	-6.00	14.90	<=38.45	Pass	
			25	0	22.25	-6.00	14.10	<=38.45	Pass	
				13	22.15	-6.00	14.00	<=38.45	Pass	
				25	22.18	-6.00	14.03	<=38.45	Pass	
			50	0	22.23	-6.00	14.08	<=38.45	Pass	
16QAM	829		1	0	22.84	-6.00	14.69	<=38.45	Pass	
				25	22.42	-6.00	14.27	<=38.45	Pass	
		49		22.17	-6.00	14.02	<=38.45	Pass		
		25	0	21.33	-6.00	13.18	<=38.45	Pass		
			13	21.31	-6.00	13.16	<=38.45	Pass		
			25	21.30	-6.00	13.15	<=38.45	Pass		
		50	0	21.31	-6.00	13.16	<=38.45	Pass		
		836.5	1	0	22.24	-6.00	14.09	<=38.45	Pass	
				25	22.43	-6.00	14.28	<=38.45	Pass	
	49			22.29	-6.00	14.14	<=38.45	Pass		
	25		0	21.41	-6.00	13.26	<=38.45	Pass		
			13	21.31	-6.00	13.16	<=38.45	Pass		
			25	21.28	-6.00	13.13	<=38.45	Pass		
	50		0	21.26	-6.00	13.11	<=38.45	Pass		
	844		1	0	22.10	-6.00	13.95	<=38.45	Pass	
				25	22.01	-6.00	13.86	<=38.45	Pass	
		49		22.21	-6.00	14.06	<=38.45	Pass		
		25	0	21.22	-6.00	13.07	<=38.45	Pass		
			13	21.16	-6.00	13.01	<=38.45	Pass		
			25	21.12	-6.00	12.97	<=38.45	Pass		
		50	0	21.18	-6.00	13.03	<=38.45	Pass		
		64QAM	829	1	0	20.78	-6.00	12.63	<=38.45	Pass
					25	21.32	-6.00	13.17	<=38.45	Pass
	49				21.22	-6.00	13.07	<=38.45	Pass	
	25			0	20.29	-6.00	12.14	<=38.45	Pass	
				13	20.35	-6.00	12.20	<=38.45	Pass	
				25	20.33	-6.00	12.18	<=38.45	Pass	
50	0			20.32	-6.00	12.17	<=38.45	Pass		
836.5	1			0	21.51	-6.00	13.36	<=38.45	Pass	
				25	21.28	-6.00	13.13	<=38.45	Pass	
			49	21.53	-6.00	13.38	<=38.45	Pass		
	25		0	20.33	-6.00	12.18	<=38.45	Pass		
			13	20.34	-6.00	12.19	<=38.45	Pass		
			25	20.32	-6.00	12.17	<=38.45	Pass		
	50		0	20.32	-6.00	12.17	<=38.45	Pass		
	844		1	0	20.66	-6.00	12.51	<=38.45	Pass	
				25	21.35	-6.00	13.20	<=38.45	Pass	
49				21.23	-6.00	13.08	<=38.45	Pass		
25			0	20.48	-6.00	12.33	<=38.45	Pass		
			13	20.36	-6.00	12.21	<=38.45	Pass		
			25	20.37	-6.00	12.22	<=38.45	Pass		
50			0	20.40	-6.00	12.25	<=38.45	Pass		
256QAM			829	1	0	18.35	-6.00	10.20	<=38.45	Pass
					25	18.42	-6.00	10.27	<=38.45	Pass

		25	49	18.22	-6.00	10.07	<=38.45	Pass	
			0	18.30	-6.00	10.15	<=38.45	Pass	
			13	18.34	-6.00	10.19	<=38.45	Pass	
			25	18.34	-6.00	10.19	<=38.45	Pass	
			50	0	18.30	-6.00	10.15	<=38.45	Pass
	836.5	1	0	18.55	-6.00	10.40	<=38.45	Pass	
			25	18.25	-6.00	10.10	<=38.45	Pass	
			49	18.39	-6.00	10.24	<=38.45	Pass	
		25	0	18.34	-6.00	10.19	<=38.45	Pass	
			13	18.30	-6.00	10.15	<=38.45	Pass	
			25	18.31	-6.00	10.16	<=38.45	Pass	
		50	0	18.30	-6.00	10.15	<=38.45	Pass	
		844	1	0	18.47	-6.00	10.32	<=38.45	Pass
				25	18.40	-6.00	10.25	<=38.45	Pass
	49			18.50	-6.00	10.35	<=38.45	Pass	
	25		0	18.40	-6.00	10.25	<=38.45	Pass	
			13	18.35	-6.00	10.20	<=38.45	Pass	
			25	18.37	-6.00	10.22	<=38.45	Pass	
	50		0	18.38	-6.00	10.23	<=38.45	Pass	

Note1: ERP=Conducted Power+Antenna Gain-2.15

1.1.5 B26b_15MHz_ERP

Band: 26b / Bandwidth: 15MHz / NTN									
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	ERP (dBm)		Verdict	
		Size	Offset			Result	Limit		
QPSK	831.5	1	0	23.36	-6.00	15.21	<=38.45	Pass	
			38	23.38	-6.00	15.23	<=38.45	Pass	
			74	23.26	-6.00	15.11	<=38.45	Pass	
		36	0	22.25	-6.00	14.10	<=38.45	Pass	
			18	22.23	-6.00	14.08	<=38.45	Pass	
			39	22.24	-6.00	14.09	<=38.45	Pass	
		75	0	22.31	-6.00	14.16	<=38.45	Pass	
		836.5	1	0	23.43	-6.00	15.28	<=38.45	Pass
				38	23.26	-6.00	15.11	<=38.45	Pass
	74			23.25	-6.00	15.10	<=38.45	Pass	
	36		0	22.30	-6.00	14.15	<=38.45	Pass	
			18	22.23	-6.00	14.08	<=38.45	Pass	
			39	22.24	-6.00	14.09	<=38.45	Pass	
	75		0	22.28	-6.00	14.13	<=38.45	Pass	
	841.5		1	0	23.24	-6.00	15.09	<=38.45	Pass
				38	23.25	-6.00	15.10	<=38.45	Pass
		74		23.26	-6.00	15.11	<=38.45	Pass	
		36	0	22.29	-6.00	14.14	<=38.45	Pass	
			18	22.28	-6.00	14.13	<=38.45	Pass	
			39	22.29	-6.00	14.14	<=38.45	Pass	
		75	0	22.33	-6.00	14.18	<=38.45	Pass	
16QAM		831.5	1	0	22.28	-6.00	14.13	<=38.45	Pass
				38	22.37	-6.00	14.22	<=38.45	Pass
	74			22.47	-6.00	14.32	<=38.45	Pass	
	36		0	21.28	-6.00	13.13	<=38.45	Pass	
			18	21.25	-6.00	13.10	<=38.45	Pass	
			39	21.25	-6.00	13.10	<=38.45	Pass	
	75	0	21.29	-6.00	13.14	<=38.45	Pass		
	836.5	1	0	22.32	-6.00	14.17	<=38.45	Pass	
			38	22.29	-6.00	14.14	<=38.45	Pass	
74			22.41	-6.00	14.26	<=38.45	Pass		

		36	0	21.27	-6.00	13.12	<=38.45	Pass	
			18	21.25	-6.00	13.10	<=38.45	Pass	
			39	21.28	-6.00	13.13	<=38.45	Pass	
		75	0	21.33	-6.00	13.18	<=38.45	Pass	
			1	0	22.30	-6.00	14.15	<=38.45	Pass
				38	22.45	-6.00	14.30	<=38.45	Pass
	74	22.40		-6.00	14.25	<=38.45	Pass		
	841.5	36	0	21.26	-6.00	13.11	<=38.45	Pass	
			18	21.25	-6.00	13.10	<=38.45	Pass	
			39	21.29	-6.00	13.14	<=38.45	Pass	
	75	0	21.30	-6.00	13.15	<=38.45	Pass		
		1	0	21.36	-6.00	13.21	<=38.45	Pass	
38			21.28	-6.00	13.13	<=38.45	Pass		
74	21.33		-6.00	13.18	<=38.45	Pass			
64QAM	831.5	1	0	20.39	-6.00	12.24	<=38.45	Pass	
			18	20.40	-6.00	12.25	<=38.45	Pass	
			39	20.36	-6.00	12.21	<=38.45	Pass	
		36	0	20.39	-6.00	12.24	<=38.45	Pass	
			18	20.36	-6.00	12.21	<=38.45	Pass	
			39	20.35	-6.00	12.20	<=38.45	Pass	
	75	0	20.25	-6.00	12.10	<=38.45	Pass		
		1	0	21.38	-6.00	13.23	<=38.45	Pass	
			38	21.30	-6.00	13.15	<=38.45	Pass	
	74		21.41	-6.00	13.26	<=38.45	Pass		
	836.5	36	0	20.40	-6.00	12.25	<=38.45	Pass	
			18	20.36	-6.00	12.21	<=38.45	Pass	
39			20.35	-6.00	12.20	<=38.45	Pass		
75	0	20.25	-6.00	12.10	<=38.45	Pass			
	1	0	21.33	-6.00	13.18	<=38.45	Pass		
		38	20.70	-6.00	12.55	<=38.45	Pass		
74		21.14	-6.00	12.99	<=38.45	Pass			
841.5	36	0	20.39	-6.00	12.24	<=38.45	Pass		
		18	20.35	-6.00	12.20	<=38.45	Pass		
		39	20.41	-6.00	12.26	<=38.45	Pass		
75	0	20.43	-6.00	12.28	<=38.45	Pass			
	1	0	18.17	-6.00	10.02	<=38.45	Pass		
		38	18.54	-6.00	10.39	<=38.45	Pass		
74		18.45	-6.00	10.30	<=38.45	Pass			
256QAM	831.5	36	0	18.34	-6.00	10.19	<=38.45	Pass	
			18	18.40	-6.00	10.25	<=38.45	Pass	
			39	18.35	-6.00	10.20	<=38.45	Pass	
		75	0	18.36	-6.00	10.21	<=38.45	Pass	
			1	0	18.48	-6.00	10.33	<=38.45	Pass
				38	18.47	-6.00	10.32	<=38.45	Pass
	74	18.44		-6.00	10.29	<=38.45	Pass		
	836.5	36	0	18.38	-6.00	10.23	<=38.45	Pass	
			18	18.36	-6.00	10.21	<=38.45	Pass	
			39	18.33	-6.00	10.18	<=38.45	Pass	
	75	0	18.37	-6.00	10.22	<=38.45	Pass		
		1	0	18.46	-6.00	10.31	<=38.45	Pass	
38			18.50	-6.00	10.35	<=38.45	Pass		
74	18.52		-6.00	10.37	<=38.45	Pass			
841.5	36	0	18.37	-6.00	10.22	<=38.45	Pass		
		18	18.33	-6.00	10.18	<=38.45	Pass		
		39	18.35	-6.00	10.20	<=38.45	Pass		
75	0	18.41	-6.00	10.26	<=38.45	Pass			

Note1: ERP=Conducted Power+Antenna Gain-2.15

2. Frequency Stability

2.1 Test Result

2.1.1 B26b_10MHz

Band: 26b / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	836.5	50	0	20	3.6	-0.800	-0.0010	-2.5 to 2.5	Pass
					3.88	0.200	0.0002	-2.5 to 2.5	Pass
					4.53	0.800	0.0010	-2.5 to 2.5	Pass
				-30	3.88	-2.600	-0.0031	-2.5 to 2.5	Pass
				-20	3.88	-2.100	-0.0025	-2.5 to 2.5	Pass
				-10	3.88	-0.500	-0.0006	-2.5 to 2.5	Pass
				0	3.88	0.400	0.0005	-2.5 to 2.5	Pass
				10	3.88	-2.800	-0.0033	-2.5 to 2.5	Pass
				30	3.88	-1.500	-0.0018	-2.5 to 2.5	Pass
				40	3.88	0.500	0.0006	-2.5 to 2.5	Pass
50	3.88	-4.300	-0.0051	-2.5 to 2.5	Pass				

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 Band26b_OBW


Band: 26b / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.097	/	Pass
	16QAM	836.5	6	0	1.095	/	Pass
3	QPSK	836.5	15	0	2.735	/	Pass
	16QAM	836.5	15	0	2.726	/	Pass
5	QPSK	836.5	25	0	4.511	/	Pass
	16QAM	836.5	25	0	4.502	/	Pass
10	QPSK	836.5	50	0	8.988	/	Pass
	16QAM	836.5	50	0	8.991	/	Pass
15	QPSK	836.5	75	0	13.497	/	Pass
	16QAM	836.5	75	0	13.491	/	Pass

3.1.2 Band26b_XDB


Band: 26b / NTV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	836.5	6	0	1.307	/	Pass
	16QAM	836.5	6	0	1.288	/	Pass
3	QPSK	836.5	15	0	3.020	/	Pass
	16QAM	836.5	15	0	3.038	/	Pass
5	QPSK	836.5	25	0	4.955	/	Pass
	16QAM	836.5	25	0	4.965	/	Pass
10	QPSK	836.5	50	0	9.786	/	Pass
	16QAM	836.5	50	0	9.681	/	Pass
15	QPSK	836.5	75	0	14.570	/	Pass
	16QAM	836.5	75	0	14.650	/	Pass

3.2 Test Graph


3.2.1 Band26b_OBW




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV




Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV




Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV




3.2.2 Band26b_XDB




Band26b_3MHz_QPSK_MCH_836.5MHz_RB_15_0_NTNV




Band26b_3MHz_16QAM_MCH_836.5MHz_RB_15_0_NTNV




Band26b_5MHz_QPSK_MCH_836.5MHz_RB_25_0_NTNV




Band26b_5MHz_16QAM_MCH_836.5MHz_RB_25_0_NTNV




Band26b_10MHz_QPSK_MCH_836.5MHz_RB_50_0_NTNV




Band26b_10MHz_16QAM_MCH_836.5MHz_RB_50_0_NTNV



Band26b_15MHz_QPSK_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_16QAM_MCH_836.5MHz_RB_75_0_NTNV



4. Peak-Average Ratio



4.1 Test Result

4.1.1 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	836.5	75	0	5.70	<=13	Pass
16QAM	836.5	75	0	6.42	<=13	Pass
64QAM	836.5	75	0	6.72	<=13	Pass
256QAM	836.5	75	0	6.68	<=13	Pass

4.2 Test Graph


4.2.1 B26b_15MHz



Band26b_15MHz_64QAM_MCH_836.5MHz_RB_75_0_NTNV



Band26b_15MHz_256QAM_MCH_836.5MHz_RB_75_0_NTNV



5. Spurious Emission

5.1 Test Result

5.1.1 B26b_1.4MHz

Band: 26b / Bandwidth: 1.4MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	824.7	1	0	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	848.3	1	0	Refer To Test Graph		Pass
			5	Refer To Test Graph		Pass
		6	0	Refer To Test Graph		Pass

5.1.2 B26b_3MHz

Band: 26b / Bandwidth: 3MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	825.5	1	0	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	847.5	1	0	Refer To Test Graph		Pass
			14	Refer To Test Graph		Pass
		15	0	Refer To Test Graph		Pass

5.1.3 B26b_5MHz

Band: 26b / Bandwidth: 5MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	826.5	1	0	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	846.5	1	0	Refer To Test Graph		Pass
			24	Refer To Test Graph		Pass
		25	0	Refer To Test Graph		Pass

5.1.4 B26b_10MHz



Band: 26b / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	829	1	0	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	844	1	0	Refer To Test Graph		Pass
			49	Refer To Test Graph		Pass
		50	0	Refer To Test Graph		Pass

5.1.5 B26b_15MHz


Band: 26b / Bandwidth: 15MHz / NTN						
Modulation	Frequency (MHz)	RB Allocation		Spurious Emission		Verdict
		Size	Offset	Result	Limit	
QPSK	831.5	1	0	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass
	836.5	1	0	Refer To Test Graph		Pass
	841.5	1	0	Refer To Test Graph		Pass
			74	Refer To Test Graph		Pass
		75	0	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 B26b_1.4MHz




Band26b_1.4MHz_QPSK_LCH_824.7MHz_RB_6_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.910	-38.81	-13	Pass
823	824	0.013	CHP	2	823.995	-34.17	-13	Pass
824	827	0.013	CHP	/	/	/	/	/


Band26b_1.4MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Start: 30 MHz
 Stop: 8490 MHz
 RBW: 1 MHz
 VBW: 3 MHz
 Detector: RMS
 Trace Type: Average
 Average Count: 100
 Sweep Point: 16921
 Sweep Time: 33.9 ms
 Sweep: Single

Marker:
 1. 832.500 MHz
 -48.19 dBm

Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_0_NTNV




Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_1_5_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.005	-29.35	-13	Pass
850	852	0.1	CHP	2	850.052	-50.20	-13	Pass

Band26b_1.4MHz_QPSK_HCH_848.3MHz_RB_6_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.013	CHP	/	/	/	/	/
849	850	0.013	CHP	1	849.005	-35.03	-13	Pass
850	852	0.1	CHP	2	850.085	-40.44	-13	Pass

5.2.2 B26b_3MHz




Band26b_3MHz_QPSK_LCH_825.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
821	823	0.1	CHP	1	822.596	-39.34	-13	Pass
823	824	0.03	/	2	823.994	-34.46	-13	Pass
824	827	0.03	/	/	/	/	/	/


Band26b_3MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_0_NTNV




Band26b_3MHz_QPSK_HCH_847.5MHz_RB_1_14_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-29.79	-13	Pass
850	852	0.1	CHP	2	850.052	-44.84	-13	Pass

Band26b_3MHz_QPSK_HCH_847.5MHz_RB_15_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
846	849	0.03	/	/	/	/	/	/
849	850	0.03	/	1	849.006	-33.13	-13	Pass
850	852	0.1	CHP	2	850.410	-41.97	-13	Pass

5.2.3 B26b_5MHz




Band26b_5MHz_QPSK_LCH_826.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
819	823	0.1	CHP	1	822.870	-41.79	-13	Pass
823	824	0.05	CHP	2	823.990	-33.06	-13	Pass
824	829	0.05	CHP	/	/	/	/	/


Band26b_5MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_0_NTNV




Band26b_5MHz_QPSK_HCH_846.5MHz_RB_1_24_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.009	-30.82	-13	Pass
850	854	0.1	CHP	2	850.802	-44.87	-13	Pass


Band26b_5MHz_QPSK_HCH_846.5MHz_RB_25_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
844	849	0.05	CHP	/	/	/	/	/
849	850	0.05	CHP	1	849.010	-35.38	-13	Pass
850	854	0.1	CHP	2	850.070	-42.06	-13	Pass

5.2.4 B26b_10MHz


Band26b_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV



Band26b_10MHz_QPSK_LCH_829MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_LCH_829MHz_RB_50_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
814	823	0.1	CHP	1	821.562	-41.87	-13	Pass
823	824	0.098	CHP	2	823.992	-35.99	-13	Pass
824	834	0.098	CHP	/	/	/	/	/


Band26b_10MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV




Start: 30 MHz
 Stop: 8490 MHz
 RBW: 1 MHz
 VBW: 3 MHz
 Detector: RMS
 Trace Type: Average
 Average Count: 100
 Sweep Point: 16921
 Sweep Time: 33.9 ms
 Sweep: Single

Marker:
 1: 550.000 MHz
 -53.74 dBm

Band26b_10MHz_QPSK_HCH_844MHz_RB_1_0_NTNV




Band26b_10MHz_QPSK_HCH_844MHz_RB_1_49_NTNV





Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.001	-35.74	-13	Pass
850	859	0.1	CHP	2	852.800	-45.10	-13	Pass

Band26b_10MHz_QPSK_HCH_844MHz_RB_50_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
839	849	0.098	CHP	/	/	/	/	/
849	850	0.098	CHP	1	849.008	-37.28	-13	Pass
850	859	0.1	CHP	2	850.223	-42.17	-13	Pass

5.2.5 B26b_15MHz




Band26b_15MHz_QPSK_LCH_831.5MHz_RB_75_0_NTNV




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
809	823	0.1	/	1	819.170	-40.25	-13	Pass
823	824	0.147	CHP	2	823.970	-36.11	-13	Pass
824	839	0.147	CHP	/	/	/	/	/


Band26b_15MHz_QPSK_MCH_836.5MHz_RB_1_0_NTNV



Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_0_NTNV




Band26b_15MHz_QPSK_HCH_841.5MHz_RB_1_74_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.003	/	/	/	/	/	/
849	850	0.003	/	1	849.003	-39.98	-13	Pass
850	864	0.1	CHP	2	852.559	-45.79	-13	Pass

Band26b_15MHz_QPSK_HCH_841.5MHz_RB_75_0_NTNV



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
834	849	0.147	CHP	/	/	/	/	/
849	850	0.147	CHP	1	849.030	-39.41	-13	Pass
850	864	0.1	/	2	850.230	-43.13	-13	Pass

6. Field Strength of Spurious Radiation

For Sample 1

Test Band = LTE Band26_22H_TM1

Test Channel = Low

Final Data List								
NO.	Frequency [MHz]	Reading [dB μ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1653.7143	51.36	-48.22	25.45	-66.66	-13.00	53.66	Horizontal
2	2208	44.45	-47.67	26.62	-71.86	-13.00	58.86	Horizontal
3	2949.7143	43.97	-46.55	28.01	-69.83	-13.00	56.83	Horizontal
4	3814.8571	43.37	-46.17	29.10	-68.96	-13.00	55.96	Horizontal
5	4769.1429	43.01	-45.69	31.03	-66.91	-13.00	53.91	Horizontal
6	5400	42.73	-44.97	32.12	-65.38	-13.00	52.38	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dB μ V]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1653.7143	62.15	-48.22	25.45	-55.87	-13.00	42.87	Vertical
2	2186.2857	44.85	-47.68	26.57	-71.52	-13.00	58.52	Vertical
3	2511.4286	44.57	-47.23	27.22	-70.70	-13.00	57.70	Vertical
4	2973.7143	44.28	-46.53	28.05	-69.46	-13.00	56.46	Vertical
5	3828	43.86	-46.18	29.12	-68.45	-13.00	55.45	Vertical
6	5607.4286	43.20	-45.22	32.32	-64.96	-13.00	51.96	Vertical

Test Band = LTE Band26_22H_TM1
Test Channel = Mid

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1653.7143	50.58	-48.22	25.45	-67.44	-13.00	54.44	Horizontal
2	2080.5714	44.60	-47.75	26.36	-72.05	-13.00	59.05	Horizontal
3	2513.1429	43.32	-47.23	27.22	-71.94	-13.00	58.94	Horizontal
4	3178.2857	43.89	-46.39	28.28	-69.48	-13.00	56.48	Horizontal
5	4096	43.47	-45.91	29.63	-68.07	-13.00	55.07	Horizontal
6	4272	43.26	-45.83	30.05	-67.78	-13.00	54.78	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1654.2857	58.99	-48.21	25.45	-59.03	-13.00	46.03	Vertical
2	2132.5714	45.29	-47.70	26.47	-71.21	-13.00	58.21	Vertical
3	2702.8571	44.40	-47.05	27.57	-70.34	-13.00	57.34	Vertical
4	3182.8571	43.48	-46.37	28.28	-69.87	-13.00	56.87	Vertical
5	3697.1429	43.65	-46.16	28.92	-68.85	-13.00	55.85	Vertical
6	6949.7143	41.52	-43.87	34.91	-62.70	-13.00	49.70	Vertical

Test Band = LTE Band26_22H_TM1
Test Channel = High

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1653.7143	52.55	-48.22	25.45	-65.47	-13.00	52.47	Horizontal
2	1980	43.78	-47.93	26.14	-73.27	-13.00	60.27	Horizontal
3	2936.5714	43.22	-46.55	27.99	-70.61	-13.00	57.61	Horizontal
4	4117.7143	42.52	-45.91	29.68	-68.97	-13.00	55.97	Horizontal
5	4929.7143	60.55	-45.65	31.29	-49.07	-13.00	36.07	Horizontal
6	6004	42.05	-44.44	32.41	-65.24	-13.00	52.24	Horizontal

Final Data List								
NO.	Frequency [MHz]	Reading [dBμV]	Factor [dB]	AF[dB/m]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity
1	1653.7143	57.93	-48.22	25.45	-60.09	-13.00	47.09	Vertical
2	2038.2857	45.22	-47.83	26.28	-71.59	-13.00	58.59	Vertical
3	2518.2857	45.93	-47.21	27.23	-69.30	-13.00	56.30	Vertical
4	2927.4286	44.35	-46.56	27.97	-69.50	-13.00	56.50	Vertical
5	4424	43.33	-45.82	30.42	-67.33	-13.00	54.33	Vertical
6	5645.7143	43.02	-44.95	32.33	-64.86	-13.00	51.86	Vertical