




N77(50M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Low_CH




N77(50M)_DFT-s-
OFDM_BPSK_Outer_Full_Low_CH




N77(50M)_DFT-s-
OFDM_QPSK_Outer_Full_Low_CH




N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Right_High_CH



N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Right_High_CH




N77(50M)_DFT-s-OFDM_BPSK_Outer_Full_High_CH




N77(50M)_DFT-s-OFDM_QPSK_Outer_Full_High_CH




N77(100M)_DFT-s-
OFDM_BPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-
OFDM_QPSK_Edge_1RB_Left_Mid_CH




N77(100M)_DFT-s-
OFDM_BPSK_Edge_1RB_Right_Mid_CH




N77(100M)_DFT-s-
OFDM_QPSK_Edge_1RB_Right_Mid_CH



N77(100M)_DFT-s-
OFDM_BPSK_Outer_Full_Mid_CH



N77(100M)_DFT-s-
OFDM_QPSK_Outer_Full_Mid_CH





Software Version: 23.06.1602

FR1 N78(Ant.2)

Transmitter Conducted Output Power And EIRP, (G_T - L_c)= -4.5dB

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
78	30	10	630334	3455.01	DFT-s-OFDM QPSK	12@6	25.84	21.34	0.1361
78	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@1	25.9	21.4	0.1380
78	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@22	25.75	21.25	0.1334
78	30	10	630334	3455.01	DFT-s-OFDM 16 QAM	12@6	24.93	20.43	0.1104
78	30	10	630334	3455.01	DFT-s-OFDM 16 QAM	1@1	24.99	20.49	0.1119
78	30	10	630334	3455.01	DFT-s-OFDM 16 QAM	1@22	24.86	20.36	0.1086
78	30	10	633334	3500.01	DFT-s-OFDM QPSK	12@6	25.85	21.35	0.1365
78	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.91	21.41	0.1384
78	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@22	25.85	21.35	0.1365
78	30	10	633334	3500.01	DFT-s-OFDM 16 QAM	12@6	24.94	20.44	0.1107
78	30	10	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.98	20.48	0.1117
78	30	10	633334	3500.01	DFT-s-OFDM 16 QAM	1@22	24.97	20.47	0.1114
78	30	10	636332	3544.98	DFT-s-OFDM QPSK	12@6	26.02	21.52	0.1419
78	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@1	25.99	21.49	0.1409
78	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@22	26.01	21.51	0.1416
78	30	10	636332	3544.98	DFT-s-OFDM 16 QAM	12@6	25.14	20.64	0.1159
78	30	10	636332	3544.98	DFT-s-OFDM 16 QAM	1@1	25.12	20.62	0.1153
78	30	10	636332	3544.98	DFT-s-OFDM 16 QAM	1@22	25.12	20.62	0.1153
78	30	15	630500	3457.5	DFT-s-OFDM QPSK	18@9	25.8	21.3	0.1349
78	30	15	630500	3457.5	DFT-s-OFDM QPSK	1@1	25.88	21.38	0.1374
78	30	15	630500	3457.5	DFT-s-OFDM QPSK	1@36	25.78	21.28	0.1343
78	30	15	630500	3457.5	DFT-s-OFDM 16 QAM	18@9	25.01	20.51	0.1125
78	30	15	630500	3457.5	DFT-s-OFDM 16 QAM	1@1	24.96	20.46	0.1112
78	30	15	630500	3457.5	DFT-s-OFDM 16 QAM	1@36	24.91	20.41	0.1099
78	30	15	633334	3500.01	DFT-s-OFDM QPSK	18@9	25.91	21.41	0.1384
78	30	15	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.93	21.43	0.1390
78	30	15	633334	3500.01	DFT-s-OFDM QPSK	1@36	25.83	21.33	0.1358
78	30	15	633334	3500.01	DFT-s-OFDM 16 QAM	18@9	25.03	20.53	0.1130
78	30	15	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.94	20.44	0.1107
78	30	15	633334	3500.01	DFT-s-OFDM 16 QAM	1@36	24.8	20.3	0.1072
78	30	15	636166	3542.49	DFT-s-OFDM QPSK	18@9	26.19	21.69	0.1476
78	30	15	636166	3542.49	DFT-s-OFDM QPSK	1@1	26.07	21.57	0.1435
78	30	15	636166	3542.49	DFT-s-OFDM QPSK	1@36	26.09	21.59	0.1442
78	30	15	636166	3542.49	DFT-s-OFDM 16 QAM	18@9	25.22	20.72	0.1180
78	30	15	636166	3542.49	DFT-s-OFDM 16 QAM	1@1	25	20.5	0.1122
78	30	15	636166	3542.49	DFT-s-OFDM 16 QAM	1@36	25.08	20.58	0.1143
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	25@12	25.9	21.4	0.1380
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@1	25.87	21.37	0.1371
78	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@49	25.79	21.29	0.1346
78	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	25@12	25	20.5	0.1122
78	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	1@1	25.14	20.64	0.1159
78	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	1@49	24.87	20.37	0.1089
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	25@12	25.94	21.44	0.1393
78	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.81	21.31	0.1352



78	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@49	25.73	21.23	0.1327
78	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	25@12	25.02	20.52	0.1127
78	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.92	20.42	0.1102
78	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	1@49	24.83	20.33	0.1079
78	30	20	636000	3540	DFT-s-OFDM QPSK	25@12	26.1	21.6	0.1445
78	30	20	636000	3540	DFT-s-OFDM QPSK	1@1	26.15	21.65	0.1462
78	30	20	636000	3540	DFT-s-OFDM QPSK	1@49	26.04	21.54	0.1426
78	30	20	636000	3540	DFT-s-OFDM 16 QAM	25@12	25.21	20.71	0.1178
78	30	20	636000	3540	DFT-s-OFDM 16 QAM	1@1	25.15	20.65	0.1161
78	30	20	636000	3540	DFT-s-OFDM 16 QAM	1@49	25.16	20.66	0.1164
78	30	25	630834	3462.51	DFT-s-OFDM QPSK	32@16	25.82	21.32	0.1355
78	30	25	630834	3462.51	DFT-s-OFDM QPSK	1@1	26.06	21.56	0.1432
78	30	25	630834	3462.51	DFT-s-OFDM QPSK	1@63	25.79	21.29	0.1346
78	30	25	630834	3462.51	DFT-s-OFDM 16 QAM	32@16	24.84	20.34	0.1081
78	30	25	630834	3462.51	DFT-s-OFDM 16 QAM	1@1	24.87	20.37	0.1089
78	30	25	630834	3462.51	DFT-s-OFDM 16 QAM	1@63	24.71	20.21	0.1050
78	30	25	633334	3500.01	DFT-s-OFDM QPSK	32@16	25.87	21.37	0.1371
78	30	25	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.99	21.49	0.1409
78	30	25	633334	3500.01	DFT-s-OFDM QPSK	1@63	25.82	21.32	0.1355
78	30	25	633334	3500.01	DFT-s-OFDM 16 QAM	32@16	24.89	20.39	0.1094
78	30	25	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.84	20.34	0.1081
78	30	25	633334	3500.01	DFT-s-OFDM 16 QAM	1@63	24.7	20.2	0.1047
78	30	25	635832	3537.48	DFT-s-OFDM QPSK	32@16	26.01	21.51	0.1416
78	30	25	635832	3537.48	DFT-s-OFDM QPSK	1@1	26.02	21.52	0.1419
78	30	25	635832	3537.48	DFT-s-OFDM QPSK	1@63	26.08	21.58	0.1439
78	30	25	635832	3537.48	DFT-s-OFDM 16 QAM	32@16	25.06	20.56	0.1138
78	30	25	635832	3537.48	DFT-s-OFDM 16 QAM	1@1	24.93	20.43	0.1104
78	30	25	635832	3537.48	DFT-s-OFDM 16 QAM	1@63	25.14	20.64	0.1159
78	30	30	631000	3465	DFT-s-OFDM QPSK	36@18	25.9	21.4	0.1380
78	30	30	631000	3465	DFT-s-OFDM QPSK	1@1	25.97	21.47	0.1403
78	30	30	631000	3465	DFT-s-OFDM QPSK	1@76	25.86	21.36	0.1368
78	30	30	631000	3465	DFT-s-OFDM 16 QAM	36@18	24.88	20.38	0.1091
78	30	30	631000	3465	DFT-s-OFDM 16 QAM	1@1	24.98	20.48	0.1117
78	30	30	631000	3465	DFT-s-OFDM 16 QAM	1@76	24.76	20.26	0.1062
78	30	30	633334	3500.01	DFT-s-OFDM QPSK	36@18	25.92	21.42	0.1387
78	30	30	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.93	21.43	0.1390
78	30	30	633334	3500.01	DFT-s-OFDM QPSK	1@76	25.81	21.31	0.1352
78	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	36@18	24.93	20.43	0.1104
78	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.9	20.4	0.1096
78	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	1@76	24.78	20.28	0.1067
78	30	30	635666	3534.99	DFT-s-OFDM QPSK	36@18	26.03	21.53	0.1422
78	30	30	635666	3534.99	DFT-s-OFDM QPSK	1@1	26.04	21.54	0.1426
78	30	30	635666	3534.99	DFT-s-OFDM QPSK	1@76	26.08	21.58	0.1439
78	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	36@18	25.07	20.57	0.1140
78	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	1@1	25.02	20.52	0.1127
78	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	1@76	25.12	20.62	0.1153
78	30	40	631334	3470.01	DFT-s-OFDM QPSK	50@25	25.88	21.38	0.1374
78	30	40	631334	3470.01	DFT-s-OFDM QPSK	1@1	26.07	21.57	0.1435
78	30	40	631334	3470.01	DFT-s-OFDM QPSK	1@104	25.76	21.26	0.1337
78	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	50@25	24.89	20.39	0.1094
78	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	1@1	24.89	20.39	0.1094
78	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	1@104	24.76	20.26	0.1062



78	30	40	633334	3500.01	DFT-s-OFDM QPSK	50@25	25.95	21.45	0.1396
78	30	40	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.97	21.47	0.1403
78	30	40	633334	3500.01	DFT-s-OFDM QPSK	1@104	25.75	21.25	0.1334
78	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	50@25	24.97	20.47	0.1114
78	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.84	20.34	0.1081
78	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	1@104	24.83	20.33	0.1079
78	30	40	635332	3529.98	DFT-s-OFDM QPSK	50@25	26.04	21.54	0.1426
78	30	40	635332	3529.98	DFT-s-OFDM QPSK	1@1	25.87	21.37	0.1371
78	30	40	635332	3529.98	DFT-s-OFDM QPSK	1@104	25.97	21.47	0.1403
78	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	50@25	25.09	20.59	0.1146
78	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	1@1	24.92	20.42	0.1102
78	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	1@104	25.17	20.67	0.1167
78	30	50	631668	3475.02	DFT-s-OFDM QPSK	64@32	25.93	21.43	0.1390
78	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@1	25.96	21.46	0.1400
78	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@131	25.88	21.38	0.1374
78	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	64@32	24.9	20.4	0.1096
78	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	1@1	24.98	20.48	0.1117
78	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	1@131	24.73	20.23	0.1054
78	30	50	633334	3500.01	DFT-s-OFDM QPSK	64@32	25.92	21.42	0.1387
78	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.95	21.45	0.1396
78	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@131	25.84	21.34	0.1361
78	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	64@32	24.94	20.44	0.1107
78	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.83	20.33	0.1079
78	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	1@131	24.74	20.24	0.1057
78	30	50	635000	3525	DFT-s-OFDM QPSK	64@32	25.96	21.46	0.1400
78	30	50	635000	3525	DFT-s-OFDM QPSK	1@1	25.96	21.46	0.1400
78	30	50	635000	3525	DFT-s-OFDM QPSK	1@131	26	21.5	0.1413
78	30	50	635000	3525	DFT-s-OFDM 16 QAM	64@32	25	20.5	0.1122
78	30	50	635000	3525	DFT-s-OFDM 16 QAM	1@1	24.97	20.47	0.1114
78	30	50	635000	3525	DFT-s-OFDM 16 QAM	1@131	24.92	20.42	0.1102
78	30	60	632000	3480	DFT-s-OFDM QPSK	81@40	25.8	21.3	0.1349
78	30	60	632000	3480	DFT-s-OFDM QPSK	1@1	26.05	21.55	0.1429
78	30	60	632000	3480	DFT-s-OFDM QPSK	1@160	25.78	21.28	0.1343
78	30	60	632000	3480	DFT-s-OFDM 16 QAM	81@40	24.91	20.41	0.1099
78	30	60	632000	3480	DFT-s-OFDM 16 QAM	1@1	24.93	20.43	0.1104
78	30	60	632000	3480	DFT-s-OFDM 16 QAM	1@160	24.75	20.25	0.1059
78	30	60	633334	3500.01	DFT-s-OFDM QPSK	81@40	25.86	21.36	0.1368
78	30	60	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.88	21.38	0.1374
78	30	60	633334	3500.01	DFT-s-OFDM QPSK	1@160	25.85	21.35	0.1365
78	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	81@40	24.91	20.41	0.1099
78	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.82	20.32	0.1076
78	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	1@160	24.83	20.33	0.1079
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	81@40	25.88	21.38	0.1374
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@1	26	21.5	0.1413
78	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@160	25.87	21.37	0.1371
78	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	81@40	24.96	20.46	0.1112
78	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	1@1	24.89	20.39	0.1094
78	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	1@160	25.07	20.57	0.1140
78	30	70	632334	3485.01	DFT-s-OFDM QPSK	90@45	25.91	21.41	0.1384
78	30	70	632334	3485.01	DFT-s-OFDM QPSK	1@1	25.96	21.46	0.1400
78	30	70	632334	3485.01	DFT-s-OFDM QPSK	1@187	25.66	21.16	0.1306
78	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	90@45	25.02	20.52	0.1127



78	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	1@1	25.15	20.65	0.1161
78	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	1@187	24.8	20.3	0.1072
78	30	70	633334	3500.01	DFT-s-OFDM QPSK	90@45	25.98	21.48	0.1406
78	30	70	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.9	21.4	0.1380
78	30	70	633334	3500.01	DFT-s-OFDM QPSK	1@187	25.69	21.19	0.1315
78	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	90@45	25.08	20.58	0.1143
78	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.06	20.56	0.1138
78	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	1@187	24.83	20.33	0.1079
78	30	70	634332	3514.98	DFT-s-OFDM QPSK	90@45	25.98	21.48	0.1406
78	30	70	634332	3514.98	DFT-s-OFDM QPSK	1@1	25.95	21.45	0.1396
78	30	70	634332	3514.98	DFT-s-OFDM QPSK	1@187	25.87	21.37	0.1371
78	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	90@45	25.08	20.58	0.1143
78	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	1@1	25.02	20.52	0.1127
78	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	1@187	25.01	20.51	0.1125
78	30	80	632668	3490.02	DFT-s-OFDM QPSK	108@54	26.01	21.51	0.1416
78	30	80	632668	3490.02	DFT-s-OFDM QPSK	1@1	26.02	21.52	0.1419
78	30	80	632668	3490.02	DFT-s-OFDM QPSK	1@215	25.77	21.27	0.1340
78	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	108@54	25.01	20.51	0.1125
78	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	1@1	25.2	20.7	0.1175
78	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	1@215	24.86	20.36	0.1086
78	30	80	633334	3500.01	DFT-s-OFDM QPSK	108@54	26.01	21.51	0.1416
78	30	80	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.01	21.51	0.1416
78	30	80	633334	3500.01	DFT-s-OFDM QPSK	1@215	25.86	21.36	0.1368
78	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	108@54	25.03	20.53	0.1130
78	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.15	20.65	0.1161
78	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	1@215	24.88	20.38	0.1091
78	30	80	634000	3510	DFT-s-OFDM QPSK	108@54	26.04	21.54	0.1426
78	30	80	634000	3510	DFT-s-OFDM QPSK	1@1	26.12	21.62	0.1452
78	30	80	634000	3510	DFT-s-OFDM QPSK	1@215	26.03	21.53	0.1422
78	30	80	634000	3510	DFT-s-OFDM 16 QAM	108@54	25.09	20.59	0.1146
78	30	80	634000	3510	DFT-s-OFDM 16 QAM	1@1	25.16	20.66	0.1164
78	30	80	634000	3510	DFT-s-OFDM 16 QAM	1@215	25.08	20.58	0.1143
78	30	90	633000	3495	DFT-s-OFDM QPSK	120@60	26	21.5	0.1413
78	30	90	633000	3495	DFT-s-OFDM QPSK	1@1	26.06	21.56	0.1432
78	30	90	633000	3495	DFT-s-OFDM QPSK	1@243	25.8	21.3	0.1349
78	30	90	633000	3495	DFT-s-OFDM 16 QAM	120@60	25	20.5	0.1122
78	30	90	633000	3495	DFT-s-OFDM 16 QAM	1@1	25.19	20.69	0.1172
78	30	90	633000	3495	DFT-s-OFDM 16 QAM	1@243	24.82	20.32	0.1076
78	30	90	633334	3500.01	DFT-s-OFDM QPSK	120@60	26.02	21.52	0.1419
78	30	90	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.97	21.47	0.1403
78	30	90	633334	3500.01	DFT-s-OFDM QPSK	1@243	25.8	21.3	0.1349
78	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	120@60	25.05	20.55	0.1135
78	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.07	20.57	0.1140
78	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	1@243	24.88	20.38	0.1091
78	30	90	633666	3504.99	DFT-s-OFDM QPSK	120@60	26.06	21.56	0.1432
78	30	90	633666	3504.99	DFT-s-OFDM QPSK	1@1	25.97	21.47	0.1403
78	30	90	633666	3504.99	DFT-s-OFDM QPSK	1@243	25.95	21.45	0.1396
78	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	120@60	25.05	20.55	0.1135
78	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	1@1	25.12	20.62	0.1153
78	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	1@243	25.01	20.51	0.1125
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	135@67	25.98	21.48	0.1406
78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.21	21.71	0.1483



78	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@271	26.13	21.63	0.1455
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	135@67	25.89	21.39	0.1377
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.08	21.58	0.1439
78	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@271	25.94	21.44	0.1393
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	135@67	25.07	20.57	0.1140
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	25.22	20.72	0.1180
78	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@271	24.99	20.49	0.1119
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	135@67	23.65	19.15	0.0822
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.72	19.22	0.0836
78	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@271	23.56	19.06	0.0805
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	135@67	21.7	17.2	0.0525
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.64	17.14	0.0518
78	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@271	21.51	17.01	0.0502
78	30	100	633334	3500.01	CP-OFDM QPSK	137@68	24.53	20.03	0.1007
78	30	100	633334	3500.01	CP-OFDM QPSK	1@1	24.43	19.93	0.0984
78	30	100	633334	3500.01	CP-OFDM QPSK	1@271	24.55	20.05	0.1012



Software Version: 23.06.1602

FR1 N77 ANT7 (Other PA)

LTE Band: 7, LTE BW: 10M, LTE ARFCN: Mid

Transmitter Conducted Output Power And EIRP, (G_T - L_C)= -5.0dB

NR Band	SCS	BandWidth	Arfcn	Freq (MHz)	Modulation	RB	Conducted Power(dBm)	EIRP (dBm)	EIRP (W)
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	12@6	25.81	20.81	0.1205
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@1	25.89	20.89	0.1227
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@22	25.76	20.76	0.1191
77	30	10	630334	3455.01	DFT-s-OFDM 16 QAM	12@6	24.74	19.74	0.0942
77	30	10	630334	3455.01	DFT-s-OFDM 16 QAM	1@1	24.75	19.75	0.0944
77	30	10	630334	3455.01	DFT-s-OFDM 16 QAM	1@22	24.67	19.67	0.0927
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	12@6	25.72	20.72	0.1180
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.8	20.8	0.1202
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@22	25.93	20.93	0.1239
77	30	10	633334	3500.01	DFT-s-OFDM 16 QAM	12@6	24.73	19.73	0.0940
77	30	10	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.68	19.68	0.0929
77	30	10	633334	3500.01	DFT-s-OFDM 16 QAM	1@22	24.69	19.69	0.0931
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	12@6	26.07	21.07	0.1279
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@1	26.05	21.05	0.1274
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@22	26.11	21.11	0.1291
77	30	10	636332	3544.98	DFT-s-OFDM 16 QAM	12@6	25	20	0.1000
77	30	10	636332	3544.98	DFT-s-OFDM 16 QAM	1@1	24.98	19.98	0.0995
77	30	10	636332	3544.98	DFT-s-OFDM 16 QAM	1@22	24.94	19.94	0.0986
77	30	15	630500	3457.5	DFT-s-OFDM QPSK	18@9	25.81	20.81	0.1205
77	30	15	630500	3457.5	DFT-s-OFDM QPSK	1@1	25.88	20.88	0.1225
77	30	15	630500	3457.5	DFT-s-OFDM QPSK	1@36	25.8	20.8	0.1202
77	30	15	630500	3457.5	DFT-s-OFDM 16 QAM	18@9	24.83	19.83	0.0962
77	30	15	630500	3457.5	DFT-s-OFDM 16 QAM	1@1	24.7	19.7	0.0933
77	30	15	630500	3457.5	DFT-s-OFDM 16 QAM	1@36	24.72	19.72	0.0938
77	30	15	633334	3500.01	DFT-s-OFDM QPSK	18@9	25.74	20.74	0.1186
77	30	15	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.78	20.78	0.1197
77	30	15	633334	3500.01	DFT-s-OFDM QPSK	1@36	25.92	20.92	0.1236
77	30	15	633334	3500.01	DFT-s-OFDM 16 QAM	18@9	24.73	19.73	0.0940
77	30	15	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.56	19.56	0.0904
77	30	15	633334	3500.01	DFT-s-OFDM 16 QAM	1@36	24.68	19.68	0.0929
77	30	15	636166	3542.49	DFT-s-OFDM QPSK	18@9	26.02	21.02	0.1265
77	30	15	636166	3542.49	DFT-s-OFDM QPSK	1@1	26.06	21.06	0.1276
77	30	15	636166	3542.49	DFT-s-OFDM QPSK	1@36	26.18	21.18	0.1312
77	30	15	636166	3542.49	DFT-s-OFDM 16 QAM	18@9	25.01	20.01	0.1002
77	30	15	636166	3542.49	DFT-s-OFDM 16 QAM	1@1	24.96	19.96	0.0991
77	30	15	636166	3542.49	DFT-s-OFDM 16 QAM	1@36	24.98	19.98	0.0995
77	30	20	630668	3460.02	DFT-s-OFDM QPSK	25@12	25.79	20.79	0.1199
77	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@1	25.85	20.85	0.1216
77	30	20	630668	3460.02	DFT-s-OFDM QPSK	1@49	25.75	20.75	0.1189
77	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	25@12	24.81	19.81	0.0957
77	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	1@1	24.72	19.72	0.0938
77	30	20	630668	3460.02	DFT-s-OFDM 16 QAM	1@49	24.67	19.67	0.0927
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	25@12	25.77	20.77	0.1194
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.71	20.71	0.1178



77	30	20	633334	3500.01	DFT-s-OFDM QPSK	1@49	25.82	20.82	0.1208
77	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	25@12	24.82	19.82	0.0959
77	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.58	19.58	0.0908
77	30	20	633334	3500.01	DFT-s-OFDM 16 QAM	1@49	24.68	19.68	0.0929
77	30	20	636000	3540	DFT-s-OFDM QPSK	25@12	26.03	21.03	0.1268
77	30	20	636000	3540	DFT-s-OFDM QPSK	1@1	26.06	21.06	0.1276
77	30	20	636000	3540	DFT-s-OFDM QPSK	1@49	26.09	21.09	0.1285
77	30	20	636000	3540	DFT-s-OFDM 16 QAM	25@12	25.07	20.07	0.1016
77	30	20	636000	3540	DFT-s-OFDM 16 QAM	1@1	24.89	19.89	0.0975
77	30	20	636000	3540	DFT-s-OFDM 16 QAM	1@49	24.92	19.92	0.0982
77	30	25	630834	3462.51	DFT-s-OFDM QPSK	32@16	25.64	20.64	0.1159
77	30	25	630834	3462.51	DFT-s-OFDM QPSK	1@1	25.75	20.75	0.1189
77	30	25	630834	3462.51	DFT-s-OFDM QPSK	1@63	25.61	20.61	0.1151
77	30	25	630834	3462.51	DFT-s-OFDM 16 QAM	32@16	24.68	19.68	0.0929
77	30	25	630834	3462.51	DFT-s-OFDM 16 QAM	1@1	24.67	19.67	0.0927
77	30	25	630834	3462.51	DFT-s-OFDM 16 QAM	1@63	24.51	19.51	0.0893
77	30	25	633334	3500.01	DFT-s-OFDM QPSK	32@16	25.65	20.65	0.1161
77	30	25	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.61	20.61	0.1151
77	30	25	633334	3500.01	DFT-s-OFDM QPSK	1@63	25.7	20.7	0.1175
77	30	25	633334	3500.01	DFT-s-OFDM 16 QAM	32@16	24.64	19.64	0.0920
77	30	25	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.46	19.46	0.0883
77	30	25	633334	3500.01	DFT-s-OFDM 16 QAM	1@63	24.61	19.61	0.0914
77	30	25	635832	3537.48	DFT-s-OFDM QPSK	32@16	25.87	20.87	0.1222
77	30	25	635832	3537.48	DFT-s-OFDM QPSK	1@1	25.9	20.9	0.1230
77	30	25	635832	3537.48	DFT-s-OFDM QPSK	1@63	25.95	20.95	0.1245
77	30	25	635832	3537.48	DFT-s-OFDM 16 QAM	32@16	24.85	19.85	0.0966
77	30	25	635832	3537.48	DFT-s-OFDM 16 QAM	1@1	24.73	19.73	0.0940
77	30	25	635832	3537.48	DFT-s-OFDM 16 QAM	1@63	24.79	19.79	0.0953
77	30	30	631000	3465	DFT-s-OFDM QPSK	36@18	25.73	20.73	0.1183
77	30	30	631000	3465	DFT-s-OFDM QPSK	1@1	25.84	20.84	0.1213
77	30	30	631000	3465	DFT-s-OFDM QPSK	1@76	25.7	20.7	0.1175
77	30	30	631000	3465	DFT-s-OFDM 16 QAM	36@18	24.82	19.82	0.0959
77	30	30	631000	3465	DFT-s-OFDM 16 QAM	1@1	24.75	19.75	0.0944
77	30	30	631000	3465	DFT-s-OFDM 16 QAM	1@76	24.62	19.62	0.0916
77	30	30	633334	3500.01	DFT-s-OFDM QPSK	36@18	25.69	20.69	0.1172
77	30	30	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.75	20.75	0.1189
77	30	30	633334	3500.01	DFT-s-OFDM QPSK	1@76	25.86	20.86	0.1219
77	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	36@18	24.78	19.78	0.0951
77	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.57	19.57	0.0906
77	30	30	633334	3500.01	DFT-s-OFDM 16 QAM	1@76	24.69	19.69	0.0931
77	30	30	635666	3534.99	DFT-s-OFDM QPSK	36@18	25.92	20.92	0.1236
77	30	30	635666	3534.99	DFT-s-OFDM QPSK	1@1	25.95	20.95	0.1245
77	30	30	635666	3534.99	DFT-s-OFDM QPSK	1@76	26.08	21.08	0.1282
77	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	36@18	24.98	19.98	0.0995
77	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	1@1	24.85	19.85	0.0966
77	30	30	635666	3534.99	DFT-s-OFDM 16 QAM	1@76	24.92	19.92	0.0982
77	30	40	631334	3470.01	DFT-s-OFDM QPSK	50@25	25.71	20.71	0.1178
77	30	40	631334	3470.01	DFT-s-OFDM QPSK	1@1	25.86	20.86	0.1219
77	30	40	631334	3470.01	DFT-s-OFDM QPSK	1@104	25.63	20.63	0.1156
77	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	50@25	24.73	19.73	0.0940
77	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	1@1	24.72	19.72	0.0938
77	30	40	631334	3470.01	DFT-s-OFDM 16 QAM	1@104	24.62	19.62	0.0916
77	30	40	633334	3500.01	DFT-s-OFDM QPSK	50@25	25.72	20.72	0.1180
77	30	40	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.66	20.66	0.1164
77	30	40	633334	3500.01	DFT-s-OFDM QPSK	1@104	25.83	20.83	0.1211



77	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	50@25	24.73	19.73	0.0940
77	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.47	19.47	0.0885
77	30	40	633334	3500.01	DFT-s-OFDM 16 QAM	1@104	24.71	19.71	0.0935
77	30	40	635332	3529.98	DFT-s-OFDM QPSK	50@25	25.89	20.89	0.1227
77	30	40	635332	3529.98	DFT-s-OFDM QPSK	1@1	25.89	20.89	0.1227
77	30	40	635332	3529.98	DFT-s-OFDM QPSK	1@104	26.01	21.01	0.1262
77	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	50@25	24.96	19.96	0.0991
77	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	1@1	24.76	19.76	0.0946
77	30	40	635332	3529.98	DFT-s-OFDM 16 QAM	1@104	24.86	19.86	0.0968
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	64@32	25.71	20.71	0.1178
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@1	25.84	20.84	0.1213
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@131	25.78	20.78	0.1197
77	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	64@32	24.71	19.71	0.0935
77	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	1@1	24.68	19.68	0.0929
77	30	50	631668	3475.02	DFT-s-OFDM 16 QAM	1@131	24.71	19.71	0.0935
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	64@32	25.76	20.76	0.1191
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.67	20.67	0.1167
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@131	25.81	20.81	0.1205
77	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	64@32	24.75	19.75	0.0944
77	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.53	19.53	0.0897
77	30	50	633334	3500.01	DFT-s-OFDM 16 QAM	1@131	24.64	19.64	0.0920
77	30	50	635000	3525	DFT-s-OFDM QPSK	64@32	25.9	20.9	0.1230
77	30	50	635000	3525	DFT-s-OFDM QPSK	1@1	25.76	20.76	0.1191
77	30	50	635000	3525	DFT-s-OFDM QPSK	1@131	25.96	20.96	0.1247
77	30	50	635000	3525	DFT-s-OFDM 16 QAM	64@32	24.89	19.89	0.0975
77	30	50	635000	3525	DFT-s-OFDM 16 QAM	1@1	24.67	19.67	0.0927
77	30	50	635000	3525	DFT-s-OFDM 16 QAM	1@131	24.82	19.82	0.0959
77	30	60	632000	3480	DFT-s-OFDM QPSK	81@40	25.66	20.66	0.1164
77	30	60	632000	3480	DFT-s-OFDM QPSK	1@1	25.85	20.85	0.1216
77	30	60	632000	3480	DFT-s-OFDM QPSK	1@160	25.85	20.85	0.1216
77	30	60	632000	3480	DFT-s-OFDM 16 QAM	81@40	24.7	19.7	0.0933
77	30	60	632000	3480	DFT-s-OFDM 16 QAM	1@1	24.74	19.74	0.0942
77	30	60	632000	3480	DFT-s-OFDM 16 QAM	1@160	24.72	19.72	0.0938
77	30	60	633334	3500.01	DFT-s-OFDM QPSK	81@40	25.64	20.64	0.1159
77	30	60	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.7	20.7	0.1175
77	30	60	633334	3500.01	DFT-s-OFDM QPSK	1@160	25.79	20.79	0.1199
77	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	81@40	24.7	19.7	0.0933
77	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.6	19.6	0.0912
77	30	60	633334	3500.01	DFT-s-OFDM 16 QAM	1@160	24.69	19.69	0.0931
77	30	60	634666	3519.99	DFT-s-OFDM QPSK	81@40	25.77	20.77	0.1194
77	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@1	25.68	20.68	0.1169
77	30	60	634666	3519.99	DFT-s-OFDM QPSK	1@160	25.99	20.99	0.1256
77	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	81@40	24.81	19.81	0.0957
77	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	1@1	24.55	19.55	0.0902
77	30	60	634666	3519.99	DFT-s-OFDM 16 QAM	1@160	24.8	19.8	0.0955
77	30	70	632334	3485.01	DFT-s-OFDM QPSK	90@45	25.79	20.79	0.1199
77	30	70	632334	3485.01	DFT-s-OFDM QPSK	1@1	26.04	21.04	0.1271
77	30	70	632334	3485.01	DFT-s-OFDM QPSK	1@187	25.9	20.9	0.1230
77	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	90@45	24.9	19.9	0.0977
77	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	1@1	24.87	19.87	0.0971
77	30	70	632334	3485.01	DFT-s-OFDM 16 QAM	1@187	24.71	19.71	0.0935
77	30	70	633334	3500.01	DFT-s-OFDM QPSK	90@45	25.85	20.85	0.1216
77	30	70	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.96	20.96	0.1247
77	30	70	633334	3500.01	DFT-s-OFDM QPSK	1@187	26.01	21.01	0.1262
77	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	90@45	24.93	19.93	0.0984



77	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.79	19.79	0.0953
77	30	70	633334	3500.01	DFT-s-OFDM 16 QAM	1@187	24.78	19.78	0.0951
77	30	70	634332	3514.98	DFT-s-OFDM QPSK	90@45	25.95	20.95	0.1245
77	30	70	634332	3514.98	DFT-s-OFDM QPSK	1@1	25.89	20.89	0.1227
77	30	70	634332	3514.98	DFT-s-OFDM QPSK	1@187	26.03	21.03	0.1268
77	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	90@45	25.04	20.04	0.1009
77	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	1@1	24.79	19.79	0.0953
77	30	70	634332	3514.98	DFT-s-OFDM 16 QAM	1@187	24.89	19.89	0.0975
77	30	80	632668	3490.02	DFT-s-OFDM QPSK	108@54	25.87	20.87	0.1222
77	30	80	632668	3490.02	DFT-s-OFDM QPSK	1@1	26.06	21.06	0.1276
77	30	80	632668	3490.02	DFT-s-OFDM QPSK	1@215	25.93	20.93	0.1239
77	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	108@54	24.91	19.91	0.0979
77	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	1@1	24.84	19.84	0.0964
77	30	80	632668	3490.02	DFT-s-OFDM 16 QAM	1@215	24.8	19.8	0.0955
77	30	80	633334	3500.01	DFT-s-OFDM QPSK	108@54	25.91	20.91	0.1233
77	30	80	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.02	21.02	0.1265
77	30	80	633334	3500.01	DFT-s-OFDM QPSK	1@215	25.99	20.99	0.1256
77	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	108@54	24.96	19.96	0.0991
77	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.85	19.85	0.0966
77	30	80	633334	3500.01	DFT-s-OFDM 16 QAM	1@215	24.83	19.83	0.0962
77	30	80	634000	3510	DFT-s-OFDM QPSK	108@54	25.99	20.99	0.1256
77	30	80	634000	3510	DFT-s-OFDM QPSK	1@1	25.99	20.99	0.1256
77	30	80	634000	3510	DFT-s-OFDM QPSK	1@215	26.07	21.07	0.1279
77	30	80	634000	3510	DFT-s-OFDM 16 QAM	108@54	25.05	20.05	0.1012
77	30	80	634000	3510	DFT-s-OFDM 16 QAM	1@1	24.9	19.9	0.0977
77	30	80	634000	3510	DFT-s-OFDM 16 QAM	1@215	24.91	19.91	0.0979
77	30	90	633000	3495	DFT-s-OFDM QPSK	120@60	25.86	20.86	0.1219
77	30	90	633000	3495	DFT-s-OFDM QPSK	1@1	26.12	21.12	0.1294
77	30	90	633000	3495	DFT-s-OFDM QPSK	1@243	25.89	20.89	0.1227
77	30	90	633000	3495	DFT-s-OFDM 16 QAM	120@60	24.93	19.93	0.0984
77	30	90	633000	3495	DFT-s-OFDM 16 QAM	1@1	24.92	19.92	0.0982
77	30	90	633000	3495	DFT-s-OFDM 16 QAM	1@243	24.77	19.77	0.0948
77	30	90	633334	3500.01	DFT-s-OFDM QPSK	120@60	25.87	20.87	0.1222
77	30	90	633334	3500.01	DFT-s-OFDM QPSK	1@1	25.98	20.98	0.1253
77	30	90	633334	3500.01	DFT-s-OFDM QPSK	1@243	25.98	20.98	0.1253
77	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	120@60	24.92	19.92	0.0982
77	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.86	19.86	0.0968
77	30	90	633334	3500.01	DFT-s-OFDM 16 QAM	1@243	24.78	19.78	0.0951
77	30	90	633666	3504.99	DFT-s-OFDM QPSK	120@60	25.91	20.91	0.1233
77	30	90	633666	3504.99	DFT-s-OFDM QPSK	1@1	26.01	21.01	0.1262
77	30	90	633666	3504.99	DFT-s-OFDM QPSK	1@243	26.05	21.05	0.1274
77	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	120@60	24.96	19.96	0.0991
77	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	1@1	24.9	19.9	0.0977
77	30	90	633666	3504.99	DFT-s-OFDM 16 QAM	1@243	24.84	19.84	0.0964
77	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	135@67	25.85	20.85	0.1216
77	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@1	26.13	21.13	0.1297
77	30	100	633334	3500.01	DFT-s-OFDM PI/2 BPSK	1@271	26.04	21.04	0.1271
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	135@67	25.88	20.88	0.1225
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@1	26.06	21.06	0.1276
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@271	26.19	21.19	0.1315
77	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	135@67	24.94	19.94	0.0986
77	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@1	24.89	19.89	0.0975
77	30	100	633334	3500.01	DFT-s-OFDM 16 QAM	1@271	24.81	19.81	0.0957
77	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	135@67	23.46	18.46	0.0701
77	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@1	23.53	18.53	0.0713



77	30	100	633334	3500.01	DFT-s-OFDM 64 QAM	1@271	23.36	18.36	0.0685
77	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	135@67	21.48	16.48	0.0445
77	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@1	21.32	16.32	0.0429
77	30	100	633334	3500.01	DFT-s-OFDM 256 QAM	1@271	21.2	16.2	0.0417
77	30	100	633334	3500.01	CP-OFDM QPSK	137@68	24.33	19.33	0.0857
77	30	100	633334	3500.01	CP-OFDM QPSK	1@1	24.3	19.3	0.0851
77	30	100	633334	3500.01	CP-OFDM QPSK	1@271	24.12	19.12	0.0817



Frequency Stability

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Deviation (Hz)	Verdict	Environment
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	8.2	PASS	NV
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	10.9	PASS	LV
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	10.4	PASS	HV
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	13.9	PASS	-30°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	17.4	PASS	-20°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	8.6	PASS	-10°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	18.7	PASS	0°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	19	PASS	10°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	8.2	PASS	20°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	7.8	PASS	30°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	9	PASS	40°C
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	15.9	PASS	50°C

|MAX(Δf)| =19 Hz

Frequency Stability	Frequency (MHz)	Limit Line	Result
fL - MAX(Δf)	3450.869181	≥ 3450 MHz	PASS
fH + MAX(Δf)	3548.751219	≤ 3550 MHz	


Peak to Average Ratio

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result (dB)	Limit (dB)	Verdict
77	30	20	633334	3500.01	DFT-s-OFDM PI/2 BPSK	50@0	4.25	13	PASS
77	30	20	633334	3500.01	DFT-s-OFDM QPSK	50@0	5.26	13	PASS

B7_N77(20M)_DFT-s-OFDM_PI_2-BPSK_Outer_Full_Mid_CH



B7_N77(20M)_DFT-s-OFDM_QPSK_Outer_Full_Mid_CH





Occupied Bandwidth


NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	OBW (MHz)	26dB BW (MHz)
77	30	10	633334	3500.01	CP-OFDM QPSK	24@0	8.6021	9.261
77	30	10	633334	3500.01	CP-OFDM 16 QAM	24@0	8.5677	9.102
77	30	10	633334	3500.01	CP-OFDM 64 QAM	24@0	8.5824	9.117
77	30	10	633334	3500.01	CP-OFDM 256 QAM	24@0	8.5971	9.179
77	30	15	633334	3500.01	CP-OFDM QPSK	38@0	13.572	14.47
77	30	15	633334	3500.01	CP-OFDM 16 QAM	38@0	13.631	14.41
77	30	15	633334	3500.01	CP-OFDM 64 QAM	38@0	13.605	14.38
77	30	15	633334	3500.01	CP-OFDM 256 QAM	38@0	13.562	14.3
77	30	20	633334	3500.01	CP-OFDM QPSK	51@0	18.155	19.04
77	30	20	633334	3500.01	CP-OFDM 16 QAM	51@0	18.144	19.03
77	30	20	633334	3500.01	CP-OFDM 64 QAM	51@0	18.189	18.92
77	30	20	633334	3500.01	CP-OFDM 256 QAM	51@0	18.245	18.95
77	30	25	633334	3500.01	CP-OFDM QPSK	65@0	23.167	24.09
77	30	25	633334	3500.01	CP-OFDM 16 QAM	65@0	23.165	24.13
77	30	25	633334	3500.01	CP-OFDM 64 QAM	65@0	23.232	24.19
77	30	25	633334	3500.01	CP-OFDM 256 QAM	65@0	23.176	24.12
77	30	30	633334	3500.01	CP-OFDM QPSK	78@0	27.842	29.03
77	30	30	633334	3500.01	CP-OFDM 16 QAM	78@0	27.903	28.96
77	30	30	633334	3500.01	CP-OFDM 64 QAM	78@0	27.79	28.9
77	30	30	633334	3500.01	CP-OFDM 256 QAM	78@0	27.826	29.03
77	30	40	633334	3500.01	CP-OFDM QPSK	106@0	37.82	39.1
77	30	40	633334	3500.01	CP-OFDM 16 QAM	106@0	37.948	39.29
77	30	40	633334	3500.01	CP-OFDM 64 QAM	106@0	37.844	39.08
77	30	40	633334	3500.01	CP-OFDM 256 QAM	106@0	37.84	39.38
77	30	50	633334	3500.01	CP-OFDM QPSK	133@0	47.486	49.0
77	30	50	633334	3500.01	CP-OFDM 16 QAM	133@0	47.318	48.99
77	30	50	633334	3500.01	CP-OFDM 64 QAM	133@0	47.297	49.14
77	30	50	633334	3500.01	CP-OFDM 256 QAM	133@0	47.575	49.02
77	30	60	633334	3500.01	CP-OFDM QPSK	162@0	57.82	59.79
77	30	60	633334	3500.01	CP-OFDM 16 QAM	162@0	57.718	59.68
77	30	60	633334	3500.01	CP-OFDM 64 QAM	162@0	57.848	59.67
77	30	60	633334	3500.01	CP-OFDM 256 QAM	162@0	57.708	59.64
77	30	70	633334	3500.01	CP-OFDM QPSK	189@0	67.434	69.57
77	30	70	633334	3500.01	CP-OFDM 16 QAM	189@0	67.475	69.66
77	30	70	633334	3500.01	CP-OFDM 64 QAM	189@0	67.397	69.65
77	30	70	633334	3500.01	CP-OFDM 256 QAM	189@0	67.34	69.7
77	30	80	633334	3500.01	CP-OFDM QPSK	217@0	77.524	79.95
77	30	80	633334	3500.01	CP-OFDM 16 QAM	217@0	77.475	79.98



77	30	80	633334	3500.01	CP-OFDM 64 QAM	217@0	77.43	79.95
77	30	80	633334	3500.01	CP-OFDM 256 QAM	217@0	77.346	79.92
77	30	90	633334	3500.01	CP-OFDM QPSK	245@0	87.392	90.2
77	30	90	633334	3500.01	CP-OFDM 16 QAM	245@0	87.295	90.19
77	30	90	633334	3500.01	CP-OFDM 64 QAM	245@0	87.491	90.31
77	30	90	633334	3500.01	CP-OFDM 256 QAM	245@0	87.54	90.17
77	30	100	633334	3500.01	CP-OFDM QPSK	273@0	97.301	100.5
77	30	100	633334	3500.01	CP-OFDM 16 QAM	273@0	97.38	100.6
77	30	100	633334	3500.01	CP-OFDM 64 QAM	273@0	97.535	100.4
77	30	100	633334	3500.01	CP-OFDM 256 QAM	273@0	97.365	100.4




B7_N77(10M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(10M)_CP-OFDM_16QAM_Outer_Full_Mid_CH




B7_N77(10M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




B7_N77(10M)_CP-OFDM_256QAM_Outer_Full_Mid_CH




B7_N77(15M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(15M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



B7_N77(15M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



B7_N77(15M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH







B7_N77(20M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(20M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B7_N77(20M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




B7_N77(20M)_CP-OFDM_256QAM_Outer_Full_Mid_CH







B7_N77(25M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(25M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



B7_N77(25M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B7_N77(25M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH






B7_N77(30M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(30M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



B7_N77(30M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B7_N77(30M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH







B7_N77(40M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(40M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B7_N77(40M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




B7_N77(40M)_CP-OFDM_256QAM_Outer_Full_Mid_CH







B7_N77(50M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(50M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B7_N77(50M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




B7_N77(50M)_CP-OFDM_256QAM_Outer_Full_Mid_CH







B7_N77(60M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(60M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B7_N77(60M)_CP-OFDM_64QAM_Outer_Full_Mid_CH



B7_N77(60M)_CP-OFDM_256QAM_Outer_Full_Mid_CH






B7_N77(70M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(70M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



B7_N77(70M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH




B7_N77(70M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH







B7_N77(80M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(80M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B7_N77(80M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




B7_N77(80M)_CP-OFDM_256QAM_Outer_Full_Mid_CH







B7_N77(90M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(90M)_CP-OFDM_16QAM_Outer_Full_Mid_CH



B7_N77(90M)_CP-OFDM_64QAM_Outer_Full_Mid_CH




B7_N77(90M)_CP-OFDM_256QAM_Outer_Full_Mid_CH







B7_N77(100M)_CP-OFDM_QPSK_Outer_Full_Mid_CH




B7_N77(100M)_CP-OFDM_16 QAM_Outer_Full_Mid_CH



B7_N77(100M)_CP-OFDM_64 QAM_Outer_Full_Mid_CH



B7_N77(100M)_CP-OFDM_256 QAM_Outer_Full_Mid_CH







Conducted Spurious Emissions

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	10	630334	3455.01	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	630334	3455.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	10	636332	3544.98	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	631668	3475.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	50	635000	3525.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	50	635000	3525.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	---
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	---
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS


B7_N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B7_N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B7_N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B7_N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B7_N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B7_N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B7_N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B7_N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B7_N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH



B7_N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH







B7_N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH




B7_N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH




B7_N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B7_N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B7_N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B7_N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B7_N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH




B7_N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B7_N77(50M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_High_CH



B7_N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH




B7_N77(50M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_High_CH







B7_N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH




B7_N77(100M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Mid_CH



B7_N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH



B7_N77(100M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Mid_CH







Conducted Band Edge

NR Band	SCS (kHz)	Bandwidth (MHz)	Arfcn	Freq (MHz)	Modulation	RB	Result	Verdict
77	30	10	630334	3455.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM BPSK	24@0	see graph	PASS
77	30	10	630334	3455.01	DFT-s-OFDM QPSK	24@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM BPSK	1@23	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	1@23	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM BPSK	24@0	see graph	PASS
77	30	10	636332	3544.98	DFT-s-OFDM QPSK	24@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM BPSK	128@0	see graph	PASS
77	30	50	631668	3475.02	DFT-s-OFDM QPSK	128@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM BPSK	1@132	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM QPSK	1@132	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM BPSK	128@0	see graph	PASS
77	30	50	635000	3525.0	DFT-s-OFDM QPSK	128@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	1@272	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	1@272	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM BPSK	270@0	see graph	PASS
77	30	100	633334	3500.01	DFT-s-OFDM QPSK	270@0	see graph	PASS


B7_N77(10M)_DFT-s-OFDM_BPSK_Edge_1RB_Left_Low_CH



B7_N77(10M)_DFT-s-OFDM_QPSK_Edge_1RB_Left_Low_CH



B7_N77(10M)_DFT-s-OFDM_BPSK_Outer_Full_Low_CH



B7_N77(10M)_DFT-s-OFDM_QPSK_Outer_Full_Low_CH

