

**Appendix
for
n78A
(3450-3550)**

Catalogue

1. EFFECTIVE ISOTROPIC RADIATED POWER	3
1.1. TEST RESULTS @ ANT7 (ANTENNA GAIN=-5.70DBI)	3
1.2. TEST RESULTS @ ANT5 (ANTENNA GAIN=-3.30DBI)	8
2. PEAK-TO-AVERAGE RATIO	13
2.1. TEST RESULTS	13
2.2. TEST PLOTS FOR SCS=15KHZ.....	13
2.3. TEST PLOTS FOR SCS=30KHZ.....	14
3. MODULATION CHARACTERISTICS.....	15
3.1. TEST PLOTS.....	15
4. 99% OCCUPIED BANDWIDTH & 26DB EMISSION BANDWIDTH	18
4.1. TEST RESULTS	18
4.2. TEST PLOTS FOR SCS=15KHZ.....	20
4.3. TEST PLOTS FOR SCS=30KHZ.....	27
5. CONDUCTED BAND EDGES	39
5.1. TEST PLOTS FOR SCS=15KHZ.....	39
5.2. TEST PLOTS FOR SCS=30KHZ.....	48
6. CONDUCTED SPURIOUS EMISSION.....	64
6.1. TEST PLOTS FOR SCS=15KHZ.....	64
6.2. TEST PLOTS FOR SCS=30KHZ.....	71
7. FREQUENCY STABILITY.....	82
7.1. TEST RESULTS	82

1. Effective Isotropic Radiated Power

1.1. Test Results @ Ant7 (Antenna Gain=-5.70dBi)

SCS	Bandwidth	Channel	Modulation	Conducted Result (dBm)			Max EIRP (dBm)	Limit (dBm)	Verdict
				Inner_1RB_Left	Inner_1RB_Right	Inner_Full			
15KHz	10MHz	LCH	DFT-Pi2BPSK	25.91	25.93	26.06	20.36	30.00	Pass
15KHz	10MHz	LCH	DFT-QPSK	25.82	25.87	25.96	20.26	30.00	Pass
15KHz	10MHz	LCH	DFT-16QAM	24.99	25.04	25.03	19.34	30.00	Pass
15KHz	10MHz	LCH	DFT-64QAM	23.88	23.95	23.87	18.25	30.00	Pass
15KHz	10MHz	LCH	DFT-256QAM	22.18	22.14	22.03	16.48	30.00	Pass
15KHz	10MHz	LCH	CP-QPSK	24.29	24.24	24.33	18.63	30.00	Pass
15KHz	10MHz	MCH	DFT-Pi2BPSK	25.67	25.68	25.85	20.15	30.00	Pass
15KHz	10MHz	MCH	DFT-QPSK	25.78	25.74	25.81	20.11	30.00	Pass
15KHz	10MHz	MCH	DFT-16QAM	24.78	24.73	24.96	19.26	30.00	Pass
15KHz	10MHz	MCH	DFT-64QAM	23.39	23.38	23.66	17.96	30.00	Pass
15KHz	10MHz	MCH	DFT-256QAM	21.78	21.80	21.77	16.10	30.00	Pass
15KHz	10MHz	MCH	CP-QPSK	24.49	24.42	24.27	18.79	30.00	Pass
15KHz	10MHz	HCH	DFT-Pi2BPSK	25.95	25.90	26.15	20.45	30.00	Pass
15KHz	10MHz	HCH	DFT-QPSK	25.92	25.91	26.09	20.39	30.00	Pass
15KHz	10MHz	HCH	DFT-16QAM	25.11	25.04	25.17	19.47	30.00	Pass
15KHz	10MHz	HCH	DFT-64QAM	23.91	23.88	23.95	18.25	30.00	Pass
15KHz	10MHz	HCH	DFT-256QAM	22.32	22.24	22.10	16.62	30.00	Pass
15KHz	10MHz	HCH	CP-QPSK	24.85	24.80	24.56	19.15	30.00	Pass
15KHz	15MHz	LCH	DFT-Pi2BPSK	25.99	26.05	26.24	20.54	30.00	Pass
15KHz	15MHz	LCH	DFT-QPSK	25.88	26.00	26.16	20.46	30.00	Pass
15KHz	15MHz	LCH	DFT-16QAM	25.02	25.15	25.28	19.58	30.00	Pass
15KHz	15MHz	LCH	DFT-64QAM	23.88	23.92	24.05	18.35	30.00	Pass
15KHz	15MHz	LCH	DFT-256QAM	22.29	22.29	22.27	16.59	30.00	Pass
15KHz	15MHz	LCH	CP-QPSK	24.52	24.56	24.65	18.95	30.00	Pass
15KHz	15MHz	MCH	DFT-Pi2BPSK	25.75	25.73	25.96	20.26	30.00	Pass
15KHz	15MHz	MCH	DFT-QPSK	25.72	25.70	25.88	20.18	30.00	Pass
15KHz	15MHz	MCH	DFT-16QAM	24.82	24.77	25.01	19.31	30.00	Pass
15KHz	15MHz	MCH	DFT-64QAM	23.73	23.73	23.73	18.03	30.00	Pass
15KHz	15MHz	MCH	DFT-256QAM	22.02	21.91	22.00	16.32	30.00	Pass
15KHz	15MHz	MCH	CP-QPSK	24.31	24.21	24.42	18.72	30.00	Pass
15KHz	15MHz	HCH	DFT-Pi2BPSK	26.01	25.99	26.21	20.51	30.00	Pass
15KHz	15MHz	HCH	DFT-QPSK	26.06	26.08	26.20	20.50	30.00	Pass
15KHz	15MHz	HCH	DFT-16QAM	25.09	25.11	25.33	19.63	30.00	Pass
15KHz	15MHz	HCH	DFT-64QAM	23.79	23.78	24.06	18.36	30.00	Pass
15KHz	15MHz	HCH	DFT-256QAM	22.40	22.36	22.29	16.70	30.00	Pass
15KHz	15MHz	HCH	CP-QPSK	24.52	24.52	24.64	18.94	30.00	Pass
15KHz	20MHz	LCH	DFT-Pi2BPSK	25.97	26.01	26.22	20.52	30.00	Pass
15KHz	20MHz	LCH	DFT-QPSK	25.90	25.97	26.20	20.50	30.00	Pass
15KHz	20MHz	LCH	DFT-16QAM	25.01	25.05	25.34	19.64	30.00	Pass
15KHz	20MHz	LCH	DFT-64QAM	23.94	24.01	24.05	18.35	30.00	Pass
15KHz	20MHz	LCH	DFT-256QAM	22.32	22.30	22.24	16.62	30.00	Pass
15KHz	20MHz	LCH	CP-QPSK	24.43	24.48	24.63	18.93	30.00	Pass
15KHz	20MHz	MCH	DFT-Pi2BPSK	25.75	25.70	25.99	20.29	30.00	Pass
15KHz	20MHz	MCH	DFT-QPSK	25.72	25.69	25.95	20.25	30.00	Pass
15KHz	20MHz	MCH	DFT-16QAM	24.81	24.77	25.02	19.32	30.00	Pass
15KHz	20MHz	MCH	DFT-64QAM	23.67	23.68	23.75	18.05	30.00	Pass
15KHz	20MHz	MCH	DFT-256QAM	21.94	21.94	21.96	16.26	30.00	Pass
15KHz	20MHz	MCH	CP-QPSK	24.23	24.23	24.33	18.63	30.00	Pass
15KHz	20MHz	HCH	DFT-Pi2BPSK	25.93	25.91	26.24	20.54	30.00	Pass
15KHz	20MHz	HCH	DFT-QPSK	25.83	25.83	26.15	20.45	30.00	Pass
15KHz	20MHz	HCH	DFT-16QAM	25.05	25.05	25.30	19.60	30.00	Pass
15KHz	20MHz	HCH	DFT-64QAM	23.88	23.96	24.00	18.30	30.00	Pass
15KHz	20MHz	HCH	DFT-256QAM	22.18	22.20	22.29	16.59	30.00	Pass
15KHz	20MHz	HCH	CP-QPSK	24.46	24.46	24.62	18.92	30.00	Pass
15KHz	25MHz	LCH	DFT-Pi2BPSK	25.96	25.92	26.34	20.64	30.00	Pass
15KHz	25MHz	LCH	DFT-QPSK	25.84	25.81	26.23	20.53	30.00	Pass
15KHz	25MHz	LCH	DFT-16QAM	25.02	24.98	25.40	19.70	30.00	Pass
15KHz	25MHz	LCH	DFT-64QAM	23.93	23.93	24.16	18.46	30.00	Pass
15KHz	25MHz	LCH	DFT-256QAM	22.25	22.18	22.43	16.73	30.00	Pass

15KHz	25MHz	LCH	CP-QPSK	24.43	24.33	24.72	19.02	30.00	Pass
15KHz	25MHz	MCH	DFT-Pi2BPSK	25.78	25.68	26.02	20.32	30.00	Pass
15KHz	25MHz	MCH	DFT-QPSK	25.71	25.57	26.01	20.31	30.00	Pass
15KHz	25MHz	MCH	DFT-16QAM	24.87	24.76	25.09	19.39	30.00	Pass
15KHz	25MHz	MCH	DFT-64QAM	23.69	23.58	23.85	18.15	30.00	Pass
15KHz	25MHz	MCH	DFT-256QAM	22.01	21.91	22.04	16.34	30.00	Pass
15KHz	25MHz	MCH	CP-QPSK	24.29	24.18	24.43	18.73	30.00	Pass
15KHz	25MHz	HCH	DFT-Pi2BPSK	25.90	25.94	26.23	20.53	30.00	Pass
15KHz	25MHz	HCH	DFT-QPSK	25.88	25.92	26.23	20.53	30.00	Pass
15KHz	25MHz	HCH	DFT-16QAM	24.96	25.04	25.35	19.65	30.00	Pass
15KHz	25MHz	HCH	DFT-64QAM	23.83	23.91	24.06	18.36	30.00	Pass
15KHz	25MHz	HCH	DFT-256QAM	22.13	22.19	22.28	16.58	30.00	Pass
15KHz	25MHz	HCH	CP-QPSK	24.42	24.39	24.62	18.92	30.00	Pass
15KHz	30MHz	LCH	DFT-Pi2BPSK	25.85	25.69	26.29	20.59	30.00	Pass
15KHz	30MHz	LCH	DFT-QPSK	25.72	25.58	26.17	20.47	30.00	Pass
15KHz	30MHz	LCH	DFT-16QAM	24.92	24.78	25.33	19.63	30.00	Pass
15KHz	30MHz	LCH	DFT-64QAM	23.80	23.65	24.12	18.42	30.00	Pass
15KHz	30MHz	LCH	DFT-256QAM	22.10	21.86	22.30	16.60	30.00	Pass
15KHz	30MHz	LCH	CP-QPSK	24.37	24.27	24.68	18.98	30.00	Pass
15KHz	30MHz	MCH	DFT-Pi2BPSK	25.70	25.56	26.05	20.35	30.00	Pass
15KHz	30MHz	MCH	DFT-QPSK	25.61	25.47	25.98	20.28	30.00	Pass
15KHz	30MHz	MCH	DFT-16QAM	24.79	24.68	25.12	19.42	30.00	Pass
15KHz	30MHz	MCH	DFT-64QAM	23.58	23.52	23.86	18.16	30.00	Pass
15KHz	30MHz	MCH	DFT-256QAM	21.91	21.78	21.94	16.24	30.00	Pass
15KHz	30MHz	MCH	CP-QPSK	24.17	24.07	24.42	18.72	30.00	Pass
15KHz	30MHz	HCH	DFT-Pi2BPSK	25.79	25.86	26.26	20.56	30.00	Pass
15KHz	30MHz	HCH	DFT-QPSK	25.71	25.80	26.24	20.54	30.00	Pass
15KHz	30MHz	HCH	DFT-16QAM	24.85	24.98	25.31	19.61	30.00	Pass
15KHz	30MHz	HCH	DFT-64QAM	23.71	23.90	24.06	18.36	30.00	Pass
15KHz	30MHz	HCH	DFT-256QAM	21.97	22.13	22.24	16.54	30.00	Pass
15KHz	30MHz	HCH	CP-QPSK	24.29	24.37	24.68	18.98	30.00	Pass
15KHz	40MHz	LCH	DFT-Pi2BPSK	25.71	25.46	26.24	20.54	30.00	Pass
15KHz	40MHz	LCH	DFT-QPSK	25.64	25.40	26.17	20.47	30.00	Pass
15KHz	40MHz	LCH	DFT-16QAM	24.73	24.55	25.30	19.60	30.00	Pass
15KHz	40MHz	LCH	DFT-64QAM	23.56	23.23	24.04	18.34	30.00	Pass
15KHz	40MHz	LCH	DFT-256QAM	21.93	21.60	22.28	16.58	30.00	Pass
15KHz	40MHz	LCH	CP-QPSK	24.20	23.90	24.64	18.94	30.00	Pass
15KHz	40MHz	MCH	DFT-Pi2BPSK	25.56	25.44	25.98	20.28	30.00	Pass
15KHz	40MHz	MCH	DFT-QPSK	25.53	25.38	25.92	20.22	30.00	Pass
15KHz	40MHz	MCH	DFT-16QAM	24.58	24.48	25.04	19.34	30.00	Pass
15KHz	40MHz	MCH	DFT-64QAM	23.46	23.38	23.83	18.13	30.00	Pass
15KHz	40MHz	MCH	DFT-256QAM	21.71	21.61	21.95	16.25	30.00	Pass
15KHz	40MHz	MCH	CP-QPSK	24.16	23.99	24.41	18.71	30.00	Pass
15KHz	40MHz	HCH	DFT-Pi2BPSK	25.55	25.62	26.15	20.45	30.00	Pass
15KHz	40MHz	HCH	DFT-QPSK	25.56	25.63	26.09	20.39	30.00	Pass
15KHz	40MHz	HCH	DFT-16QAM	24.59	24.71	25.24	19.54	30.00	Pass
15KHz	40MHz	HCH	DFT-64QAM	23.22	23.39	23.97	18.27	30.00	Pass
15KHz	40MHz	HCH	DFT-256QAM	21.75	21.93	22.22	16.52	30.00	Pass
15KHz	40MHz	HCH	CP-QPSK	24.03	24.10	24.60	18.90	30.00	Pass
15KHz	50MHz	LCH	DFT-Pi2BPSK	25.93	25.61	26.09	20.39	30.00	Pass
15KHz	50MHz	LCH	DFT-QPSK	25.82	25.58	26.01	20.31	30.00	Pass
15KHz	50MHz	LCH	DFT-16QAM	25.03	24.66	25.14	19.44	30.00	Pass
15KHz	50MHz	LCH	DFT-64QAM	23.82	23.57	23.92	18.22	30.00	Pass
15KHz	50MHz	LCH	DFT-256QAM	22.23	21.75	22.19	16.53	30.00	Pass
15KHz	50MHz	LCH	CP-QPSK	24.45	24.19	24.54	18.84	30.00	Pass
15KHz	50MHz	MCH	DFT-Pi2BPSK	25.88	25.68	26.00	20.30	30.00	Pass
15KHz	50MHz	MCH	DFT-QPSK	25.77	25.62	25.92	20.22	30.00	Pass
15KHz	50MHz	MCH	DFT-16QAM	24.97	24.83	25.05	19.35	30.00	Pass
15KHz	50MHz	MCH	DFT-64QAM	23.90	23.71	23.79	18.20	30.00	Pass
15KHz	50MHz	MCH	DFT-256QAM	22.16	21.98	21.96	16.46	30.00	Pass
15KHz	50MHz	MCH	CP-QPSK	24.37	24.21	24.46	18.76	30.00	Pass
15KHz	50MHz	HCH	DFT-Pi2BPSK	25.77	25.82	26.04	20.34	30.00	Pass
15KHz	50MHz	HCH	DFT-QPSK	25.67	25.80	25.94	20.24	30.00	Pass
15KHz	50MHz	HCH	DFT-16QAM	24.85	24.91	25.15	19.45	30.00	Pass

15KHz	50MHz	HCH	DFT-64QAM	23.71	23.81	23.80	18.11	30.00	Pass
15KHz	50MHz	HCH	DFT-256QAM	21.91	22.08	22.10	16.40	30.00	Pass
15KHz	50MHz	HCH	CP-QPSK	24.29	24.33	24.53	18.83	30.00	Pass
30KHz	10MHz	LCH	DFT-Pi2BPSK	25.98	25.97	26.07	20.37	30.00	Pass
30KHz	10MHz	LCH	DFT-QPSK	26.04	26.16	26.01	20.46	30.00	Pass
30KHz	10MHz	LCH	DFT-16QAM	24.85	24.86	25.15	19.45	30.00	Pass
30KHz	10MHz	LCH	DFT-64QAM	23.84	23.80	23.93	18.23	30.00	Pass
30KHz	10MHz	LCH	DFT-256QAM	22.15	22.08	22.22	16.52	30.00	Pass
30KHz	10MHz	LCH	CP-QPSK	24.92	24.91	24.68	19.22	30.00	Pass
30KHz	10MHz	MCH	DFT-Pi2BPSK	25.80	25.77	25.89	20.19	30.00	Pass
30KHz	10MHz	MCH	DFT-QPSK	26.03	25.99	25.82	20.33	30.00	Pass
30KHz	10MHz	MCH	DFT-16QAM	24.61	24.61	24.97	19.27	30.00	Pass
30KHz	10MHz	MCH	DFT-64QAM	23.61	23.58	23.74	18.04	30.00	Pass
30KHz	10MHz	MCH	DFT-256QAM	21.91	21.89	21.98	16.28	30.00	Pass
30KHz	10MHz	MCH	CP-QPSK	24.74	24.73	24.48	19.04	30.00	Pass
30KHz	10MHz	HCH	DFT-Pi2BPSK	26.07	26.03	26.13	20.43	30.00	Pass
30KHz	10MHz	HCH	DFT-QPSK	26.31	26.31	26.08	20.61	30.00	Pass
30KHz	10MHz	HCH	DFT-16QAM	24.90	24.86	25.27	19.57	30.00	Pass
30KHz	10MHz	HCH	DFT-64QAM	23.89	23.85	24.03	18.33	30.00	Pass
30KHz	10MHz	HCH	DFT-256QAM	22.17	22.17	22.30	16.60	30.00	Pass
30KHz	10MHz	HCH	CP-QPSK	24.78	24.79	24.82	19.12	30.00	Pass
30KHz	15MHz	LCH	DFT-Pi2BPSK	25.98	26.00	26.13	20.43	30.00	Pass
30KHz	15MHz	LCH	DFT-QPSK	26.03	26.13	26.06	20.43	30.00	Pass
30KHz	15MHz	LCH	DFT-16QAM	24.92	24.97	25.20	19.50	30.00	Pass
30KHz	15MHz	LCH	DFT-64QAM	23.86	23.86	23.92	18.22	30.00	Pass
30KHz	15MHz	LCH	DFT-256QAM	22.12	22.14	22.27	16.57	30.00	Pass
30KHz	15MHz	LCH	CP-QPSK	24.56	24.67	24.60	18.97	30.00	Pass
30KHz	15MHz	MCH	DFT-Pi2BPSK	25.77	25.71	25.90	20.20	30.00	Pass
30KHz	15MHz	MCH	DFT-QPSK	25.84	25.84	25.82	20.14	30.00	Pass
30KHz	15MHz	MCH	DFT-16QAM	24.73	24.73	24.92	19.22	30.00	Pass
30KHz	15MHz	MCH	DFT-64QAM	23.59	23.57	23.65	17.95	30.00	Pass
30KHz	15MHz	MCH	DFT-256QAM	21.83	21.85	21.97	16.27	30.00	Pass
30KHz	15MHz	MCH	CP-QPSK	24.42	24.44	24.33	18.74	30.00	Pass
30KHz	15MHz	HCH	DFT-Pi2BPSK	25.98	25.99	26.12	20.42	30.00	Pass
30KHz	15MHz	HCH	DFT-QPSK	26.18	26.21	26.06	20.51	30.00	Pass
30KHz	15MHz	HCH	DFT-16QAM	24.90	24.87	25.19	19.49	30.00	Pass
30KHz	15MHz	HCH	DFT-64QAM	23.90	23.82	23.93	18.23	30.00	Pass
30KHz	15MHz	HCH	DFT-256QAM	22.15	22.16	22.29	16.59	30.00	Pass
30KHz	15MHz	HCH	CP-QPSK	24.68	24.76	24.60	19.06	30.00	Pass
30KHz	20MHz	LCH	DFT-Pi2BPSK	25.95	25.97	26.18	20.48	30.00	Pass
30KHz	20MHz	LCH	DFT-QPSK	26.00	26.09	26.14	20.44	30.00	Pass
30KHz	20MHz	LCH	DFT-16QAM	25.01	25.10	25.23	19.53	30.00	Pass
30KHz	20MHz	LCH	DFT-64QAM	24.14	24.16	24.05	18.46	30.00	Pass
30KHz	20MHz	LCH	DFT-256QAM	21.91	21.96	22.17	16.47	30.00	Pass
30KHz	20MHz	LCH	CP-QPSK	24.46	24.42	24.68	18.98	30.00	Pass
30KHz	20MHz	MCH	DFT-Pi2BPSK	25.74	25.68	25.92	20.22	30.00	Pass
30KHz	20MHz	MCH	DFT-QPSK	25.86	25.85	25.85	20.16	30.00	Pass
30KHz	20MHz	MCH	DFT-16QAM	24.83	24.78	24.98	19.28	30.00	Pass
30KHz	20MHz	MCH	DFT-64QAM	23.88	23.93	23.71	18.23	30.00	Pass
30KHz	20MHz	MCH	DFT-256QAM	21.63	21.56	21.88	16.18	30.00	Pass
30KHz	20MHz	MCH	CP-QPSK	24.16	24.15	24.37	18.67	30.00	Pass
30KHz	20MHz	HCH	DFT-Pi2BPSK	25.90	25.91	26.19	20.49	30.00	Pass
30KHz	20MHz	HCH	DFT-QPSK	26.03	26.02	26.15	20.45	30.00	Pass
30KHz	20MHz	HCH	DFT-16QAM	24.99	25.02	25.23	19.53	30.00	Pass
30KHz	20MHz	HCH	DFT-64QAM	24.12	24.16	24.04	18.46	30.00	Pass
30KHz	20MHz	HCH	DFT-256QAM	21.88	21.86	22.19	16.49	30.00	Pass
30KHz	20MHz	HCH	CP-QPSK	24.30	24.41	24.67	18.97	30.00	Pass
30KHz	25MHz	LCH	DFT-Pi2BPSK	25.96	25.91	26.26	20.56	30.00	Pass
30KHz	25MHz	LCH	DFT-QPSK	26.05	25.99	26.20	20.50	30.00	Pass
30KHz	25MHz	LCH	DFT-16QAM	25.03	24.98	25.32	19.62	30.00	Pass
30KHz	25MHz	LCH	DFT-64QAM	24.21	24.18	24.02	18.51	30.00	Pass
30KHz	25MHz	LCH	DFT-256QAM	21.96	21.89	22.27	16.57	30.00	Pass
30KHz	25MHz	LCH	CP-QPSK	24.60	24.55	24.66	18.96	30.00	Pass
30KHz	25MHz	MCH	DFT-Pi2BPSK	25.73	25.63	25.97	20.27	30.00	Pass

30KHz	25MHz	MCH	DFT-QPSK	25.86	25.79	25.92	20.22	30.00	Pass
30KHz	25MHz	MCH	DFT-16QAM	24.86	24.78	25.01	19.31	30.00	Pass
30KHz	25MHz	MCH	DFT-64QAM	23.94	23.88	23.74	18.24	30.00	Pass
30KHz	25MHz	MCH	DFT-256QAM	21.68	21.64	21.92	16.22	30.00	Pass
30KHz	25MHz	MCH	CP-QPSK	24.16	24.08	24.37	18.67	30.00	Pass
30KHz	25MHz	HCH	DFT-Pi2BPSK	25.84	25.89	26.20	20.50	30.00	Pass
30KHz	25MHz	HCH	DFT-QPSK	25.98	26.10	26.11	20.41	30.00	Pass
30KHz	25MHz	HCH	DFT-16QAM	24.96	25.00	25.24	19.54	30.00	Pass
30KHz	25MHz	HCH	DFT-64QAM	24.17	24.26	23.95	18.56	30.00	Pass
30KHz	25MHz	HCH	DFT-256QAM	21.86	21.94	22.21	16.51	30.00	Pass
30KHz	25MHz	HCH	CP-QPSK	24.31	24.36	24.60	18.90	30.00	Pass
30KHz	30MHz	LCH	DFT-Pi2BPSK	25.86	25.72	26.22	20.52	30.00	Pass
30KHz	30MHz	LCH	DFT-QPSK	25.96	25.82	26.15	20.45	30.00	Pass
30KHz	30MHz	LCH	DFT-16QAM	25.01	24.79	25.27	19.57	30.00	Pass
30KHz	30MHz	LCH	DFT-64QAM	24.08	23.86	24.01	18.38	30.00	Pass
30KHz	30MHz	LCH	DFT-256QAM	21.88	21.65	22.20	16.50	30.00	Pass
30KHz	30MHz	LCH	CP-QPSK	24.33	24.12	24.70	19.00	30.00	Pass
30KHz	30MHz	MCH	DFT-Pi2BPSK	25.67	25.54	25.97	20.27	30.00	Pass
30KHz	30MHz	MCH	DFT-QPSK	25.69	25.59	25.93	20.23	30.00	Pass
30KHz	30MHz	MCH	DFT-16QAM	24.82	24.73	25.03	19.33	30.00	Pass
30KHz	30MHz	MCH	DFT-64QAM	23.85	23.78	23.76	18.15	30.00	Pass
30KHz	30MHz	MCH	DFT-256QAM	21.58	21.49	21.92	16.22	30.00	Pass
30KHz	30MHz	MCH	CP-QPSK	24.12	24.06	24.46	18.76	30.00	Pass
30KHz	30MHz	HCH	DFT-Pi2BPSK	25.76	25.84	26.21	20.51	30.00	Pass
30KHz	30MHz	HCH	DFT-QPSK	25.89	26.16	26.14	20.46	30.00	Pass
30KHz	30MHz	HCH	DFT-16QAM	24.90	25.02	25.29	19.59	30.00	Pass
30KHz	30MHz	HCH	DFT-64QAM	24.03	24.18	24.03	18.48	30.00	Pass
30KHz	30MHz	HCH	DFT-256QAM	21.74	21.86	22.20	16.50	30.00	Pass
30KHz	30MHz	HCH	CP-QPSK	24.24	24.38	24.71	19.01	30.00	Pass
30KHz	40MHz	LCH	DFT-Pi2BPSK	25.72	25.48	26.21	20.51	30.00	Pass
30KHz	40MHz	LCH	DFT-QPSK	25.78	25.59	26.17	20.47	30.00	Pass
30KHz	40MHz	LCH	DFT-16QAM	24.86	24.59	25.26	19.56	30.00	Pass
30KHz	40MHz	LCH	DFT-64QAM	23.87	23.63	23.99	18.29	30.00	Pass
30KHz	40MHz	LCH	DFT-256QAM	21.61	21.28	22.15	16.45	30.00	Pass
30KHz	40MHz	LCH	CP-QPSK	24.17	23.93	24.59	18.89	30.00	Pass
30KHz	40MHz	MCH	DFT-Pi2BPSK	25.63	25.43	25.91	20.21	30.00	Pass
30KHz	40MHz	MCH	DFT-QPSK	25.58	25.38	26.03	20.33	30.00	Pass
30KHz	40MHz	MCH	DFT-16QAM	24.72	24.59	24.96	19.26	30.00	Pass
30KHz	40MHz	MCH	DFT-64QAM	23.89	23.65	23.91	18.21	30.00	Pass
30KHz	40MHz	MCH	DFT-256QAM	21.86	21.37	22.13	16.43	30.00	Pass
30KHz	40MHz	MCH	CP-QPSK	24.21	23.99	24.49	18.79	30.00	Pass
30KHz	40MHz	HCH	DFT-Pi2BPSK	25.72	25.46	26.12	20.42	30.00	Pass
30KHz	40MHz	HCH	DFT-QPSK	25.68	25.34	25.98	20.28	30.00	Pass
30KHz	40MHz	HCH	DFT-16QAM	24.68	24.54	24.97	19.27	30.00	Pass
30KHz	40MHz	HCH	DFT-64QAM	23.88	23.52	23.97	18.27	30.00	Pass
30KHz	40MHz	HCH	DFT-256QAM	21.83	21.42	22.09	16.39	30.00	Pass
30KHz	40MHz	HCH	CP-QPSK	24.25	24.58	24.91	19.21	30.00	Pass
30KHz	50MHz	LCH	DFT-Pi2BPSK	25.91	25.61	26.14	20.44	30.00	Pass
30KHz	50MHz	LCH	DFT-QPSK	25.93	25.71	26.07	20.37	30.00	Pass
30KHz	50MHz	LCH	DFT-16QAM	24.81	24.48	25.20	19.50	30.00	Pass
30KHz	50MHz	LCH	DFT-64QAM	24.06	23.69	23.94	18.36	30.00	Pass
30KHz	50MHz	LCH	DFT-256QAM	21.93	21.54	22.11	16.41	30.00	Pass
30KHz	50MHz	LCH	CP-QPSK	24.65	24.35	24.50	18.95	30.00	Pass
30KHz	50MHz	MCH	DFT-Pi2BPSK	25.82	25.66	25.99	20.29	30.00	Pass
30KHz	50MHz	MCH	DFT-QPSK	26.00	25.83	25.92	20.30	30.00	Pass
30KHz	50MHz	MCH	DFT-16QAM	24.73	24.56	25.06	19.36	30.00	Pass
30KHz	50MHz	MCH	DFT-64QAM	23.70	23.58	23.77	18.07	30.00	Pass
30KHz	50MHz	MCH	DFT-256QAM	21.92	21.68	21.96	16.26	30.00	Pass
30KHz	50MHz	MCH	CP-QPSK	24.57	24.36	24.40	18.87	30.00	Pass
30KHz	50MHz	HCH	DFT-Pi2BPSK	25.72	25.75	26.06	20.36	30.00	Pass
30KHz	50MHz	HCH	DFT-QPSK	25.97	25.99	26.00	20.30	30.00	Pass
30KHz	50MHz	HCH	DFT-16QAM	24.60	24.60	25.14	19.44	30.00	Pass
30KHz	50MHz	HCH	DFT-64QAM	23.73	23.80	23.91	18.21	30.00	Pass
30KHz	50MHz	HCH	DFT-256QAM	21.64	21.78	22.06	16.36	30.00	Pass

30KHz	50MHz	HCH	CP-QPSK	24.38	24.37	24.48	18.78	30.00	Pass
30KHz	60MHz	LCH	DFT-Pi2BPSK	25.87	25.49	26.10	20.40	30.00	Pass
30KHz	60MHz	LCH	DFT-QPSK	25.86	25.52	26.07	20.37	30.00	Pass
30KHz	60MHz	LCH	DFT-16QAM	24.99	24.63	25.16	19.46	30.00	Pass
30KHz	60MHz	LCH	DFT-64QAM	24.02	23.67	23.87	18.32	30.00	Pass
30KHz	60MHz	LCH	DFT-256QAM	21.76	21.44	22.03	16.33	30.00	Pass
30KHz	60MHz	LCH	CP-QPSK	24.29	23.93	24.51	18.81	30.00	Pass
30KHz	60MHz	MCH	DFT-Pi2BPSK	25.91	25.65	26.00	20.30	30.00	Pass
30KHz	60MHz	MCH	DFT-QPSK	26.01	25.78	25.95	20.31	30.00	Pass
30KHz	60MHz	MCH	DFT-16QAM	24.99	24.74	25.05	19.35	30.00	Pass
30KHz	60MHz	MCH	DFT-64QAM	24.12	23.93	23.74	18.42	30.00	Pass
30KHz	60MHz	MCH	DFT-256QAM	21.74	21.59	21.91	16.21	30.00	Pass
30KHz	60MHz	MCH	CP-QPSK	24.35	24.10	24.40	18.70	30.00	Pass
30KHz	60MHz	HCH	DFT-Pi2BPSK	25.69	25.68	26.03	20.33	30.00	Pass
30KHz	60MHz	HCH	DFT-QPSK	25.77	25.86	26.00	20.30	30.00	Pass
30KHz	60MHz	HCH	DFT-16QAM	24.83	24.85	25.11	19.41	30.00	Pass
30KHz	60MHz	HCH	DFT-64QAM	23.84	23.97	23.81	18.27	30.00	Pass
30KHz	60MHz	HCH	DFT-256QAM	21.63	21.72	21.98	16.28	30.00	Pass
30KHz	60MHz	HCH	CP-QPSK	24.31	24.39	24.47	18.77	30.00	Pass
30KHz	70MHz	LCH	DFT-Pi2BPSK	25.78	25.39	26.08	20.38	30.00	Pass
30KHz	70MHz	LCH	DFT-QPSK	25.93	25.68	26.01	20.31	30.00	Pass
30KHz	70MHz	LCH	DFT-16QAM	24.84	24.46	25.09	19.39	30.00	Pass
30KHz	70MHz	LCH	DFT-64QAM	24.09	23.74	23.88	18.39	30.00	Pass
30KHz	70MHz	LCH	DFT-256QAM	21.72	21.37	22.03	16.33	30.00	Pass
30KHz	70MHz	LCH	CP-QPSK	24.27	23.96	24.49	18.79	30.00	Pass
30KHz	70MHz	MCH	DFT-Pi2BPSK	25.91	25.56	26.00	20.30	30.00	Pass
30KHz	70MHz	MCH	DFT-QPSK	26.01	25.75	25.97	20.31	30.00	Pass
30KHz	70MHz	MCH	DFT-16QAM	24.98	24.65	25.05	19.35	30.00	Pass
30KHz	70MHz	MCH	DFT-64QAM	24.20	23.94	23.80	18.50	30.00	Pass
30KHz	70MHz	MCH	DFT-256QAM	21.86	21.49	21.97	16.27	30.00	Pass
30KHz	70MHz	MCH	CP-QPSK	24.33	24.09	24.44	18.74	30.00	Pass
30KHz	70MHz	HCH	DFT-Pi2BPSK	25.80	25.68	26.05	20.35	30.00	Pass
30KHz	70MHz	HCH	DFT-QPSK	25.96	26.01	26.02	20.32	30.00	Pass
30KHz	70MHz	HCH	DFT-16QAM	24.75	24.65	25.12	19.42	30.00	Pass
30KHz	70MHz	HCH	DFT-64QAM	24.05	24.06	23.85	18.36	30.00	Pass
30KHz	70MHz	HCH	DFT-256QAM	21.64	21.62	22.02	16.32	30.00	Pass
30KHz	70MHz	HCH	CP-QPSK	24.24	24.25	24.57	18.87	30.00	Pass
30KHz	80MHz	LCH	DFT-Pi2BPSK	25.75	25.47	26.04	20.34	30.00	Pass
30KHz	80MHz	LCH	DFT-QPSK	25.94	25.70	26.00	20.30	30.00	Pass
30KHz	80MHz	LCH	DFT-16QAM	24.73	24.43	25.12	19.42	30.00	Pass
30KHz	80MHz	LCH	DFT-64QAM	24.00	23.77	23.82	18.30	30.00	Pass
30KHz	80MHz	LCH	DFT-256QAM	21.66	21.31	21.95	16.25	30.00	Pass
30KHz	80MHz	LCH	CP-QPSK	24.16	23.94	24.52	18.82	30.00	Pass
30KHz	80MHz	MCH	DFT-Pi2BPSK	25.81	25.51	26.01	20.31	30.00	Pass
30KHz	80MHz	MCH	DFT-QPSK	26.06	25.86	25.94	20.36	30.00	Pass
30KHz	80MHz	MCH	DFT-16QAM	24.81	24.55	25.10	19.40	30.00	Pass
30KHz	80MHz	MCH	DFT-64QAM	24.06	23.87	23.78	18.36	30.00	Pass
30KHz	80MHz	MCH	DFT-256QAM	21.71	21.49	21.95	16.25	30.00	Pass
30KHz	80MHz	MCH	CP-QPSK	24.26	24.03	24.48	18.78	30.00	Pass
30KHz	80MHz	HCH	DFT-Pi2BPSK	25.87	25.56	26.07	20.37	30.00	Pass
30KHz	80MHz	HCH	DFT-QPSK	26.06	25.91	25.98	20.36	30.00	Pass
30KHz	80MHz	HCH	DFT-16QAM	24.83	24.55	25.12	19.42	30.00	Pass
30KHz	80MHz	HCH	DFT-64QAM	24.10	23.92	23.83	18.40	30.00	Pass
30KHz	80MHz	HCH	DFT-256QAM	21.68	21.41	21.96	16.26	30.00	Pass
30KHz	80MHz	HCH	CP-QPSK	24.28	24.02	24.55	18.85	30.00	Pass
30KHz	90MHz	LCH	DFT-Pi2BPSK	25.64	25.38	25.98	20.28	30.00	Pass
30KHz	90MHz	LCH	DFT-QPSK	25.64	25.43	25.93	20.23	30.00	Pass
30KHz	90MHz	LCH	DFT-16QAM	24.75	24.51	25.08	19.38	30.00	Pass
30KHz	90MHz	LCH	DFT-64QAM	23.73	23.51	23.69	18.03	30.00	Pass
30KHz	90MHz	LCH	DFT-256QAM	21.57	21.26	21.95	16.25	30.00	Pass
30KHz	90MHz	LCH	CP-QPSK	24.05	23.80	24.38	18.68	30.00	Pass
30KHz	90MHz	MCH	DFT-Pi2BPSK	25.73	25.43	26.00	20.30	30.00	Pass
30KHz	90MHz	MCH	DFT-QPSK	25.75	25.53	25.94	20.24	30.00	Pass
30KHz	90MHz	MCH	DFT-16QAM	24.78	24.48	25.09	19.39	30.00	Pass

30KHz	90MHz	MCH	DFT-64QAM	23.86	23.63	23.69	18.16	30.00	Pass
30KHz	90MHz	MCH	DFT-256QAM	21.54	21.24	21.96	16.26	30.00	Pass
30KHz	90MHz	MCH	CP-QPSK	24.34	24.02	24.39	18.69	30.00	Pass
30KHz	90MHz	HCH	DFT-Pi2BPSK	25.81	25.50	26.06	20.36	30.00	Pass
30KHz	90MHz	HCH	DFT-QPSK	25.79	25.50	26.01	20.31	30.00	Pass
30KHz	90MHz	HCH	DFT-16QAM	24.90	24.62	25.16	19.46	30.00	Pass
30KHz	90MHz	HCH	DFT-64QAM	23.89	23.64	23.82	18.19	30.00	Pass
30KHz	90MHz	HCH	DFT-256QAM	21.62	21.41	22.02	16.32	30.00	Pass
30KHz	90MHz	HCH	CP-QPSK	24.23	24.02	24.48	18.78	30.00	Pass
30KHz	100MHz	MCH	DFT-Pi2BPSK	25.57	25.33	25.96	20.26	30.00	Pass
30KHz	100MHz	MCH	DFT-QPSK	25.56	25.32	25.89	20.19	30.00	Pass
30KHz	100MHz	MCH	DFT-16QAM	24.65	24.44	25.00	19.30	30.00	Pass
30KHz	100MHz	MCH	DFT-64QAM	23.61	23.45	23.71	18.01	30.00	Pass
30KHz	100MHz	MCH	DFT-256QAM	21.44	21.15	21.94	16.24	30.00	Pass
30KHz	100MHz	MCH	CP-QPSK	23.98	23.73	24.48	18.78	30.00	Pass

1.2. Test Results @ Ant5 (Antenna Gain=-3.30dBi)

SCS	Bandwidth	Channel	Modulation	Conducted Result (dBm)			Max EIRP (dBm)	Limit (dBm)	Verdict
				Inner_1RB_Left	Inner_1RB_Right	Inner_Full			
15KHz	10MHz	LCH	DFT-Pi2BPSK	24.78	24.83	24.88	21.58	30.00	Pass
15KHz	10MHz	LCH	DFT-QPSK	24.73	24.73	24.86	21.56	30.00	Pass
15KHz	10MHz	LCH	DFT-16QAM	23.95	23.93	23.97	20.67	30.00	Pass
15KHz	10MHz	LCH	DFT-64QAM	22.44	22.42	22.45	19.15	30.00	Pass
15KHz	10MHz	LCH	DFT-256QAM	21.02	21.02	21.09	17.79	30.00	Pass
15KHz	10MHz	LCH	CP-QPSK	23.48	23.47	23.40	20.18	30.00	Pass
15KHz	10MHz	MCH	DFT-Pi2BPSK	24.75	24.85	24.82	21.55	30.00	Pass
15KHz	10MHz	MCH	DFT-QPSK	24.73	24.77	24.88	21.58	30.00	Pass
15KHz	10MHz	MCH	DFT-16QAM	23.96	23.99	24.02	20.72	30.00	Pass
15KHz	10MHz	MCH	DFT-64QAM	22.51	22.58	22.48	19.28	30.00	Pass
15KHz	10MHz	MCH	DFT-256QAM	20.92	21.00	21.09	17.79	30.00	Pass
15KHz	10MHz	MCH	CP-QPSK	23.40	23.48	23.49	20.19	30.00	Pass
15KHz	10MHz	HCH	DFT-Pi2BPSK	25.19	24.92	25.16	21.89	30.00	Pass
15KHz	10MHz	HCH	DFT-QPSK	25.16	24.98	25.21	21.91	30.00	Pass
15KHz	10MHz	HCH	DFT-16QAM	24.23	24.09	24.30	21.00	30.00	Pass
15KHz	10MHz	HCH	DFT-64QAM	23.07	22.93	22.77	19.77	30.00	Pass
15KHz	10MHz	HCH	DFT-256QAM	21.33	21.17	21.44	18.14	30.00	Pass
15KHz	10MHz	HCH	CP-QPSK	23.73	23.53	23.73	20.43	30.00	Pass
15KHz	15MHz	LCH	DFT-Pi2BPSK	24.92	25.06	25.14	21.84	30.00	Pass
15KHz	15MHz	LCH	DFT-QPSK	24.96	25.10	25.12	21.82	30.00	Pass
15KHz	15MHz	LCH	DFT-16QAM	24.14	24.30	24.23	21.00	30.00	Pass
15KHz	15MHz	LCH	DFT-64QAM	22.76	22.83	22.71	19.53	30.00	Pass
15KHz	15MHz	LCH	DFT-256QAM	21.20	21.32	21.31	18.02	30.00	Pass
15KHz	15MHz	LCH	CP-QPSK	23.64	23.75	23.62	20.45	30.00	Pass
15KHz	15MHz	MCH	DFT-Pi2BPSK	24.83	24.98	25.03	21.73	30.00	Pass
15KHz	15MHz	MCH	DFT-QPSK	24.90	25.02	25.11	21.81	30.00	Pass
15KHz	15MHz	MCH	DFT-16QAM	24.09	24.25	24.14	20.95	30.00	Pass
15KHz	15MHz	MCH	DFT-64QAM	22.70	22.78	22.63	19.48	30.00	Pass
15KHz	15MHz	MCH	DFT-256QAM	21.21	21.16	21.20	17.91	30.00	Pass
15KHz	15MHz	MCH	CP-QPSK	23.54	23.61	23.61	20.31	30.00	Pass
15KHz	15MHz	HCH	DFT-Pi2BPSK	25.28	25.12	25.38	22.08	30.00	Pass
15KHz	15MHz	HCH	DFT-QPSK	25.35	25.17	25.37	22.07	30.00	Pass
15KHz	15MHz	HCH	DFT-16QAM	24.54	24.34	24.47	21.24	30.00	Pass
15KHz	15MHz	HCH	DFT-64QAM	23.10	22.99	23.00	19.80	30.00	Pass
15KHz	15MHz	HCH	DFT-256QAM	21.57	21.44	21.63	18.33	30.00	Pass
15KHz	15MHz	HCH	CP-QPSK	23.96	23.79	23.98	20.68	30.00	Pass
15KHz	20MHz	LCH	DFT-Pi2BPSK	24.95	25.19	25.16	21.89	30.00	Pass
15KHz	20MHz	LCH	DFT-QPSK	24.93	25.18	25.21	21.91	30.00	Pass
15KHz	20MHz	LCH	DFT-16QAM	24.21	24.36	24.36	21.06	30.00	Pass
15KHz	20MHz	LCH	DFT-64QAM	22.79	22.92	22.74	19.62	30.00	Pass
15KHz	20MHz	LCH	DFT-256QAM	21.18	21.40	21.42	18.12	30.00	Pass
15KHz	20MHz	LCH	CP-QPSK	23.65	23.80	23.79	20.50	30.00	Pass
15KHz	20MHz	MCH	DFT-Pi2BPSK	24.81	24.95	25.00	21.70	30.00	Pass
15KHz	20MHz	MCH	DFT-QPSK	24.83	24.90	25.06	21.76	30.00	Pass

15KHz	20MHz	MCH	DFT-16QAM	23.98	24.16	24.14	20.86	30.00	Pass
15KHz	20MHz	MCH	DFT-64QAM	22.56	22.68	22.63	19.38	30.00	Pass
15KHz	20MHz	MCH	DFT-256QAM	21.05	21.20	21.21	17.91	30.00	Pass
15KHz	20MHz	MCH	CP-QPSK	23.50	23.58	23.44	20.28	30.00	Pass
15KHz	20MHz	HCH	DFT-Pi2BPSK	25.26	25.05	25.37	22.07	30.00	Pass
15KHz	20MHz	HCH	DFT-QPSK	25.27	25.04	25.30	22.00	30.00	Pass
15KHz	20MHz	HCH	DFT-16QAM	24.53	24.32	24.59	21.29	30.00	Pass
15KHz	20MHz	HCH	DFT-64QAM	22.99	22.84	23.06	19.76	30.00	Pass
15KHz	20MHz	HCH	DFT-256QAM	21.51	21.26	21.61	18.31	30.00	Pass
15KHz	20MHz	HCH	CP-QPSK	23.92	23.71	23.99	20.69	30.00	Pass
15KHz	25MHz	LCH	DFT-Pi2BPSK	24.98	25.10	25.24	21.94	30.00	Pass
15KHz	25MHz	LCH	DFT-QPSK	25.02	25.18	25.23	21.93	30.00	Pass
15KHz	25MHz	LCH	DFT-16QAM	24.13	24.36	24.32	21.06	30.00	Pass
15KHz	25MHz	LCH	DFT-64QAM	22.73	22.92	22.83	19.62	30.00	Pass
15KHz	25MHz	LCH	DFT-256QAM	21.16	21.28	21.53	18.23	30.00	Pass
15KHz	25MHz	LCH	CP-QPSK	23.62	23.67	23.69	20.39	30.00	Pass
15KHz	25MHz	MCH	DFT-Pi2BPSK	24.88	24.91	25.04	21.74	30.00	Pass
15KHz	25MHz	MCH	DFT-QPSK	24.86	24.86	25.01	21.71	30.00	Pass
15KHz	25MHz	MCH	DFT-16QAM	24.10	24.05	24.10	20.80	30.00	Pass
15KHz	25MHz	MCH	DFT-64QAM	22.56	22.65	22.62	19.35	30.00	Pass
15KHz	25MHz	MCH	DFT-256QAM	21.07	21.10	21.26	17.96	30.00	Pass
15KHz	25MHz	MCH	CP-QPSK	23.51	23.52	23.62	20.32	30.00	Pass
15KHz	25MHz	HCH	DFT-Pi2BPSK	25.17	24.98	25.47	22.17	30.00	Pass
15KHz	25MHz	HCH	DFT-QPSK	25.10	25.05	25.45	22.15	30.00	Pass
15KHz	25MHz	HCH	DFT-16QAM	24.34	24.15	24.56	21.26	30.00	Pass
15KHz	25MHz	HCH	DFT-64QAM	22.99	22.88	23.06	19.76	30.00	Pass
15KHz	25MHz	HCH	DFT-256QAM	21.39	21.19	21.64	18.34	30.00	Pass
15KHz	25MHz	HCH	CP-QPSK	23.77	23.58	24.04	20.74	30.00	Pass
15KHz	30MHz	LCH	DFT-Pi2BPSK	24.73	24.90	25.22	21.92	30.00	Pass
15KHz	30MHz	LCH	DFT-QPSK	24.75	24.95	25.18	21.88	30.00	Pass
15KHz	30MHz	LCH	DFT-16QAM	24.03	24.17	24.27	20.97	30.00	Pass
15KHz	30MHz	LCH	DFT-64QAM	22.54	22.66	22.85	19.55	30.00	Pass
15KHz	30MHz	LCH	DFT-256QAM	21.08	21.25	21.38	18.08	30.00	Pass
15KHz	30MHz	LCH	CP-QPSK	23.44	23.49	23.70	20.40	30.00	Pass
15KHz	30MHz	MCH	DFT-Pi2BPSK	24.82	24.77	25.08	21.78	30.00	Pass
15KHz	30MHz	MCH	DFT-QPSK	24.80	24.84	25.02	21.72	30.00	Pass
15KHz	30MHz	MCH	DFT-16QAM	24.05	24.03	24.16	20.86	30.00	Pass
15KHz	30MHz	MCH	DFT-64QAM	22.51	22.54	22.67	19.37	30.00	Pass
15KHz	30MHz	MCH	DFT-256QAM	21.14	21.00	21.23	17.93	30.00	Pass
15KHz	30MHz	MCH	CP-QPSK	23.34	23.42	23.58	20.28	30.00	Pass
15KHz	30MHz	HCH	DFT-Pi2BPSK	24.96	24.89	25.47	22.17	30.00	Pass
15KHz	30MHz	HCH	DFT-QPSK	25.00	24.89	25.50	22.20	30.00	Pass
15KHz	30MHz	HCH	DFT-16QAM	24.14	24.13	24.53	21.23	30.00	Pass
15KHz	30MHz	HCH	DFT-64QAM	22.84	22.79	23.06	19.76	30.00	Pass
15KHz	30MHz	HCH	DFT-256QAM	21.30	21.11	21.72	18.42	30.00	Pass
15KHz	30MHz	HCH	CP-QPSK	23.61	23.49	23.95	20.65	30.00	Pass
15KHz	40MHz	LCH	DFT-Pi2BPSK	24.59	24.43	25.21	21.91	30.00	Pass
15KHz	40MHz	LCH	DFT-QPSK	24.57	24.43	25.18	21.88	30.00	Pass
15KHz	40MHz	LCH	DFT-16QAM	23.79	23.65	24.35	21.05	30.00	Pass
15KHz	40MHz	LCH	DFT-64QAM	22.33	22.20	22.85	19.55	30.00	Pass
15KHz	40MHz	LCH	DFT-256QAM	20.82	20.71	21.48	18.18	30.00	Pass
15KHz	40MHz	LCH	CP-QPSK	23.17	23.00	23.86	20.56	30.00	Pass
15KHz	40MHz	MCH	DFT-Pi2BPSK	24.67	24.59	25.08	21.78	30.00	Pass
15KHz	40MHz	MCH	DFT-QPSK	24.68	24.56	25.04	21.74	30.00	Pass
15KHz	40MHz	MCH	DFT-16QAM	23.99	23.82	24.18	20.88	30.00	Pass
15KHz	40MHz	MCH	DFT-64QAM	22.50	22.43	22.72	19.42	30.00	Pass
15KHz	40MHz	MCH	DFT-256QAM	20.96	20.98	21.29	17.99	30.00	Pass
15KHz	40MHz	MCH	CP-QPSK	23.38	23.29	23.60	20.30	30.00	Pass
15KHz	40MHz	HCH	DFT-Pi2BPSK	24.58	24.58	25.35	22.05	30.00	Pass
15KHz	40MHz	HCH	DFT-QPSK	24.64	24.58	25.39	22.09	30.00	Pass
15KHz	40MHz	HCH	DFT-16QAM	23.72	23.74	24.49	21.19	30.00	Pass
15KHz	40MHz	HCH	DFT-64QAM	22.26	22.39	22.98	19.68	30.00	Pass
15KHz	40MHz	HCH	DFT-256QAM	20.92	20.99	21.62	18.32	30.00	Pass
15KHz	40MHz	HCH	CP-QPSK	23.37	23.28	23.99	20.69	30.00	Pass

15KHz	50MHz	LCH	DFT-Pi2BPSK	24.90	24.66	25.28	21.98	30.00	Pass
15KHz	50MHz	LCH	DFT-QPSK	24.87	24.76	25.23	21.93	30.00	Pass
15KHz	50MHz	LCH	DFT-16QAM	24.15	23.86	24.34	21.04	30.00	Pass
15KHz	50MHz	LCH	DFT-64QAM	22.68	22.47	22.87	19.57	30.00	Pass
15KHz	50MHz	LCH	DFT-256QAM	21.16	20.97	21.48	18.18	30.00	Pass
15KHz	50MHz	LCH	CP-QPSK	23.57	23.30	23.77	20.47	30.00	Pass
15KHz	50MHz	MCH	DFT-Pi2BPSK	25.06	24.97	25.12	21.82	30.00	Pass
15KHz	50MHz	MCH	DFT-QPSK	25.16	25.02	25.15	21.86	30.00	Pass
15KHz	50MHz	MCH	DFT-16QAM	24.31	24.27	24.16	21.01	30.00	Pass
15KHz	50MHz	MCH	DFT-64QAM	22.87	22.66	22.69	19.57	30.00	Pass
15KHz	50MHz	MCH	DFT-256QAM	21.37	21.39	21.36	18.09	30.00	Pass
15KHz	50MHz	MCH	CP-QPSK	23.77	23.57	23.67	20.47	30.00	Pass
15KHz	50MHz	HCH	DFT-Pi2BPSK	24.86	24.90	25.35	22.05	30.00	Pass
15KHz	50MHz	HCH	DFT-QPSK	24.86	24.94	25.35	22.05	30.00	Pass
15KHz	50MHz	HCH	DFT-16QAM	23.98	24.19	24.39	21.09	30.00	Pass
15KHz	50MHz	HCH	DFT-64QAM	22.67	22.80	22.97	19.67	30.00	Pass
15KHz	50MHz	HCH	DFT-256QAM	21.14	21.15	21.60	18.30	30.00	Pass
15KHz	50MHz	HCH	CP-QPSK	23.48	23.47	23.94	20.64	30.00	Pass
30KHz	10MHz	LCH	DFT-Pi2BPSK	24.87	24.89	24.97	21.67	30.00	Pass
30KHz	10MHz	LCH	DFT-QPSK	24.80	24.80	24.94	21.64	30.00	Pass
30KHz	10MHz	LCH	DFT-16QAM	24.09	24.06	24.09	20.79	30.00	Pass
30KHz	10MHz	LCH	DFT-64QAM	22.53	22.51	22.60	19.30	30.00	Pass
30KHz	10MHz	LCH	DFT-256QAM	21.07	21.09	21.25	17.95	30.00	Pass
30KHz	10MHz	LCH	CP-QPSK	23.78	23.75	23.55	20.48	30.00	Pass
30KHz	10MHz	MCH	DFT-Pi2BPSK	24.87	24.87	24.99	21.69	30.00	Pass
30KHz	10MHz	MCH	DFT-QPSK	24.86	24.92	24.95	21.65	30.00	Pass
30KHz	10MHz	MCH	DFT-16QAM	24.03	23.87	24.04	20.74	30.00	Pass
30KHz	10MHz	MCH	DFT-64QAM	22.54	22.55	22.63	19.33	30.00	Pass
30KHz	10MHz	MCH	DFT-256QAM	20.95	21.02	21.21	17.91	30.00	Pass
30KHz	10MHz	MCH	CP-QPSK	23.70	23.78	23.54	20.48	30.00	Pass
30KHz	10MHz	HCH	DFT-Pi2BPSK	25.28	25.14	25.28	21.98	30.00	Pass
30KHz	10MHz	HCH	DFT-QPSK	25.32	25.17	25.28	22.02	30.00	Pass
30KHz	10MHz	HCH	DFT-16QAM	24.42	24.20	24.37	21.12	30.00	Pass
30KHz	10MHz	HCH	DFT-64QAM	22.86	22.69	22.92	19.62	30.00	Pass
30KHz	10MHz	HCH	DFT-256QAM	21.47	21.25	21.48	18.18	30.00	Pass
30KHz	10MHz	HCH	CP-QPSK	24.02	23.89	23.86	20.72	30.00	Pass
30KHz	15MHz	LCH	DFT-Pi2BPSK	24.83	25.00	25.03	21.73	30.00	Pass
30KHz	15MHz	LCH	DFT-QPSK	24.89	25.03	25.05	21.75	30.00	Pass
30KHz	15MHz	LCH	DFT-16QAM	24.08	24.14	24.11	20.84	30.00	Pass
30KHz	15MHz	LCH	DFT-64QAM	22.55	22.70	22.59	19.40	30.00	Pass
30KHz	15MHz	LCH	DFT-256QAM	21.05	21.22	21.18	17.92	30.00	Pass
30KHz	15MHz	LCH	CP-QPSK	23.81	23.95	23.57	20.65	30.00	Pass
30KHz	15MHz	MCH	DFT-Pi2BPSK	24.82	24.92	24.97	21.67	30.00	Pass
30KHz	15MHz	MCH	DFT-QPSK	24.82	24.94	24.97	21.67	30.00	Pass
30KHz	15MHz	MCH	DFT-16QAM	23.91	23.97	23.94	20.67	30.00	Pass
30KHz	15MHz	MCH	DFT-64QAM	22.42	22.57	22.55	19.27	30.00	Pass
30KHz	15MHz	MCH	DFT-256QAM	20.89	21.08	21.13	17.83	30.00	Pass
30KHz	15MHz	MCH	CP-QPSK	23.56	23.68	23.53	20.38	30.00	Pass
30KHz	15MHz	HCH	DFT-Pi2BPSK	25.28	25.12	25.34	22.04	30.00	Pass
30KHz	15MHz	HCH	DFT-QPSK	25.27	25.12	25.30	22.00	30.00	Pass
30KHz	15MHz	HCH	DFT-16QAM	24.32	24.23	24.34	21.04	30.00	Pass
30KHz	15MHz	HCH	DFT-64QAM	22.86	22.77	22.90	19.60	30.00	Pass
30KHz	15MHz	HCH	DFT-256QAM	21.48	21.30	21.52	18.22	30.00	Pass
30KHz	15MHz	HCH	CP-QPSK	24.19	24.04	23.89	20.89	30.00	Pass
30KHz	20MHz	LCH	DFT-Pi2BPSK	24.83	25.10	25.08	21.80	30.00	Pass
30KHz	20MHz	LCH	DFT-QPSK	24.87	25.17	25.07	21.87	30.00	Pass
30KHz	20MHz	LCH	DFT-16QAM	24.04	24.19	24.15	20.89	30.00	Pass
30KHz	20MHz	LCH	DFT-64QAM	22.53	22.74	22.67	19.44	30.00	Pass
30KHz	20MHz	LCH	DFT-256QAM	21.01	21.23	21.31	18.01	30.00	Pass
30KHz	20MHz	LCH	CP-QPSK	23.71	23.88	23.66	20.58	30.00	Pass
30KHz	20MHz	MCH	DFT-Pi2BPSK	24.79	24.88	24.98	21.68	30.00	Pass
30KHz	20MHz	MCH	DFT-QPSK	24.75	24.89	24.98	21.68	30.00	Pass
30KHz	20MHz	MCH	DFT-16QAM	23.95	23.91	24.01	20.71	30.00	Pass
30KHz	20MHz	MCH	DFT-64QAM	22.36	22.49	22.58	19.28	30.00	Pass

30KHz	20MHz	MCH	DFT-256QAM	20.91	20.96	21.18	17.88	30.00	Pass
30KHz	20MHz	MCH	CP-QPSK	23.55	23.70	23.55	20.40	30.00	Pass
30KHz	20MHz	HCH	DFT-Pi2BPSK	25.15	24.98	25.28	21.98	30.00	Pass
30KHz	20MHz	HCH	DFT-QPSK	25.15	24.94	25.29	21.99	30.00	Pass
30KHz	20MHz	HCH	DFT-16QAM	24.29	24.14	24.36	21.06	30.00	Pass
30KHz	20MHz	HCH	DFT-64QAM	22.77	22.64	22.89	19.59	30.00	Pass
30KHz	20MHz	HCH	DFT-256QAM	21.29	21.12	21.53	18.23	30.00	Pass
30KHz	20MHz	HCH	CP-QPSK	23.95	23.82	23.86	20.65	30.00	Pass
30KHz	25MHz	LCH	DFT-Pi2BPSK	24.80	25.08	25.14	21.84	30.00	Pass
30KHz	25MHz	LCH	DFT-QPSK	24.81	25.09	25.14	21.84	30.00	Pass
30KHz	25MHz	LCH	DFT-16QAM	23.98	24.13	24.14	20.84	30.00	Pass
30KHz	25MHz	LCH	DFT-64QAM	22.54	22.71	22.74	19.44	30.00	Pass
30KHz	25MHz	LCH	DFT-256QAM	20.97	21.17	21.36	18.06	30.00	Pass
30KHz	25MHz	LCH	CP-QPSK	23.76	23.95	23.71	20.65	30.00	Pass
30KHz	25MHz	MCH	DFT-Pi2BPSK	24.70	24.82	24.99	21.69	30.00	Pass
30KHz	25MHz	MCH	DFT-QPSK	24.66	24.87	24.96	21.66	30.00	Pass
30KHz	25MHz	MCH	DFT-16QAM	23.98	23.86	23.95	20.68	30.00	Pass
30KHz	25MHz	MCH	DFT-64QAM	22.40	22.44	22.57	19.27	30.00	Pass
30KHz	25MHz	MCH	DFT-256QAM	20.89	21.01	21.23	17.93	30.00	Pass
30KHz	25MHz	MCH	CP-QPSK	23.67	23.78	23.52	20.48	30.00	Pass
30KHz	25MHz	HCH	DFT-Pi2BPSK	25.02	24.95	25.38	22.08	30.00	Pass
30KHz	25MHz	HCH	DFT-QPSK	25.00	24.97	25.37	22.07	30.00	Pass
30KHz	25MHz	HCH	DFT-16QAM	24.30	24.03	24.37	21.07	30.00	Pass
30KHz	25MHz	HCH	DFT-64QAM	22.74	22.64	23.00	19.70	30.00	Pass
30KHz	25MHz	HCH	DFT-256QAM	21.37	21.23	21.54	18.24	30.00	Pass
30KHz	25MHz	HCH	CP-QPSK	23.73	23.61	23.95	20.65	30.00	Pass
30KHz	30MHz	LCH	DFT-Pi2BPSK	24.68	24.90	25.14	21.84	30.00	Pass
30KHz	30MHz	LCH	DFT-QPSK	24.67	24.88	25.14	21.84	30.00	Pass
30KHz	30MHz	LCH	DFT-16QAM	23.83	23.90	24.26	20.96	30.00	Pass
30KHz	30MHz	LCH	DFT-64QAM	22.49	22.60	22.70	19.40	30.00	Pass
30KHz	30MHz	LCH	DFT-256QAM	21.05	21.00	21.37	18.07	30.00	Pass
30KHz	30MHz	LCH	CP-QPSK	23.42	23.55	23.70	20.40	30.00	Pass
30KHz	30MHz	MCH	DFT-Pi2BPSK	24.76	24.80	25.00	21.70	30.00	Pass
30KHz	30MHz	MCH	DFT-QPSK	24.71	24.78	24.97	21.67	30.00	Pass
30KHz	30MHz	MCH	DFT-16QAM	23.79	23.84	24.04	20.74	30.00	Pass
30KHz	30MHz	MCH	DFT-64QAM	22.47	22.48	22.54	19.24	30.00	Pass
30KHz	30MHz	MCH	DFT-256QAM	20.96	21.00	21.23	17.93	30.00	Pass
30KHz	30MHz	MCH	CP-QPSK	23.36	23.53	23.55	20.25	30.00	Pass
30KHz	30MHz	HCH	DFT-Pi2BPSK	25.04	24.93	25.43	22.13	30.00	Pass
30KHz	30MHz	HCH	DFT-QPSK	25.07	24.94	25.39	22.09	30.00	Pass
30KHz	30MHz	HCH	DFT-16QAM	24.19	23.80	24.44	21.14	30.00	Pass
30KHz	30MHz	HCH	DFT-64QAM	22.64	22.54	23.02	19.72	30.00	Pass
30KHz	30MHz	HCH	DFT-256QAM	21.18	21.10	21.63	18.33	30.00	Pass
30KHz	30MHz	HCH	CP-QPSK	23.72	23.63	23.97	20.67	30.00	Pass
30KHz	40MHz	LCH	DFT-Pi2BPSK	24.54	24.45	25.15	21.85	30.00	Pass
30KHz	40MHz	LCH	DFT-QPSK	24.55	24.45	25.16	21.86	30.00	Pass
30KHz	40MHz	LCH	DFT-16QAM	23.61	23.63	24.27	20.97	30.00	Pass
30KHz	40MHz	LCH	DFT-64QAM	22.21	22.13	22.75	19.45	30.00	Pass
30KHz	40MHz	LCH	DFT-256QAM	20.73	20.58	21.36	18.06	30.00	Pass
30KHz	40MHz	LCH	CP-QPSK	23.31	22.97	23.67	20.37	30.00	Pass
30KHz	40MHz	MCH	DFT-Pi2BPSK	24.62	24.60	24.92	21.62	30.00	Pass
30KHz	40MHz	MCH	DFT-QPSK	24.63	24.59	24.94	21.64	30.00	Pass
30KHz	40MHz	MCH	DFT-16QAM	23.78	23.79	24.06	20.76	30.00	Pass
30KHz	40MHz	MCH	DFT-64QAM	22.29	22.26	22.53	19.23	30.00	Pass
30KHz	40MHz	MCH	DFT-256QAM	20.84	20.81	21.18	17.88	30.00	Pass
30KHz	40MHz	MCH	CP-QPSK	23.35	23.32	23.50	20.20	30.00	Pass
30KHz	40MHz	HCH	DFT-Pi2BPSK	24.55	24.62	25.28	21.98	30.00	Pass
30KHz	40MHz	HCH	DFT-QPSK	24.63	24.72	25.28	21.98	30.00	Pass
30KHz	40MHz	HCH	DFT-16QAM	23.73	23.80	24.39	21.09	30.00	Pass
30KHz	40MHz	HCH	DFT-64QAM	22.22	22.27	22.90	19.60	30.00	Pass
30KHz	40MHz	HCH	DFT-256QAM	20.78	20.75	21.51	18.21	30.00	Pass
30KHz	40MHz	HCH	CP-QPSK	23.27	23.35	23.85	20.55	30.00	Pass
30KHz	50MHz	LCH	DFT-Pi2BPSK	24.78	24.61	25.16	21.86	30.00	Pass
30KHz	50MHz	LCH	DFT-QPSK	24.81	24.61	25.18	21.88	30.00	Pass

30KHz	50MHz	LCH	DFT-16QAM	23.94	23.83	24.26	20.96	30.00	Pass
30KHz	50MHz	LCH	DFT-64QAM	22.47	22.28	22.77	19.47	30.00	Pass
30KHz	50MHz	LCH	DFT-256QAM	20.88	20.79	21.39	18.09	30.00	Pass
30KHz	50MHz	LCH	CP-QPSK	23.71	23.34	23.66	20.41	30.00	Pass
30KHz	50MHz	MCH	DFT-Pi2BPSK	25.03	24.96	25.02	21.73	30.00	Pass
30KHz	50MHz	MCH	DFT-QPSK	25.04	24.98	25.02	21.74	30.00	Pass
30KHz	50MHz	MCH	DFT-16QAM	24.21	23.99	24.12	20.91	30.00	Pass
30KHz	50MHz	MCH	DFT-64QAM	22.73	22.60	22.62	19.43	30.00	Pass
30KHz	50MHz	MCH	DFT-256QAM	21.26	21.17	21.25	17.96	30.00	Pass
30KHz	50MHz	MCH	CP-QPSK	23.87	23.75	23.60	20.57	30.00	Pass
30KHz	50MHz	HCH	DFT-Pi2BPSK	24.77	24.87	25.28	21.98	30.00	Pass
30KHz	50MHz	HCH	DFT-QPSK	24.77	24.94	25.28	21.98	30.00	Pass
30KHz	50MHz	HCH	DFT-16QAM	23.97	24.02	24.33	21.03	30.00	Pass
30KHz	50MHz	HCH	DFT-64QAM	22.43	22.54	22.87	19.57	30.00	Pass
30KHz	50MHz	HCH	DFT-256QAM	20.94	20.99	21.49	18.19	30.00	Pass
30KHz	50MHz	HCH	CP-QPSK	23.56	23.67	23.84	20.54	30.00	Pass
30KHz	60MHz	LCH	DFT-Pi2BPSK	24.75	24.63	25.15	21.85	30.00	Pass
30KHz	60MHz	LCH	DFT-QPSK	24.79	24.62	25.14	21.84	30.00	Pass
30KHz	60MHz	LCH	DFT-16QAM	23.96	23.80	24.15	20.85	30.00	Pass
30KHz	60MHz	LCH	DFT-64QAM	22.46	22.36	22.75	19.45	30.00	Pass
30KHz	60MHz	LCH	DFT-256QAM	20.96	20.87	21.33	18.03	30.00	Pass
30KHz	60MHz	LCH	CP-QPSK	23.71	23.49	23.73	20.43	30.00	Pass
30KHz	60MHz	MCH	DFT-Pi2BPSK	24.93	24.90	25.04	21.74	30.00	Pass
30KHz	60MHz	MCH	DFT-QPSK	24.94	24.89	25.04	21.74	30.00	Pass
30KHz	60MHz	MCH	DFT-16QAM	24.17	23.91	24.07	20.87	30.00	Pass
30KHz	60MHz	MCH	DFT-64QAM	22.64	22.51	22.64	19.34	30.00	Pass
30KHz	60MHz	MCH	DFT-256QAM	21.16	21.08	21.21	17.91	30.00	Pass
30KHz	60MHz	MCH	CP-QPSK	23.79	23.64	23.62	20.49	30.00	Pass
30KHz	60MHz	HCH	DFT-Pi2BPSK	24.66	24.81	25.23	21.93	30.00	Pass
30KHz	60MHz	HCH	DFT-QPSK	24.69	24.80	25.23	21.93	30.00	Pass
30KHz	60MHz	HCH	DFT-16QAM	23.88	23.90	24.25	20.95	30.00	Pass
30KHz	60MHz	HCH	DFT-64QAM	22.38	22.51	22.85	19.55	30.00	Pass
30KHz	60MHz	HCH	DFT-256QAM	20.88	20.98	21.40	18.10	30.00	Pass
30KHz	60MHz	HCH	CP-QPSK	23.49	23.59	23.78	20.48	30.00	Pass
30KHz	70MHz	LCH	DFT-Pi2BPSK	24.60	24.63	25.12	21.82	30.00	Pass
30KHz	70MHz	LCH	DFT-QPSK	24.68	24.66	25.13	21.83	30.00	Pass
30KHz	70MHz	LCH	DFT-16QAM	23.80	23.87	24.26	20.96	30.00	Pass
30KHz	70MHz	LCH	DFT-64QAM	22.35	22.41	22.74	19.44	30.00	Pass
30KHz	70MHz	LCH	DFT-256QAM	20.80	20.88	21.34	18.04	30.00	Pass
30KHz	70MHz	LCH	CP-QPSK	23.79	23.65	23.66	20.49	30.00	Pass
30KHz	70MHz	MCH	DFT-Pi2BPSK	24.91	24.86	25.12	21.82	30.00	Pass
30KHz	70MHz	MCH	DFT-QPSK	24.86	24.84	25.09	21.79	30.00	Pass
30KHz	70MHz	MCH	DFT-16QAM	24.10	24.03	24.12	20.82	30.00	Pass
30KHz	70MHz	MCH	DFT-64QAM	22.65	22.58	22.71	19.41	30.00	Pass
30KHz	70MHz	MCH	DFT-256QAM	21.03	20.92	21.26	17.96	30.00	Pass
30KHz	70MHz	MCH	CP-QPSK	23.98	23.86	23.64	20.68	30.00	Pass
30KHz	70MHz	HCH	DFT-Pi2BPSK	24.85	24.70	25.26	21.96	30.00	Pass
30KHz	70MHz	HCH	DFT-QPSK	24.88	24.76	25.27	21.97	30.00	Pass
30KHz	70MHz	HCH	DFT-16QAM	24.04	23.86	24.32	21.02	30.00	Pass
30KHz	70MHz	HCH	DFT-64QAM	22.61	22.40	22.88	19.58	30.00	Pass
30KHz	70MHz	HCH	DFT-256QAM	21.07	20.99	21.44	18.14	30.00	Pass
30KHz	70MHz	HCH	CP-QPSK	23.68	23.46	23.86	20.56	30.00	Pass
30KHz	80MHz	LCH	DFT-Pi2BPSK	24.55	24.68	25.12	21.82	30.00	Pass
30KHz	80MHz	LCH	DFT-QPSK	24.56	24.66	25.12	21.82	30.00	Pass
30KHz	80MHz	LCH	DFT-16QAM	23.74	23.85	24.18	20.88	30.00	Pass
30KHz	80MHz	LCH	DFT-64QAM	22.42	22.52	22.75	19.45	30.00	Pass
30KHz	80MHz	LCH	DFT-256QAM	20.88	21.01	21.35	18.05	30.00	Pass
30KHz	80MHz	LCH	CP-QPSK	23.29	23.43	23.69	20.39	30.00	Pass
30KHz	80MHz	MCH	DFT-Pi2BPSK	24.68	24.75	25.13	21.83	30.00	Pass
30KHz	80MHz	MCH	DFT-QPSK	24.61	24.71	25.13	21.83	30.00	Pass
30KHz	80MHz	MCH	DFT-16QAM	23.87	23.80	24.15	20.85	30.00	Pass
30KHz	80MHz	MCH	DFT-64QAM	22.51	22.58	22.71	19.41	30.00	Pass
30KHz	80MHz	MCH	DFT-256QAM	21.04	20.99	21.35	18.05	30.00	Pass
30KHz	80MHz	MCH	CP-QPSK	23.40	23.49	23.70	20.40	30.00	Pass


30KHz	80MHz	HCH	DFT-Pi2BPSK	24.86	24.59	25.17	21.87	30.00	Pass
30KHz	80MHz	HCH	DFT-QPSK	24.81	24.56	25.19	21.89	30.00	Pass
30KHz	80MHz	HCH	DFT-16QAM	23.95	23.66	24.26	20.96	30.00	Pass
30KHz	80MHz	HCH	DFT-64QAM	22.54	22.31	22.81	19.51	30.00	Pass
30KHz	80MHz	HCH	DFT-256QAM	21.19	20.87	21.40	18.10	30.00	Pass
30KHz	80MHz	HCH	CP-QPSK	23.78	23.38	23.80	20.50	30.00	Pass
30KHz	90MHz	LCH	DFT-Pi2BPSK	24.37	24.47	25.04	21.74	30.00	Pass
30KHz	90MHz	LCH	DFT-QPSK	24.36	24.50	25.04	21.74	30.00	Pass
30KHz	90MHz	LCH	DFT-16QAM	23.65	23.77	24.13	20.83	30.00	Pass
30KHz	90MHz	LCH	DFT-64QAM	22.21	22.31	22.65	19.35	30.00	Pass
30KHz	90MHz	LCH	DFT-256QAM	20.59	20.69	21.25	17.95	30.00	Pass
30KHz	90MHz	LCH	CP-QPSK	23.34	23.30	23.60	20.30	30.00	Pass
30KHz	90MHz	MCH	DFT-Pi2BPSK	24.44	24.51	25.08	21.78	30.00	Pass
30KHz	90MHz	MCH	DFT-QPSK	24.41	24.52	25.06	21.76	30.00	Pass
30KHz	90MHz	MCH	DFT-16QAM	23.76	23.76	24.15	20.85	30.00	Pass
30KHz	90MHz	MCH	DFT-64QAM	22.24	22.29	22.69	19.39	30.00	Pass
30KHz	90MHz	MCH	DFT-256QAM	20.74	20.80	21.27	17.97	30.00	Pass
30KHz	90MHz	MCH	CP-QPSK	23.35	23.34	23.65	20.35	30.00	Pass
30KHz	90MHz	HCH	DFT-Pi2BPSK	24.56	24.46	25.12	21.82	30.00	Pass
30KHz	90MHz	HCH	DFT-QPSK	24.55	24.47	25.12	21.82	30.00	Pass
30KHz	90MHz	HCH	DFT-16QAM	23.77	23.65	24.17	20.87	30.00	Pass
30KHz	90MHz	HCH	DFT-64QAM	22.33	22.22	22.73	19.43	30.00	Pass
30KHz	90MHz	HCH	DFT-256QAM	20.84	20.81	21.33	18.03	30.00	Pass
30KHz	90MHz	HCH	CP-QPSK	23.41	23.20	23.70	20.40	30.00	Pass
30KHz	100MHz	MCH	DFT-Pi2BPSK	24.26	24.24	25.06	21.76	30.00	Pass
30KHz	100MHz	MCH	DFT-QPSK	24.30	24.26	25.09	21.79	30.00	Pass
30KHz	100MHz	MCH	DFT-16QAM	23.61	23.53	24.19	20.89	30.00	Pass
30KHz	100MHz	MCH	DFT-64QAM	22.04	22.04	22.69	19.39	30.00	Pass
30KHz	100MHz	MCH	DFT-256QAM	20.63	20.60	21.30	18.00	30.00	Pass
30KHz	100MHz	MCH	CP-QPSK	23.29	23.10	23.66	20.36	30.00	Pass


2. Peak-to-Average Ratio

2.1. Test Results


Channel	RB	Result (dB)				Limit (dB)	Verdict
		15KHz / 50MHz		30KHz / 100MHz			
		DFT-Pi2BPSK	DFT-QPSK	DFT-Pi2BPSK	DFT-QPSK		
LCH	Outer_Full	8.72	8.10	9.99	8.19	13.00	Pass
MCH	Outer_Full	9.17	7.38			13.00	Pass
HCH	Outer_Full	9.18	7.73			13.00	Pass

2.2. Test Plots for SCS=15KHz







2.3. Test Plots for SCS=30KHz




3. Modulation Characteristics

3.1. Test Plots








4. 99% Occupied Bandwidth & 26dB Emission Bandwidth


4.1. Test Results


Bandwidth	Modulation	RB	99% Occupied Bandwidth (MHz)		26dB Emission Bandwidth (MHz)		Verdict
			15KHz	30KHz	15KHz	30KHz	
10MHz	DFT-Pi2BPSK	Outer_Full	8.91	8.57	9.54	9.32	Pass
10MHz	DFT-QPSK	Outer_Full	8.91	8.57	9.54	9.34	Pass
10MHz	CP-QPSK	Outer_Full	9.29	8.59	10.48	9.48	Pass
10MHz	CP-16QAM	Outer_Full	9.29	8.59	9.86	9.44	Pass
10MHz	CP-64QAM	Outer_Full	9.27	8.59	9.94	9.42	Pass
10MHz	CP-256QAM	Outer_Full	9.29	8.59	9.86	9.50	Pass
15MHz	DFT-Pi2BPSK	Outer_Full	13.43	12.86	14.28	13.89	Pass
15MHz	DFT-QPSK	Outer_Full	13.43	12.89	14.19	14.10	Pass
15MHz	CP-QPSK	Outer_Full	14.12	13.58	14.85	14.73	Pass
15MHz	CP-16QAM	Outer_Full	14.09	13.58	14.91	14.73	Pass
15MHz	CP-64QAM	Outer_Full	14.12	13.61	15.00	14.64	Pass
15MHz	CP-256QAM	Outer_Full	14.09	13.61	14.97	14.67	Pass
20MHz	DFT-Pi2BPSK	Outer_Full	17.86	17.90	19.04	19.28	Pass
20MHz	DFT-QPSK	Outer_Full	17.86	17.82	19.08	19.08	Pass
20MHz	CP-QPSK	Outer_Full	18.90	18.18	19.92	19.48	Pass
20MHz	CP-16QAM	Outer_Full	18.90	18.18	19.92	19.64	Pass
20MHz	CP-64QAM	Outer_Full	18.94	18.22	19.96	19.52	Pass
20MHz	CP-256QAM	Outer_Full	18.90	18.18	19.88	19.48	Pass
25MHz	DFT-Pi2BPSK	Outer_Full	22.88	22.83	24.40	24.10	Pass
25MHz	DFT-QPSK	Outer_Full	22.88	22.88	24.35	24.35	Pass
25MHz	CP-QPSK	Outer_Full	23.73	23.23	25.25	24.80	Pass
25MHz	CP-16QAM	Outer_Full	23.73	23.18	25.20	24.70	Pass
25MHz	CP-64QAM	Outer_Full	23.68	23.18	25.00	24.70	Pass
25MHz	CP-256QAM	Outer_Full	23.78	23.23	24.85	24.75	Pass
30MHz	DFT-Pi2BPSK	Outer_Full	28.53	26.79	29.94	28.50	Pass
30MHz	DFT-QPSK	Outer_Full	28.53	26.79	29.76	28.62	Pass
30MHz	CP-QPSK	Outer_Full	28.53	27.87	29.82	29.52	Pass
30MHz	CP-16QAM	Outer_Full	28.53	27.81	29.82	29.70	Pass
30MHz	CP-64QAM	Outer_Full	28.59	27.81	29.76	29.76	Pass
30MHz	CP-256QAM	Outer_Full	28.53	27.87	29.70	29.64	Pass
40MHz	DFT-Pi2BPSK	Outer_Full	38.60	35.72	40.72	37.76	Pass
40MHz	DFT-QPSK	Outer_Full	38.52	35.72	40.32	37.92	Pass
40MHz	CP-QPSK	Outer_Full	38.52	37.80	40.16	39.84	Pass
40MHz	CP-16QAM	Outer_Full	38.52	37.88	40.56	39.92	Pass
40MHz	CP-64QAM	Outer_Full	38.52	37.80	40.64	40.08	Pass
40MHz	CP-256QAM	Outer_Full	38.52	37.88	41.44	39.76	Pass
50MHz	DFT-Pi2BPSK	Outer_Full	48.15	45.65	50.40	48.30	Pass
50MHz	DFT-QPSK	Outer_Full	48.05	45.65	50.20	47.90	Pass
50MHz	CP-QPSK	Outer_Full	48.15	47.45	50.30	49.80	Pass
50MHz	CP-16QAM	Outer_Full	48.05	47.45	50.10	50.10	Pass
50MHz	CP-64QAM	Outer_Full	48.05	47.35	50.00	49.80	Pass
50MHz	CP-256QAM	Outer_Full	48.15	47.45	49.90	49.80	Pass
60MHz	DFT-Pi2BPSK	Outer_Full	N/A	58.02	N/A	60.84	Pass
60MHz	DFT-QPSK	Outer_Full	N/A	57.90	N/A	60.84	Pass
60MHz	CP-QPSK	Outer_Full	N/A	57.78	N/A	63.96	Pass
60MHz	CP-16QAM	Outer_Full	N/A	57.78	N/A	60.72	Pass
60MHz	CP-64QAM	Outer_Full	N/A	57.78	N/A	60.84	Pass
60MHz	CP-256QAM	Outer_Full	N/A	57.78	N/A	60.84	Pass
70MHz	DFT-Pi2BPSK	Outer_Full	N/A	64.34	N/A	68.18	Pass
70MHz	DFT-QPSK	Outer_Full	N/A	64.48	N/A	68.18	Pass
70MHz	CP-QPSK	Outer_Full	N/A	67.69	N/A	71.40	Pass
70MHz	CP-16QAM	Outer_Full	N/A	67.41	N/A	70.98	Pass
70MHz	CP-64QAM	Outer_Full	N/A	67.41	N/A	70.98	Pass
70MHz	CP-256QAM	Outer_Full	N/A	67.55	N/A	71.12	Pass
80MHz	DFT-Pi2BPSK	Outer_Full	N/A	77.20	N/A	80.48	Pass
80MHz	DFT-QPSK	Outer_Full	N/A	77.04	N/A	80.64	Pass
80MHz	CP-QPSK	Outer_Full	N/A	77.36	N/A	80.64	Pass

80MHz	CP-16QAM	Outer_Full	N/A	77.36	N/A	80.64	Pass
80MHz	CP-64QAM	Outer_Full	N/A	77.36	N/A	80.80	Pass
80MHz	CP-256QAM	Outer_Full	N/A	77.36	N/A	80.48	Pass
90MHz	DFT-Pi2BPSK	Outer_Full	N/A	86.85	N/A	90.00	Pass
90MHz	DFT-QPSK	Outer_Full	N/A	86.67	N/A	90.00	Pass
90MHz	CP-QPSK	Outer_Full	N/A	87.39	N/A	90.90	Pass
90MHz	CP-16QAM	Outer_Full	N/A	87.21	N/A	90.90	Pass
90MHz	CP-64QAM	Outer_Full	N/A	87.03	N/A	91.08	Pass
90MHz	CP-256QAM	Outer_Full	N/A	87.03	N/A	90.90	Pass
100MHz	DFT-Pi2BPSK	Outer_Full	N/A	96.30	N/A	99.80	Pass
100MHz	DFT-QPSK	Outer_Full	N/A	96.30	N/A	100.00	Pass
100MHz	CP-QPSK	Outer_Full	N/A	97.10	N/A	100.80	Pass
100MHz	CP-16QAM	Outer_Full	N/A	97.10	N/A	101.00	Pass
100MHz	CP-64QAM	Outer_Full	N/A	96.90	N/A	101.00	Pass
100MHz	CP-256QAM	Outer_Full	N/A	97.10	N/A	100.80	Pass

4.2. Test Plots for SCS=15KHz









n78A / 15KHz / 25MHz

MCH / DFT-Pi2BPSK / Outer_Full




Date: 12.MAR.2025 20:51:25

MCH / DFT-QPSK / Outer_Full




Date: 12.MAR.2025 20:51:36

MCH / CP-QPSK / Outer_Full




Date: 12.MAR.2025 20:51:45

MCH / CP-16QAM / Outer_Full




Date: 12.MAR.2025 20:51:54

MCH / CP-64QAM / Outer_Full





Date: 12.MAR.2025 20:52:03

MCH / CP-256QAM / Outer_Full




Date: 12.MAR.2025 20:52:13






n78A / 15KHz / 50MHz

MCH / DFT-Pi2BPSK / Outer_Full




Date: 12.MAR.2025 20:54:29

MCH / DFT-QPSK / Outer_Full




Date: 12.MAR.2025 20:54:39

MCH / CP-QPSK / Outer_Full




Date: 12.MAR.2025 20:54:49

MCH / CP-16QAM / Outer_Full




Date: 12.MAR.2025 20:54:58

MCH / CP-64QAM / Outer_Full



Date: 12.MAR.2025 20:55:07

MCH / CP-256QAM / Outer_Full



Date: 12.MAR.2025 20:55:17

4.3. Test Plots for SCS=30KHz

