







Chain 1 : CH 1 Band edge




Chain 1 : CH 2 Band edge




Chain 1 : CH 10 Band edge



Chain 1 : CH 11 Band edge




Chain 1 : CH 12 Band edge




Chain 1 : CH 13 Band edge









802.11be (EHT20) 52-tone RU



















Chain 0 : CH 1












Chain 0 : CH 1














Chain 1 : CH 1 Band edge




Chain 1 : CH 2 Band edge




Chain 1 : CH 10 Band edge



Chain 1 : CH 11 Band edge




Chain 1 : CH 12 Band edge




Chain 1 : CH 13 Band edge









802.11be (EHT20) 106-tone RU



















Chain 0 : CH 1

















Chain 0 : CH 1











7.5 AC Power Conducted Emissions


Mode B

RF Mode	802.11b	Channel	CH 1 : 2412 MHz
Frequency Range	150kHz ~ 30MHz	Detector Function & Resolution Bandwidth	Quasi-Peak (QP) / Average (AV), 9 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 75% RH
Tested By	Carter Lin		

Phase Of Power : Line (L)										
No	Frequency (MHz)	Correction Factor (dB)	Reading Value (dBuV)		Emission Level (dBuV)		Limit (dBuV)		Margin (dB)	
			Q.P.	AV.	Q.P.	AV.	Q.P.	AV.	Q.P.	AV.
1	0.15391	9.96	31.80	24.45	41.76	34.41	65.79	55.79	-24.03	-21.38
2	0.56797	9.98	32.96	26.29	42.94	36.27	56.00	46.00	-13.06	-9.73
3	0.89609	9.99	19.93	16.31	29.92	26.30	56.00	46.00	-26.08	-19.70
4	1.62891	10.03	22.40	18.10	32.43	28.13	56.00	46.00	-23.57	-17.87
5	14.52734	10.77	27.49	20.86	38.26	31.63	60.00	50.00	-21.74	-18.37
6	26.62109	11.21	33.16	28.36	44.37	39.57	60.00	50.00	-15.63	-10.43

Remarks:

1. Q.P. and AV. are abbreviations of quasi-peak and average individually.
2. The emission levels of other frequencies were very low against the limit.
3. Margin value = Emission level – Limit value
4. Correction factor = Insertion loss + Cable loss
5. Emission Level = Correction Factor + Reading Value




RF Mode	802.11b	Channel	CH 1 : 2412 MHz
Frequency Range	150kHz ~ 30MHz	Detector Function & Resolution Bandwidth	Quasi-Peak (QP) / Average (AV), 9 kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	25°C, 75% RH
Tested By	Carter Lin		

Phase Of Power : Neutral (N)										
No	Frequency (MHz)	Correction Factor (dB)	Reading Value (dBuV)		Emission Level (dBuV)		Limit (dBuV)		Margin (dB)	
			Q.P.	AV.	Q.P.	AV.	Q.P.	AV.	Q.P.	AV.
1	0.15391	9.93	32.69	19.96	42.62	29.89	65.79	55.79	-23.17	-25.90
2	0.23203	9.94	24.96	10.06	34.90	20.00	62.38	52.38	-27.48	-32.38
3	0.57969	9.95	27.08	18.26	37.03	28.21	56.00	46.00	-18.97	-17.79
4	0.88047	9.96	14.41	2.84	24.37	12.80	56.00	46.00	-31.63	-33.20
5	14.17969	10.57	20.23	13.80	30.80	24.37	60.00	50.00	-29.20	-25.63
6	25.85938	10.86	24.39	18.09	35.25	28.95	60.00	50.00	-24.75	-21.05

Remarks:

1. Q.P. and AV. are abbreviations of quasi-peak and average individually.
2. The emission levels of other frequencies were very low against the limit.
3. Margin value = Emission level – Limit value
4. Correction factor = Insertion loss + Cable loss
5. Emission Level = Correction Factor + Reading Value



7.6 Unwanted Emissions below 1 GHz

Radiated versus Conducted Measurement

For Radiated measurement:

The level of unwanted emissions was measured when radiated by the cabinet or structure of the equipment with the antenna connector(s) terminated by a specified load (cabinet radiation)

For Conducted measurement:

The level of unwanted emissions was measured as their power in a specified load (conducted spurious emissions).

Conducted Emission Convert Formula

- a. Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8
 d = measurement distance in 3 meters.
- b. EIRP Level (dBm) = Raw Value(dBm) + Correction Factor(dB)
- c. Correction Factor is directional gain, and the composite gain will be used when signal support the correlated signal
 For the out of band spurious the gain for the specific band may have been used rather than the highest gain across all bands.
 For the band edge the gain for the specific band may have been used.

Notes:

1. In restricted bands below 1000 MHz, add upper bound on ground plane reflection:
 For f = 30 – 1000 MHz, add 4.7 dB.
2. The conducted emission test was considered some factor to compute test result.

Mode A


802.11b - Channel 1

Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	83.71	38.68	40	-1.32	-67.36	-68.2	8.17	-56.58
2	117.05	39.67	43.5	-3.83	-65.95	-67.79	8.17	-55.59
3	249.46	39.55	46	-6.45	-65.6	-68.72	8.17	-55.71
4	527.97	39.99	46	-6.01	-65.54	-67.6	8.17	-55.27
5	725.61	40.85	46	-5.15	-66.36	-64.94	8.17	-54.41
6	913.79	40.95	46	-5.05	-64.47	-66.83	8.17	-54.31

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.




Mode B

RF Mode	802.11b	Channel	CH 1 : 2412 MHz
Frequency Range	30 MHz ~ 1 GHz	Detector Function & Bandwidth	(QP) RB = 120kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	29°C, 78% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Horizontal at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	34.20	33.7 QP	40.0	-6.3	3.00 H	289	47.4	-13.7
2	107.07	37.4 QP	43.5	-6.1	2.00 H	324	53.6	-16.2
3	216.63	35.9 QP	46.0	-10.1	1.00 H	148	51.9	-16.0
4	297.60	41.9 QP	46.0	-4.1	1.00 H	167	54.2	-12.3
5	450.20	27.4 QP	46.0	-18.6	2.00 H	333	35.6	-8.2
6	497.52	38.1 QP	46.0	-7.9	1.50 H	169	45.7	-7.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit of frequency range 30 MHz ~ 1 GHz.
5. The emission levels were very low against the limit of frequency range 9 kHz ~ 30 MHz: the amplitude of spurious emissions attenuated more than 20 dB below the permissible value to be report.




RF Mode	802.11b	Channel	CH 1 : 2412 MHz
Frequency Range	30 MHz ~ 1 GHz	Detector Function & Bandwidth	(QP) RB = 120kHz
Input Power (System)	120 Vac, 60 Hz	Environmental Conditions	29°C, 78% RH
Tested By	Louis Yang		

Antenna Polarity & Test Distance : Vertical at 3 m								
No	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Antenna Height (m)	Table Angle (Degree)	Raw Value (dBuV)	Correction Factor (dB/m)
1	32.43	33.8 QP	40.0	-6.2	3.00 V	288	47.6	-13.8
2	103.43	38.3 QP	43.5	-5.2	2.00 V	314	55.1	-16.8
3	199.15	36.7 QP	43.5	-6.8	1.50 V	150	52.8	-16.1
4	295.69	39.6 QP	46.0	-6.4	1.00 V	213	52.0	-12.4
5	415.70	30.8 QP	46.0	-15.2	2.00 V	207	40.2	-9.4
6	499.08	39.7 QP	46.0	-6.3	1.50 V	312	47.3	-7.6

Remarks:

1. Emission Level(dBuV/m) = Raw Value(dBuV) + Correction Factor(dB/m)
2. Correction Factor(dB/m) = Antenna Factor(dB/m) + Cable Factor(dB) – Pre-Amplifier Factor(dB)
3. Margin value = Emission Level – Limit value
4. The other emission levels were very low against the limit of frequency range 30 MHz ~ 1 GHz.
5. The emission levels were very low against the limit of frequency range 9 kHz ~ 30 MHz: the amplitude of spurious emissions attenuated more than 20 dB below the permissible value to be report.



7.7 Unwanted Emissions above 1 GHz

Radiated versus Conducted Measurement

For Radiated measurement:

The level of unwanted emissions was measured when radiated by the cabinet or structure of the equipment with the antenna connector(s) terminated by a specified load (cabinet radiation)

For Conducted measurement:

The level of unwanted emissions was measured as their power in a specified load (conducted spurious emissions).

Conducted Emission Convert Formula

- a. Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8
 d = measurement distance in 3 meters.
- b. EIRP Level (dBm) = Raw Value(dBm) + Correction Factor(dB)
- c. Correction Factor is directional gain, and the composite gain will be used when signal support the correlated signal
 For the out of band spurious the gain for the specific band may have been used rather than the highest gain across all bands.
 For the band edge the gain for the specific band may have been used.

Notes:

1. In restricted bands below 1000 MHz, add upper bound on ground plane reflection:
 For f = 30 – 1000 MHz, add 4.7 dB.
2. The conducted emission test was considered some factor to compute test result.

Mode A

802.11b - Channel 1


Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4954.68	59.73 PK	74	-14.27	-47.25	-46.23	8.17	-35.53
2	4995.31	48.64 AV	54	-5.36	-57.54	-58.07	8.17	-46.62
3	7281.25	59.22 PK	74	-14.78	-47.22	-47.23	8.17	-36.04
4	7256.25	48.18 AV	54	-5.82	-58.3	-58.23	8.17	-47.08

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1


Bandedge table

No.	Frequency (MHz)	Emission Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.99	59.71 PK	74	-14.29	-44.56	-45.72	6.54	-35.55
2	2387.68	48.8 AV	54	-5.2	-54.19	-59.22	6.54	-46.46
3	2483.94	61.46 PK	74	-12.54	-42.05	-45.22	6.54	-33.80
4	2485.1	48.82 AV	54	-5.18	-56.22	-55.77	6.54	-46.44


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11b - Channel 6


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4964.06	60.1 PK	74	-13.9	-45.75	-47.02	8.17	-35.16
2	4995.31	48.56 AV	54	-5.44	-57.85	-57.91	8.17	-46.70
3	7331.25	59.19 PK	74	-14.81	-46.55	-48.09	8.17	-36.07
4	7257.81	48.07 AV	54	-5.93	-58.35	-58.39	8.17	-47.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2387.92	60.21 PK	74	-13.79	-44.3	-44.93	6.54	-35.05
2	2388.13	48.65 AV	54	-5.35	-55.33	-57.2	6.54	-46.61
3	2484.84	60.95 PK	74	-13.05	-43.39	-44.39	6.54	-34.31
4	2485.63	48.43 AV	54	-5.57	-55.95	-56.86	6.54	-46.83


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11b - Channel 11


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4995.31	60.26 PK	74	-13.74	-45.44	-47.07	8.17	-35.00
2	4979.68	48.75 AV	54	-5.25	-57.7	-57.68	8.17	-46.51
3	7284.37	59.58 PK	74	-14.42	-46.22	-47.62	8.17	-35.68
4	7254.68	48.07 AV	54	-5.93	-58.36	-58.38	8.17	-47.19





Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.3	59.18 PK	74	-14.82	-45.95	-45.34	6.54	-36.08
2	2389.99	46.94 AV	54	-7.06	-58.02	-57.73	6.54	-48.32
3	2485.79	60.68 PK	74	-13.32	-42.81	-46.04	6.54	-34.58
4	2484.72	48.67 AV	54	-5.33	-56.89	-55.5	6.54	-46.59


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11b - Channel 12


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4996.87	59.52 PK	74	-14.48	-48.4	-45.82	8.17	-35.74
2	4992.18	48.77 AV	54	-5.23	-57.59	-57.75	8.17	-46.49
3	7367.18	58.75 PK	74	-15.25	-47.56	-47.83	8.17	-36.51
4	7260.93	48.05 AV	54	-5.95	-58.25	-58.53	8.17	-47.21


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.77	58.72 PK	74	-15.28	-46.64	-45.6	6.54	-36.54
2	2389.58	46.67 AV	54	-7.33	-58.62	-57.71	6.54	-48.59
3	2485.06	61.66 PK	74	-12.34	-43.26	-43.04	6.54	-33.60
4	2484.77	52.2 AV	54	-1.8	-51.36	-54.37	6.54	-43.06



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11b - Channel 13


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5000	60.14 PK	74	-13.86	-45.91	-46.74	8.17	-35.12
2	4993.75	48.75 AV	54	-5.25	-57.58	-57.81	8.17	-46.51
3	7373.43	59.07 PK	74	-14.93	-47.01	-47.76	8.17	-36.19
4	7275	48.07 AV	54	-5.93	-58.5	-58.25	8.17	-47.19


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.89	55.92 PK	74	-18.08	-49.85	-48.11	6.54	-39.34
2	2389.99	43.96 AV	54	-10.04	-61.06	-60.65	6.54	-51.30
3	2483.51	73.07 PK	74	-0.93	-31.23	-32.33	6.54	-22.19
4	2483.51	51.48 AV	54	-2.52	-53.16	-53.5	6.54	-43.78


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4971.87	60.35 PK	74	-13.65	-45.01	-47.52	8.17	-34.91
2	4982.81	48.99 AV	54	-5.01	-57.37	-57.54	8.17	-46.27
3	7278.12	59.67 PK	74	-14.33	-46.79	-46.76	8.17	-35.59
4	7292.18	48.31 AV	54	-5.69	-58.18	-58.09	8.17	-46.95


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.84	66.67 PK	74	-7.33	-38.62	-37.71	6.54	-28.59
2	2389.99	53.26 AV	54	-0.74	-51.61	-51.49	6.54	-42.00
3	2484.7	60.54 PK	74	-13.46	-44.07	-44.49	6.54	-34.72
4	2483.54	48.56 AV	54	-5.44	-56.26	-56.25	6.54	-46.70


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 2


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4967.18	59.62 PK	74	-14.38	-47.98	-45.9	8.17	-35.64
2	4998.43	48.84 AV	54	-5.16	-57.52	-57.68	8.17	-46.42
3	7317.18	58.85 PK	74	-15.15	-46.65	-48.79	8.17	-36.41
4	7257.81	48.24 AV	54	-5.76	-58.33	-58.08	8.17	-47.02





Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.46	63.39 PK	74	-10.61	-39.35	-45.52	6.54	-31.87
2	2389.99	51.33 AV	54	-2.67	-52.05	-55.63	6.54	-43.93
3	2483.82	61.11 PK	74	-12.89	-43.08	-44.42	6.54	-34.15
4	2483.51	48.47 AV	54	-5.53	-56.2	-56.49	6.54	-46.79



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 6


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4956.25	58.85 PK	74	-15.15	-47.75	-47.44	8.17	-36.41
2	4996.87	48.7 AV	54	-5.3	-57.7	-57.79	8.17	-46.56
3	7301.56	60.5 PK	74	-13.5	-44.76	-47.57	8.17	-34.76
4	7251.56	48.2 AV	54	-5.8	-58.22	-58.27	8.17	-47.06





Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.51	60.39 PK	74	-13.61	-43.71	-45.26	6.54	-34.87
2	2389.96	48.02 AV	54	-5.98	-57.03	-56.56	6.54	-47.24
3	2483.7	60.6 PK	74	-13.4	-44.82	-43.68	6.54	-34.66
4	2483.54	48.29 AV	54	-5.71	-56.63	-56.42	6.54	-46.97


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 10


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4990.62	59.81 PK	74	-14.19	-46.83	-46.44	8.17	-35.45
2	4996.87	48.73 AV	54	-5.27	-57.55	-57.88	8.17	-46.53
3	7368.75	59.35 PK	74	-14.65	-48.1	-46.27	8.17	-35.91
4	7264.06	48.19 AV	54	-5.81	-58.25	-58.26	8.17	-47.07





Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.91	59.25 PK	74	-14.75	-45.62	-45.51	6.54	-36.01
2	2389.99	47.01 AV	54	-6.99	-57.81	-57.8	6.54	-48.25
3	2485.1	62.76 PK	74	-11.24	-41.51	-42.67	6.54	-32.50
4	2483.7	50.21 AV	54	-3.79	-54.34	-54.88	6.54	-45.05


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 11


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4928.12	60.1 PK	74	-13.9	-45.95	-46.78	8.17	-35.16
2	4989.06	48.68 AV	54	-5.32	-57.83	-57.7	8.17	-46.58
3	7259.37	59.53 PK	74	-14.47	-47.67	-46.26	8.17	-35.73
4	7264.06	48.2 AV	54	-5.8	-58.17	-58.31	8.17	-47.06


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.11	58.06 PK	74	-15.94	-48.54	-45.48	6.54	-37.20
2	2389.99	46.33 AV	54	-7.67	-58.52	-58.44	6.54	-48.93
3	2483.85	66.25 PK	74	-7.75	-37.26	-40.43	6.54	-29.01
4	2483.51	52.73 AV	54	-1.27	-51.33	-52.99	6.54	-42.53


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 12


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4984.37	59.85 PK	74	-14.15	-45.64	-47.81	8.17	-35.41
2	4979.68	48.64 AV	54	-5.36	-57.59	-58.02	8.17	-46.62
3	7293.75	59 PK	74	-15	-48.14	-46.83	8.17	-36.26
4	7253.12	48 AV	54	-6	-58.51	-58.37	8.17	-47.26





Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.63	57.02 PK	74	-16.98	-47.42	-48.19	6.54	-38.24
2	2389.99	45.14 AV	54	-8.86	-59.9	-59.46	6.54	-50.12
3	2484.68	67.13 PK	74	-6.87	-35.53	-42.11	6.54	-28.13
4	2483.56	53.19 AV	54	-0.81	-49.8	-54.83	6.54	-42.07


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11g - Channel 13


Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5000	60.53 PK	74	-13.47	-45.64	-46.19	8.17	-34.73
2	4996.87	48.73 AV	54	-5.27	-57.57	-57.86	8.17	-46.53
3	7410.93	58.92 PK	74	-15.08	-48.97	-46.43	8.17	-36.34
4	7265.62	48.02 AV	54	-5.98	-58.54	-58.3	8.17	-47.24

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1


Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2348.19	55.94 PK	74	-18.06	-48.23	-49.62	6.54	-39.32
2	2389.87	42.74 AV	54	-11.26	-62.1	-62.04	6.54	-52.52
3	2483.73	71.4 PK	74	-2.6	-35.18	-32.16	6.54	-23.86
4	2483.51	55.06 AV	54	! 1.06	-49.77	-49.74	6.54	-40.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.
3. " ! " : The unwanted emission was verified and the test result was passed by radiated measurement. (Please refer Appendix B)

Chain 0



Chain 1



802.11be (EHT20) - Channel 1


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4956.25	59.96 PK	74	-14.04	-48.89	-44.94	8.17	-35.30
2	4995.31	48.67 AV	54	-5.33	-57.52	-58.04	8.17	-46.59
3	7318.75	60.05 PK	74	-13.95	-45.67	-47.26	8.17	-35.21
4	7298.43	48.14 AV	54	-5.86	-58.32	-58.28	8.17	-47.12


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.96	67.82 PK	74	-6.18	-38.58	-35.83	6.54	-27.44
2	2389.99	53.52 AV	54	-0.48	-51.62	-50.98	6.54	-41.74
3	2484.42	60.41 PK	74	-13.59	-43.72	-45.2	6.54	-34.85
4	2483.54	48.36 AV	54	-5.64	-56.35	-56.56	6.54	-46.90


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 2


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4990.62	59.86 PK	74	-14.14	-46.1	-47.12	8.17	-35.40
2	4998.43	48.88 AV	54	-5.12	-57.62	-57.5	8.17	-46.38
3	7345.31	59.29 PK	74	-14.71	-46.6	-47.77	8.17	-35.97
4	7260.93	48.16 AV	54	-5.84	-58.39	-58.17	8.17	-47.10


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.96	66.12 PK	74	-7.88	-36.93	-41.68	6.54	-29.14
2	2389.99	53.38 AV	54	-0.62	-49.68	-54.4	6.54	-41.88
3	2484.87	61.23 PK	74	-12.77	-42.93	-44.34	6.54	-34.03
4	2483.51	48.59 AV	54	-5.41	-55.94	-56.51	6.54	-46.67


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 6


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4921.87	59.76 PK	74	-14.24	-45.45	-48.41	8.17	-35.50
2	5000	48.74 AV	54	-5.26	-57.8	-57.61	8.17	-46.52
3	7276.56	59.36 PK	74	-14.64	-45.85	-48.79	8.17	-35.90
4	7250	48.17 AV	54	-5.83	-58.3	-58.24	8.17	-47.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.72	61.91 PK	74	-12.09	-43.35	-42.49	6.54	-33.35
2	2389.99	49.18 AV	54	-4.82	-55.13	-56.19	6.54	-46.08
3	2484.94	61.57 PK	74	-12.43	-42.81	-43.72	6.54	-33.69
4	2483.58	49.52 AV	54	-4.48	-54.53	-56.22	6.54	-45.74



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 10


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4889.06	60.07 PK	74	-13.93	-44.72	-49.08	8.17	-35.19
2	4998.43	48.77 AV	54	-5.23	-57.66	-57.68	8.17	-46.49
3	7254.68	59.4 PK	74	-14.6	-47.39	-46.71	8.17	-35.86
4	7256.25	48.09 AV	54	-5.91	-58.67	-58.05	8.17	-47.17


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1





Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.75	59.27 PK	74	-14.73	-44.93	-46.26	6.54	-35.99
2	2389.99	47.33 AV	54	-6.67	-57.4	-57.56	6.54	-47.93
3	2483.87	70.81 PK	74	-3.19	-34.14	-33.86	6.54	-24.45
4	2483.51	53.52 AV	54	-0.48	-51.53	-51.06	6.54	-41.74



Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 11


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4900	60.82 PK	74	-13.18	-46.15	-45.14	8.17	-34.44
2	4998.43	48.92 AV	54	-5.08	-57.45	-57.59	8.17	-46.34
3	7278.12	59.41 PK	74	-14.59	-47.21	-46.85	8.17	-35.85
4	7271.87	48.06 AV	54	-5.94	-58.14	-58.63	8.17	-47.20


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.89	57.73 PK	74	-16.27	-46.43	-47.85	6.54	-37.53
2	2389.99	45.28 AV	54	-8.72	-59.63	-59.44	6.54	-49.98
3	2484.82	70.5 PK	74	-3.5	-31.61	-42.85	6.54	-24.76
4	2483.51	52.53 AV	54	-1.47	-51.02	-54.07	6.54	-42.73


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 12


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4975	60.27 PK	74	-13.73	-46.12	-46.22	8.17	-34.99
2	4989.06	48.79 AV	54	-5.21	-57.9	-57.41	8.17	-46.47
3	7329.68	59.17 PK	74	-14.83	-47.95	-46.69	8.17	-36.09
4	7273.43	48.08 AV	54	-5.92	-58.3	-58.42	8.17	-47.18


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.01	56.83 PK	74	-17.17	-48.38	-47.61	6.54	-38.43
2	2389.99	45.03 AV	54	-8.97	-59.97	-59.6	6.54	-50.23
3	2483.54	66.6 PK	74	-7.4	-36.23	-41.94	6.54	-28.66
4	2483.51	53.37 AV	54	-0.63	-50.09	-53.41	6.54	-41.89


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT20) - Channel 13


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5000	60.86 PK	74	-13.14	-47.43	-44.29	8.17	-34.40
2	5000	48.75 AV	54	-5.25	-57.76	-57.62	8.17	-46.51
3	7260.93	59.32 PK	74	-14.68	-48.36	-46.15	8.17	-35.94
4	7270.31	48.09 AV	54	-5.91	-58.52	-58.18	8.17	-47.17





Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2355.81	55.53 PK	74	-18.47	-51.04	-48.03	6.54	-39.73
2	2387.66	42.72 AV	54	-11.28	-62.1	-62.09	6.54	-52.54
3	2483.7	72.91 PK	74	-1.09	-30.36	-34.32	6.54	-22.35
4	2483.51	52.79 AV	54	-1.21	-52.03	-52.01	6.54	-42.47


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 3


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4985.93	60.31 PK	74	-13.69	-48.5	-44.6	8.17	-34.95
2	4979.68	48.81 AV	54	-5.19	-57.75	-57.51	8.17	-46.45
3	7267.18	59.48 PK	74	-14.52	-47.45	-46.52	8.17	-35.78
4	7259.37	48.17 AV	54	-5.83	-58.06	-58.49	8.17	-47.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.2	66.2 PK	74	-7.8	-36.59	-42.5	6.54	-29.06
2	2389.99	53.56 AV	54	-0.44	-50.21	-52.62	6.54	-41.70
3	2485.1	60.72 PK	74	-13.28	-44.88	-43.42	6.54	-34.54
4	2483.61	47.97 AV	54	-6.03	-57.1	-56.59	6.54	-47.29


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 4


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4995.31	60.11 PK	74	-13.89	-46.78	-45.92	8.17	-35.15
2	5000	48.68 AV	54	-5.32	-57.97	-57.56	8.17	-46.58
3	7370.31	59.36 PK	74	-14.64	-46.32	-48	8.17	-35.90
4	7251.56	48.17 AV	54	-5.83	-58.49	-58.07	8.17	-47.09


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.61	66.02 PK	74	-7.98	-36.94	-42.09	6.54	-29.24
2	2389.99	53.22 AV	54	-0.78	-49.87	-54.5	6.54	-42.04
3	2484.44	60.52 PK	74	-13.48	-43.71	-44.97	6.54	-34.74
4	2483.54	48.38 AV	54	-5.62	-56.31	-56.56	6.54	-46.88


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1



802.11be (EHT40) - Channel 6


Conducted spurious emission table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4967.18	60.37 PK	74	-13.63	-45.47	-46.76	8.17	-34.89
2	4992.18	48.8 AV	54	-5.2	-57.81	-57.48	8.17	-46.46
3	7259.37	59.12 PK	74	-14.88	-48.55	-46.36	8.17	-36.14
4	7282.81	48.12 AV	54	-5.88	-58.04	-58.62	8.17	-47.14


Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1




Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.75	62.25 PK	74	-11.75	-41.28	-44.38	6.54	-33.01
2	2389.99	50.29 AV	54	-3.71	-53.42	-55.99	6.54	-44.97
3	2484.65	64.05 PK	74	-9.95	-40.87	-40.66	6.54	-31.21
4	2483.51	51.09 AV	54	-2.91	-53.1	-54.45	6.54	-44.17

Remarks:

1. Margin value = Emission Level – Limit value
2. The other emission levels were very low against the limit.

Chain 0



Chain 1

