

Channel 229

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4718.75 PK	58.4	74	-15.6	-47.7	-48.42	8.17	-36.86
2	4729.68 AV	38.11	54	-15.89	-68.32	-68.35	8.17	-57.15
3	9475 PK	59.59	74	-14.41	-45.67	-48.48	8.17	-35.67
4	9459.37 AV	38.14	54	-15.86	-68.42	-68.18	8.17	-57.12
5	14185.68 PK	51.88	88.2	-36.32	-53.18	-56.61	8.17	-43.38
6	14195.75 AV	40.02	68.2	-28.18	-66.48	-66.36	8.17	-55.24
7	21269.68 PK	51.99	74	-22.01	-53.5	-55.67	8.17	-43.27
8	21301.31 AV	40.91	54	-13.09	-65.55	-65.52	8.17	-54.35

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7209.3 PK	50.84	88.2	-37.36	-55.91	-55.24	8.13	-44.42
2	7215.35 AV	37.25	68.2	-30.95	-69.17	-69.14	8.13	-58.01

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4735.93 PK	58.72	74	-15.28	-48.19	-47.29	8.17	-36.54
2	4742.18 AV	37.8	54	-16.2	-68.49	-68.79	8.17	-57.46
3	9501.56 PK	59.25	88.2	-28.95	-47.71	-46.72	8.17	-36.01
4	9501.5 AV	37.9	68.2	-30.3	-68.82	-68.28	8.17	-57.36
5	14217.31 PK	50.39	88.2	-37.81	-57.07	-55.22	8.17	-44.87
6	14228.81 AV	39.92	68.2	-28.28	-66.44	-66.6	8.17	-55.34
7	21332.93 PK	52.2	74	-21.8	-53.31	-55.43	8.17	-43.06
8	21364.56 AV	40.95	54	-13.05	-65.41	-65.57	8.17	-54.31

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7125 PK	83.88	88.2	-4.32	-23.89	-21.48	8.13	-11.38
2	7125 AV	68.4	68.2	* 0.2	-39.16	-37.08	8.13	-26.86


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



RU52

Channel 2

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3967.18 PK	57.62	74	-16.38	-48.48	-49.18	8.17	-37.64
2	3968.75 AV	36.3	54	-17.7	-69.76	-70.55	8.17	-58.96
3	7914.06 PK	59.01	88.2	-29.19	-47.51	-47.35	8.17	-36.25
4	7914.06 AV	40.41	68.2	-27.79	-65.39	-66.79	8.17	-54.85
5	11879.68 PK	60	74	-14	-47.78	-45.42	8.17	-35.26
6	11889.06 AV	38.29	54	-15.71	-68.27	-68.03	8.17	-56.97
7	17815.37 PK	53.14	74	-20.86	-53.12	-53.49	8.17	-42.12
8	17822.56 AV	42.25	54	-11.75	-64.13	-64.26	8.17	-53.01

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5925 PK	86.63	88.2	-1.57	-19.11	-20.6	8.15	-8.63
2	5925 AV	73.08	68.2	* 4.88	-33.11	-33.59	8.15	-22.18


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3964.06 PK	57.85	74	-16.15	-50.51	-47.27	8.17	-37.41
2	3982.81 AV	36.37	54	-17.63	-70.16	-69.99	8.17	-58.89
3	7946.87 PK	59.76	88.2	-28.44	-46.2	-47.23	8.17	-35.5
4	7940.62 AV	44.69	68.2	-23.51	-61.13	-62.47	8.17	-50.57
5	11907.81 PK	59.96	74	-14.04	-45.82	-47.27	8.17	-35.3
6	11912.5 AV	38.51	54	-15.49	-68.02	-67.85	8.17	-56.75
7	17857.06 PK	53.97	74	-20.03	-52.92	-52.07	8.17	-41.29
8	17858.5 AV	42.63	54	-11.37	-63.72	-63.9	8.17	-52.63

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5893.87 PK	51.79	88.2	-36.41	-55.03	-54.26	8.15	-43.47
2	5894.75 AV	37.7	68.2	-30.5	-68.67	-68.77	8.15	-57.56

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 45

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4117.18 PK	58.08	74	-15.92	-49.46	-47.48	8.17	-37.18
2	4117.18 AV	36.38	54	-17.62	-70.24	-69.89	8.17	-58.88
3	8239.06 PK	58.99	74	-15.01	-47.83	-47.11	8.17	-36.27
4	8232.81 AV	44.1	54	-9.9	-60.95	-64.41	8.17	-51.16
5	12365.62 PK	60.92	74	-13.08	-45.76	-45.29	8.17	-34.34
6	12340.62 AV	38.86	54	-15.14	-67.95	-67.24	8.17	-56.4
7	18541.31 PK	52.83	74	-21.17	-54.85	-52.65	8.17	-42.43
8	18544.18 AV	41.88	54	-12.12	-64.5	-64.63	8.17	-53.38

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 93

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4292.18 PK	58.06	74	-15.94	-48.29	-48.48	8.17	-37.2
2	4293.75 AV	36.2	54	-17.8	-70.24	-70.24	8.17	-59.06
3	8554.68 PK	58.68	88.2	-29.52	-47.4	-48.15	8.17	-36.58
4	8553.12 AV	45.06	68.2	-23.14	-58.86	-68.08	8.17	-50.2
5	12828.12 PK	61.07	88.2	-27.13	-45.25	-45.5	8.17	-34.19
6	12848.43 AV	39.44	68.2	-28.76	-66.94	-67.07	8.17	-55.82
7	19225.56 PK	53.85	74	-20.15	-52.2	-53.02	8.17	-41.41
8	19231.31 AV	43.34	54	-10.66	-62.97	-63.24	8.17	-51.92

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 97

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4284.37 PK	57.88	74	-16.12	-49.62	-47.71	8.17	-37.38
2	4307.81 AV	36.4	54	-17.6	-70.21	-69.87	8.17	-58.86
3	8568.75 PK	58.84	88.2	-29.36	-47.34	-47.87	8.17	-36.42
4	8579.68 AV	45.85	68.2	-22.35	-57.97	-68.19	8.17	-49.41
5	12854.68 PK	60.81	88.2	-27.39	-46.48	-44.92	8.17	-34.45
6	12875 AV	39.55	68.2	-28.65	-66.71	-67.07	8.17	-55.71
7	19301.75 PK	54.55	74	-19.45	-50.68	-53.57	8.17	-40.71

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 105

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4296.87 PK	58.21	74	-15.79	-47.54	-49.04	8.17	-37.05
2	4335.93 AV	36.4	54	-17.6	-70.08	-70.01	8.17	-58.86
3	8615.62 PK	58.97	88.2	-29.23	-47.65	-47.29	8.17	-36.29
4	8632.81 AV	45.41	68.2	-22.79	-58.44	-68.32	8.17	-49.85
5	12931.25 PK	60.17	88.2	-28.03	-46.51	-46.04	8.17	-35.09
6	12932.81 AV	38.62	68.2	-29.58	-67.82	-67.83	8.17	-56.64
7	19426.81 PK	53.62	74	-20.38	-53.16	-52.51	8.17	-41.64
8	19444.06 AV	42.76	54	-11.24	-63.76	-63.61	8.17	-52.5

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 113

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4345.31 PK	58.04	74	-15.96	-47.6	-49.38	8.17	-37.22
2	4323.43 AV	36.47	54	-17.53	-69.81	-70.13	8.17	-58.79
3	8681.25 PK	58.89	88.2	-29.31	-47.27	-47.85	8.17	-36.37
4	8685.93 AV	45.13	68.2	-23.07	-58.77	-68.22	8.17	-50.13
5	13042.18 PK	60.5	88.2	-27.7	-48.12	-44.49	8.17	-34.76
6	13045.31 AV	38.61	68.2	-29.59	-68.05	-67.62	8.17	-56.65
7	19546.12 PK	54.46	74	-19.54	-51.32	-52.75	8.17	-40.8
8	19531.75 AV	43.4	54	-10.6	-63.14	-62.95	8.17	-51.86

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4368.75 PK	58.48	74	-15.52	-47.72	-48.22	8.17	-36.78
2	4343.75 AV	36.4	54	-17.6	-70.17	-69.91	8.17	-58.86
3	8714.06 PK	59.27	88.2	-28.93	-46.91	-47.45	8.17	-35.99
4	8714.06 AV	43.39	68.2	-24.81	-60.68	-68.68	8.17	-51.87
5	13078.12 PK	61.11	88.2	-27.09	-47.17	-44.04	8.17	-34.15
6	13079.68 AV	39.07	68.2	-29.13	-67.56	-67.18	8.17	-56.19
7	19596.43 PK	52.73	74	-21.27	-53.1	-54.41	8.17	-42.53
8	19586.37 AV	42.02	54	-11.98	-64.52	-64.32	8.17	-53.24

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 149

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4479.68 PK	58.18	88.2	-30.02	-48.33	-48.19	8.17	-37.08
2	4462.5 AV	36.26	68.2	-31.94	-70.13	-70.23	8.17	-59
3	8907.81 PK	59.15	88.2	-29.05	-46.77	-47.89	8.17	-36.11
4	8926.56 AV	39.37	68.2	-28.83	-66.01	-68.48	8.17	-55.89
5	13401.56 PK	59.89	88.2	-28.31	-46.29	-46.83	8.17	-35.37
6	13409.37 AV	38.03	68.2	-30.17	-68.46	-68.37	8.17	-57.23
7	20065.06 PK	51.79	74	-22.21	-54.65	-54.66	8.17	-43.47
8	20101 AV	40.8	54	-13.2	-65.68	-65.6	8.17	-54.46

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 181

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4551.56 PK	58.59	74	-15.41	-49.45	-46.69	8.17	-36.67
2	4584.37 AV	36.54	54	-17.46	-69.93	-69.88	8.17	-58.72
3	9137.5 PK	60.26	74	-13.74	-46.35	-46.01	8.17	-35
4	9157.81 AV	38.2	54	-15.8	-68.21	-68.28	8.17	-57.06
5	13719.93 PK	49.7	88.2	-38.5	-56.38	-57.14	8.17	-45.56
6	13708.43 AV	39.23	68.2	-28.97	-67.33	-67.09	8.17	-56.03
7	20582.56 PK	51.54	74	-22.46	-54.5	-55.35	8.17	-43.72
8	20578.25 AV	40.64	54	-13.36	-65.8	-65.81	8.17	-54.62

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 185

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4603.12 PK	58.89	74	-15.11	-47.11	-48.05	8.17	-36.37
2	4582.81 AV	36.95	54	-17.05	-69.54	-69.44	8.17	-58.31
3	9154.68 PK	59.62	74	-14.38	-46.56	-47.1	8.17	-35.64
4	9167.18 AV	38.73	54	-15.27	-67.36	-68.1	8.17	-56.53
5	13748.68 PK	49.95	88.2	-38.25	-57.54	-55.65	8.17	-45.31
6	13748.68 AV	39.62	68.2	-28.58	-67.2	-66.47	8.17	-55.64
7	20621.37 PK	52.42	74	-21.58	-53.63	-54.46	8.17	-42.84
8	20635.75 AV	41.35	54	-12.65	-65.12	-65.06	8.17	-53.91

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 209

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4667.18 PK	57.84	74	-16.16	-48.71	-48.49	8.17	-37.42
2	4662.5 AV	37.06	54	-16.94	-69.36	-69.41	8.17	-58.2
3	9328.12 PK	59.78	74	-14.22	-48.64	-45.3	8.17	-35.48
4	9326.56 AV	38.19	54	-15.81	-68.24	-68.26	8.17	-57.07
5	13978.68 PK	49.75	88.2	-38.45	-56.23	-57.2	8.17	-45.51
6	13988.75 AV	39.53	68.2	-28.67	-67.45	-66.43	8.17	-55.73
7	20996.56 PK	51.47	74	-22.53	-55.82	-54.26	8.17	-43.79
8	20967.81 AV	40.49	54	-13.51	-65.93	-65.98	8.17	-54.77

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 229

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4732.81 PK	58.56	74	-15.44	-47.28	-48.57	8.17	-36.7
2	4729.68 AV	37.95	54	-16.05	-67.99	-69.06	8.17	-57.31
3	9470.31 PK	59.95	74	-14.05	-45.11	-48.51	8.17	-35.31
4	9459.37 AV	37.83	54	-16.17	-68.41	-68.83	8.17	-57.43
5	14177.06 PK	51.17	88.2	-37.03	-55.55	-55	8.17	-44.09
6	14188.56 AV	40.23	68.2	-27.97	-66.55	-65.9	8.17	-55.03
7	21294.12 PK	51.51	74	-22.49	-54.89	-54.98	8.17	-43.75
8	21298.43 AV	40.82	54	-13.18	-65.93	-65.33	8.17	-54.44

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7142.65 PK	50.87	88.2	-37.33	-56.81	-54.55	8.13	-44.39
2	7199.72 AV	36.88	68.2	-31.32	-69.57	-69.48	8.13	-58.38

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4731.25 PK	58.79	74	-15.21	-46.76	-48.78	8.17	-36.47
2	4751.56 AV	37.13	54	-16.87	-69.31	-69.31	8.17	-58.13
3	9482.81 PK	59.88	74	-14.12	-46.62	-46.5	8.17	-35.38
4	9485.93 AV	37.95	54	-16.05	-68.99	-68.05	8.17	-57.31
5	14217.31 PK	50.89	88.2	-37.31	-55.08	-56.07	8.17	-44.37
6	14228.81 AV	40.04	68.2	-28.16	-66.68	-66.14	8.17	-55.22
7	21328.62 PK	51.81	74	-22.19	-56.13	-53.52	8.17	-43.45
8	21325.75 AV	40.98	54	-13.02	-65.49	-65.43	8.17	-54.28

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7125 PK	84	88.2	-4.2	-24.16	-21.15	8.13	-11.26
2	7125 AV	68.24	68.2	* 0.04	-39.27	-37.27	8.13	-27.02


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



RU106

Channel 2

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3957.81 PK	57.25	74	-16.75	-59.35	-46.39	8.17	-38.01
2	3960.93 AV	36.84	54	-17.16	-69.64	-69.57	8.17	-58.42
3	7931.25 PK	57.6	88.2	-30.6	-58.65	-46.06	8.17	-37.66
4	7914.06 AV	41.36	68.2	-26.84	-64.44	-65.82	8.17	-53.9
5	11882.81 PK	58.3	74	-15.7	-56.92	-45.43	8.17	-36.96
6	11873.43 AV	38.81	54	-15.19	-67.82	-67.45	8.17	-56.45
7	17824 PK	53.38	74	-20.62	-52.35	-53.92	8.17	-41.88
8	17824 AV	42.72	54	-11.28	-63.8	-63.65	8.17	-52.54

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5924.97 PK	84.94	88.2	-3.26	-21.37	-21.59	8.15	-10.32
2	5925 AV	73.12	68.2	* 4.92	-33	-33.62	8.15	-22.14


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3967.18 PK	56.5	74	-17.5	-58.51	-47.24	8.17	-38.76
2	3956.25 AV	36.86	54	-17.14	-69.79	-69.38	8.17	-58.4
3	7925 PK	58.78	88.2	-29.42	-58.07	-44.85	8.17	-36.48
4	7940.62 AV	46.35	68.2	-21.85	-58.85	-61.83	8.17	-48.91
5	11906.25 PK	58.35	74	-15.65	-57.96	-45.31	8.17	-36.91
6	11925 AV	39.03	54	-14.97	-67.42	-67.41	8.17	-56.23
7	17849.87 PK	54.59	74	-19.41	-51.21	-52.6	8.17	-40.67
8	17847 AV	43.1	54	-10.9	-63.45	-63.23	8.17	-52.16

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5912.1 PK	52.74	88.2	-35.46	-53.18	-54.25	8.15	-42.52
2	5903.52 AV	38.29	68.2	-29.91	-68.02	-68.25	8.15	-56.97

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 45

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4126.56 PK	56.36	74	-17.64	-57.85	-47.45	8.17	-38.9
2	4126.56 AV	36.92	54	-17.08	-69.47	-69.57	8.17	-58.34
3	8239.06 PK	56.95	74	-17.05	-56.57	-46.93	8.17	-38.31
4	8232.81 AV	46.11	54	-7.89	-58.2	-64.68	8.17	-49.15
5	12351.56 PK	58.77	74	-15.23	-56.28	-44.97	8.17	-36.49
6	12331.25 AV	39.29	54	-14.71	-67.41	-66.91	8.17	-55.97
7	18539.87 PK	53.1	74	-20.9	-53.51	-53.17	8.17	-42.16
8	18539.87 AV	42.29	54	-11.71	-64.2	-64.1	8.17	-52.97

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 93

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4295.31 PK	56.07	74	-17.93	-58.77	-47.69	8.17	-39.19
2	4295.31 AV	36.61	54	-17.39	-69.81	-69.86	8.17	-58.65
3	8537.5 PK	56.97	88.2	-31.23	-59.23	-46.7	8.17	-38.29
4	8553.12 AV	49.03	68.2	-19.17	-54.59	-68.12	8.17	-46.23
5	12837.5 PK	60.18	88.2	-28.02	-56.14	-43.48	8.17	-35.08
6	12832.81 AV	39.87	68.2	-28.33	-66.72	-66.42	8.17	-55.39
7	19254.31 PK	54.88	74	-19.12	-51.75	-51.37	8.17	-40.38
8	19251.43 AV	43.82	54	-10.18	-62.63	-62.62	8.17	-51.44

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 97

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4282.81 PK	56.68	74	-17.32	-59.11	-47.01	8.17	-38.58
2	4301.56 AV	36.77	54	-17.23	-69.77	-69.58	8.17	-58.49
3	8579.68 PK	57.02	88.2	-31.18	-51.65	-47.96	8.17	-38.24
4	8579.68 AV	47.86	68.2	-20.34	-55.81	-68.24	8.17	-47.4
5	12851.56 PK	60.01	88.2	-28.19	-56.34	-43.65	8.17	-35.25
6	12882.81 AV	40.14	68.2	-28.06	-66.28	-66.33	8.17	-55.12
7	19310.37 PK	54.37	74	-19.63	-51.32	-52.98	8.17	-40.89
8	19290.25 AV	43.29	54	-10.71	-63.09	-63.22	8.17	-51.97

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 105

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4323.43 PK	56.16	74	-17.84	-59.01	-47.57	8.17	-39.1
2	4325 AV	36.82	54	-17.18	-69.38	-69.88	8.17	-58.44
3	8632.81 PK	57.33	88.2	-30.87	-52.17	-47.33	8.17	-37.93
4	8632.81 AV	47.4	68.2	-20.8	-56.32	-67.97	8.17	-47.86
5	12954.68 PK	57.84	88.2	-30.36	-56.88	-45.93	8.17	-37.42
6	12932.81 AV	39.11	68.2	-29.09	-67.43	-67.24	8.17	-56.15
7	19411 PK	54.34	74	-19.66	-53.43	-51.08	8.17	-40.92
8	19432.56 AV	43	54	-11	-63.14	-63.77	8.17	-52.26

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 113

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4335.93 PK	56.5	74	-17.5	-59.14	-47.2	8.17	-38.76
2	4325 AV	36.9	54	-17.1	-69.6	-69.49	8.17	-58.36
3	8693.75 PK	57.4	88.2	-30.8	-56.69	-46.42	8.17	-37.86
4	8687.5 AV	46.91	68.2	-21.29	-56.84	-67.97	8.17	-48.35
5	13026.56 PK	58.13	88.2	-30.07	-57.28	-45.58	8.17	-37.13
6	13043.75 AV	39.17	68.2	-29.03	-67.43	-67.11	8.17	-56.09
7	19527.43 PK	55.05	74	-18.95	-51.71	-51.09	8.17	-40.21
8	19534.62 AV	43.83	54	-10.17	-62.59	-62.64	8.17	-51.43

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4348.43 PK	56.36	74	-17.64	-59.22	-47.34	8.17	-38.9
2	4351.56 AV	36.82	54	-17.18	-69.71	-69.53	8.17	-58.44
3	8704.68 PK	57.66	88.2	-30.54	-58.77	-45.99	8.17	-37.6
4	8714.06 AV	46.19	68.2	-22.01	-57.62	-68.01	8.17	-49.07
5	13076.56 PK	58.39	88.2	-29.81	-57.21	-45.31	8.17	-36.87
6	13087.5 AV	39.5	68.2	-28.7	-66.7	-67.19	8.17	-55.76
7	19605.06 PK	53.5	74	-20.5	-54.69	-51.69	8.17	-41.76
8	19586.37 AV	42.49	54	-11.51	-64	-63.91	8.17	-52.77

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 149

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4464.06 PK	55.59	88.2	-32.61	-59.29	-48.16	8.17	-39.67
2	4451.56 AV	36.78	68.2	-31.42	-69.45	-69.88	8.17	-58.48
3	8925 PK	57.82	88.2	-30.38	-56.65	-45.97	8.17	-37.44
4	8926.56 AV	41.06	68.2	-27.14	-63.62	-68.39	8.17	-54.2
5	13400 PK	57.52	74	-16.48	-57.33	-46.24	8.17	-37.74
6	13375 AV	38.54	54	-15.46	-67.78	-68.03	8.17	-56.72
7	20095.25 PK	52.59	74	-21.41	-53.16	-54.67	8.17	-42.67
8	20099.56 AV	41.27	54	-12.73	-65.12	-65.22	8.17	-53.99

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 181

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4570.31 PK	55.66	74	-18.34	-59.72	-48.06	8.17	-39.6
2	4587.5 AV	37.03	54	-16.97	-69.46	-69.36	8.17	-58.23
3	9120.31 PK	57.82	74	-16.18	-57.26	-45.92	8.17	-37.44
4	9157.81 AV	38.78	54	-15.22	-67.63	-67.7	8.17	-56.48
5	13717.06 PK	50.82	88.2	-37.38	-56.07	-55.21	8.17	-44.44
6	13708.43 AV	39.68	68.2	-28.52	-67.01	-66.53	8.17	-55.58
7	20568.18 PK	51.73	74	-22.27	-53.79	-55.88	8.17	-43.53
8	20582.56 AV	41.06	54	-12.94	-65.39	-65.38	8.17	-54.2

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 185

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4598.43 PK	56.41	74	-17.59	-58.7	-47.33	8.17	-38.85
2	4582.81 AV	37.11	54	-16.89	-69.06	-69.62	8.17	-58.15
3	9160.93 PK	58.03	74	-15.97	-58.05	-45.64	8.17	-37.23
4	9167.18 AV	39.47	54	-14.53	-66.37	-67.66	8.17	-55.79
5	13763.06 PK	50.5	88.2	-37.7	-55.9	-55.98	8.17	-44.76
6	13748.68 AV	39.84	68.2	-28.36	-66.8	-66.4	8.17	-55.42
7	20627.12 PK	52.5	74	-21.5	-53.52	-54.41	8.17	-42.76
8	20641.5 AV	41.68	54	-12.32	-65.01	-64.53	8.17	-53.58

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 209

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4653.12 PK	56.43	74	-17.57	-57.96	-47.36	8.17	-38.83
2	4662.5 AV	37.82	54	-16.18	-68.3	-68.97	8.17	-57.44
3	9320.31 PK	57.73	74	-16.27	-56.93	-46.04	8.17	-37.53
4	9326.56 AV	38.78	54	-15.22	-67.29	-68.06	8.17	-56.48
5	14007.43 PK	50.17	88.2	-38.03	-56.06	-56.5	8.17	-45.09
6	13988.75 AV	39.94	68.2	-28.26	-66.9	-66.13	8.17	-55.32
7	20995.12 PK	52.07	74	-21.93	-55.89	-53.24	8.17	-43.19
8	20966.37 AV	40.86	54	-13.14	-65.9	-65.28	8.17	-54.4

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 229

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4729.68 PK	58.92	74	-15.08	-48.06	-47.04	8.17	-36.34
2	4729.68 AV	39.11	54	-14.89	-66.41	-68.51	8.17	-56.15
3	9470.31 PK	59.54	74	-14.46	-46.38	-47.5	8.17	-35.72
4	9460.93 AV	38.52	54	-15.48	-67.64	-68.21	8.17	-56.74
5	14179.93 PK	51.11	88.2	-37.09	-55.07	-55.61	8.17	-44.15
6	14188.56 AV	40.67	68.2	-27.53	-65.68	-65.86	8.17	-54.59
7	21297 PK	52.83	74	-21.17	-52.53	-55.06	8.17	-42.43
8	21292.68 AV	41.3	54	-12.7	-65.12	-65.16	8.17	-53.96

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7155.5 PK	51.28	88.2	-36.92	-53.92	-56.78	8.13	-43.98
2	7126.77 AV	37.69	68.2	-30.51	-68.94	-68.49	8.13	-57.57

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4756.25 PK	59.06	74	-14.94	-47	-47.79	8.17	-36.2
2	4751.56 AV	37.58	54	-16.42	-68.79	-68.93	8.17	-57.68
3	9487.5 PK	59.84	74	-14.16	-47.67	-45.74	8.17	-35.42
4	9498.43 AV	38.32	54	-15.68	-68.1	-68.14	8.17	-56.94
5	14220.18 PK	51.1	88.2	-37.1	-54.37	-56.58	8.17	-44.16
6	14228.81 AV	40.77	68.2	-27.43	-66	-65.37	8.17	-54.49
7	21353.06 PK	52.67	74	-21.33	-52.92	-54.82	8.17	-42.59
8	21363.12 AV	41.47	54	-12.53	-64.97	-64.98	8.17	-53.79

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7125 PK	83.18	88.2	-5.02	-22.47	-24.13	8.13	-12.08
2	7125 AV	68.34	68.2	* 0.14	-38.92	-37.34	8.13	-26.92

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.


* The unwanted emission was verified and the test result was passed by radiated measurement.

(Please refer APPENDIX B)

Chain 0



Chain 1



RU242

Channel 2

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3957.81 PK	58.33	74	-15.67	-47.56	-48.75	8.17	-36.93
2	3967.18 AV	36.76	54	-17.24	-69.9	-69.47	8.17	-58.5
3	7910.93 PK	59.95	88.2	-28.25	-46.99	-46.04	8.17	-35.31
4	7914.06 AV	41.02	68.2	-27.18	-64.88	-66.04	8.17	-54.24
5	11876.56 PK	60.35	74	-13.65	-45.97	-46.21	8.17	-34.91
6	11887.5 AV	38.64	54	-15.36	-67.67	-67.94	8.17	-56.62
7	17821.12 PK	53.78	74	-20.22	-53.19	-52.19	8.17	-41.48
8	17821.12 AV	42.73	54	-11.27	-63.75	-63.67	8.17	-52.53

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5924.97 PK	84.51	88.2	-3.69	-22.88	-21.11	8.15	-10.75
2	5925 AV	72.72	68.2	* 4.52	-33.61	-33.8	8.15	-22.54

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.


* The unwanted emission was verified and the test result was passed by radiated measurement.

(Please refer APPENDIX B)

Chain 0



Chain 1



Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3975 PK	57.82	74	-16.18	-49.07	-48.21	8.17	-37.44
2	3978.12 AV	36.82	54	-17.18	-69.68	-69.57	8.17	-58.44
3	7935.93 PK	60.06	88.2	-28.14	-46.38	-46.39	8.17	-35.2
4	7940.62 AV	45.94	68.2	-22.26	-59.03	-62.75	8.17	-49.32
5	11903.12 PK	61.11	74	-12.89	-44.85	-45.86	8.17	-34.15
6	11928.12 AV	38.9	54	-15.1	-67.57	-67.52	8.17	-56.36
7	17881.5 PK	53.89	74	-20.11	-51.99	-53.2	8.17	-41.37
8	17854.18 AV	43.04	54	-10.96	-63.19	-63.62	8.17	-52.22

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5923.42 PK	52.75	88.2	-35.45	-54.55	-52.94	8.15	-42.51
2	5925 AV	38.6	68.2	-29.6	-67.77	-67.87	8.15	-56.66

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 45

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4120.31 PK	58.43	74	-15.57	-47.86	-48.17	8.17	-36.83
2	4115.62 AV	36.86	54	-17.14	-69.95	-69.24	8.17	-58.4
3	8215.62 PK	59.25	74	-14.75	-46.75	-47.67	8.17	-36.01
4	8232.81 AV	45.66	54	-8.34	-58.74	-64.76	8.17	-49.6
5	12367.18 PK	61.45	74	-12.55	-44.65	-45.37	8.17	-33.81
6	12331.25 AV	39.25	54	-14.75	-67.2	-67.19	8.17	-56.01
7	18541.31 PK	52.9	74	-21.1	-52.97	-54.19	8.17	-42.36
8	18529.81 AV	42.22	54	-11.78	-64.06	-64.38	8.17	-53.04

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 93

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4271.87 PK	59.16	74	-14.84	-46.46	-48.29	8.17	-36.1
2	4292.18 AV	36.78	54	-17.22	-69.79	-69.53	8.17	-58.48
3	8553.12 PK	59.47	88.2	-28.73	-47.25	-46.71	8.17	-35.79
4	8553.12 AV	47.01	68.2	-21.19	-56.75	-67.82	8.17	-48.25
5	12840.62 PK	61.53	88.2	-26.67	-46.21	-43.91	8.17	-33.73
6	12829.68 AV	39.93	68.2	-28.27	-66.37	-66.65	8.17	-55.33
7	19245.68 PK	55.01	74	-18.99	-51.1	-51.78	8.17	-40.25
8	19247.12 AV	43.77	54	-10.23	-62.67	-62.67	8.17	-51.49

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 97

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4307.81 PK	58.58	74	-15.42	-48.26	-47.5	8.17	-36.68
2	4309.37 AV	36.71	54	-17.29	-69.63	-69.83	8.17	-58.55
3	8589.06 PK	59.61	88.2	-28.59	-46.77	-46.89	8.17	-35.65
4	8579.68 AV	47.72	68.2	-20.48	-55.97	-68.08	8.17	-47.54
5	12884.37 PK	61.4	88.2	-26.8	-47.03	-43.68	8.17	-33.86
6	12854.68 AV	40.01	68.2	-28.19	-66.67	-66.21	8.17	-55.25
7	19313.25 PK	54.64	74	-19.36	-50.97	-52.84	8.17	-40.62
8	19285.93 AV	43.34	54	-10.66	-63.04	-63.16	8.17	-51.92

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 105

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4332.81 PK	58.24	74	-15.76	-48.67	-47.78	8.17	-37.02
2	4304.68 AV	36.86	54	-17.14	-69.64	-69.53	8.17	-58.4
3	8614.06 PK	59.51	88.2	-28.69	-46.05	-48.03	8.17	-35.75
4	8632.81 AV	47.33	68.2	-20.87	-56.39	-67.98	8.17	-47.93
5	12967.18 PK	60.37	88.2	-27.83	-46.13	-46.01	8.17	-34.89
6	12935.93 AV	39.14	68.2	-29.06	-67.35	-67.26	8.17	-56.12
7	19441.18 PK	54.54	74	-19.46	-50.85	-53.28	8.17	-40.72
8	19441.18 AV	43.08	54	-10.92	-63.29	-63.44	8.17	-52.18

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 113

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4328.12 PK	58.59	74	-15.41	-49.31	-46.76	8.17	-36.67
2	4362.5 AV	36.9	54	-17.1	-69.43	-69.66	8.17	-58.36
3	8687.5 PK	59.42	88.2	-28.78	-46.02	-48.33	8.17	-35.84
4	8685.93 AV	46.98	68.2	-21.22	-56.75	-68.16	8.17	-48.28
5	13035.93 PK	60.17	88.2	-28.03	-46.73	-45.85	8.17	-35.09
6	13046.87 AV	39.23	68.2	-28.97	-67.3	-67.12	8.17	-56.03
7	19534.62 PK	55.17	74	-18.83	-52.53	-50.29	8.17	-40.09
8	19527.43 AV	43.87	54	-10.13	-62.62	-62.53	8.17	-51.39

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 117

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4359.37 PK	58.16	74	-15.84	-48	-48.57	8.17	-37.1
2	4342.18 AV	36.82	54	-17.18	-69.69	-69.56	8.17	-58.44
3	8729.68 PK	58.96	88.2	-29.24	-47.66	-47.31	8.17	-36.3
4	8714.06 AV	46.23	68.2	-21.97	-57.56	-68.2	8.17	-49.03
5	13076.56 PK	61.04	88.2	-27.16	-45.84	-45.01	8.17	-34.22
6	13081.25 AV	39.51	68.2	-28.69	-66.85	-67.02	8.17	-55.75
7	19605.06 PK	53.93	74	-20.07	-52.75	-52.28	8.17	-41.33
8	19590.68 AV	42.55	54	-11.45	-63.9	-63.88	8.17	-52.71

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 149

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4478.12 PK	58.21	88.2	-29.99	-48.62	-47.88	8.17	-37.05
2	4471.87 AV	36.82	68.2	-31.38	-69.7	-69.55	8.17	-58.44
3	8937.5 PK	59.36	88.2	-28.84	-46.32	-48	8.17	-35.9
4	8926.56 AV	40.97	68.2	-27.23	-63.8	-68.21	8.17	-54.29
5	13375 PK	60.27	74	-13.73	-46.49	-45.88	8.17	-34.99
6	13390.62 AV	38.56	54	-15.44	-67.89	-67.88	8.17	-56.7
7	20065.06 PK	52.94	74	-21.06	-52.99	-54.09	8.17	-42.32
8	20069.37 AV	41.19	54	-12.81	-65.1	-65.4	8.17	-54.07

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 181

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4564.06 PK	58.77	74	-15.23	-47.27	-48.12	8.17	-36.49
2	4581.25 AV	37.05	54	-16.95	-69.22	-69.57	8.17	-58.21
3	9153.12 PK	60.39	74	-13.61	-45.34	-46.89	8.17	-34.87
4	9148.43 AV	38.7	54	-15.3	-67.65	-67.83	8.17	-56.56
5	13699.81 PK	50.45	88.2	-37.75	-56.93	-55.22	8.17	-44.81
6	13709.87 AV	39.6	68.2	-28.6	-66.96	-66.73	8.17	-55.66
7	20584 PK	51.95	74	-22.05	-56.12	-53.31	8.17	-43.31
8	20582.56 AV	41.05	54	-12.95	-65.34	-65.45	8.17	-54.21

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 185

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4590.62 PK	58.26	74	-15.74	-47.85	-48.54	8.17	-37
2	4582.81 AV	37.42	54	-16.58	-68.62	-69.47	8.17	-57.84
3	9154.68 PK	60.47	74	-13.53	-46.34	-45.63	8.17	-34.79
4	9167.18 AV	39.48	54	-14.52	-66.25	-67.82	8.17	-55.78
5	13764.5 PK	50.88	88.2	-37.32	-55.95	-55.2	8.17	-44.38
6	13748.68 AV	39.71	68.2	-28.49	-66.94	-66.53	8.17	-55.55
7	20644.37 PK	52.79	74	-21.21	-53.69	-53.61	8.17	-42.47
8	20642.93 AV	41.74	54	-12.26	-64.7	-64.71	8.17	-53.52

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 209

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4682.81 PK	58.37	74	-15.63	-47.95	-48.2	8.17	-36.89
2	4662.5 AV	37.74	54	-16.26	-68.33	-69.1	8.17	-57.52
3	9314.06 PK	60.01	74	-13.99	-46.08	-46.81	8.17	-35.25
4	9326.56 AV	38.64	54	-15.36	-67.31	-68.35	8.17	-56.62
5	13983 PK	50.61	88.2	-37.59	-56.48	-55.27	8.17	-44.65
6	13988.75 AV	39.93	68.2	-28.27	-66.79	-66.25	8.17	-55.33
7	20989.37 PK	52.04	74	-21.96	-53.63	-55.33	8.17	-43.22
8	20995.12 AV	40.89	54	-13.11	-65.63	-65.47	8.17	-54.37

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 229

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4748.43 PK	59.01	74	-14.99	-47.85	-47.05	8.17	-36.25
2	4729.68 AV	39.14	54	-14.86	-66.43	-68.38	8.17	-56.12
3	9454.68 PK	59.75	74	-14.25	-46.91	-46.48	8.17	-35.51
4	9459.37 AV	38.43	54	-15.57	-67.62	-68.44	8.17	-56.83
5	14182.81 PK	51.83	88.2	-36.37	-55.04	-54.22	8.17	-43.43
6	14188.56 AV	40.68	68.2	-27.52	-65.96	-65.56	8.17	-54.58
7	21304.18 PK	52.41	74	-21.59	-54.1	-53.96	8.17	-42.85
8	21301.31 AV	41.24	54	-12.76	-65.27	-65.14	8.17	-54.02

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7160.75 PK	51.61	88.2	-36.59	-55.41	-54.24	8.13	-43.65
2	7125.05 AV	37.83	68.2	-30.37	-68.77	-68.38	8.13	-57.43

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 233

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4734.37 PK	59.46	74	-14.54	-46.41	-47.63	8.17	-35.8
2	4759.37 AV	37.58	54	-16.42	-68.84	-68.88	8.17	-57.68
3	9500 PK	59.63	74	-14.37	-46.37	-47.3	8.17	-35.63
4	9500 AV	38.24	54	-15.76	-68.11	-68.3	8.17	-57.02
5	14231.68 PK	51.25	88.2	-36.95	-54.59	-55.88	8.17	-44.01
6	14228.81 AV	40.4	68.2	-27.8	-66.17	-65.92	8.17	-54.86
7	21343 PK	53.25	74	-20.75	-52.36	-54.23	8.17	-42.01
8	21334.37 AV	41.33	54	-12.67	-65.19	-65.04	8.17	-53.93

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	7125 PK	84.02	88.2	-4.18	-27.65	-20.07	8.13	-11.24
2	7125 AV	68.3	68.2	* 0.1	-39.36	-37.12	8.13	-26.96


Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8


d = measurement distance in 3 meters.

* The unwanted emission was verified and the test result was passed by radiated measurement.
(Please refer APPENDIX B)

Chain 0



Chain 1



40MHz Preamble

RU26

Channel 3

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	3965.62 PK	57.94	74	-16.06	-49.17	-47.92	8.17	-37.32
2	3995.31 AV	36.43	54	-17.57	-69.94	-70.08	8.17	-58.83
3	7948.43 PK	59.62	88.2	-28.58	-46.78	-46.87	8.17	-35.64
4	7953.12 AV	42.33	68.2	-25.87	-64.12	-64.1	8.17	-52.93
5	11918.75 PK	60.41	74	-13.59	-45.87	-46.19	8.17	-34.85
6	11948.43 AV	38.64	54	-15.36	-67.66	-67.94	8.17	-56.62
7	17903.06 PK	54.35	74	-19.65	-53.15	-51.24	8.17	-40.91
8	17907.37 AV	42.62	54	-11.38	-64.07	-63.58	8.17	-52.64

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	5889.52 PK	51.52	88.2	-36.68	-56.15	-53.93	8.15	-43.74
2	5885.37 AV	37.55	68.2	-30.65	-68.85	-68.9	8.15	-57.71

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 43

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4112.5 PK	58.06	74	-15.94	-48.81	-47.99	8.17	-37.2
2	4128.12 AV	36.42	54	-17.58	-70.03	-70.02	8.17	-58.84
3	8232.81 PK	59.22	74	-14.78	-48.52	-46.22	8.17	-36.04
4	8220.31 AV	44.48	54	-9.52	-61.97	-61.96	8.17	-50.78
5	12350 PK	60.35	74	-13.65	-46.41	-45.8	8.17	-34.91
6	12329.68 AV	38.84	54	-15.16	-67.7	-67.51	8.17	-56.42
7	18506.81 PK	52.78	74	-21.22	-53.49	-53.84	8.17	-42.48
8	18514 AV	41.59	54	-12.41	-64.96	-64.74	8.17	-53.67

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 91

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4256.25 PK	57.97	74	-16.03	-48	-49	8.17	-37.29
2	4287.5 AV	36.3	54	-17.7	-70.27	-70.02	8.17	-58.96
3	8540.62 PK	59.13	88.2	-29.07	-47.28	-47.34	8.17	-36.13
4	8540.62 AV	46.18	68.2	-22.02	-60.09	-60.43	8.17	-49.08
5	12804.68 PK	60.42	88.2	-27.78	-45.71	-46.36	8.17	-34.84
6	12810.93 AV	39.26	68.2	-28.94	-67.1	-67.27	8.17	-56
7	19204 PK	54.31	74	-19.69	-53.18	-51.29	8.17	-40.95
8	19229.87 AV	43.36	54	-10.64	-63.24	-62.93	8.17	-51.9

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Channel 99

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4279.68 PK	57.75	74	-16.25	-48.58	-48.8	8.17	-37.51
2	4312.5 AV	36.47	54	-17.53	-69.88	-70.07	8.17	-58.79
3	8592.18 PK	58.89	88.2	-29.31	-46.93	-48.28	8.17	-36.37
4	8593.75 AV	46.34	68.2	-21.86	-59.99	-60.22	8.17	-48.92
5	12870.31 PK	61.83	88.2	-26.37	-46.46	-43.32	8.17	-33.43
6	12890.62 AV	39.73	68.2	-28.47	-66.6	-66.83	8.17	-55.53
7	19316.12 PK	54.71	74	-19.29	-51.53	-51.93	8.17	-40.55
8	19317.56 AV	42.75	54	-11.25	-63.79	-63.6	8.17	-52.51

Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1

