

In-Band Emissions (6435 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6441.450000	-5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6441.450000	-5.6	0.0	-5.6	PASS
6438.150000	-5.7	0.1	-5.6	PASS
6443.750000	-5.7	0.2	-5.6	PASS
6428.150000	-5.7	0.2	-5.6	PASS
6443.150000	-5.8	0.2	-5.6	PASS
6443.850000	-5.8	0.2	-5.6	PASS
6438.850000	-5.9	0.3	-5.6	PASS
6438.250000	-5.9	0.3	-5.6	PASS
6441.350000	-5.9	0.3	-5.6	PASS
6431.450000	-5.9	0.3	-5.6	PASS
6444.150000	-5.9	0.3	-5.6	PASS
6432.450000	-5.9	0.4	-5.6	PASS
6438.750000	-5.9	0.4	-5.6	PASS
6438.450000	-6.0	0.4	-5.6	PASS
6444.250000	-6.0	0.5	-5.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6435 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6435.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6441.350000	-5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6441.350000	-5.6	0.0	-5.6	PASS
6443.450000	-5.7	0.1	-5.6	PASS
6436.350000	-5.7	0.1	-5.6	PASS
6442.050000	-5.7	0.1	-5.6	PASS
6441.650000	-5.7	0.1	-5.6	PASS
6440.050000	-5.7	0.2	-5.6	PASS
6440.650000	-5.7	0.2	-5.6	PASS
6444.150000	-5.7	0.2	-5.6	PASS
6441.450000	-5.7	0.2	-5.6	PASS
6440.550000	-5.8	0.2	-5.6	PASS
6436.250000	-5.8	0.2	-5.6	PASS
6429.050000	-5.8	0.3	-5.6	PASS
6438.850000	-5.8	0.3	-5.6	PASS
6428.950000	-5.8	0.3	-5.6	PASS
6438.350000	-5.8	0.3	-5.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.48500 GHz	6.48500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6475 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6475.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6481.850000	-5.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6478.050000	-5.4	0.1	-5.3	PASS
6481.950000	-5.4	0.2	-5.3	PASS
6482.650000	-5.6	0.3	-5.3	PASS
6465.750000	-5.6	0.3	-5.3	PASS
6479.950000	-5.7	0.4	-5.3	PASS
6469.550000	-5.7	0.4	-5.3	PASS
6468.250000	-5.7	0.4	-5.3	PASS
6481.750000	-5.7	0.4	-5.3	PASS
6482.750000	-5.7	0.5	-5.3	PASS
6469.450000	-5.8	0.5	-5.3	PASS
6480.350000	-5.8	0.5	-5.3	PASS
6481.450000	-5.8	0.5	-5.3	PASS
6468.150000	-5.8	0.5	-5.3	PASS
6479.550000	-5.8	0.5	-5.3	PASS
6476.650000	-5.8	0.5	-5.3	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
Sweeptime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6475 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6475.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6483.450000	-5.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6483.450000	-5.5	0.0	-5.5	PASS
6467.450000	-5.5	0.0	-5.5	PASS
6478.250000	-5.5	0.0	-5.5	PASS
6482.150000	-5.5	0.0	-5.5	PASS
6468.850000	-5.5	0.1	-5.5	PASS
6466.750000	-5.6	0.1	-5.5	PASS
6467.550000	-5.6	0.1	-5.5	PASS
6465.950000	-5.6	0.1	-5.5	PASS
6482.250000	-5.6	0.1	-5.5	PASS
6483.150000	-5.6	0.2	-5.5	PASS
6468.450000	-5.7	0.2	-5.5	PASS
6469.750000	-5.7	0.2	-5.5	PASS
6483.550000	-5.7	0.2	-5.5	PASS
6468.750000	-5.7	0.2	-5.5	PASS
6478.150000	-5.7	0.2	-5.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.52500 GHz	6.52500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6515 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6523.850000	-4.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6518.850000	-4.9	0.0	-4.9	PASS
6519.250000	-4.9	0.0	-4.9	PASS
6522.950000	-5.1	0.1	-4.9	PASS
6519.350000	-5.1	0.1	-4.9	PASS
6523.750000	-5.1	0.2	-4.9	PASS
6516.350000	-5.1	0.2	-4.9	PASS
6511.950000	-5.2	0.3	-4.9	PASS
6518.950000	-5.2	0.3	-4.9	PASS
6517.750000	-5.2	0.3	-4.9	PASS
6512.050000	-5.2	0.3	-4.9	PASS
6518.350000	-5.2	0.3	-4.9	PASS
6507.150000	-5.2	0.3	-4.9	PASS
6524.250000	-5.2	0.3	-4.9	PASS
6515.850000	-5.2	0.3	-4.9	PASS
6508.750000	-5.2	0.3	-4.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6515 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6515.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6522.350000	-5.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6522.350000	-5.1	0.0	-5.1	PASS
6507.550000	-5.2	0.0	-5.1	PASS
6522.250000	-5.3	0.1	-5.1	PASS
6523.050000	-5.3	0.1	-5.1	PASS
6521.750000	-5.3	0.1	-5.1	PASS
6518.350000	-5.4	0.2	-5.1	PASS
6523.750000	-5.4	0.2	-5.1	PASS
6521.850000	-5.4	0.3	-5.1	PASS
6509.650000	-5.4	0.3	-5.1	PASS
6515.450000	-5.5	0.3	-5.1	PASS
6518.850000	-5.5	0.3	-5.1	PASS
6509.550000	-5.5	0.3	-5.1	PASS
6523.650000	-5.5	0.4	-5.1	PASS
6523.550000	-5.5	0.4	-5.1	PASS
6506.150000	-5.6	0.4	-5.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.56500 GHz	6.56500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6535.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6528.550000	-4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6531.150000	-4.6	0.0	-4.6	PASS
6526.050000	-4.7	0.1	-4.6	PASS
6543.650000	-4.7	0.1	-4.6	PASS
6543.550000	-4.8	0.2	-4.6	PASS
6526.550000	-4.9	0.2	-4.6	PASS
6543.050000	-4.9	0.2	-4.6	PASS
6527.150000	-4.9	0.3	-4.6	PASS
6531.250000	-5.0	0.3	-4.6	PASS
6540.650000	-5.0	0.4	-4.6	PASS
6527.250000	-5.0	0.4	-4.6	PASS
6539.350000	-5.0	0.4	-4.6	PASS
6538.850000	-5.1	0.4	-4.6	PASS
6526.450000	-5.1	0.4	-4.6	PASS
6542.350000	-5.1	0.4	-4.6	PASS
6525.650000	-5.1	0.5	-4.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6535 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6535.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6538.750000	-4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6538.750000	-4.3	0.0	-4.3	PASS
6538.850000	-4.4	0.1	-4.3	PASS
6538.950000	-4.8	0.4	-4.3	PASS
6527.650000	-4.9	0.6	-4.3	PASS
6539.050000	-4.9	0.6	-4.3	PASS
6541.250000	-4.9	0.6	-4.3	PASS
6537.450000	-5.0	0.6	-4.3	PASS
6538.650000	-5.0	0.6	-4.3	PASS
6540.750000	-5.0	0.7	-4.3	PASS
6528.850000	-5.0	0.7	-4.3	PASS
6539.450000	-5.0	0.7	-4.3	PASS
6532.750000	-5.0	0.7	-4.3	PASS
6530.950000	-5.1	0.7	-4.3	PASS
6543.150000	-5.1	0.7	-4.3	PASS
6531.450000	-5.1	0.8	-4.3	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.48500 GHz	6.48500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6695 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6685.650000	-3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6702.650000	-3.7	0.1	-3.6	PASS
6699.750000	-3.8	0.2	-3.6	PASS
6701.450000	-3.8	0.2	-3.6	PASS
6698.350000	-3.8	0.2	-3.6	PASS
6702.150000	-3.8	0.2	-3.6	PASS
6702.750000	-3.8	0.3	-3.6	PASS
6701.550000	-3.8	0.3	-3.6	PASS
6701.350000	-3.9	0.3	-3.6	PASS
6688.450000	-3.9	0.3	-3.6	PASS
6700.250000	-3.9	0.3	-3.6	PASS
6699.650000	-3.9	0.4	-3.6	PASS
6689.050000	-4.0	0.4	-3.6	PASS
6693.350000	-4.0	0.4	-3.6	PASS
6703.650000	-4.0	0.4	-3.6	PASS
6693.050000	-4.0	0.4	-3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6695 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6695.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6700.550000	-3.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6697.550000	-3.0	0.0	-3.0	PASS
6685.750000	-3.0	0.0	-3.0	PASS
6697.450000	-3.1	0.1	-3.0	PASS
6685.650000	-3.1	0.2	-3.0	PASS
6703.050000	-3.1	0.2	-3.0	PASS
6700.250000	-3.1	0.2	-3.0	PASS
6700.650000	-3.2	0.2	-3.0	PASS
6702.950000	-3.2	0.2	-3.0	PASS
6697.650000	-3.2	0.2	-3.0	PASS
6697.350000	-3.3	0.3	-3.0	PASS
6690.050000	-3.3	0.3	-3.0	PASS
6686.050000	-3.3	0.3	-3.0	PASS
6685.850000	-3.3	0.4	-3.0	PASS
6700.350000	-3.3	0.4	-3.0	PASS
6686.550000	-3.4	0.4	-3.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.64500 GHz	6.64500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6855 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6846.650000	-4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6846.650000	-4.3	0.0	-4.3	PASS
6846.550000	-4.3	0.0	-4.3	PASS
6849.050000	-4.5	0.2	-4.3	PASS
6845.650000	-4.5	0.2	-4.3	PASS
6846.750000	-4.6	0.3	-4.3	PASS
6848.550000	-4.6	0.3	-4.3	PASS
6849.150000	-4.6	0.3	-4.3	PASS
6850.450000	-4.6	0.3	-4.3	PASS
6856.050000	-4.6	0.3	-4.3	PASS
6860.050000	-4.7	0.4	-4.3	PASS
6846.850000	-4.7	0.4	-4.3	PASS
6850.850000	-4.7	0.4	-4.3	PASS
6861.350000	-4.7	0.4	-4.3	PASS
6849.950000	-4.8	0.5	-4.3	PASS
6845.750000	-4.8	0.5	-4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6855 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6855.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6863.150000	-4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6846.150000	-4.7	0.1	-4.6	PASS
6847.050000	-4.7	0.1	-4.6	PASS
6861.750000	-4.8	0.2	-4.6	PASS
6849.650000	-4.8	0.2	-4.6	PASS
6845.650000	-4.8	0.2	-4.6	PASS
6851.250000	-4.9	0.3	-4.6	PASS
6862.550000	-4.9	0.3	-4.6	PASS
6845.750000	-4.9	0.3	-4.6	PASS
6851.350000	-4.9	0.3	-4.6	PASS
6849.550000	-4.9	0.3	-4.6	PASS
6857.650000	-4.9	0.3	-4.6	PASS
6847.150000	-4.9	0.3	-4.6	PASS
6863.750000	-4.9	0.3	-4.6	PASS
6860.050000	-5.0	0.4	-4.6	PASS
6861.650000	-5.0	0.4	-4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.80500 GHz	6.80500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
6875.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6883.950000	-4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6883.950000	-4.6	0.0	-4.6	PASS
6866.650000	-4.7	0.0	-4.6	PASS
6882.850000	-4.7	0.1	-4.6	PASS
6884.350000	-4.7	0.1	-4.6	PASS
6866.350000	-4.7	0.1	-4.6	PASS
6874.450000	-4.8	0.2	-4.6	PASS
6868.950000	-4.8	0.2	-4.6	PASS
6870.150000	-4.8	0.2	-4.6	PASS
6867.350000	-4.8	0.2	-4.6	PASS
6877.050000	-4.8	0.2	-4.6	PASS
6865.750000	-4.8	0.2	-4.6	PASS
6872.750000	-4.8	0.2	-4.6	PASS
6882.950000	-4.8	0.2	-4.6	PASS
6884.450000	-4.9	0.2	-4.6	PASS
6882.750000	-4.9	0.2	-4.6	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6875 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6875.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6868.750000	-4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6882.050000	-4.6	0.1	-4.5	PASS
6876.850000	-4.6	0.2	-4.5	PASS
6882.150000	-4.7	0.2	-4.5	PASS
6878.250000	-4.7	0.3	-4.5	PASS
6876.950000	-4.7	0.3	-4.5	PASS
6879.350000	-4.8	0.3	-4.5	PASS
6882.750000	-4.8	0.3	-4.5	PASS
6868.850000	-4.8	0.3	-4.5	PASS
6879.250000	-4.8	0.4	-4.5	PASS
6871.050000	-4.8	0.4	-4.5	PASS
6876.750000	-4.9	0.4	-4.5	PASS
6882.650000	-4.9	0.4	-4.5	PASS
6883.850000	-4.9	0.4	-4.5	PASS
6865.750000	-4.9	0.4	-4.5	PASS
6873.050000	-4.9	0.4	-4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	6.92500 GHz	6.92500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6903.650000	-3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6903.650000	-3.6	0.0	-3.6	PASS
6903.550000	-3.7	0.1	-3.6	PASS
6902.450000	-3.8	0.3	-3.6	PASS
6901.150000	-3.9	0.4	-3.6	PASS
6887.550000	-4.1	0.5	-3.6	PASS
6902.550000	-4.1	0.6	-3.6	PASS
6887.650000	-4.2	0.6	-3.6	PASS
6904.450000	-4.2	0.6	-3.6	PASS
6903.750000	-4.2	0.7	-3.6	PASS
6886.950000	-4.2	0.7	-3.6	PASS
6904.350000	-4.3	0.7	-3.6	PASS
6887.350000	-4.3	0.7	-3.6	PASS
6891.250000	-4.3	0.7	-3.6	PASS
6886.450000	-4.3	0.7	-3.6	PASS
6887.450000	-4.3	0.8	-3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6895 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6895.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6903.950000	-3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6903.950000	-3.6	0.0	-3.6	PASS
6904.050000	-3.7	0.1	-3.6	PASS
6903.650000	-3.7	0.1	-3.6	PASS
6903.750000	-3.8	0.2	-3.6	PASS
6888.050000	-4.0	0.4	-3.6	PASS
6901.050000	-4.0	0.4	-3.6	PASS
6902.850000	-4.1	0.5	-3.6	PASS
6885.750000	-4.1	0.5	-3.6	PASS
6902.250000	-4.1	0.5	-3.6	PASS
6897.450000	-4.1	0.6	-3.6	PASS
6888.150000	-4.2	0.6	-3.6	PASS
6898.750000	-4.2	0.6	-3.6	PASS
6889.150000	-4.2	0.6	-3.6	PASS
6903.850000	-4.2	0.6	-3.6	PASS
6901.750000	-4.2	0.6	-3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.84500 GHz	6.84500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11be20 (20 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6999.550000	-4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6988.650000	-4.5	0.1	-4.4	PASS
6995.650000	-4.5	0.1	-4.4	PASS
7000.350000	-4.5	0.1	-4.4	PASS
6987.250000	-4.5	0.1	-4.4	PASS
6995.550000	-4.5	0.1	-4.4	PASS
6986.450000	-4.5	0.1	-4.4	PASS
6988.150000	-4.6	0.1	-4.4	PASS
6988.750000	-4.6	0.1	-4.4	PASS
6987.350000	-4.6	0.1	-4.4	PASS
6992.450000	-4.6	0.2	-4.4	PASS
6995.750000	-4.6	0.2	-4.4	PASS
7003.350000	-4.6	0.2	-4.4	PASS
6986.350000	-4.7	0.3	-4.4	PASS
6996.950000	-4.7	0.3	-4.4	PASS
7000.250000	-4.7	0.3	-4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6995 MHz; 11be20 (20 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6995.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7002.150000	-3.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7002.150000	-3.1	0.0	-3.1	PASS
7002.250000	-3.2	0.0	-3.1	PASS
7002.850000	-3.3	0.1	-3.1	PASS
7002.750000	-3.4	0.3	-3.1	PASS
6992.050000	-3.6	0.4	-3.1	PASS
7002.650000	-3.6	0.4	-3.1	PASS
6996.750000	-3.6	0.5	-3.1	PASS
6992.550000	-3.6	0.5	-3.1	PASS
7001.950000	-3.6	0.5	-3.1	PASS
7002.350000	-3.6	0.5	-3.1	PASS
7002.550000	-3.6	0.5	-3.1	PASS
6986.050000	-3.6	0.5	-3.1	PASS
7002.050000	-3.6	0.5	-3.1	PASS
6998.450000	-3.6	0.5	-3.1	PASS
6992.650000	-3.7	0.5	-3.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.94500 GHz	6.94500 GHz
Stop Frequency	7.04500 GHz	7.04500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7115 MHz; 11be20 (20 MHz)) –Ant0

Customized settings.

Result


DUT Frequency (MHz)	Result
7115.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7106.250000	-26.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7106.250000	-26.9	0.0	-26.9	PASS
7108.450000	-27.1	0.2	-26.9	PASS
7107.150000	-27.1	0.3	-26.9	PASS
7106.350000	-27.1	0.3	-26.9	PASS
7108.350000	-27.1	0.3	-26.9	PASS
7106.150000	-27.2	0.3	-26.9	PASS
7109.650000	-27.3	0.4	-26.9	PASS
7108.950000	-27.3	0.4	-26.9	PASS
7117.250000	-27.3	0.4	-26.9	PASS
7107.450000	-27.3	0.4	-26.9	PASS
7108.550000	-27.3	0.4	-26.9	PASS
7105.750000	-27.3	0.4	-26.9	PASS
7113.850000	-27.3	0.5	-26.9	PASS
7110.050000	-27.3	0.5	-26.9	PASS
7111.450000	-27.3	0.5	-26.9	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.16500 GHz	7.16500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm

Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7115 MHz; 11be20 (20 MHz)) –Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
7115.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
7119.350000	-26.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7106.950000	-26.0	0.0	-26.0	PASS
7107.650000	-26.0	0.0	-26.0	PASS
7110.250000	-26.2	0.2	-26.0	PASS
7119.450000	-26.2	0.3	-26.0	PASS
7108.750000	-26.3	0.3	-26.0	PASS
7119.250000	-26.3	0.3	-26.0	PASS
7118.850000	-26.3	0.3	-26.0	PASS
7107.050000	-26.3	0.3	-26.0	PASS
7122.450000	-26.4	0.4	-26.0	PASS
7122.550000	-26.4	0.4	-26.0	PASS
7118.050000	-26.4	0.4	-26.0	PASS
7107.750000	-26.4	0.4	-26.0	PASS
7123.150000	-26.4	0.4	-26.0	PASS
7122.350000	-26.4	0.4	-26.0	PASS
7106.050000	-26.5	0.5	-26.0	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	7.06500 GHz	7.06500 GHz
Stop Frequency	7.16500 GHz	7.16500 GHz
Span	100.000 MHz	100.000 MHz
RBW	200.000 kHz	~ 200.000 kHz
VBW	500.000 kHz	~ 600.000 kHz
SweepPoints	1000	~ 1000
SweepTime	1.000 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO

Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5968.300825	-2.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5968.300825	-2.7	0.0	-2.7	PASS
5978.503376	-2.8	0.1	-2.7	PASS
5970.401350	-2.8	0.1	-2.7	PASS
5971.751688	-2.8	0.1	-2.7	PASS
5970.551388	-2.9	0.2	-2.7	PASS
5982.704426	-2.9	0.2	-2.7	PASS
5971.601650	-3.0	0.3	-2.7	PASS
5968.150788	-3.0	0.3	-2.7	PASS
5983.754689	-3.0	0.3	-2.7	PASS
5982.854464	-3.0	0.3	-2.7	PASS
5968.900975	-3.1	0.4	-2.7	PASS
5948.795949	-3.1	0.4	-2.7	PASS
5957.798200	-3.1	0.4	-2.7	PASS
5981.354089	-3.1	0.4	-2.7	PASS
5967.550638	-3.1	0.4	-2.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5965 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
5965.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5969.051013	-2.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5968.900975	-2.8	0.0	-2.7	PASS
5974.752438	-2.8	0.0	-2.7	PASS
5968.450863	-3.1	0.3	-2.7	PASS
5983.304576	-3.1	0.3	-2.7	PASS
5978.953488	-3.1	0.4	-2.7	PASS
5947.445611	-3.1	0.4	-2.7	PASS
5971.751688	-3.1	0.4	-2.7	PASS
5979.853713	-3.2	0.4	-2.7	PASS
5968.600900	-3.2	0.4	-2.7	PASS
5974.602401	-3.2	0.4	-2.7	PASS
5955.397599	-3.2	0.4	-2.7	PASS
5971.301575	-3.2	0.5	-2.7	PASS
5978.503376	-3.2	0.5	-2.7	PASS
5983.454614	-3.2	0.5	-2.7	PASS
5970.251313	-3.2	0.5	-2.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.86500 GHz	5.86500 GHz
Stop Frequency	6.06500 GHz	6.06500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6148.495874	-3.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6148.495874	-3.8	0.0	-3.8	PASS
6148.645911	-4.0	0.2	-3.8	PASS
6151.496624	-4.1	0.4	-3.8	PASS
6151.346587	-4.2	0.4	-3.8	PASS
6153.747187	-4.2	0.4	-3.8	PASS
6171.151538	-4.2	0.4	-3.8	PASS
6146.845461	-4.3	0.5	-3.8	PASS
6167.250563	-4.3	0.5	-3.8	PASS
6148.195799	-4.3	0.5	-3.8	PASS
6170.701425	-4.3	0.6	-3.8	PASS
6161.549137	-4.4	0.6	-3.8	PASS
6167.700675	-4.4	0.6	-3.8	PASS
6153.297074	-4.4	0.6	-3.8	PASS
6164.549887	-4.4	0.6	-3.8	PASS
6161.399100	-4.4	0.6	-3.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6165 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6165.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6151.646662	-4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6151.646662	-4.3	0.0	-4.3	PASS
6147.145536	-4.4	0.1	-4.3	PASS
6152.846962	-4.4	0.1	-4.3	PASS
6147.295574	-4.5	0.2	-4.3	PASS
6151.346587	-4.5	0.2	-4.3	PASS
6146.245311	-4.5	0.2	-4.3	PASS
6152.996999	-4.5	0.2	-4.3	PASS
6153.897224	-4.5	0.2	-4.3	PASS
6154.047262	-4.5	0.2	-4.3	PASS
6174.452363	-4.5	0.2	-4.3	PASS
6151.796699	-4.5	0.2	-4.3	PASS
6170.251313	-4.6	0.3	-4.3	PASS
6177.603151	-4.6	0.3	-4.3	PASS
6150.596399	-4.6	0.3	-4.3	PASS
6147.445611	-4.6	0.3	-4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.06500 GHz	6.06500 GHz
Stop Frequency	6.26500 GHz	6.26500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6388.045761	-3.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6387.895724	-4.2	0.4	-3.8	PASS
6407.250563	-4.2	0.4	-3.8	PASS
6386.995499	-4.4	0.6	-3.8	PASS
6391.196549	-4.4	0.6	-3.8	PASS
6389.996249	-4.4	0.6	-3.8	PASS
6386.395349	-4.4	0.6	-3.8	PASS
6389.396099	-4.5	0.7	-3.8	PASS
6407.100525	-4.5	0.7	-3.8	PASS
6390.146287	-4.6	0.8	-3.8	PASS
6411.751688	-4.6	0.8	-3.8	PASS
6388.495874	-4.6	0.8	-3.8	PASS
6386.245311	-4.6	0.8	-3.8	PASS
6402.449362	-4.6	0.8	-3.8	PASS
6387.745686	-4.7	0.8	-3.8	PASS
6394.797449	-4.7	0.8	-3.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6405 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6405.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6390.296324	-4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6407.850713	-4.3	0.2	-4.1	PASS
6387.295574	-4.4	0.2	-4.1	PASS
6410.251313	-4.4	0.3	-4.1	PASS
6409.951238	-4.4	0.3	-4.1	PASS
6389.096024	-4.4	0.3	-4.1	PASS
6398.548387	-4.5	0.4	-4.1	PASS
6409.201050	-4.5	0.4	-4.1	PASS
6393.747187	-4.5	0.4	-4.1	PASS
6388.945986	-4.5	0.4	-4.1	PASS
6411.601650	-4.5	0.4	-4.1	PASS
6389.996249	-4.5	0.4	-4.1	PASS
6409.801200	-4.5	0.4	-4.1	PASS
6420.303826	-4.6	0.4	-4.1	PASS
6410.101275	-4.6	0.5	-4.1	PASS
6419.853713	-4.6	0.5	-4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.30500 GHz	6.30500 GHz
Stop Frequency	6.50500 GHz	6.50500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6448.750938	-4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6449.051013	-4.9	0.4	-4.5	PASS
6448.600900	-4.9	0.4	-4.5	PASS
6449.201050	-4.9	0.4	-4.5	PASS
6451.301575	-5.0	0.5	-4.5	PASS
6449.351088	-5.0	0.5	-4.5	PASS
6444.249812	-5.0	0.5	-4.5	PASS
6451.151538	-5.1	0.6	-4.5	PASS
6445.750188	-5.1	0.6	-4.5	PASS
6446.950488	-5.1	0.6	-4.5	PASS
6427.745686	-5.1	0.6	-4.5	PASS
6447.850713	-5.1	0.6	-4.5	PASS
6447.400600	-5.1	0.6	-4.5	PASS
6448.900975	-5.1	0.7	-4.5	PASS
6451.451613	-5.1	0.7	-4.5	PASS
6458.803451	-5.2	0.7	-4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6445 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6445.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6431.196549	-4.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6431.196549	-4.7	0.0	-4.7	PASS
6435.097524	-4.9	0.2	-4.7	PASS
6431.346587	-5.0	0.2	-4.7	PASS
6432.546887	-5.0	0.2	-4.7	PASS
6431.946737	-5.0	0.2	-4.7	PASS
6456.102776	-5.0	0.3	-4.7	PASS
6433.447112	-5.0	0.3	-4.7	PASS
6453.702176	-5.1	0.3	-4.7	PASS
6433.897224	-5.1	0.3	-4.7	PASS
6427.295574	-5.1	0.4	-4.7	PASS
6433.597149	-5.1	0.4	-4.7	PASS
6432.696924	-5.2	0.4	-4.7	PASS
6451.751688	-5.2	0.4	-4.7	PASS
6446.650413	-5.2	0.5	-4.7	PASS
6429.846212	-5.2	0.5	-4.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.54500 GHz	6.54500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6469.396099	-4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6469.546137	-4.3	0.1	-4.2	PASS
6469.696174	-4.6	0.3	-4.2	PASS
6487.100525	-4.7	0.5	-4.2	PASS
6488.900975	-4.7	0.5	-4.2	PASS
6473.897224	-4.8	0.6	-4.2	PASS
6471.946737	-4.9	0.6	-4.2	PASS
6482.449362	-4.9	0.7	-4.2	PASS
6470.896474	-4.9	0.7	-4.2	PASS
6472.546887	-5.0	0.7	-4.2	PASS
6467.445611	-5.0	0.7	-4.2	PASS
6470.746437	-5.0	0.7	-4.2	PASS
6489.351088	-5.0	0.7	-4.2	PASS
6466.695424	-5.0	0.8	-4.2	PASS
6467.295574	-5.0	0.8	-4.2	PASS
6473.597149	-5.0	0.8	-4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6485 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6485.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6473.147037	-4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6472.396849	-4.6	0.1	-4.6	PASS
6473.297074	-4.7	0.1	-4.6	PASS
6487.850713	-4.7	0.1	-4.6	PASS
6468.195799	-4.7	0.2	-4.6	PASS
6468.945986	-4.8	0.2	-4.6	PASS
6492.201800	-4.8	0.3	-4.6	PASS
6467.145536	-4.9	0.3	-4.6	PASS
6468.795949	-4.9	0.3	-4.6	PASS
6469.696174	-4.9	0.4	-4.6	PASS
6469.396099	-5.0	0.4	-4.6	PASS
6489.201050	-5.0	0.4	-4.6	PASS
6468.045761	-5.0	0.4	-4.6	PASS
6469.846212	-5.0	0.4	-4.6	PASS
6471.796699	-5.0	0.4	-4.6	PASS
6467.295574	-5.0	0.5	-4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.38500 GHz	6.38500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6529.351088	-3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6511.496624	-3.7	0.1	-3.6	PASS
6529.951238	-3.8	0.2	-3.6	PASS
6535.952738	-3.9	0.2	-3.6	PASS
6529.201050	-3.9	0.3	-3.6	PASS
6506.845461	-3.9	0.3	-3.6	PASS
6531.451613	-4.0	0.3	-3.6	PASS
6539.703676	-4.0	0.4	-3.6	PASS
6508.945986	-4.0	0.4	-3.6	PASS
6542.104276	-4.0	0.4	-3.6	PASS
6513.447112	-4.0	0.4	-3.6	PASS
6528.150788	-4.0	0.4	-3.6	PASS
6511.346587	-4.1	0.4	-3.6	PASS
6510.146287	-4.1	0.4	-3.6	PASS
6532.801950	-4.1	0.5	-3.6	PASS
6511.646662	-4.1	0.5	-3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6525 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6525.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6527.250563	-4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6527.250563	-4.2	0.0	-4.2	PASS
6539.553638	-4.2	0.0	-4.2	PASS
6530.251313	-4.3	0.1	-4.2	PASS
6511.346587	-4.3	0.1	-4.2	PASS
6532.351838	-4.3	0.1	-4.2	PASS
6506.395349	-4.3	0.1	-4.2	PASS
6515.847712	-4.4	0.2	-4.2	PASS
6517.198050	-4.4	0.2	-4.2	PASS
6526.800450	-4.4	0.3	-4.2	PASS
6507.295574	-4.4	0.3	-4.2	PASS
6532.201800	-4.5	0.3	-4.2	PASS
6533.252063	-4.5	0.3	-4.2	PASS
6530.701425	-4.5	0.3	-4.2	PASS
6509.246062	-4.5	0.3	-4.2	PASS
6539.703676	-4.5	0.3	-4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.62500 GHz	6.62500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6551.046512	-2.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6551.046512	-2.5	0.0	-2.5	PASS
6554.347337	-2.5	0.0	-2.5	PASS
6569.051013	-2.5	0.1	-2.5	PASS
6549.996249	-2.7	0.2	-2.5	PASS
6571.901725	-2.7	0.2	-2.5	PASS
6574.452363	-2.7	0.3	-2.5	PASS
6548.195799	-2.7	0.3	-2.5	PASS
6569.201050	-2.8	0.3	-2.5	PASS
6554.197299	-2.8	0.3	-2.5	PASS
6549.096024	-2.8	0.4	-2.5	PASS
6565.450113	-2.8	0.4	-2.5	PASS
6546.995499	-2.9	0.4	-2.5	PASS
6571.451613	-2.9	0.4	-2.5	PASS
6579.253563	-2.9	0.4	-2.5	PASS
6571.301575	-2.9	0.4	-2.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6565 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6565.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6550.596399	-2.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6546.845461	-2.5	0.1	-2.4	PASS
6548.195799	-2.5	0.1	-2.4	PASS
6546.695424	-2.5	0.1	-2.4	PASS
6566.800450	-2.5	0.2	-2.4	PASS
6549.696174	-2.6	0.2	-2.4	PASS
6572.651913	-2.6	0.2	-2.4	PASS
6549.096024	-2.6	0.2	-2.4	PASS
6549.546137	-2.6	0.2	-2.4	PASS
6570.701425	-2.6	0.2	-2.4	PASS
6567.850713	-2.7	0.3	-2.4	PASS
6569.651163	-2.7	0.3	-2.4	PASS
6570.401350	-2.7	0.3	-2.4	PASS
6568.150788	-2.7	0.3	-2.4	PASS
6569.501125	-2.7	0.3	-2.4	PASS
6548.945986	-2.7	0.3	-2.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.46500 GHz	6.46500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6673.747187	-1.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6668.795949	-1.6	0.2	-1.4	PASS
6687.700675	-1.6	0.2	-1.4	PASS
6673.597149	-1.7	0.3	-1.4	PASS
6698.953488	-1.7	0.4	-1.4	PASS
6694.002251	-1.8	0.4	-1.4	PASS
6669.246062	-1.8	0.4	-1.4	PASS
6693.252063	-1.9	0.5	-1.4	PASS
6696.252813	-1.9	0.5	-1.4	PASS
6696.852963	-1.9	0.5	-1.4	PASS
6669.996249	-1.9	0.5	-1.4	PASS
6666.395349	-1.9	0.6	-1.4	PASS
6694.752438	-1.9	0.6	-1.4	PASS
6667.895724	-1.9	0.6	-1.4	PASS
6699.253563	-1.9	0.6	-1.4	PASS
6668.945986	-1.9	0.6	-1.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6685 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6685.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6703.454614	-0.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6703.454614	-0.7	0.0	-0.7	PASS
6670.296324	-0.8	0.1	-0.7	PASS
6667.145536	-0.9	0.2	-0.7	PASS
6675.397599	-1.0	0.3	-0.7	PASS
6666.995499	-1.1	0.4	-0.7	PASS
6670.596399	-1.1	0.4	-0.7	PASS
6685.600150	-1.1	0.4	-0.7	PASS
6694.302326	-1.1	0.4	-0.7	PASS
6702.704426	-1.1	0.4	-0.7	PASS
6703.604651	-1.1	0.4	-0.7	PASS
6675.547637	-1.2	0.5	-0.7	PASS
6688.600900	-1.2	0.5	-0.7	PASS
6676.447862	-1.2	0.5	-0.7	PASS
6673.297074	-1.2	0.5	-0.7	PASS
6674.197299	-1.2	0.5	-0.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.78500 GHz	6.78500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6829.696174	-0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6829.696174	-0.4	0.0	-0.4	PASS
6836.297824	-0.4	0.0	-0.4	PASS
6846.650413	-0.5	0.1	-0.4	PASS
6829.546137	-0.5	0.1	-0.4	PASS
6857.603151	-0.5	0.1	-0.4	PASS
6858.203301	-0.5	0.1	-0.4	PASS
6838.998500	-0.5	0.1	-0.4	PASS
6848.450863	-0.5	0.1	-0.4	PASS
6836.447862	-0.6	0.2	-0.4	PASS
6841.549137	-0.6	0.2	-0.4	PASS
6833.747187	-0.6	0.2	-0.4	PASS
6826.695424	-0.6	0.2	-0.4	PASS
6860.903976	-0.6	0.2	-0.4	PASS
6838.698425	-0.6	0.2	-0.4	PASS
6851.001500	-0.7	0.3	-0.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6845 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6845.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6831.346587	-0.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6837.198050	-0.3	0.0	-0.3	PASS
6831.496624	-0.4	0.0	-0.3	PASS
6828.195799	-0.4	0.0	-0.3	PASS
6842.149287	-0.5	0.1	-0.3	PASS
6828.045761	-0.5	0.1	-0.3	PASS
6827.445611	-0.5	0.2	-0.3	PASS
6851.151538	-0.5	0.2	-0.3	PASS
6834.947487	-0.5	0.2	-0.3	PASS
6841.999250	-0.5	0.2	-0.3	PASS
6827.295574	-0.6	0.2	-0.3	PASS
6834.797449	-0.6	0.3	-0.3	PASS
6828.795949	-0.6	0.3	-0.3	PASS
6837.048012	-0.7	0.3	-0.3	PASS
6838.398350	-0.7	0.3	-0.3	PASS
6835.097524	-0.7	0.3	-0.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	6.94500 GHz	6.94500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6878.248312	0.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6878.248312	0.0	0.0	0.0	PASS
6876.297824	-0.2	0.1	0.0	PASS
6866.695424	-0.2	0.2	0.0	PASS
6872.696924	-0.3	0.3	0.0	PASS
6891.451613	-0.3	0.3	0.0	PASS
6878.098275	-0.3	0.3	0.0	PASS
6871.646662	-0.3	0.3	0.0	PASS
6874.647412	-0.3	0.3	0.0	PASS
6872.996999	-0.3	0.3	0.0	PASS
6879.448612	-0.3	0.3	0.0	PASS
6871.496624	-0.3	0.3	0.0	PASS
6886.050263	-0.3	0.3	0.0	PASS
6891.001500	-0.3	0.3	0.0	PASS
6888.300825	-0.3	0.3	0.0	PASS
6889.501125	-0.4	0.4	0.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6885 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6885.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6869.396099	0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6869.396099	0.1	0.0	0.1	PASS
6875.097524	0.1	0.0	0.1	PASS
6903.604651	0.0	0.1	0.1	PASS
6889.951238	-0.1	0.1	0.1	PASS
6870.446362	-0.1	0.2	0.1	PASS
6898.053263	-0.2	0.2	0.1	PASS
6869.546137	-0.2	0.2	0.1	PASS
6868.945986	-0.2	0.3	0.1	PASS
6889.051013	-0.2	0.3	0.1	PASS
6901.504126	-0.2	0.3	0.1	PASS
6897.903226	-0.2	0.3	0.1	PASS
6885.900225	-0.3	0.4	0.1	PASS
6874.047262	-0.3	0.4	0.1	PASS
6871.946737	-0.4	0.5	0.1	PASS
6869.246062	-0.4	0.5	0.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.78500 GHz	6.78500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6925.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6941.654164	0.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6941.654164	0.2	0.0	0.2	PASS
6942.854464	0.1	0.1	0.2	PASS
6942.554389	0.1	0.1	0.2	PASS
6941.504126	0.1	0.1	0.2	PASS
6942.704426	0.1	0.2	0.2	PASS
6912.246812	0.0	0.2	0.2	PASS
6943.604651	-0.1	0.3	0.2	PASS
6942.404351	-0.2	0.4	0.2	PASS
6912.396849	-0.2	0.4	0.2	PASS
6940.303826	-0.2	0.4	0.2	PASS
6913.447112	-0.2	0.5	0.2	PASS
6913.597149	-0.2	0.5	0.2	PASS
6906.995499	-0.3	0.5	0.2	PASS
6907.895724	-0.3	0.5	0.2	PASS
6923.949737	-0.3	0.5	0.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6925 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6925.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6934.302326	0.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6934.452363	0.5	0.0	0.5	PASS
6927.100525	0.4	0.1	0.5	PASS
6926.950488	0.3	0.1	0.5	PASS
6937.603151	0.3	0.2	0.5	PASS
6932.801950	0.3	0.2	0.5	PASS
6943.004501	0.2	0.2	0.5	PASS
6906.545386	0.2	0.2	0.5	PASS
6941.804201	0.2	0.3	0.5	PASS
6942.554389	0.2	0.3	0.5	PASS
6908.645911	0.2	0.3	0.5	PASS
6935.052513	0.2	0.3	0.5	PASS
6935.202551	0.2	0.3	0.5	PASS
6935.652663	0.2	0.3	0.5	PASS
6927.550638	0.1	0.4	0.5	PASS
6906.395349	0.1	0.4	0.5	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.02500 GHz	7.02500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6986.395349	-1.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6986.245311	-1.3	0.1	-1.3	PASS
6986.695424	-1.4	0.1	-1.3	PASS
6986.845461	-1.5	0.2	-1.3	PASS
6988.345836	-1.7	0.4	-1.3	PASS
6990.596399	-1.7	0.5	-1.3	PASS
7021.054014	-1.7	0.5	-1.3	PASS
7003.499625	-1.8	0.5	-1.3	PASS
6986.545386	-1.8	0.5	-1.3	PASS
7021.654164	-1.8	0.5	-1.3	PASS
6991.196549	-1.8	0.5	-1.3	PASS
6991.346587	-1.8	0.5	-1.3	PASS
6993.297074	-1.8	0.6	-1.3	PASS
6995.547637	-1.9	0.6	-1.3	PASS
7015.352588	-1.9	0.6	-1.3	PASS
6994.647412	-1.9	0.6	-1.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7005 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7005.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7006.200300	-0.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7019.553638	-0.3	0.2	-0.1	PASS
7000.348837	-0.3	0.3	-0.1	PASS
6986.245311	-0.4	0.3	-0.1	PASS
7011.901725	-0.4	0.3	-0.1	PASS
6995.997749	-0.4	0.3	-0.1	PASS
6998.848462	-0.4	0.4	-0.1	PASS
6988.795949	-0.5	0.4	-0.1	PASS
7008.000750	-0.5	0.4	-0.1	PASS
6988.945986	-0.5	0.4	-0.1	PASS
7012.051763	-0.5	0.4	-0.1	PASS
7007.400600	-0.5	0.4	-0.1	PASS
7015.652663	-0.5	0.4	-0.1	PASS
7015.802701	-0.5	0.4	-0.1	PASS
6989.996249	-0.5	0.5	-0.1	PASS
7009.051013	-0.5	0.5	-0.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.90500 GHz	6.90500 GHz
Stop Frequency	7.10500 GHz	7.10500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7067.145536	-2.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7067.745686	-2.4	0.0	-2.4	PASS
7068.645911	-2.6	0.2	-2.4	PASS
7066.545386	-2.7	0.3	-2.4	PASS
7067.895724	-2.8	0.3	-2.4	PASS
7079.898725	-2.8	0.4	-2.4	PASS
7078.398350	-2.8	0.4	-2.4	PASS
7066.995499	-2.9	0.4	-2.4	PASS
7067.595649	-2.9	0.4	-2.4	PASS
7068.195799	-2.9	0.5	-2.4	PASS
7066.395349	-2.9	0.5	-2.4	PASS
7067.295574	-2.9	0.5	-2.4	PASS
7068.795949	-3.0	0.6	-2.4	PASS
7068.045761	-3.1	0.7	-2.4	PASS
7074.197299	-3.1	0.7	-2.4	PASS
7067.445611	-3.1	0.7	-2.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7085 MHz; 11be40 (40 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7085.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7066.695424	-2.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7066.695424	-2.5	0.0	-2.5	PASS
7098.653413	-2.7	0.2	-2.5	PASS
7072.396849	-2.7	0.2	-2.5	PASS
7068.045761	-2.7	0.2	-2.5	PASS
7072.246812	-2.7	0.2	-2.5	PASS
7072.696924	-2.7	0.2	-2.5	PASS
7071.196549	-2.7	0.2	-2.5	PASS
7078.698425	-2.7	0.2	-2.5	PASS
7090.401350	-2.7	0.2	-2.5	PASS
7068.195799	-2.7	0.3	-2.5	PASS
7070.296324	-2.7	0.3	-2.5	PASS
7090.101275	-2.8	0.3	-2.5	PASS
7066.845461	-2.8	0.3	-2.5	PASS
7088.900975	-2.8	0.3	-2.5	PASS
7068.795949	-2.8	0.3	-2.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.98500 GHz	6.98500 GHz
Stop Frequency	7.18500 GHz	7.18500 GHz
Span	200.000 MHz	200.000 MHz
RBW	300.000 kHz	~ 400.000 kHz
VBW	1.000 MHz	~ 900.000 kHz
SweepPoints	1333	~ 1333
SweepTime	1.340 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5969.250000	1.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5969.250000	1.9	0.0	1.9	PASS
5966.750000	1.9	0.0	1.9	PASS
5961.750000	1.8	0.1	1.9	PASS
5979.750000	1.8	0.1	1.9	PASS
5951.250000	1.8	0.1	1.9	PASS
5950.750000	1.8	0.1	1.9	PASS
5966.250000	1.8	0.2	1.9	PASS
5949.750000	1.7	0.2	1.9	PASS
5980.250000	1.7	0.2	1.9	PASS
5987.750000	1.7	0.2	1.9	PASS
5976.250000	1.6	0.3	1.9	PASS
6006.750000	1.6	0.3	1.9	PASS
5968.250000	1.6	0.3	1.9	PASS
5988.250000	1.6	0.4	1.9	PASS
5981.750000	1.6	0.4	1.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (5985 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
5985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
5968.750000	1.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
5968.750000	1.6	0.0	1.6	PASS
5953.750000	1.6	0.0	1.6	PASS
6180.250000	-38.4	0.0	-38.4	PASS
6171.750000	-38.4	0.0	-38.4	PASS
6164.250000	-38.4	0.0	-38.4	PASS
6150.750000	-38.4	0.0	-38.4	PASS
6139.750000	-38.5	0.1	-38.4	PASS
5987.250000	1.5	0.1	1.6	PASS
6174.750000	-38.5	0.1	-38.4	PASS
6138.750000	-38.5	0.1	-38.4	PASS
6175.750000	-38.5	0.1	-38.4	PASS
6155.250000	-38.5	0.1	-38.4	PASS
6139.250000	-38.5	0.1	-38.4	PASS
6158.250000	-38.5	0.1	-38.4	PASS
6179.750000	-38.5	0.1	-38.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.18500 GHz	6.18500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6136.750000	0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6163.750000	0.8	0.1	0.8	PASS
6108.250000	0.8	0.1	0.8	PASS
6130.250000	0.7	0.1	0.8	PASS
6167.250000	0.7	0.1	0.8	PASS
6107.250000	0.7	0.1	0.8	PASS
6147.750000	0.7	0.2	0.8	PASS
6110.750000	0.7	0.2	0.8	PASS
6151.250000	0.7	0.2	0.8	PASS
6132.750000	0.6	0.2	0.8	PASS
6123.250000	0.6	0.2	0.8	PASS
6125.250000	0.6	0.3	0.8	PASS
6143.250000	0.6	0.3	0.8	PASS
6148.750000	0.6	0.3	0.8	PASS
6109.750000	0.6	0.3	0.8	PASS
6146.250000	0.5	0.4	0.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6145 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6145.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6111.250000	0.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6111.250000	0.8	0.0	0.8	PASS
6127.750000	0.7	0.1	0.8	PASS
6143.250000	0.6	0.1	0.8	PASS
6147.750000	0.6	0.1	0.8	PASS
6149.250000	0.5	0.2	0.8	PASS
6112.250000	0.5	0.3	0.8	PASS
6173.750000	0.5	0.3	0.8	PASS
6129.250000	0.5	0.3	0.8	PASS
6117.250000	0.4	0.3	0.8	PASS
6141.750000	0.4	0.3	0.8	PASS
6152.250000	0.4	0.4	0.8	PASS
6108.750000	0.4	0.4	0.8	PASS
6110.250000	0.4	0.4	0.8	PASS
6151.250000	0.4	0.4	0.8	PASS
6110.750000	0.3	0.4	0.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.34500 GHz	6.34500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6386.250000	0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6382.750000	0.6	0.0	0.6	PASS
6365.750000	0.6	0.0	0.6	PASS
6372.750000	0.6	0.0	0.6	PASS
6371.750000	0.6	0.0	0.6	PASS
6367.250000	0.6	0.0	0.6	PASS
6363.750000	0.5	0.1	0.6	PASS
6364.250000	0.5	0.1	0.6	PASS
6393.750000	0.5	0.1	0.6	PASS
6367.750000	0.5	0.1	0.6	PASS
6349.750000	0.5	0.1	0.6	PASS
6407.250000	0.5	0.1	0.6	PASS
6353.750000	0.5	0.1	0.6	PASS
6348.750000	0.5	0.1	0.6	PASS
6351.250000	0.5	0.2	0.6	PASS
6352.750000	0.5	0.2	0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6385 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6385.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6347.750000	1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6371.250000	0.9	0.1	1.0	PASS
6353.750000	0.9	0.1	1.0	PASS
6368.750000	0.9	0.1	1.0	PASS
6354.750000	0.9	0.1	1.0	PASS
6373.750000	0.8	0.2	1.0	PASS
6372.250000	0.8	0.2	1.0	PASS
6349.250000	0.7	0.2	1.0	PASS
6350.250000	0.7	0.3	1.0	PASS
6369.250000	0.7	0.3	1.0	PASS
6354.250000	0.7	0.3	1.0	PASS
6371.750000	0.6	0.4	1.0	PASS
6368.250000	0.6	0.4	1.0	PASS
6381.750000	0.6	0.4	1.0	PASS
6351.750000	0.6	0.4	1.0	PASS
6378.750000	0.6	0.4	1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.18500 GHz	6.18500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6489.250000	-0.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6450.750000	-0.6	0.0	-0.6	PASS
6449.750000	-0.7	0.1	-0.6	PASS
6452.250000	-0.8	0.2	-0.6	PASS
6471.250000	-0.9	0.2	-0.6	PASS
6471.750000	-0.9	0.3	-0.6	PASS
6469.250000	-0.9	0.3	-0.6	PASS
6448.750000	-0.9	0.3	-0.6	PASS
6463.750000	-1.0	0.4	-0.6	PASS
6432.250000	-1.0	0.4	-0.6	PASS
6473.250000	-1.1	0.4	-0.6	PASS
6468.750000	-1.1	0.5	-0.6	PASS
6455.750000	-1.1	0.5	-0.6	PASS
6482.750000	-1.1	0.5	-0.6	PASS
6459.750000	-1.1	0.5	-0.6	PASS
6487.750000	-1.1	0.5	-0.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6465 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6465.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6433.250000	-0.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6433.250000	-0.4	0.0	-0.4	PASS
6468.750000	-0.5	0.1	-0.4	PASS
6440.250000	-0.7	0.3	-0.4	PASS
6452.750000	-0.7	0.3	-0.4	PASS
6427.250000	-0.8	0.4	-0.4	PASS
6446.250000	-0.8	0.4	-0.4	PASS
6450.250000	-0.8	0.4	-0.4	PASS
6433.750000	-0.8	0.4	-0.4	PASS
6454.250000	-0.9	0.5	-0.4	PASS
6455.250000	-0.9	0.5	-0.4	PASS
6432.250000	-0.9	0.5	-0.4	PASS
6469.250000	-0.9	0.5	-0.4	PASS
6453.250000	-0.9	0.5	-0.4	PASS
6430.250000	-1.0	0.6	-0.4	PASS
6429.250000	-1.0	0.6	-0.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	6.66500 GHz	6.66500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6552.250000	1.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6553.250000	0.9	0.1	1.0	PASS
6572.750000	0.8	0.2	1.0	PASS
6507.750000	0.8	0.2	1.0	PASS
6567.250000	0.7	0.2	1.0	PASS
6512.750000	0.7	0.2	1.0	PASS
6570.750000	0.7	0.2	1.0	PASS
6530.250000	0.7	0.3	1.0	PASS
6508.750000	0.7	0.3	1.0	PASS
6523.750000	0.7	0.3	1.0	PASS
6540.750000	0.7	0.3	1.0	PASS
6568.750000	0.6	0.3	1.0	PASS
6577.750000	0.6	0.3	1.0	PASS
6514.750000	0.6	0.3	1.0	PASS
6548.250000	0.6	0.4	1.0	PASS
6537.250000	0.6	0.4	1.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6545 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6545.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6551.250000	0.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6567.250000	0.7	0.2	0.9	PASS
6553.250000	0.7	0.2	0.9	PASS
6530.250000	0.6	0.2	0.9	PASS
6543.250000	0.6	0.3	0.9	PASS
6540.250000	0.6	0.3	0.9	PASS
6547.250000	0.6	0.3	0.9	PASS
6548.750000	0.6	0.3	0.9	PASS
6531.750000	0.6	0.3	0.9	PASS
6549.750000	0.6	0.3	0.9	PASS
6565.750000	0.5	0.3	0.9	PASS
6534.250000	0.5	0.3	0.9	PASS
6558.750000	0.5	0.3	0.9	PASS
6509.750000	0.5	0.4	0.9	PASS
6554.750000	0.5	0.4	0.9	PASS
6578.750000	0.5	0.4	0.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.34500 GHz	6.34500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6591.750000	2.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6591.750000	2.5	0.0	2.5	PASS
6594.250000	2.4	0.0	2.5	PASS
6591.250000	2.4	0.1	2.5	PASS
6593.250000	2.4	0.1	2.5	PASS
6588.250000	2.3	0.2	2.5	PASS
6609.750000	2.3	0.2	2.5	PASS
6610.750000	2.3	0.2	2.5	PASS
6638.750000	2.3	0.2	2.5	PASS
6588.750000	2.2	0.2	2.5	PASS
6652.750000	2.2	0.3	2.5	PASS
6656.750000	2.2	0.3	2.5	PASS
6611.750000	2.2	0.3	2.5	PASS
6589.750000	2.2	0.3	2.5	PASS
6590.250000	2.2	0.3	2.5	PASS
6624.250000	2.2	0.3	2.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6625 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6625.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6591.250000	3.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6627.250000	3.2	0.0	3.3	PASS
6628.750000	3.2	0.0	3.3	PASS
6591.750000	3.2	0.1	3.3	PASS
6590.250000	3.1	0.2	3.3	PASS
6636.750000	3.0	0.2	3.3	PASS
6627.750000	3.0	0.2	3.3	PASS
6589.750000	3.0	0.2	3.3	PASS
6648.250000	3.0	0.2	3.3	PASS
6632.250000	3.0	0.3	3.3	PASS
6630.750000	3.0	0.3	3.3	PASS
6608.750000	3.0	0.3	3.3	PASS
6589.250000	3.0	0.3	3.3	PASS
6626.250000	3.0	0.3	3.3	PASS
6660.250000	3.0	0.3	3.3	PASS
6596.250000	3.0	0.3	3.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	6.82500 GHz	6.82500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6693.250000	3.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6693.250000	3.2	0.0	3.2	PASS
6701.750000	3.0	0.2	3.2	PASS
6709.750000	2.9	0.3	3.2	PASS
6687.750000	2.9	0.3	3.2	PASS
6668.250000	2.9	0.3	3.2	PASS
6686.750000	2.8	0.4	3.2	PASS
6715.250000	2.8	0.4	3.2	PASS
6674.250000	2.8	0.4	3.2	PASS
6690.250000	2.8	0.4	3.2	PASS
6712.250000	2.8	0.4	3.2	PASS
6669.250000	2.8	0.4	3.2	PASS
6710.750000	2.8	0.4	3.2	PASS
6672.750000	2.7	0.5	3.2	PASS
6728.250000	2.7	0.5	3.2	PASS
6695.750000	2.7	0.5	3.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6705 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6705.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6708.250000	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6708.250000	3.6	0.0	3.6	PASS
6694.750000	3.5	0.1	3.6	PASS
6675.750000	3.5	0.1	3.6	PASS
6668.750000	3.4	0.2	3.6	PASS
6691.250000	3.4	0.2	3.6	PASS
6677.750000	3.4	0.2	3.6	PASS
6710.250000	3.3	0.3	3.6	PASS
6669.750000	3.3	0.3	3.6	PASS
6677.250000	3.3	0.3	3.6	PASS
6683.250000	3.3	0.3	3.6	PASS
6689.750000	3.2	0.4	3.6	PASS
6728.750000	3.2	0.4	3.6	PASS
6685.750000	3.2	0.4	3.6	PASS
6667.250000	3.1	0.5	3.6	PASS
6703.750000	3.1	0.5	3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.50500 GHz	6.50500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6751.250000	3.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6794.750000	3.5	0.1	3.6	PASS
6793.750000	3.5	0.2	3.6	PASS
6807.750000	3.4	0.2	3.6	PASS
6820.750000	3.4	0.2	3.6	PASS
6819.750000	3.4	0.2	3.6	PASS
6802.250000	3.4	0.2	3.6	PASS
6820.250000	3.3	0.3	3.6	PASS
6796.750000	3.3	0.3	3.6	PASS
6788.750000	3.3	0.3	3.6	PASS
6791.250000	3.3	0.3	3.6	PASS
6773.250000	3.3	0.3	3.6	PASS
6813.750000	3.3	0.3	3.6	PASS
6791.750000	3.3	0.4	3.6	PASS
6814.250000	3.2	0.4	3.6	PASS
6816.750000	3.2	0.4	3.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6785 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6785.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6810.750000	4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6812.750000	3.8	0.2	4.0	PASS
6797.750000	3.8	0.2	4.0	PASS
6808.250000	3.8	0.2	4.0	PASS
6809.750000	3.7	0.2	4.0	PASS
6821.250000	3.7	0.3	4.0	PASS
6795.750000	3.6	0.3	4.0	PASS
6767.250000	3.6	0.4	4.0	PASS
6807.250000	3.6	0.4	4.0	PASS
6798.250000	3.6	0.4	4.0	PASS
6794.750000	3.6	0.4	4.0	PASS
6820.750000	3.6	0.4	4.0	PASS
6807.750000	3.6	0.4	4.0	PASS
6776.250000	3.6	0.4	4.0	PASS
6806.750000	3.6	0.4	4.0	PASS
6789.250000	3.6	0.4	4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	6.98500 GHz	6.98500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6858.750000	5.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6858.750000	5.6	0.0	5.6	PASS
6851.750000	5.4	0.3	5.6	PASS
6869.250000	5.3	0.3	5.6	PASS
6857.250000	5.3	0.3	5.6	PASS
6894.250000	5.3	0.3	5.6	PASS
6863.250000	5.2	0.4	5.6	PASS
6835.250000	5.2	0.4	5.6	PASS
6868.750000	5.2	0.4	5.6	PASS
6844.750000	5.1	0.5	5.6	PASS
6834.750000	5.1	0.5	5.6	PASS
6830.250000	5.1	0.5	5.6	PASS
6860.750000	5.1	0.6	5.6	PASS
6835.750000	5.1	0.6	5.6	PASS
6851.250000	5.1	0.6	5.6	PASS
6837.250000	5.1	0.6	5.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6865 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6865.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6831.750000	5.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6831.750000	5.5	0.0	5.5	PASS
6959.750000	-26.9	0.0	-26.9	PASS
6963.250000	-28.0	0.0	-28.0	PASS
6968.750000	-29.7	0.0	-29.6	PASS
6856.250000	5.4	0.1	5.5	PASS
6968.250000	-29.6	0.1	-29.5	PASS
6988.250000	-34.6	0.1	-34.5	PASS
6967.750000	-29.5	0.1	-29.3	PASS
6962.250000	-27.8	0.2	-27.7	PASS
6829.250000	5.3	0.2	5.5	PASS
6971.750000	-30.7	0.2	-30.5	PASS
6838.250000	5.3	0.2	5.5	PASS
6964.750000	-28.6	0.2	-28.4	PASS
6833.750000	5.3	0.2	5.5	PASS
6849.250000	5.3	0.3	5.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.66500 GHz	6.66500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6981.750000	4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6961.250000	4.4	0.1	4.5	PASS
6975.250000	4.4	0.1	4.5	PASS
6977.750000	4.4	0.2	4.5	PASS
6970.250000	4.4	0.2	4.5	PASS
6958.250000	4.4	0.2	4.5	PASS
6963.750000	4.3	0.3	4.5	PASS
6973.750000	4.3	0.3	4.5	PASS
6982.750000	4.2	0.3	4.5	PASS
6975.750000	4.2	0.3	4.5	PASS
6949.750000	4.2	0.3	4.5	PASS
6964.250000	4.2	0.3	4.5	PASS
6966.250000	4.2	0.4	4.5	PASS
6971.750000	4.1	0.4	4.5	PASS
6958.750000	4.1	0.4	4.5	PASS
6965.250000	4.1	0.4	4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6945 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6945.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6973.250000	5.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6973.250000	5.2	0.0	5.2	PASS
6971.250000	5.2	0.0	5.2	PASS
6977.250000	5.1	0.1	5.2	PASS
6954.250000	5.0	0.2	5.2	PASS
6980.750000	4.9	0.3	5.2	PASS
6980.250000	4.9	0.3	5.2	PASS
6974.750000	4.8	0.4	5.2	PASS
6962.750000	4.8	0.4	5.2	PASS
6953.250000	4.8	0.4	5.2	PASS
6982.750000	4.8	0.4	5.2	PASS
6963.750000	4.8	0.4	5.2	PASS
6958.250000	4.8	0.4	5.2	PASS
6982.250000	4.7	0.5	5.2	PASS
6940.250000	4.6	0.5	5.2	PASS
6970.750000	4.6	0.5	5.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.74500 GHz	6.74500 GHz
Stop Frequency	7.14500 GHz	7.14500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7000.750000	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6988.750000	4.0	0.0	4.1	PASS
7003.750000	4.0	0.1	4.1	PASS
7017.750000	4.0	0.1	4.1	PASS
7005.250000	3.9	0.1	4.1	PASS
6993.250000	3.9	0.1	4.1	PASS
7010.250000	3.9	0.2	4.1	PASS
7020.250000	3.9	0.2	4.1	PASS
7000.250000	3.9	0.2	4.1	PASS
6999.750000	3.9	0.2	4.1	PASS
7008.250000	3.9	0.2	4.1	PASS
6994.250000	3.8	0.2	4.1	PASS
7022.250000	3.8	0.2	4.1	PASS
7006.750000	3.8	0.3	4.1	PASS
7009.750000	3.8	0.3	4.1	PASS
7013.250000	3.8	0.3	4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (7025 MHz; 11be80 (80 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
7025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7011.250000	4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7030.750000	4.0	0.0	4.0	PASS
6996.250000	3.9	0.1	4.0	PASS
6995.750000	3.9	0.2	4.0	PASS
6992.250000	3.8	0.2	4.0	PASS
6990.250000	3.8	0.2	4.0	PASS
7008.750000	3.8	0.2	4.0	PASS
7009.750000	3.7	0.4	4.0	PASS
6993.750000	3.6	0.4	4.0	PASS
6997.250000	3.6	0.4	4.0	PASS
7004.750000	3.6	0.4	4.0	PASS
7012.250000	3.5	0.5	4.0	PASS
7002.250000	3.5	0.5	4.0	PASS
7015.250000	3.5	0.5	4.0	PASS
7000.250000	3.5	0.5	4.0	PASS
6998.750000	3.5	0.5	4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.82500 GHz	6.82500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	400.000 MHz	400.000 MHz
RBW	1.000 MHz	~ 800.000 kHz
VBW	3.000 MHz	~ 3.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6088.500000	6.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6087.500000	6.2	0.4	6.6	PASS
5971.500000	6.2	0.4	6.6	PASS
6089.500000	6.1	0.5	6.6	PASS
6067.500000	6.1	0.5	6.6	PASS
6046.500000	6.1	0.5	6.6	PASS
6092.500000	6.1	0.5	6.6	PASS
6090.500000	6.0	0.6	6.6	PASS
6091.500000	6.0	0.6	6.6	PASS
6068.500000	6.0	0.6	6.6	PASS
6071.500000	5.9	0.7	6.6	PASS
6086.500000	5.9	0.7	6.6	PASS
6069.500000	5.9	0.7	6.6	PASS
6085.500000	5.8	0.8	6.6	PASS
6073.500000	5.8	0.8	6.6	PASS
5965.500000	5.8	0.8	6.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6025 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6025.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6055.500000	5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6055.500000	5.9	0.0	5.9	PASS
6053.500000	5.9	0.0	5.9	PASS
6094.500000	5.8	0.2	5.9	PASS
6071.500000	5.7	0.2	5.9	PASS
6069.500000	5.7	0.2	5.9	PASS
6052.500000	5.6	0.3	5.9	PASS
6073.500000	5.6	0.3	5.9	PASS
6054.500000	5.6	0.3	5.9	PASS
6095.500000	5.5	0.4	5.9	PASS
6033.500000	5.5	0.4	5.9	PASS
6057.500000	5.5	0.4	5.9	PASS
6038.500000	5.5	0.4	5.9	PASS
6077.500000	5.5	0.4	5.9	PASS
6051.500000	5.5	0.4	5.9	PASS
6068.500000	5.5	0.4	5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	6.42500 GHz	6.42500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6191.500000	5.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6191.500000	5.7	0.0	5.7	PASS
6128.500000	5.7	0.0	5.7	PASS
6169.500000	5.7	0.0	5.7	PASS
6167.500000	5.7	0.1	5.7	PASS
6256.500000	5.7	0.1	5.7	PASS
6192.500000	5.6	0.1	5.7	PASS
6170.500000	5.6	0.1	5.7	PASS
6253.500000	5.6	0.1	5.7	PASS
6129.500000	5.6	0.1	5.7	PASS
6235.500000	5.6	0.2	5.7	PASS
6247.500000	5.6	0.2	5.7	PASS
6215.500000	5.5	0.2	5.7	PASS
6189.500000	5.5	0.2	5.7	PASS
6171.500000	5.5	0.2	5.7	PASS
6207.500000	5.5	0.2	5.7	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6185 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6185.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6171.500000	5.9

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6193.500000	5.6	0.3	5.9	PASS
6229.500000	5.6	0.3	5.9	PASS
6114.500000	5.6	0.3	5.9	PASS
6231.500000	5.5	0.3	5.9	PASS
6212.500000	5.5	0.4	5.9	PASS
6156.500000	5.5	0.4	5.9	PASS
6150.500000	5.5	0.4	5.9	PASS
6129.500000	5.5	0.4	5.9	PASS
6152.500000	5.5	0.4	5.9	PASS
6210.500000	5.5	0.4	5.9	PASS
6153.500000	5.5	0.4	5.9	PASS
6176.500000	5.5	0.4	5.9	PASS
6191.500000	5.4	0.4	5.9	PASS
6131.500000	5.4	0.5	5.9	PASS
6113.500000	5.4	0.5	5.9	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	6.58500 GHz	6.58500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6358.500000	6.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6358.500000	6.2	0.0	6.2	PASS
6361.500000	6.1	0.1	6.2	PASS
6341.500000	6.1	0.1	6.2	PASS
6365.500000	6.1	0.1	6.2	PASS
6349.500000	6.1	0.1	6.2	PASS
6348.500000	6.0	0.2	6.2	PASS
6342.500000	6.0	0.2	6.2	PASS
6319.500000	6.0	0.2	6.2	PASS
6337.500000	6.0	0.2	6.2	PASS
6363.500000	6.0	0.2	6.2	PASS
6407.500000	5.9	0.2	6.2	PASS
6277.500000	5.9	0.3	6.2	PASS
6366.500000	5.9	0.3	6.2	PASS
6271.500000	5.9	0.3	6.2	PASS
6272.500000	5.9	0.3	6.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6345 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6345.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6271.500000	6.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6268.500000	6.3	0.3	6.5	PASS
6272.500000	6.2	0.3	6.5	PASS
6328.500000	6.2	0.4	6.5	PASS
6270.500000	6.1	0.4	6.5	PASS
6291.500000	6.0	0.5	6.5	PASS
6333.500000	6.0	0.5	6.5	PASS
6331.500000	6.0	0.5	6.5	PASS
6099.500000	-34.0	0.6	-33.5	PASS
6103.500000	-34.0	0.6	-33.5	PASS
6332.500000	6.0	0.6	6.5	PASS
6351.500000	5.9	0.6	6.5	PASS
6334.500000	5.8	0.7	6.5	PASS
6289.500000	5.8	0.7	6.5	PASS
6315.500000	5.8	0.7	6.5	PASS
6269.500000	5.8	0.7	6.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	6.74500 GHz	6.74500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6489.500000	4.6

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6489.500000	4.6	0.0	4.6	PASS
6527.500000	4.5	0.0	4.6	PASS
6485.500000	4.5	0.0	4.6	PASS
6509.500000	4.5	0.1	4.6	PASS
6488.500000	4.5	0.1	4.6	PASS
6529.500000	4.4	0.1	4.6	PASS
6568.500000	4.4	0.2	4.6	PASS
6508.500000	4.3	0.2	4.6	PASS
6569.500000	4.3	0.3	4.6	PASS
6525.500000	4.2	0.3	4.6	PASS
6566.500000	4.2	0.3	4.6	PASS
6486.500000	4.2	0.3	4.6	PASS
6528.500000	4.2	0.3	4.6	PASS
6510.500000	4.2	0.3	4.6	PASS
6526.500000	4.2	0.3	4.6	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6505 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6505.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6530.500000	4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6530.500000	4.0	0.0	4.0	PASS
6571.500000	3.9	0.1	4.0	PASS
6567.500000	3.9	0.1	4.0	PASS
6509.500000	3.9	0.1	4.0	PASS
6572.500000	3.8	0.2	4.0	PASS
6508.500000	3.8	0.2	4.0	PASS
6554.500000	3.8	0.2	4.0	PASS
6469.500000	3.8	0.2	4.0	PASS
6550.500000	3.8	0.2	4.0	PASS
6490.500000	3.8	0.2	4.0	PASS
6449.500000	3.8	0.2	4.0	PASS
6529.500000	3.7	0.2	4.0	PASS
6566.500000	3.7	0.3	4.0	PASS
6565.500000	3.7	0.3	4.0	PASS
6533.500000	3.7	0.3	4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6591.500000	6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6591.500000	6.0	0.0	6.0	PASS
6628.500000	6.0	0.1	6.0	PASS
6693.500000	5.9	0.1	6.0	PASS
6608.500000	5.9	0.1	6.0	PASS
6590.500000	5.9	0.1	6.0	PASS
6691.500000	5.9	0.2	6.0	PASS
6589.500000	5.8	0.2	6.0	PASS
6675.500000	5.8	0.2	6.0	PASS
6690.500000	5.7	0.3	6.0	PASS
6592.500000	5.7	0.3	6.0	PASS
6634.500000	5.7	0.4	6.0	PASS
6689.500000	5.6	0.4	6.0	PASS
6715.500000	5.6	0.4	6.0	PASS
6630.500000	5.6	0.4	6.0	PASS
6739.500000	5.6	0.4	6.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6665 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6665.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6725.500000	6.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6725.500000	6.0	0.0	6.0	PASS
6742.500000	6.0	0.0	6.0	PASS
6649.500000	5.9	0.0	6.0	PASS
6684.500000	5.9	0.1	6.0	PASS
6741.500000	5.8	0.2	6.0	PASS
6722.500000	5.8	0.2	6.0	PASS
6687.500000	5.8	0.2	6.0	PASS
6685.500000	5.8	0.2	6.0	PASS
6724.500000	5.8	0.2	6.0	PASS
6688.500000	5.7	0.2	6.0	PASS
6686.500000	5.7	0.2	6.0	PASS
6721.500000	5.7	0.3	6.0	PASS
6702.500000	5.7	0.3	6.0	PASS
6740.500000	5.6	0.3	6.0	PASS
6683.500000	5.6	0.4	6.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.26500 GHz	6.26500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6821.500000	5.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6816.500000	4.9	0.1	5.0	PASS
6840.500000	4.9	0.2	5.0	PASS
6843.500000	4.9	0.2	5.0	PASS
6800.500000	4.9	0.2	5.0	PASS
6820.500000	4.8	0.2	5.0	PASS
6818.500000	4.8	0.2	5.0	PASS
6778.500000	4.7	0.3	5.0	PASS
6819.500000	4.7	0.3	5.0	PASS
6801.500000	4.7	0.3	5.0	PASS
6839.500000	4.7	0.4	5.0	PASS
6833.500000	4.7	0.4	5.0	PASS
6822.500000	4.7	0.4	5.0	PASS
6844.500000	4.6	0.4	5.0	PASS
6836.500000	4.6	0.4	5.0	PASS
6815.500000	4.6	0.4	5.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6825 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6825.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6798.500000	5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6798.500000	5.4	0.0	5.4	PASS
6779.500000	5.3	0.1	5.4	PASS
6815.500000	5.2	0.2	5.4	PASS
6796.500000	5.1	0.3	5.4	PASS
6800.500000	5.1	0.3	5.4	PASS
6799.500000	5.0	0.4	5.4	PASS
6797.500000	5.0	0.4	5.4	PASS
6814.500000	4.9	0.5	5.4	PASS
6816.500000	4.9	0.5	5.4	PASS
6780.500000	4.8	0.6	5.4	PASS
6795.500000	4.8	0.6	5.4	PASS
6794.500000	4.8	0.6	5.4	PASS
6820.500000	4.7	0.7	5.4	PASS
6793.500000	4.7	0.7	5.4	PASS
6836.500000	4.7	0.7	5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.42500 GHz	6.42500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6988.500000	4.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6988.500000	4.5	0.0	4.5	PASS
6966.500000	4.5	0.1	4.5	PASS
6968.500000	4.3	0.2	4.5	PASS
6989.500000	4.3	0.3	4.5	PASS
6969.500000	4.3	0.3	4.5	PASS
6991.500000	4.3	0.3	4.5	PASS
6971.500000	4.2	0.3	4.5	PASS
6925.500000	4.2	0.3	4.5	PASS
6963.500000	4.2	0.3	4.5	PASS
6990.500000	4.2	0.4	4.5	PASS
6972.500000	4.1	0.4	4.5	PASS
7008.500000	4.1	0.5	4.5	PASS
6987.500000	4.1	0.5	4.5	PASS
6949.500000	4.1	0.5	4.5	PASS
6948.500000	4.0	0.5	4.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6985 MHz; 11be160 (160 MHz)) - Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6985.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
7010.500000	4.2

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
7010.500000	4.2	0.0	4.2	PASS
6991.500000	4.2	0.0	4.2	PASS
6969.500000	4.1	0.1	4.2	PASS
6988.500000	4.1	0.1	4.2	PASS
6990.500000	3.9	0.3	4.2	PASS
6992.500000	3.9	0.3	4.2	PASS
6989.500000	3.8	0.4	4.2	PASS
7027.500000	3.8	0.4	4.2	PASS
6996.500000	3.8	0.4	4.2	PASS
7009.500000	3.8	0.4	4.2	PASS
6971.500000	3.7	0.4	4.2	PASS
6928.500000	3.7	0.5	4.2	PASS
6968.500000	3.7	0.5	4.2	PASS
6970.500000	3.7	0.5	4.2	PASS
7029.500000	3.7	0.5	4.2	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.58500 GHz	6.58500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	800.000 MHz	800.000 MHz
RBW	2.000 MHz	~ 1.600 MHz
VBW	5.000 MHz	~ 6.000 MHz
SweepPoints	800	~ 800
SweepTime	1.000 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6088.505155	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6109.498594	4.4	0.0	4.4	PASS
6087.005623	4.4	0.0	4.4	PASS
6090.004686	4.3	0.1	4.4	PASS
6149.985942	4.3	0.1	4.4	PASS
6127.492971	4.2	0.2	4.4	PASS
6070.510778	4.2	0.2	4.4	PASS
6172.478913	4.2	0.2	4.4	PASS
6091.504217	4.2	0.2	4.4	PASS
6113.997188	4.1	0.2	4.4	PASS
6212.966261	4.1	0.2	4.4	PASS
6067.511715	4.1	0.3	4.4	PASS
6072.010309	4.1	0.3	4.4	PASS
6128.992502	4.1	0.3	4.4	PASS
6155.984067	4.1	0.3	4.4	PASS
6110.998126	4.1	0.3	4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6105 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6105.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6075.009372	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6075.009372	4.1	0.0	4.1	PASS
6069.011246	4.0	0.1	4.1	PASS
6052.516401	4.0	0.1	4.1	PASS
6072.010309	4.0	0.2	4.1	PASS
6235.459231	3.9	0.2	4.1	PASS
6094.503280	3.9	0.2	4.1	PASS
6090.004686	3.9	0.2	4.1	PASS
6070.510778	3.9	0.2	4.1	PASS
6076.508903	3.9	0.2	4.1	PASS
6073.509841	3.9	0.2	4.1	PASS
6091.504217	3.9	0.3	4.1	PASS
6110.998126	3.9	0.3	4.1	PASS
6173.978444	3.9	0.3	4.1	PASS
6250.454545	3.9	0.3	4.1	PASS
6154.484536	3.8	0.3	4.1	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.30500 GHz	5.30500 GHz
Stop Frequency	6.90500 GHz	6.90500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6256.002812	5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6256.002812	5.4	0.0	5.4	PASS
6227.511715	5.3	0.0	5.4	PASS
6235.009372	5.3	0.1	5.4	PASS
6257.502343	5.3	0.1	5.4	PASS
6233.509841	5.3	0.1	5.4	PASS
6245.506092	5.2	0.1	5.4	PASS
6238.008435	5.2	0.2	5.4	PASS
6250.004686	5.2	0.2	5.4	PASS
6236.508903	5.1	0.2	5.4	PASS
6253.003749	5.1	0.3	5.4	PASS
6214.015933	5.1	0.3	5.4	PASS
6232.010309	5.1	0.3	5.4	PASS
6193.022493	5.1	0.3	5.4	PASS
6230.510778	5.1	0.3	5.4	PASS
6209.517338	5.0	0.3	5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6265 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6265.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6254.503280	5.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6233.509841	5.4	0.0	5.4	PASS
6235.009372	5.3	0.1	5.4	PASS
6230.510778	5.3	0.1	5.4	PASS
6232.010309	5.2	0.2	5.4	PASS
6251.504217	5.2	0.2	5.4	PASS
6253.003749	5.2	0.2	5.4	PASS
6269.498594	5.1	0.3	5.4	PASS
6214.015933	5.1	0.3	5.4	PASS
6212.516401	5.1	0.3	5.4	PASS
6229.011246	5.1	0.3	5.4	PASS
6250.004686	5.1	0.3	5.4	PASS
6169.029991	5.1	0.3	5.4	PASS
6245.506092	5.1	0.3	5.4	PASS
6175.028116	5.1	0.3	5.4	PASS
6209.517338	5.1	0.3	5.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.46500 GHz	5.46500 GHz
Stop Frequency	7.06500 GHz	7.06500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6489.479850	4.0

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6466.986879	4.0	0.0	4.0	PASS
6486.480787	3.9	0.1	4.0	PASS
6511.972821	3.9	0.1	4.0	PASS
6359.020619	3.9	0.1	4.0	PASS
6362.019681	3.9	0.1	4.0	PASS
6487.980319	3.9	0.1	4.0	PASS
6360.520150	3.9	0.1	4.0	PASS
6363.519213	3.9	0.1	4.0	PASS
6468.486410	3.9	0.2	4.0	PASS
6529.967198	3.9	0.2	4.0	PASS
6323.031865	3.8	0.2	4.0	PASS
6341.026242	3.8	0.2	4.0	PASS
6381.513590	3.8	0.2	4.0	PASS
6528.467666	3.8	0.2	4.0	PASS
6320.032802	3.8	0.2	4.0	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6425 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6425.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6330.529522	4.4

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6330.529522	4.4	0.0	4.4	PASS
6270.548266	4.4	0.0	4.4	PASS
6269.048735	4.3	0.2	4.4	PASS
6353.022493	4.2	0.2	4.4	PASS
6329.029991	4.2	0.2	4.4	PASS
6272.047798	4.2	0.2	4.4	PASS
6311.035614	4.2	0.2	4.4	PASS
6332.029053	4.2	0.2	4.4	PASS
6288.542643	4.2	0.3	4.4	PASS
6273.547329	4.1	0.3	4.4	PASS
6276.546392	4.1	0.3	4.4	PASS
6350.023430	4.1	0.3	4.4	PASS
6327.530459	4.1	0.3	4.4	PASS
6369.517338	4.1	0.3	4.4	PASS
6294.540769	4.1	0.3	4.4	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.62500 GHz	5.62500 GHz
Stop Frequency	7.22500 GHz	7.22500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6611.991565	4.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6611.991565	4.8	0.0	4.8	PASS
6613.491097	4.8	0.1	4.8	PASS
6589.498594	4.8	0.1	4.8	PASS
6610.492034	4.7	0.1	4.8	PASS
6631.485473	4.7	0.1	4.8	PASS
6525.018744	4.7	0.2	4.8	PASS
6529.517338	4.7	0.2	4.8	PASS
6570.004686	4.7	0.2	4.8	PASS
6590.998126	4.6	0.2	4.8	PASS
6607.492971	4.6	0.2	4.8	PASS
6689.967198	4.6	0.3	4.8	PASS
6549.011246	4.6	0.3	4.8	PASS
6571.504217	4.6	0.3	4.8	PASS
6489.029991	4.6	0.3	4.8	PASS
6713.959700	4.5	0.3	4.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6585 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6585.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6724.456420	4.8

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6686.968135	4.8	0.0	4.8	PASS
6564.006560	4.8	0.0	4.8	PASS
6683.969072	4.7	0.1	4.8	PASS
6590.998126	4.7	0.1	4.8	PASS
6707.961575	4.7	0.1	4.8	PASS
6605.993440	4.7	0.1	4.8	PASS
6721.457357	4.6	0.1	4.8	PASS
6725.955951	4.6	0.2	4.8	PASS
6722.956888	4.6	0.2	4.8	PASS
6608.992502	4.6	0.2	4.8	PASS
6685.468604	4.6	0.2	4.8	PASS
6631.485473	4.6	0.2	4.8	PASS
6740.951265	4.6	0.2	4.8	PASS
6644.981256	4.6	0.2	4.8	PASS
6611.991565	4.5	0.3	4.8	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.78500 GHz	5.78500 GHz
Stop Frequency	7.38500 GHz	7.38500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	1.600 ms	AUTO
Reference Level	10.000 dBm	0.000 dBm
Attenuation	20.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6745.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6819.976570	3.5

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6819.976570	3.5	0.0	3.5	PASS
6798.983130	3.4	0.1	3.5	PASS
6821.476101	3.4	0.1	3.5	PASS
6801.982193	3.4	0.1	3.5	PASS
6818.477038	3.4	0.1	3.5	PASS
6800.482662	3.3	0.1	3.5	PASS
6797.483599	3.3	0.1	3.5	PASS
6840.970009	3.2	0.3	3.5	PASS
6795.984067	3.2	0.3	3.5	PASS
6842.469541	3.2	0.3	3.5	PASS
6816.977507	3.2	0.3	3.5	PASS
6815.477976	3.1	0.3	3.5	PASS
6776.490159	3.1	0.3	3.5	PASS
6843.969072	3.1	0.3	3.5	PASS
6839.470478	3.1	0.3	3.5	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6745 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.

Result


DUT Frequency (MHz)	Result
6745.000000	PASS

Inband Peak

Frequency (MHz)	Level (dBm)
6800.482662	4.1

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6800.482662	4.1	0.0	4.1	PASS
6797.483599	4.1	0.1	4.1	PASS
6798.983130	4.1	0.1	4.1	PASS
6782.488285	3.9	0.3	4.1	PASS
6816.977507	3.9	0.3	4.1	PASS
6779.489222	3.8	0.3	4.1	PASS
6780.988754	3.8	0.3	4.1	PASS
6795.984067	3.8	0.4	4.1	PASS
6815.477976	3.7	0.4	4.1	PASS
6818.477038	3.7	0.5	4.1	PASS
6801.982193	3.7	0.5	4.1	PASS
6777.989691	3.6	0.5	4.1	PASS
6762.994377	3.5	0.7	4.1	PASS
6813.978444	3.5	0.7	4.1	PASS
6803.481724	3.5	0.7	4.1	PASS



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	5.94500 GHz	5.94500 GHz
Stop Frequency	7.54500 GHz	7.54500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) - Ant0

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6819.526710	3.7

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6819.526710	3.7	0.0	3.7	PASS
6384.662605	-36.3	0.0	-36.3	PASS
6818.027179	3.7	0.0	3.7	PASS
6378.664480	-36.3	0.0	-36.3	PASS
6387.661668	-36.4	0.1	-36.3	PASS
6381.663543	-36.4	0.1	-36.3	PASS
6842.019681	3.6	0.1	3.7	PASS
6383.163074	-36.5	0.1	-36.3	PASS
6840.520150	3.5	0.2	3.7	PASS
6821.026242	3.5	0.2	3.7	PASS
6798.533271	3.5	0.2	3.7	PASS
6386.162137	-36.5	0.2	-36.3	PASS
6816.527648	3.5	0.2	3.7	PASS
6860.014058	3.5	0.2	3.7	PASS
6380.164011	-36.5	0.2	-36.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off

In-Band Emissions (6905 MHz; 11be320 (320 MHz)) – Ant1

Customized settings.

Result

DUT Frequency (MHz)	Result
6905.000000	PASS


Inband Peak

Frequency (MHz)	Level (dBm)
6798.533271	4.3

Measurements

Frequency (MHz)	Level (dBm)	Margin (dB)	Limit (dBm)	Result
6800.032802	4.3	0.0	4.3	PASS
6780.538894	4.2	0.1	4.3	PASS
6816.527648	4.1	0.1	4.3	PASS
6797.033739	4.1	0.2	4.3	PASS
6795.534208	4.0	0.2	4.3	PASS
6779.039363	4.0	0.3	4.3	PASS
6818.027179	4.0	0.3	4.3	PASS
6815.028116	3.9	0.3	4.3	PASS
6782.038425	3.9	0.3	4.3	PASS
6801.532334	3.9	0.4	4.3	PASS
6819.526710	3.8	0.5	4.3	PASS
6777.539831	3.8	0.5	4.3	PASS
6834.522024	3.8	0.5	4.3	PASS
6813.528585	3.7	0.5	4.3	PASS
6836.021556	3.7	0.6	4.3	PASS

In Band



Measurement 1

Setting	Instrument Value	Target Value
Start Frequency	6.10500 GHz	6.10500 GHz
Stop Frequency	7.70500 GHz	7.70500 GHz
Span	1.600 GHz	1.600 GHz
RBW	3.000 MHz	~ 3.200 MHz
VBW	10.000 MHz	~ 9.000 MHz
SweepPoints	1067	~ 1067
SweepTime	6.400 ms	AUTO
Reference Level	0.000 dBm	0.000 dBm
Attenuation	10.000 dB	AUTO
Detector	RMS	RMS
SweepCount	100	100
Filter	3 dB	3 dB
Trace Mode	Average Power	Average Power
SweepType	Sweep	Sweep
Preamp	off	off