


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH100	5500	26.19	18.80
CH116	5580	26.19	18.70
CH140	5700	25.81	18.70

TX CH100




Date: 10.NOV.2016 00:19:17

TX CH116



Date: 10.NOV.2016 00:20:24

TX CH140




Date: 10.NOV.2016 00:22:10

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH102	5510	42.79	36.20
CH110	5550	42.59	36.20
CH134	5670	44.00	36.20

TX CH102




Date: 10.NOV.2016 00:44:19

TX CH110



Date: 10.NOV.2016 00:46:52

TX CH134




Date: 10.NOV.2016 01:01:24

Test Mode: UNII-3/ TX A Mode_CH149/CH157/CH161


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	16.35	16.70	>=500
CH157	5785	16.50	16.70	>=500
CH161	5805	16.50	16.70	>=500

TX CH 149




Date: 10.NOV.2016 19:54:46

TX CH 157



Date: 10.NOV.2016 19:55:48

TX CH 161




Date: 10.NOV.2016 21:02:22

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH161


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.65	17.80	>=500
CH157	5785	17.39	17.70	>=500
CH161	5805	17.50	17.90	>=500

TX CH 149




Date: 10.NOV.2016 19:57:37

TX CH 157



Date: 10.NOV.2016 19:58:53

TX CH 161




Date: 10.NOV.2016 21:09:03

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	31.59	36.20	≥ 500
CH159	5795	35.00	36.20	≥ 500

TX CH 151



Date: 10.NOV.2016 20:01:07

TX CH 159



Date: 10.NOV.2016 20:03:00

ATTACHMENT F - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	10.22	0.13	10.35	30.00	1.00
CH40	5200	10.65	0.13	10.78	30.00	1.00
CH48	5240	10.69	0.13	10.82	30.00	1.00

Test Mode: UNII-1/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	9.43	0.13	9.56	30.00	1.00
CH40	5200	10.30	0.13	10.43	30.00	1.00
CH48	5240	9.92	0.13	10.05	30.00	1.00

Test Mode: UNII-1/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	12.98	30.00	1.00
CH40	5200	13.62	30.00	1.00
CH48	5240	13.46	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	8.45	0.11	8.56	30.00	1.00
CH40	5200	8.69	0.11	8.80	30.00	1.00
CH48	5240	8.39	0.11	8.50	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	7.27	0.11	7.38	30.00	1.00
CH40	5200	7.72	0.11	7.83	30.00	1.00
CH48	5240	7.29	0.11	7.40	30.00	1.00

Test Mode: UNII-1/TX N20 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	11.02	30.00	1.00
CH40	5200	11.35	30.00	1.00
CH48	5240	11.00	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.62	0.34	8.96	30.00	1.00
CH46	5230	8.24	0.34	8.58	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	7.51	0.34	7.85	30.00	1.00
CH46	5230	7.36	0.34	7.70	30.00	1.00

Test Mode: UNII-1/TX N40 Mode _Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	11.45	30.00	1.00
CH46	5230	11.17	30.00	1.00

Test Mode: UNII-2A/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.33	0.13	10.46	24.00	0.25
CH60	5300	10.30	0.13	10.43	24.00	0.25
CH64	5320	10.42	0.13	10.55	24.00	0.25

Test Mode: UNII-2A/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.07	0.13	10.20	24.00	0.25
CH60	5300	9.17	0.13	9.30	24.00	0.25
CH64	5320	8.95	0.13	9.08	24.00	0.25

Test Mode: UNII-2A/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	13.34	24.00	0.25
CH60	5300	12.91	24.00	0.25
CH64	5320	12.89	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	8.12	0.11	8.23	24.00	0.25
CH60	5300	8.21	0.11	8.32	24.00	0.25
CH64	5320	8.15	0.11	8.26	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	7.44	0.11	7.55	24.00	0.25
CH60	5300	7.35	0.11	7.46	24.00	0.25
CH64	5320	6.88	0.11	6.99	24.00	0.25

Test Mode: UNII-2A/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH52	5260	10.91	24.00	0.25
CH60	5300	10.92	24.00	0.25
CH64	5320	10.68	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	8.16	0.34	8.50	24.00	0.25
CH62	5310	8.31	0.34	8.65	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	7.86	0.34	8.20	24.00	0.25
CH62	5310	7.30	0.34	7.64	24.00	0.25

Test Mode: UNII-2A/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH54	5270	11.36	24.00	0.25
CH62	5310	11.18	24.00	0.25

Test Mode: UNII-2C/TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	10.59	0.13	10.72	24.00	0.25
CH116	5580	9.74	0.13	9.87	24.00	0.25
CH140	5700	9.96	0.13	10.09	24.00	0.25

Test Mode: UNII-2C/TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	9.38	0.13	9.51	24.00	0.25
CH116	5580	10.34	0.13	10.47	24.00	0.25
CH140	5700	10.40	0.13	10.53	24.00	0.25

Test Mode: UNII-2C/TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	13.17	24.00	0.25
CH116	5580	13.19	24.00	0.25
CH140	5700	13.33	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	8.50	0.11	8.61	24.00	0.25
CH116	5580	7.80	0.11	7.91	24.00	0.25
CH140	5700	7.85	0.11	7.96	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	7.62	0.11	7.73	24.00	0.25
CH116	5580	8.35	0.11	8.46	24.00	0.25
CH140	5700	8.36	0.11	8.47	24.00	0.25

Test Mode: UNII-2C/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH100	5500	11.20	24.00	0.25
CH116	5580	11.20	24.00	0.25
CH140	5700	11.23	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	8.52	0.34	8.86	24.00	0.25
CH110	5550	8.69	0.34	9.03	24.00	0.25
CH134	5670	8.16	0.34	8.50	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	7.59	0.34	7.93	24.00	0.25
CH110	5550	7.94	0.34	8.28	24.00	0.25
CH134	5670	8.69	0.34	9.03	24.00	0.25

Test Mode: UNII-2C/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH102	5510	11.43	24.00	0.25
CH110	5550	11.68	24.00	0.25
CH134	5670	11.78	24.00	0.25

Test Mode: UNII-3/ TX A Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	10.24	0.13	10.37	30.00	1.00
CH157	5785	9.42	0.13	9.55	30.00	1.00
CH161	5805	9.93	0.13	10.06	30.00	1.00

Test Mode: UNII-3/ TX A Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	9.33	0.13	9.46	30.00	1.00
CH157	5785	10.46	0.13	10.59	30.00	1.00
CH161	5805	10.33	0.13	10.46	30.00	1.00

Test Mode: UNII-3/ TX A Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	12.95	30.00	1.00
CH157	5785	13.11	30.00	1.00
CH161	5805	13.27	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	7.42	0.11	7.53	30.00	1.00
CH157	5785	7.58	0.11	7.69	30.00	1.00
CH161	5805	8.34	0.11	8.45	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	8.36	0.11	8.47	30.00	1.00
CH157	5785	8.15	0.11	8.26	30.00	1.00
CH161	5805	7.89	0.11	8.00	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	11.04	30.00	1.00
CH157	5785	10.99	30.00	1.00
CH161	5805	11.24	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	7.83	0.34	8.17	30.00	1.00
CH159	5795	7.65	0.34	7.99	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	8.56	0.34	8.90	30.00	1.00
CH159	5795	8.45	0.34	8.79	30.00	1.00


Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	11.56	30.00	1.00
CH159	5795	11.42	30.00	1.00

ATTACHMENT G - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.34	0.13	-2.21	17.00
CH40	5200	-2.54	0.13	-2.41	17.00
CH48	5240	-2.84	0.13	-2.71	17.00




Date: 9.NOV.2016 23:42:05

CH40



Date: 9.NOV.2016 23:46:41


CH48



Date: 9.NOV.2016 23:48:40


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-3.36	0.13	-3.23	17.00
CH40	5200	-3.12	0.13	-2.99	17.00
CH48	5240	-2.46	0.13	-2.33	17.00




Date: 9.NOV.2016 23:59:51

CH40



Date: 10.NOV.2016 00:00:52

CH48




Date: 10.NOV.2016 00:01:43

Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	0.32	17.00
CH40	5200	0.32	17.00
CH48	5240	0.49	17.00


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-4.53	0.11	-4.42	17.00
CH40	5200	-4.66	0.11	-4.55	17.00
CH48	5240	-5.07	0.11	-4.96	17.00




Date: 10.NOV.2016 00:10:01

CH40



Date: 10.NOV.2016 00:11:14


CH48



Date: 10.NOV.2016 00:12:21


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-5.86	0.11	-5.75	17.00
CH40	5200	-5.70	0.11	-5.59	17.00
CH48	5240	-5.19	0.11	-5.08	17.00




Date: 10.NOV.2016 00:24:25

CH40



Date: 10.NOV.2016 00:25:40

CH48



Date: 10.NOV.2016 00:26:47


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	-2.02	17.00
CH40	5200	-2.03	17.00
CH48	5240	-2.01	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-6.90	0.34	-6.56	17.00
CH46	5230	-7.37	0.34	-7.03	17.00

CH38



Date: 10.NOV.2016 00:38:29

CH46




Date: 10.NOV.2016 00:40:02

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-8.30	0.34	-7.96	17.00
CH46	5230	-7.83	0.34	-7.49	17.00

CH38



Date: 10.NOV.2016 00:50:55

CH46




Date: 10.NOV.2016 00:52:16

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-4.20	17.00
CH46	5230	-4.25	17.00

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-3.11	0.13	-2.98	11.00
CH60	5300	-2.97	0.13	-2.84	11.00
CH64	5320	-2.60	0.13	-2.47	11.00



Date: 9.NOV.2016 23:49:43




Date: 9.NOV.2016 23:50:58



Date: 9.NOV.2016 23:53:03


Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-2.56	0.13	-2.43	11.00
CH60	5300	-2.02	0.13	-1.89	11.00
CH64	5320	-1.44	0.13	-1.31	11.00




Date: 10.NOV.2016 00:02:44

CH60



Date: 10.NOV.2016 00:03:41

CH64




Date: 10.NOV.2016 00:04:34

Test Mode: UNII-2A/ TX A Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	0.31	11.00
CH60	5300	0.67	11.00
CH64	5320	1.16	11.00


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-5.27	0.11	-5.16	11.00
CH60	5300	-5.13	0.11	-5.02	11.00
CH64	5320	-5.01	0.11	-4.90	11.00




Date: 10.NOV.2016 00:15:55

CH60



Date: 10.NOV.2016 00:17:20


CH64



Date: 10.NOV.2016 00:18:25


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-4.49	0.11	-4.38	11.00
CH60	5300	-3.92	0.11	-3.81	11.00
CH64	5320	-3.75	0.11	-3.64	11.00




Date: 10.NOV.2016 00:27:45

CH60



Date: 10.NOV.2016 00:28:55

CH64



Date: 10.NOV.2016 00:30:04


Test Mode: UNII-2A/TX N20 Mode_CH52/CH60/CH64_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH52	5260	-1.74	11.00
CH60	5300	-1.36	11.00
CH64	5320	-1.21	11.00

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-8.15	0.34	-7.81	11.00
CH62	5310	-7.51	0.34	-7.17	11.00

CH54



Date: 10.NOV.2016 00:41:27

CH62




Date: 10.NOV.2016 00:43:05

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-7.23	0.34	-6.89	11.00
CH62	5310	-6.09	0.34	-5.75	11.00

CH54



Date: 10.NOV.2016 00:53:47

CH62




Date: 10.NOV.2016 00:55:21

Test Mode: UNII-2A/TX N40 Mode_CH54/CH62_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH54	5270	-4.32	11.00
CH62	5310	-3.39	11.00


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.07	0.13	-1.94	11.00
CH116	5580	-2.00	0.13	-1.87	11.00
CH140	5700	-1.25	0.13	-1.12	11.00




Date: 9.NOV.2016 23:54:40

CH116



Date: 9.NOV.2016 23:55:45


CH140



Date: 9.NOV.2016 23:57:25


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-2.29	0.13	-2.16	11.00
CH116	5580	-1.73	0.13	-1.60	11.00
CH140	5700	-1.29	0.13	-1.16	11.00




Date: 10.NOV.2016 00:05:37

CH116



Date: 10.NOV.2016 00:06:41

CH140



Date: 10.NOV.2016 00:07:52


Test Mode: UNII-2C/ TX A Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	0.96	11.00
CH116	5580	1.28	11.00
CH140	5700	1.87	11.00

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-4.11	0.11	-4.00	11.00
CH116	5580	-3.98	0.11	-3.87	11.00
CH140	5700	-4.56	0.11	-4.45	11.00

CH100




Date: 10.NOV.2016 00:19:26

CH116



Date: 10.NOV.2016 00:20:33

CH140




Date: 10.NOV.2016 00:22:19

Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-4.66	0.11	-4.55	11.00
CH116	5580	-3.56	0.11	-3.45	11.00
CH140	5700	-4.27	0.11	-4.16	11.00

CH100




Date: 10.NOV.2016 00:31:00

CH116



Date: 10.NOV.2016 00:32:05

CH140



Date: 10.NOV.2016 00:33:16


Test Mode: UNII-2C/TX N20 Mode_CH100/CH116/CH140_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH100	5500	-1.26	11.00
CH116	5580	-0.64	11.00
CH140	5700	-1.29	11.00

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-6.59	0.34	-6.25	11.00
CH110	5550	-7.06	0.34	-6.72	11.00
CH134	5670	-6.43	0.34	-6.09	11.00

CH102




Date: 10.NOV.2016 00:44:31

CH110



Date: 10.NOV.2016 00:47:04

CH134




Date: 10.NOV.2016 01:01:36

Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density + Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-7.07	0.34	-6.73	11.00
CH110	5550	-6.24	0.34	-5.90	11.00
CH134	5670	-5.55	0.34	-5.21	11.00

CH102




Date: 10.NOV.2016 00:57:15

CH110



Date: 10.NOV.2016 00:58:39

CH134



Date: 10.NOV.2016 00:59:58


Test Mode: UNII-2C/TX N40 Mode_CH102/CH110/CH134_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH102	5510	-3.48	11.00
CH110	5550	-3.28	11.00
CH134	5670	-2.62	11.00

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH161_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-5.53	0.13	-5.40	30.00
CH157	5785	-4.93	0.13	-4.80	30.00
CH161	5805	-3.95	0.13	-3.82	30.00

TX CH149




Date: 10.NOV.2016 19:54:13

TX CH157



Date: 10.NOV.2016 19:55:57

TX CH161




Date: 10.NOV.2016 21:16:21

Test Mode: UNII-3/TX A Mode_CH149/CH157/CH161_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-4.37	0.13	-4.24	30.00
CH157	5785	-4.46	0.13	-4.33	30.00
CH161	5805	-3.92	0.13	-3.79	30.00

TX CH149




Date: 10.NOV.2016 20:08:27

TX CH157



Date: 10.NOV.2016 20:11:07

TX CH161



Date: 10.NOV.2016 21:15:37


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH161_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-1.77	30.00
CH157	5785	-1.55	30.00
CH161	5805	-0.80	30.00

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH161_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-7.54	0.11	-7.43	30.00
CH157	5785	-7.19	0.11	-7.08	30.00
CH161	5805	-6.03	0.11	-5.92	30.00

TX CH149




Date: 10.NOV.2016 19:57:46

TX CH157



Date: 10.NOV.2016 19:59:02

TX CH161




Date: 10.NOV.2016 21:12:53

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH161_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-6.48	0.11	-6.37	30.00
CH157	5785	-6.64	0.11	-6.53	30.00
CH161	5805	-6.40	0.11	-6.29	30.00

TX CH149




Date: 10.NOV.2016 20:13:53

TX CH157



Date: 10.NOV.2016 20:15:15

TX CH161



Date: 10.NOV.2016 21:14:03


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH161_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	-3.86	30.00
CH157	5785	-3.79	30.00
CH161	5805	-3.09	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-9.54	0.34	-9.20	30.00
CH159	5795	-9.27	0.34	-8.93	30.00

TX CH151



Date: 10.NOV.2016 20:01:19

TX CH159




Date: 10.NOV.2016 20:03:11

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density + Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-8.46	0.34	-8.12	30.00
CH159	5795	-8.73	0.34	-8.39	30.00

TX CH151



Date: 10.NOV.2016 20:17:35

TX CH159



Date: 10.NOV.2016 20:20:26

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-5.62	30.00
CH159	5795	-5.64	30.00

ATTACHMENT H - FREQUENCY STABILITY

Test Mode:	UNII-1
------------	--------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9616
120	5179.9624
108	5179.9628
Max. Deviation (MHz)	0.0384
Max. Deviation (ppm)	7.4131

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9628
5	5179.9632
15	5179.9636
25	5179.9636
35	5179.9640
45	5179.9640
50	5179.9648
Max. Deviation (MHz)	0.0372
Max. Deviation (ppm)	7.1815

Test Mode:	UNII-2A
-------------------	----------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5260.0000
132	5259.9572
120	5259.9588
108	5259.9604
Max. Deviation (MHz)	0.0428
Max. Deviation (ppm)	8.1369

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5260.0000
-5	5259.9616
5	5259.9628
15	5259.9640
25	5259.9648
35	5259.9656
45	5259.9660
50	5259.9664
Max. Deviation (MHz)	0.0384
Max. Deviation (ppm)	7.3004

Test Mode:	UNII-2C
------------	---------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5500.0000
132	5499.9572
120	5499.9588
108	5499.9600
Max. Deviation (MHz)	0.0428
Max. Deviation (ppm)	7.7818

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5500.0000
-5	5499.9608
5	5499.9612
15	5499.9628
25	5499.9632
35	5499.9636
45	5499.9636
50	5499.9636
Max. Deviation (MHz)	0.0392
Max. Deviation (ppm)	7.1273

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9572
120	5744.9592
108	5744.9608
Max. Deviation (MHz)	0.0428
Max. Deviation (ppm)	7.4500

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9620
5	5744.9628
15	5744.9636
25	5744.9640
35	5744.9644
45	5744.9652
50	5744.9660
Max. Deviation (MHz)	0.0380
Max. Deviation (ppm)	6.6144