

ATTACHMENT O – SAR TEST DATA

STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.655 mW/g, SAR (10g): 0.449 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


FM Mode, Ch.0991 [824.04MHz]

Conducted Power = 27.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.426 mW/g, SAR (10g): 0.299 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


FM Mode, Ch.0991 [824.04MHz]

Conducted Power = 27.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.649 mW/g, SAR (10g): 0.455 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


FM Mode, Ch.0383 [836.49MHz]

Conducted Power = 27.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.454 mW/g, SAR (10g): 0.315 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


FM Mode, Ch.0383 [836.49MHz]

Conducted Power = 27.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.895 mW/g, SAR (10g): 0.628 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


FM Mode, Ch.0799 [848.97MHz]

Conducted Power = 27.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.575 mW/g, SAR (10g): 0.397 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


FM Mode, Ch.0799 [848.97MHz]

Conducted Power = 27.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.424 mW/g, SAR (10g): 0.297 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


Cellular CDMA Mode, Ch.1013 [824.70MHz]

Conducted Power = 25.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.337 mW/g, SAR (10g): 0.238 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


Cellular CDMA Mode, Ch.1013 [824.70MHz]

Conducted Power = 25.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.437 mW/g, SAR (10g): 0.307 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


Cellular CDMA Mode, Ch.0383 [836.49MHz]

Conducted Power = 25.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.334 mW/g, SAR (10g): 0.235 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


Cellular CDMA Mode, Ch.0383 [836.49MHz]

Conducted Power = 25.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.530 mW/g, SAR (10g): 0.363 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


Cellular CDMA Mode, Ch.0777 [848.37MHz]

Conducted Power = 25.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Brain: $\sigma = 0.90$ mho/m $\epsilon_r = 41.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.360 mW/g, SAR (10g): 0.239 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


Cellular CDMA Mode, Ch.0777 [848.37MHz]

Conducted Power = 25.0dBm; Flip = Open

Test Date -- 05/04/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.34 mW/g, SAR (10g): 0.722 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0025 [1851.25MHz]

Conducted Power = 24.5dBm; Flip = Open

Test Date -- 05/03/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.648 mW/g, SAR (10g): 0.317 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


PCS CDMA Mode, Ch.0025 [1851.25MHz]

Conducted Power = 24.5dBm; Flip = Open

Test Date -- 05/03/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.12 mW/g, SAR (10g): 0.598 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0600 [1880.00MHz]

Conducted Power = 24.5dBm; Flip = Open

Test Date -- 05/03/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.553 mW/g, SAR (10g): 0.235 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


PCS CDMA Mode, Ch.0600 [1880.00MHz]

Conducted Power = 24.5dBm; Flip = Open

Test Date -- 05/03/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.28 mW/g, SAR (10g): 0.682 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


PCS CDMA Mode, Ch.1175 [1908.75MHz]

Conducted Power = 24.5dBm; Flip = Open

Test Date -- 05/03/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Head SAR

Generic Twin Phantom; Left Hand Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Brain: $\sigma = 1.82$ mho/m $\epsilon_r = 40.4$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.489 mW/g, SAR (10g): 0.237 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300


PCS CDMA Mode, Ch.1175 [1908.75MHz]

Conducted Power = 24.5dBm; Flip = Open

Test Date -- 05/03/2001



SAR_{Tot} [mW/g]



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.479 mW/g, SAR (10g): 0.342 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0991 [824.04MHz]; Flip = Closed

Conducted Power = 27.0dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.405 mW/g, SAR (10g): 0.291 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0991 [824.04MHz]; Flip = Closed

Conducted Power = 27.0dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.520 mW/g, SAR (10g): 0.370 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0383 [836.49MHz]; Flip = Closed

Conducted Power = 27.0dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.452 mW/g, SAR (10g): 0.322 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0383 [836.49MHz]; Flip = Closed

Conducted Power = 27.0dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.708 mW/g, SAR (10g): 0.503 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0799 [848.97MHz]; Flip = Closed

Conducted Power = 27.0dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.600 mW/g, SAR (10g): 0.430 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0799 [848.97MHz]; Flip = Closed

Conducted Power = 27.0dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.486 mW/g, SAR (10g): 0.345 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Flip = Closed

Conducted Power = 25.0dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.413 mW/g, SAR (10g): 0.294 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

Cellular CDMA Mode, Ch.0777 [848.31MHz]; Flip = Closed

Conducted Power = 25.0dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.275 mW/g, SAR (10g): 0.156 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed

Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.121 mW/g, SAR (10g): 0.0726 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Closed

Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.240 mW/g, SAR (10g): 0.134 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Closed

Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.149 mW/g, SAR (10g): 0.0892 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Closed

Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.204 mW/g, SAR (10g): 0.117 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Closed

Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Body SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.239 mW/g, SAR (10g): 0.142 mW/g

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Closed

Conducted Power = 24.5dBm; Spacing = 1.5cm from flat phantom to phone, w/ Beltclip

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.97 mW/g, **SAR (10g): 1.26 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0799 [848.97MHz]; Flip = Open

Conducted Power = 27.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- FM Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.49 mW/g, **SAR (10g): 0.929 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

FM Mode, Ch.0799 [848.97MHz]; Flip = Open

Conducted Power = 27.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.42 mW/g, **SAR (10g): 0.897 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

Cellular CDMA Mode, Ch.0777 [848.37MHz]; Flip = Open

Conducted Power = 25.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- Cellular CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 835 MHz Muscle: $\sigma = 0.95$ mho/m $\epsilon_r = 56.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.01 mW/g, **SAR (10g): 0.622 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

Cellular CDMA Mode, Ch.0777 [848.37MHz]; Flip = Open

Conducted Power = 25.0dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.849 mW/g, **SAR (10g): 0.478 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Open

Conducted Power = 24.5dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.540 mW/g, **SAR (10g): 0.219 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Flip = Open

Conducted Power = 24.5dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.849 mW/g, **SAR (10g): 0.479 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Open

Conducted Power = 24.5dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.20 mW/g, **SAR (10g): 0.625 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Flip = Open

Conducted Power = 24.5dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.799 mW/g, **SAR (10g): 0.445 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Open

Conducted Power = 24.5dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001



STANDARD TELECOM FCC ID:MBUNXC3300 -- PCS CDMA Hand SAR

Generic Twin Phantom; Flat Section; Probe: ET3DV6 - SN1560 -- Probe Cal Date 20/02/01

Med. Parameters 1900 MHz Muscle: $\sigma = 1.85$ mho/m $\epsilon_r = 54.2$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 1.70 mW/g, **SAR (10g): 0.729 mW/g**

Standard Telecom Co., Ltd. Tri-Mode Phone Model:NXC3300

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Flip = Open

Conducted Power = 24.5dBm; Spacing = touching flat phantom to phone

Test Date -- 05/04/2001

