



Summary

| Mode                                  | Max-N dB (Hz) | Max-OBW (Hz) | ITU-Code | Min-N dB (Hz) | Min-OBW (Hz) |
|---------------------------------------|---------------|--------------|----------|---------------|--------------|
| 5.925-6.425GHz                        | -             | -            | -        | -             | -            |
| 802.11a_Nss1,(6Mbps)_4TX              | 18.546M       | 16.448M      | 16M4D1D  | 18.282M       | 16.355M      |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | 19.932M       | 18.902M      | 18M9D1D  | 19.8M         | 18.863M      |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | 39.864M       | 37.818M      | 37M8D1D  | 39.6M         | 37.697M      |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | 80.256M       | 77.613M      | 77M6D1D  | 80.256M       | 77.189M      |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | 162.624M      | 156.71M      | 157MD1D  | 162.624M      | 156.451M     |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA | 329.472M      | 316.497M     | 316MD1D  | 327.36M       | 314.376M     |
| 6.425-6.525GHz                        | -             | -            | -        | -             | -            |
| 802.11a_Nss1,(6Mbps)_4TX              | 18.546M       | 16.454M      | 16M5D1D  | 18.216M       | 16.337M      |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | 19.932M       | 18.92M       | 18M9D1D  | 19.8M         | 18.856M      |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | 39.864M       | 37.856M      | 37M9D1D  | 39.6M         | 37.728M      |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | 80.4M         | 77.42M       | 77M4D1D  | 80.256M       | 77.204M      |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | 162.48M       | 156.662M     | 157MD1D  | 162.24M       | 156.525M     |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA | 329.472M      | 317.076M     | 317MD1D  | 328.416M      | 316.876M     |
| 6.525-6.875GHz                        | -             | -            | -        | -             | -            |
| 802.11a_Nss1,(6Mbps)_4TX              | 18.612M       | 16.46M       | 16M5D1D  | 18.348M       | 16.355M      |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | 19.932M       | 18.923M      | 18M9D1D  | 19.8M         | 18.875M      |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | 39.996M       | 37.897M      | 37M9D1D  | 39.6M         | 37.662M      |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | 80.28M        | 77.482M      | 77M5D1D  | 80.256M       | 77.193M      |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | 162.624M      | 156.584M     | 157MD1D  | 162.096M      | 156.297M     |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA | 329.472M      | 316.43M      | 316MD1D  | 328.416M      | 316.025M     |
| 6.875-7.125GHz                        | -             | -            | -        | -             | -            |
| 802.11a_Nss1,(6Mbps)_4TX              | 18.546M       | 16.432M      | 16M4D1D  | 18.216M       | 16.333M      |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | 19.932M       | 18.913M      | 18M9D1D  | 19.734M       | 18.859M      |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | 39.864M       | 37.843M      | 37M8D1D  | 39.6M         | 37.702M      |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | 80.52M        | 77.659M      | 77M7D1D  | 80.256M       | 77.448M      |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | 162.624M      | 156.811M     | 157MD1D  | 162.096M      | 156.346M     |

Max-N dB = Maximum 26dB down bandwidth  
 Max-OBW = Maximum 99% occupied bandwidth;  
 Min-N dB = Minimum 26dB down bandwidth  
 Min-OBW = Minimum 99% occupied bandwidth



Result

| Mode                                 | Result | Limit (Hz) | Port 1-N dB (Hz) | Port 1-OBW (Hz) | Port 2-N dB (Hz) | Port 2-OBW (Hz) | Port 3-N dB (Hz) | Port 3-OBW (Hz) | Port 4-N dB (Hz) | Port 4-OBW (Hz) |
|--------------------------------------|--------|------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|
| 802.11a_Nss1,(6Mbps)_4TX             |        |            |                  |                 |                  |                 |                  |                 |                  |                 |
| 5955MHz                              | Pass   | Inf        | 18.546M          | 16.407M         | 18.48M           | 16.432M         | 18.348M          | 16.387M         | 18.348M          | 16.402M         |
| 6175MHz                              | Pass   | Inf        | 18.414M          | 16.388M         | 18.348M          | 16.398M         | 18.48M           | 16.448M         | 18.348M          | 16.397M         |
| 6415MHz                              | Pass   | Inf        | 18.48M           | 16.445M         | 18.546M          | 16.369M         | 18.414M          | 16.359M         | 18.282M          | 16.355M         |
| 6435MHz                              | Pass   | Inf        | 18.414M          | 16.359M         | 18.348M          | 16.337M         | 18.348M          | 16.373M         | 18.348M          | 16.412M         |
| 6475MHz                              | Pass   | Inf        | 18.48M           | 16.431M         | 18.48M           | 16.454M         | 18.348M          | 16.424M         | 18.414M          | 16.412M         |
| 6515MHz                              | Pass   | Inf        | 18.546M          | 16.433M         | 18.216M          | 16.383M         | 18.414M          | 16.384M         | 18.414M          | 16.435M         |
| 6535MHz                              | Pass   | Inf        | 18.348M          | 16.372M         | 18.48M           | 16.417M         | 18.348M          | 16.429M         | 18.48M           | 16.42M          |
| 6715MHz                              | Pass   | Inf        | 18.48M           | 16.412M         | 18.612M          | 16.46M          | 18.348M          | 16.355M         | 18.348M          | 16.38M          |
| 6855MHz                              | Pass   | Inf        | 18.414M          | 16.407M         | 18.546M          | 16.441M         | 18.414M          | 16.455M         | 18.48M           | 16.404M         |
| 6875MHz Straddle<br>6.525-6.875GHz   | Pass   | Inf        | 18.48M           | 16.396M         | 18.48M           | 16.435M         | 18.57M           | 16.453M         | 18.45M           | 16.402M         |
| 6895MHz                              | Pass   | Inf        | 18.48M           | 16.42M          | 18.414M          | 16.406M         | 18.348M          | 16.358M         | 18.546M          | 16.378M         |
| 7015MHz                              | Pass   | Inf        | 18.348M          | 16.398M         | 18.348M          | 16.37M          | 18.414M          | 16.333M         | 18.348M          | 16.371M         |
| 7095MHz                              | Pass   | Inf        | 18.348M          | 16.381M         | 18.414M          | 16.363M         | 18.216M          | 16.342M         | 18.348M          | 16.372M         |
| 7115MHz                              | Pass   | Inf        | 18.48M           | 16.432M         | 18.348M          | 16.421M         | 18.216M          | 16.35M          | 18.414M          | 16.415M         |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA |        |            |                  |                 |                  |                 |                  |                 |                  |                 |
| 5955MHz                              | Pass   | Inf        | 19.8M            | 18.878M         | 19.8M            | 18.863M         | 19.866M          | 18.883M         | 19.866M          | 18.87M          |
| 6175MHz                              | Pass   | Inf        | 19.8M            | 18.897M         | 19.866M          | 18.88M          | 19.8M            | 18.875M         | 19.866M          | 18.884M         |
| 6415MHz                              | Pass   | Inf        | 19.932M          | 18.902M         | 19.866M          | 18.863M         | 19.8M            | 18.893M         | 19.866M          | 18.863M         |
| 6435MHz                              | Pass   | Inf        | 19.866M          | 18.895M         | 19.932M          | 18.92M          | 19.866M          | 18.912M         | 19.8M            | 18.899M         |
| 6475MHz                              | Pass   | Inf        | 19.866M          | 18.877M         | 19.866M          | 18.858M         | 19.8M            | 18.865M         | 19.8M            | 18.887M         |
| 6515MHz                              | Pass   | Inf        | 19.866M          | 18.874M         | 19.8M            | 18.856M         | 19.8M            | 18.87M          | 19.866M          | 18.899M         |
| 6535MHz                              | Pass   | Inf        | 19.866M          | 18.887M         | 19.8M            | 18.915M         | 19.866M          | 18.904M         | 19.866M          | 18.892M         |
| 6715MHz                              | Pass   | Inf        | 19.866M          | 18.9M           | 19.866M          | 18.923M         | 19.932M          | 18.885M         | 19.866M          | 18.902M         |
| 6855MHz                              | Pass   | Inf        | 19.932M          | 18.894M         | 19.866M          | 18.923M         | 19.8M            | 18.903M         | 19.8M            | 18.9M           |
| 6875MHz Straddle<br>6.525-6.875GHz   | Pass   | Inf        | 19.86M           | 18.893M         | 19.89M           | 18.875M         | 19.89M           | 18.892M         | 19.86M           | 18.9M           |
| 6895MHz                              | Pass   | Inf        | 19.932M          | 18.874M         | 19.866M          | 18.908M         | 19.8M            | 18.885M         | 19.866M          | 18.881M         |
| 7015MHz                              | Pass   | Inf        | 19.866M          | 18.87M          | 19.8M            | 18.88M          | 19.866M          | 18.913M         | 19.8M            | 18.886M         |
| 7095MHz                              | Pass   | Inf        | 19.866M          | 18.885M         | 19.932M          | 18.903M         | 19.932M          | 18.903M         | 19.734M          | 18.884M         |
| 7115MHz                              | Pass   | Inf        | 19.866M          | 18.903M         | 19.866M          | 18.887M         | 19.932M          | 18.859M         | 19.866M          | 18.899M         |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA |        |            |                  |                 |                  |                 |                  |                 |                  |                 |
| 5965MHz                              | Pass   | Inf        | 39.864M          | 37.783M         | 39.864M          | 37.732M         | 39.732M          | 37.749M         | 39.6M            | 37.787M         |
| 6165MHz                              | Pass   | Inf        | 39.6M            | 37.785M         | 39.864M          | 37.762M         | 39.6M            | 37.697M         | 39.864M          | 37.747M         |
| 6405MHz                              | Pass   | Inf        | 39.732M          | 37.75M          | 39.6M            | 37.784M         | 39.732M          | 37.818M         | 39.732M          | 37.754M         |
| 6445MHz                              | Pass   | Inf        | 39.732M          | 37.827M         | 39.732M          | 37.78M          | 39.732M          | 37.775M         | 39.864M          | 37.845M         |
| 6485MHz                              | Pass   | Inf        | 39.864M          | 37.832M         | 39.6M            | 37.847M         | 39.864M          | 37.742M         | 39.6M            | 37.728M         |
| 6525MHz Straddle<br>6.425-6.525GHz   | Pass   | Inf        | 39.84M           | 37.82M          | 39.72M           | 37.827M         | 39.78M           | 37.856M         | 39.66M           | 37.733M         |
| 6565MHz                              | Pass   | Inf        | 39.864M          | 37.778M         | 39.6M            | 37.744M         | 39.732M          | 37.766M         | 39.732M          | 37.791M         |
| 6725MHz                              | Pass   | Inf        | 39.732M          | 37.795M         | 39.732M          | 37.803M         | 39.732M          | 37.848M         | 39.864M          | 37.82M          |
| 6845MHz                              | Pass   | Inf        | 39.864M          | 37.843M         | 39.732M          | 37.83M          | 39.996M          | 37.897M         | 39.732M          | 37.815M         |
| 6885MHz Straddle<br>6.525-6.875GHz   | Pass   | Inf        | 39.84M           | 37.726M         | 39.6M            | 37.808M         | 39.66M           | 37.662M         | 39.66M           | 37.733M         |



| Mode                                  | Result | Limit (Hz) | Port 1-N dB (Hz) | Port 1-OBW (Hz) | Port 2-N dB (Hz) | Port 2-OBW (Hz) | Port 3-N dB (Hz) | Port 3-OBW (Hz) | Port 4-N dB (Hz) | Port 4-OBW (Hz) |
|---------------------------------------|--------|------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|------------------|-----------------|
| 6925MHz                               | Pass   | Inf        | 39.6M            | 37.79M          | 39.732M          | 37.702M         | 39.732M          | 37.823M         | 39.732M          | 37.745M         |
| 7005MHz                               | Pass   | Inf        | 39.732M          | 37.808M         | 39.864M          | 37.829M         | 39.732M          | 37.843M         | 39.732M          | 37.84M          |
| 7085MHz                               | Pass   | Inf        | 39.6M            | 37.749M         | 39.732M          | 37.724M         | 39.6M            | 37.73M          | 39.732M          | 37.729M         |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  |        |            |                  |                 |                  |                 |                  |                 |                  |                 |
| 5985MHz                               | Pass   | Inf        | 80.256M          | 77.342M         | 80.256M          | 77.407M         | 80.256M          | 77.293M         | 80.256M          | 77.287M         |
| 6145MHz                               | Pass   | Inf        | 80.256M          | 77.213M         | 80.256M          | 77.228M         | 80.256M          | 77.189M         | 80.256M          | 77.247M         |
| 6385MHz                               | Pass   | Inf        | 80.256M          | 77.503M         | 80.256M          | 77.434M         | 80.256M          | 77.517M         | 80.256M          | 77.613M         |
| 6465MHz                               | Pass   | Inf        | 80.256M          | 77.382M         | 80.256M          | 77.344M         | 80.256M          | 77.356M         | 80.256M          | 77.204M         |
| 6545MHz Straddle 6.425-6.525GHz       | Pass   | Inf        | 80.28M           | 77.273M         | 80.4M            | 77.262M         | 80.4M            | 77.353M         | 80.4M            | 77.42M          |
| 6625MHz                               | Pass   | Inf        | 80.256M          | 77.352M         | 80.256M          | 77.365M         | 80.256M          | 77.32M          | 80.256M          | 77.284M         |
| 6705MHz                               | Pass   | Inf        | 80.256M          | 77.405M         | 80.256M          | 77.374M         | 80.256M          | 77.341M         | 80.256M          | 77.313M         |
| 6785MHz                               | Pass   | Inf        | 80.256M          | 77.301M         | 80.256M          | 77.206M         | 80.256M          | 77.193M         | 80.256M          | 77.212M         |
| 6865MHz Straddle 6.525-6.875GHz       | Pass   | Inf        | 80.28M           | 77.423M         | 80.28M           | 77.371M         | 80.28M           | 77.482M         | 80.28M           | 77.42M          |
| 6945MHz                               | Pass   | Inf        | 80.256M          | 77.47M          | 80.256M          | 77.503M         | 80.256M          | 77.461M         | 80.256M          | 77.448M         |
| 7025MHz                               | Pass   | Inf        | 80.256M          | 77.584M         | 80.256M          | 77.659M         | 80.52M           | 77.517M         | 80.256M          | 77.544M         |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA |        |            |                  |                 |                  |                 |                  |                 |                  |                 |
| 6025MHz                               | Pass   | Inf        | 162.624M         | 156.549M        | 162.624M         | 156.71M         | 162.624M         | 156.557M        | 162.624M         | 156.451M        |
| 6185MHz                               | Pass   | Inf        | 162.624M         | 156.578M        | 162.624M         | 156.61M         | 162.624M         | 156.471M        | 162.624M         | 156.525M        |
| 6345MHz                               | Pass   | Inf        | 162.624M         | 156.66M         | 162.624M         | 156.564M        | 162.624M         | 156.553M        | 162.624M         | 156.538M        |
| 6505MHz Straddle 6.425-6.525GHz       | Pass   | Inf        | 162.24M          | 156.646M        | 162.48M          | 156.618M        | 162.24M          | 156.662M        | 162.48M          | 156.525M        |
| 6665MHz                               | Pass   | Inf        | 162.624M         | 156.337M        | 162.624M         | 156.584M        | 162.096M         | 156.378M        | 162.096M         | 156.452M        |
| 6825MHz Straddle 6.525-6.875GHz       | Pass   | Inf        | 162.24M          | 156.454M        | 162.24M          | 156.297M        | 162.24M          | 156.413M        | 162.24M          | 156.489M        |
| 6985MHz                               | Pass   | Inf        | 162.096M         | 156.637M        | 162.096M         | 156.346M        | 162.624M         | 156.811M        | 162.096M         | 156.576M        |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA |        |            |                  |                 |                  |                 |                  |                 |                  |                 |
| 6105MHz                               | Pass   | Inf        | 328.416M         | 315.114M        | 329.472M         | 315.461M        | 329.472M         | 315.217M        | 328.416M         | 314.376M        |
| 6265MHz                               | Pass   | Inf        | 329.472M         | 315.547M        | 328.416M         | 315.743M        | 327.36M          | 315.851M        | 329.472M         | 314.744M        |
| 6425MHz Straddle 5.925-6.425GHz       | Pass   | Inf        | 328.416M         | 316.424M        | 328.416M         | 316.484M        | 328.416M         | 316.497M        | 328.416M         | 316.007M        |
| 6585MHz Straddle 6.425-6.525GHz       | Pass   | Inf        | 328.416M         | 316.876M        | 329.472M         | 317.076M        | 329.472M         | 316.958M        | 329.472M         | 316.984M        |
| 6745MHz Straddle 6.525-6.875GHz       | Pass   | Inf        | 328.416M         | 316.072M        | 329.472M         | 316.098M        | 328.416M         | 316.345M        | 328.416M         | 316.025M        |
| 6905MHz Straddle 6.525-6.875GHz       | Pass   | Inf        | 328.416M         | 316.329M        | 329.472M         | 316.094M        | 329.472M         | 316.43M         | 329.472M         | 316.154M        |

Port X-N dB = 26dB down bandwidth

Port X-OBW = Port X 99% occupied bandwidth




5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX


EBW

5955MHz

CF (Hz)  
5.955G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
5.955G  
Span (Hz)  
52.8M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.546M  | 5.945694G   | 5.96424G    | 16.407M | 5.946778G  | 5.963184G  | Inf       | 1    |
| 18.48M   | 5.94576G    | 5.96424G    | 16.432M | 5.94679G   | 5.963222G  | Inf       | 2    |
| 18.348M  | 5.945694G   | 5.964042G   | 16.387M | 5.946751G  | 5.963138G  | Inf       | 3    |
| 18.348M  | 5.945826G   | 5.964174G   | 16.402M | 5.946787G  | 5.963189G  | Inf       | 4    |

5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX


EBW

6175MHz

CF (Hz)  
6.175G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.175G  
Span (Hz)  
52.8M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.414M  | 6.16576G    | 6.184174G   | 16.388M | 6.166782G  | 6.18317G   | Inf       | 1    |
| 18.348M  | 6.165892G   | 6.18424G    | 16.398M | 6.166803G  | 6.183201G  | Inf       | 2    |
| 18.48M   | 6.16576G    | 6.18424G    | 16.448M | 6.166747G  | 6.183195G  | Inf       | 3    |
| 18.348M  | 6.165826G   | 6.184174G   | 16.397M | 6.166796G  | 6.183193G  | Inf       | 4    |




5.925-6.425GHz\_802.11a\_Nss1,(6Mbps)\_4TX


EBW

6415MHz

CF (Hz)  
6.415G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.415G  
Span (Hz)  
52.8M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak




6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_4TX


EBW

6435MHz

CF (Hz)  
6.435G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.435G  
Span (Hz)  
52.8M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak






6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_4TX


EBW

6475MHz

CF (Hz)  
6.475G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.475G  
Span (Hz)  
52.8M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.48M   | 6.46576G    | 6.48424G    | 16.431M | 6.466767G  | 6.483198G  | Inf       | 1    |
| 18.48M   | 6.46576G    | 6.48424G    | 16.454M | 6.466755G  | 6.483209G  | Inf       | 2    |
| 18.348M  | 6.46576G    | 6.484108G   | 16.424M | 6.466769G  | 6.483194G  | Inf       | 3    |
| 18.414M  | 6.46576G    | 6.484174G   | 16.412M | 6.466776G  | 6.483188G  | Inf       | 4    |

6.425-6.525GHz\_802.11a\_Nss1,(6Mbps)\_4TX


EBW

6515MHz

CF (Hz)  
6.515G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.515G  
Span (Hz)  
52.8M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.546M  | 6.505628G   | 6.524174G   | 16.433M | 6.506753G  | 6.523186G  | Inf       | 1    |
| 18.216M  | 6.505892G   | 6.524108G   | 16.383M | 6.506781G  | 6.523164G  | Inf       | 2    |
| 18.414M  | 6.50576G    | 6.524174G   | 16.384M | 6.506793G  | 6.523177G  | Inf       | 3    |
| 18.414M  | 6.50576G    | 6.524174G   | 16.435M | 6.506758G  | 6.523192G  | Inf       | 4    |



6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

EBW

6535MHz

CF (Hz)  
6.535G


Span (Hz)  
132M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



CF (Hz)  
6.535G


Span (Hz)  
52.8M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.348M  | 6.525826G   | 6.544174G   | 16.372M | 6.526791G  | 6.543163G  | Inf       | 1    |
| 18.48M   | 6.52576G    | 6.54424G    | 16.417M | 6.526774G  | 6.543191G  | Inf       | 2    |
| 18.348M  | 6.525826G   | 6.544174G   | 16.429M | 6.526771G  | 6.5432G    | Inf       | 3    |
| 18.48M   | 6.525694G   | 6.544174G   | 16.42M  | 6.526757G  | 6.543177G  | Inf       | 4    |

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

EBW

6715MHz

CF (Hz)  
6.715G


Span (Hz)  
132M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



CF (Hz)  
6.715G


Span (Hz)  
52.8M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.48M   | 6.705694G   | 6.724174G   | 16.412M | 6.706759G  | 6.723171G  | Inf       | 1    |
| 18.612M  | 6.705694G   | 6.724306G   | 16.46M  | 6.706746G  | 6.723206G  | Inf       | 2    |
| 18.348M  | 6.70576G    | 6.724108G   | 16.355M | 6.706796G  | 6.723151G  | Inf       | 3    |
| 18.348M  | 6.70576G    | 6.724108G   | 16.38M  | 6.706784G  | 6.723164G  | Inf       | 4    |



6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

EBW

6855MHz

CF (Hz)  
6.855G


Span (Hz)  
132M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



CF (Hz)  
6.855G


Span (Hz)  
52.8M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



Port 1

Port 2

Port 3

Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.414M  | 6.845826G   | 6.86424G    | 16.407M | 6.846766G  | 6.863173G  | Inf       | 1    |
| 18.546M  | 6.845694G   | 6.86424G    | 16.441M | 6.846747G  | 6.863189G  | Inf       | 2    |
| 18.414M  | 6.84576G    | 6.864174G   | 16.455M | 6.846739G  | 6.863194G  | Inf       | 3    |
| 18.48M   | 6.845694G   | 6.864174G   | 16.404M | 6.846762G  | 6.863166G  | Inf       | 4    |

6.525-6.875GHz\_802.11a\_Nss1,(6Mbps)\_4TX

EBW

6875MHz Straddle 6.525-6.875GHz

CF (Hz)  
6.875G


Span (Hz)  
60M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



CF (Hz)  
6.875G


Span (Hz)  
60M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



Port 1

Port 2

Port 3

Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.48M   | 6.86573G    | 6.88421G    | 16.396M | 6.866773G  | 6.883169G  | Inf       | 1    |
| 18.48M   | 6.8657G     | 6.88418G    | 16.435M | 6.866745G  | 6.88318G   | Inf       | 2    |
| 18.57M   | 6.86564G    | 6.88421G    | 16.453M | 6.866737G  | 6.883189G  | Inf       | 3    |
| 18.45M   | 6.86576G    | 6.88421G    | 16.402M | 6.866762G  | 6.883163G  | Inf       | 4    |



6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

EBW

6895MHz

CF (Hz)  
6.895G


Span (Hz)  
132M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



CF (Hz)  
6.895G


Span (Hz)  
52.8M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



Port 1

Port 2

Port 3

Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.48M   | 6.885694G   | 6.904174G   | 16.42M  | 6.886751G  | 6.903171G  | Inf       | 1    |
| 18.414M  | 6.88576G    | 6.904174G   | 16.406M | 6.886757G  | 6.903163G  | Inf       | 2    |
| 18.348M  | 6.88576G    | 6.904108G   | 16.358M | 6.886791G  | 6.90315G   | Inf       | 3    |
| 18.546M  | 6.885694G   | 6.90424G    | 16.378M | 6.886782G  | 6.90316G   | Inf       | 4    |

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

EBW

7015MHz

CF (Hz)  
7.015G


Span (Hz)  
132M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



CF (Hz)  
7.015G


Span (Hz)  
52.8M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



Port 1

Port 2

Port 3

Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.348M  | 7.00576G    | 7.024108G   | 16.398M | 7.00675G   | 7.023148G  | Inf       | 1    |
| 18.348M  | 7.005826G   | 7.024174G   | 16.37M  | 7.006789G  | 7.023159G  | Inf       | 2    |
| 18.414M  | 7.005826G   | 7.02424G    | 16.333M | 7.006817G  | 7.02315G   | Inf       | 3    |
| 18.348M  | 7.005826G   | 7.024174G   | 16.371M | 7.006774G  | 7.023145G  | Inf       | 4    |



6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

EBW

7095MHz

CF (Hz)  
7.095G


Span (Hz)  
132M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



CF (Hz)  
7.095G


Span (Hz)  
52.8M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



Port 1

Port 2

Port 3

Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.348M  | 7.08576G    | 7.104108G   | 16.381M | 7.086756G  | 7.103137G  | Inf       | 1    |
| 18.414M  | 7.08576G    | 7.104174G   | 16.363M | 7.086781G  | 7.103144G  | Inf       | 2    |
| 18.216M  | 7.085892G   | 7.104108G   | 16.342M | 7.086799G  | 7.103141G  | Inf       | 3    |
| 18.348M  | 7.08576G    | 7.104108G   | 16.372M | 7.086764G  | 7.103135G  | Inf       | 4    |

6.875-7.125GHz\_802.11a\_Nss1,(6Mbps)\_4TX

EBW

7115MHz

CF (Hz)  
7.115G


Span (Hz)  
132M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



CF (Hz)  
7.115G


Span (Hz)  
52.8M

RBW (Hz)  
200k

VBW (Hz)  
1M

Sweep Time (s)  
100m

Detector Type  
Peak



Port 1

Port 2

Port 3

Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 18.48M   | 7.105694G   | 7.124174G   | 16.432M | 7.106745G  | 7.123177G  | Inf       | 1    |
| 18.348M  | 7.10576G    | 7.124108G   | 16.421M | 7.106721G  | 7.123142G  | Inf       | 2    |
| 18.216M  | 7.105826G   | 7.124042G   | 16.35M  | 7.10677G   | 7.12312G   | Inf       | 3    |
| 18.414M  | 7.10576G    | 7.124174G   | 16.415M | 7.10674G   | 7.123154G  | Inf       | 4    |




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

5955MHz

CF (Hz)  
5.955G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
5.955G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.8M    | 5.9451G     | 5.9649G     | 18.878M | 5.945528G  | 5.964406G  | Inf       | 1    |
| 19.8M    | 5.945034G   | 5.964834G   | 18.863M | 5.945544G  | 5.964407G  | Inf       | 2    |
| 19.866M  | 5.944968G   | 5.964834G   | 18.883M | 5.945518G  | 5.964401G  | Inf       | 3    |
| 19.866M  | 5.945034G   | 5.9649G     | 18.87M  | 5.945527G  | 5.964396G  | Inf       | 4    |

5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

6175MHz

CF (Hz)  
6.175G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.175G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.8M    | 6.1651G     | 6.1849G     | 18.897M | 6.165531G  | 6.184428G  | Inf       | 1    |
| 19.866M  | 6.165034G   | 6.1849G     | 18.88M  | 6.16553G   | 6.18441G   | Inf       | 2    |
| 19.8M    | 6.165034G   | 6.184834G   | 18.875M | 6.165517G  | 6.184392G  | Inf       | 3    |
| 19.866M  | 6.165034G   | 6.1849G     | 18.884M | 6.165522G  | 6.184406G  | Inf       | 4    |




5.925-6.425GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

6415MHz

CF (Hz)  
6.415G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.415G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.932M  | 6.404968G   | 6.4249G     | 18.902M | 6.405509G  | 6.424411G  | Inf       | 1    |
| 19.866M  | 6.405034G   | 6.4249G     | 18.863M | 6.405533G  | 6.424395G  | Inf       | 2    |
| 19.8M    | 6.4051G     | 6.4249G     | 18.893M | 6.405511G  | 6.424404G  | Inf       | 3    |
| 19.866M  | 6.405034G   | 6.4249G     | 18.863M | 6.405536G  | 6.424399G  | Inf       | 4    |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

6435MHz

CF (Hz)  
6.435G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.435G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.866M  | 6.425034G   | 6.4449G     | 18.895M | 6.425514G  | 6.444409G  | Inf       | 1    |
| 19.932M  | 6.425034G   | 6.444966G   | 18.92M  | 6.425499G  | 6.444419G  | Inf       | 2    |
| 19.866M  | 6.425034G   | 6.4449G     | 18.912M | 6.425507G  | 6.444419G  | Inf       | 3    |
| 19.8M    | 6.425034G   | 6.444834G   | 18.899M | 6.425499G  | 6.444398G  | Inf       | 4    |




6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

6475MHz

CF (Hz)  
6.475G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.475G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.866M  | 6.465034G   | 6.4849G     | 18.877M | 6.465522G  | 6.484399G  | Inf       | 1    |
| 19.866M  | 6.465034G   | 6.4849G     | 18.858M | 6.465534G  | 6.484392G  | Inf       | 2    |
| 19.8M    | 6.465034G   | 6.484834G   | 18.865M | 6.465522G  | 6.484387G  | Inf       | 3    |
| 19.8M    | 6.465034G   | 6.484834G   | 18.887M | 6.465522G  | 6.484409G  | Inf       | 4    |

6.425-6.525GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

6515MHz

CF (Hz)  
6.515G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.515G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.866M  | 6.505034G   | 6.5249G     | 18.874M | 6.505519G  | 6.524393G  | Inf       | 1    |
| 19.8M    | 6.505034G   | 6.524834G   | 18.856M | 6.505537G  | 6.524393G  | Inf       | 2    |
| 19.8M    | 6.505034G   | 6.524834G   | 18.87M  | 6.505524G  | 6.524394G  | Inf       | 3    |
| 19.866M  | 6.505034G   | 6.5249G     | 18.899M | 6.505508G  | 6.524407G  | Inf       | 4    |



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

EBW


6535MHz



6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

EBW

6715MHz






6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

6855MHz

CF (Hz)  
6.855G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.855G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.932M  | 6.844968G   | 6.8649G     | 18.894M | 6.845507G  | 6.864401G  | Inf       | 1    |
| 19.866M  | 6.845034G   | 6.8649G     | 18.923M | 6.845502G  | 6.864426G  | Inf       | 2    |
| 19.8M    | 6.845034G   | 6.864834G   | 18.903M | 6.845515G  | 6.864418G  | Inf       | 3    |
| 19.8M    | 6.8451G     | 6.8649G     | 18.9M   | 6.845501G  | 6.864401G  | Inf       | 4    |

6.525-6.875GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

6875MHz Straddle 6.525-6.875GHz

CF (Hz)  
6.875G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.875G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.86M   | 6.86501G    | 6.88487G    | 18.893M | 6.865506G  | 6.884399G  | Inf       | 1    |
| 19.89M   | 6.86501G    | 6.8849G     | 18.875M | 6.8655G    | 6.884375G  | Inf       | 2    |
| 19.89M   | 6.86498G    | 6.88487G    | 18.892M | 6.865499G  | 6.884391G  | Inf       | 3    |
| 19.86M   | 6.86504G    | 6.8849G     | 18.9M   | 6.865506G  | 6.884406G  | Inf       | 4    |




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

6895MHz

CF (Hz)  
6.895G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.895G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.932M  | 6.884968G   | 6.9049G     | 18.874M | 6.885515G  | 6.904388G  | Inf       | 1    |
| 19.866M  | 6.885034G   | 6.9049G     | 18.908M | 6.885499G  | 6.904407G  | Inf       | 2    |
| 19.8M    | 6.885034G   | 6.904834G   | 18.885M | 6.885514G  | 6.904399G  | Inf       | 3    |
| 19.866M  | 6.885034G   | 6.9049G     | 18.881M | 6.885516G  | 6.904397G  | Inf       | 4    |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

7015MHz

CF (Hz)  
7.015G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
7.015G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.866M  | 7.005034G   | 7.0249G     | 18.87M  | 7.005509G  | 7.024379G  | Inf       | 1    |
| 19.8M    | 7.005034G   | 7.024834G   | 18.88M  | 7.005517G  | 7.024397G  | Inf       | 2    |
| 19.866M  | 7.005034G   | 7.0249G     | 18.913M | 7.005487G  | 7.0244G    | Inf       | 3    |
| 19.8M    | 7.005034G   | 7.024834G   | 18.886M | 7.00551G   | 7.024396G  | Inf       | 4    |




6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX


EBW

7095MHz

CF (Hz)  
7.095G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
7.095G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.866M  | 7.085034G   | 7.1049G     | 18.885M | 7.085515G  | 7.1044G    | Inf       | 1    |
| 19.932M  | 7.084968G   | 7.1049G     | 18.903M | 7.085488G  | 7.104391G  | Inf       | 2    |
| 19.932M  | 7.084968G   | 7.1049G     | 18.903M | 7.085486G  | 7.10439G   | Inf       | 3    |
| 19.734M  | 7.0851G     | 7.104834G   | 18.884M | 7.085512G  | 7.104396G  | Inf       | 4    |

6.875-7.125GHz\_802.11be EHT20\_Nss1,(MCS0)\_4TX

EBW

7115MHz

CF (Hz)  
7.115G  
Span (Hz)  
132M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
7.115G  
Span (Hz)  
60M  
RBW (Hz)  
200k  
VBW (Hz)  
1M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 19.866M  | 7.105034G   | 7.1249G     | 18.903M | 7.105502G  | 7.124406G  | Inf       | 1    |
| 19.866M  | 7.105034G   | 7.1249G     | 18.887M | 7.105497G  | 7.124384G  | Inf       | 2    |
| 19.932M  | 7.104968G   | 7.1249G     | 18.859M | 7.105494G  | 7.124354G  | Inf       | 3    |
| 19.866M  | 7.105034G   | 7.1249G     | 18.899M | 7.105494G  | 7.124393G  | Inf       | 4    |




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

5965MHz

CF (Hz)  
5.965G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
5.965G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.864M  | 5.945068G   | 5.984932G   | 37.783M | 5.946088G  | 5.983871G  | Inf       | 1    |
| 39.864M  | 5.945068G   | 5.984932G   | 37.732M | 5.946139G  | 5.983871G  | Inf       | 2    |
| 39.732M  | 5.9452G     | 5.984932G   | 37.749M | 5.946118G  | 5.983866G  | Inf       | 3    |
| 39.6M    | 5.9452G     | 5.9848G     | 37.787M | 5.946109G  | 5.983895G  | Inf       | 4    |

5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

6165MHz

CF (Hz)  
6.165G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.165G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.6M    | 6.1452G     | 6.1848G     | 37.785M | 6.146099G  | 6.183884G  | Inf       | 1    |
| 39.864M  | 6.145068G   | 6.184932G   | 37.762M | 6.14612G   | 6.183882G  | Inf       | 2    |
| 39.6M    | 6.1452G     | 6.1848G     | 37.697M | 6.146169G  | 6.183865G  | Inf       | 3    |
| 39.864M  | 6.145068G   | 6.184932G   | 37.747M | 6.146111G  | 6.183857G  | Inf       | 4    |




5.925-6.425GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

6405MHz

CF (Hz)  
6.405G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.405G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.732M  | 6.385068G   | 6.4248G     | 37.75M  | 6.386071G  | 6.423821G  | Inf       | 1    |
| 39.6M    | 6.385068G   | 6.424668G   | 37.784M | 6.386027G  | 6.423811G  | Inf       | 2    |
| 39.732M  | 6.385068G   | 6.4248G     | 37.818M | 6.386031G  | 6.423848G  | Inf       | 3    |
| 39.732M  | 6.385068G   | 6.4248G     | 37.754M | 6.386039G  | 6.423794G  | Inf       | 4    |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

6445MHz

CF (Hz)  
6.445G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.445G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.732M  | 6.425068G   | 6.4648G     | 37.827M | 6.426038G  | 6.463865G  | Inf       | 1    |
| 39.732M  | 6.425068G   | 6.4648G     | 37.78M  | 6.426074G  | 6.463854G  | Inf       | 2    |
| 39.732M  | 6.425068G   | 6.4648G     | 37.775M | 6.426069G  | 6.463844G  | Inf       | 3    |
| 39.864M  | 6.425068G   | 6.464932G   | 37.845M | 6.426034G  | 6.46388G   | Inf       | 4    |




6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

6485MHz

CF (Hz)  
6.485G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.485G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.864M  | 6.465068G   | 6.504932G   | 37.832M | 6.466058G  | 6.50389G   | Inf       | 1    |
| 39.6M    | 6.4652G     | 6.5048G     | 37.847M | 6.466034G  | 6.503881G  | Inf       | 2    |
| 39.864M  | 6.465068G   | 6.504932G   | 37.742M | 6.46614G   | 6.503882G  | Inf       | 3    |
| 39.6M    | 6.4652G     | 6.5048G     | 37.728M | 6.466177G  | 6.503905G  | Inf       | 4    |

6.425-6.525GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

6525MHz Straddle 6.425-6.525GHz

CF (Hz)  
6.525G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.525G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.84M   | 6.50502G    | 6.54486G    | 37.82M  | 6.506035G  | 6.543855G  | Inf       | 1    |
| 39.72M   | 6.50508G    | 6.5448G     | 37.827M | 6.505988G  | 6.543815G  | Inf       | 2    |
| 39.78M   | 6.50502G    | 6.5448G     | 37.856M | 6.50602G   | 6.543876G  | Inf       | 3    |
| 39.66M   | 6.50508G    | 6.54474G    | 37.733M | 6.506037G  | 6.54377G   | Inf       | 4    |




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

6565MHz

CF (Hz)  
6.565G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.565G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.864M  | 6.545068G   | 6.584932G   | 37.778M | 6.546069G  | 6.583847G  | Inf       | 1    |
| 39.6M    | 6.5452G     | 6.5848G     | 37.744M | 6.546066G  | 6.58381G   | Inf       | 2    |
| 39.732M  | 6.545068G   | 6.5848G     | 37.766M | 6.546065G  | 6.58383G   | Inf       | 3    |
| 39.732M  | 6.544936G   | 6.584668G   | 37.791M | 6.546046G  | 6.583837G  | Inf       | 4    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

6725MHz

CF (Hz)  
6.725G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.725G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.732M  | 6.705068G   | 6.7448G     | 37.795M | 6.706019G  | 6.743814G  | Inf       | 1    |
| 39.732M  | 6.705068G   | 6.7448G     | 37.803M | 6.70602G   | 6.743823G  | Inf       | 2    |
| 39.732M  | 6.705068G   | 6.7448G     | 37.848M | 6.705997G  | 6.743845G  | Inf       | 3    |
| 39.864M  | 6.705068G   | 6.744932G   | 37.82M  | 6.706024G  | 6.743844G  | Inf       | 4    |




6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

6845MHz

CF (Hz)  
6.845G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.845G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.864M  | 6.825068G   | 6.864932G   | 37.843M | 6.826047G  | 6.863889G  | Inf       | 1    |
| 39.732M  | 6.825068G   | 6.8648G     | 37.83M  | 6.826044G  | 6.863874G  | Inf       | 2    |
| 39.996M  | 6.824936G   | 6.864932G   | 37.897M | 6.826017G  | 6.863914G  | Inf       | 3    |
| 39.732M  | 6.825068G   | 6.8648G     | 37.815M | 6.826038G  | 6.863853G  | Inf       | 4    |

6.525-6.875GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

6885MHz Straddle 6.525-6.875GHz

CF (Hz)  
6.885G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.885G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.84M   | 6.86502G    | 6.90486G    | 37.726M | 6.866093G  | 6.903819G  | Inf       | 1    |
| 39.6M    | 6.86514G    | 6.90474G    | 37.808M | 6.866032G  | 6.903841G  | Inf       | 2    |
| 39.66M   | 6.86514G    | 6.9048G     | 37.662M | 6.866119G  | 6.903781G  | Inf       | 3    |
| 39.66M   | 6.86514G    | 6.9048G     | 37.733M | 6.866095G  | 6.903828G  | Inf       | 4    |




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

6925MHz

CF (Hz)  
6.925G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.925G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.6M    | 6.905068G   | 6.944668G   | 37.79M  | 6.906072G  | 6.943861G  | Inf       | 1    |
| 39.732M  | 6.905068G   | 6.9448G     | 37.702M | 6.906153G  | 6.943855G  | Inf       | 2    |
| 39.732M  | 6.905068G   | 6.9448G     | 37.823M | 6.906045G  | 6.943869G  | Inf       | 3    |
| 39.732M  | 6.905068G   | 6.9448G     | 37.745M | 6.906117G  | 6.943862G  | Inf       | 4    |

6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

7005MHz

CF (Hz)  
7.005G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
7.005G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.732M  | 6.9852G     | 7.024932G   | 37.808M | 6.986052G  | 7.023861G  | Inf       | 1    |
| 39.864M  | 6.985068G   | 7.024932G   | 37.829M | 6.986076G  | 7.023905G  | Inf       | 2    |
| 39.732M  | 6.985068G   | 7.0248G     | 37.843M | 6.986019G  | 7.023862G  | Inf       | 3    |
| 39.732M  | 6.9852G     | 7.024932G   | 37.84M  | 6.986071G  | 7.02391G   | Inf       | 4    |




6.875-7.125GHz\_802.11be EHT40\_Nss1,(MCS0)\_4TX


EBW

7085MHz

CF (Hz)  
7.085G  
Span (Hz)  
264M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
7.085G  
Span (Hz)  
120M  
RBW (Hz)  
500k  
VBW (Hz)  
2M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 39.6M    | 7.0652G     | 7.1048G     | 37.749M | 7.06611G   | 7.103859G  | Inf       | 1    |
| 39.732M  | 7.065068G   | 7.1048G     | 37.724M | 7.066085G  | 7.103809G  | Inf       | 2    |
| 39.6M    | 7.0652G     | 7.1048G     | 37.73M  | 7.066077G  | 7.103807G  | Inf       | 3    |
| 39.732M  | 7.065068G   | 7.1048G     | 37.729M | 7.066117G  | 7.103846G  | Inf       | 4    |

5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


EBW

5985MHz

CF (Hz)  
5.985G  
Span (Hz)  
528M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
5.985G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 80.256M  | 5.944872G   | 6.025128G   | 77.342M | 5.946322G  | 6.023663G  | Inf       | 1    |
| 80.256M  | 5.944872G   | 6.025128G   | 77.407M | 5.946267G  | 6.023674G  | Inf       | 2    |
| 80.256M  | 5.944872G   | 6.025128G   | 77.293M | 5.946286G  | 6.023579G  | Inf       | 3    |
| 80.256M  | 5.944872G   | 6.025128G   | 77.287M | 5.946396G  | 6.023683G  | Inf       | 4    |



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

EBW


6145MHz



5.925-6.425GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

EBW

6385MHz





6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

EBW

6465MHz

CF (Hz)  
6.465G


Span (Hz)  
528M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
100m

Detector Type  
Peak



CF (Hz)  
6.465G


Span (Hz)  
240M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
100m

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 80.256M  | 6.424872G   | 6.505128G   | 77.382M | 6.426338G  | 6.50372G   | Inf       | 1    |
| 80.256M  | 6.424872G   | 6.505128G   | 77.344M | 6.426315G  | 6.503659G  | Inf       | 2    |
| 80.256M  | 6.424872G   | 6.505128G   | 77.356M | 6.426318G  | 6.503674G  | Inf       | 3    |
| 80.256M  | 6.424872G   | 6.505128G   | 77.204M | 6.426361G  | 6.503564G  | Inf       | 4    |

6.425-6.525GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

EBW

6545MHz Straddle 6.425-6.525GHz

CF (Hz)  
6.545G


Span (Hz)  
240M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
100m

Detector Type  
Peak



CF (Hz)  
6.545G


Span (Hz)  
240M

RBW (Hz)  
1M

VBW (Hz)  
3M

Sweep Time (s)  
100m

Detector Type  
Peak



| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 80.28M   | 6.5048G     | 6.58508G    | 77.273M | 6.506318G  | 6.583591G  | Inf       | 1    |
| 80.4M    | 6.5048G     | 6.5852G     | 77.262M | 6.506288G  | 6.58355G   | Inf       | 2    |
| 80.4M    | 6.5048G     | 6.5852G     | 77.353M | 6.506289G  | 6.583642G  | Inf       | 3    |
| 80.4M    | 6.5048G     | 6.5852G     | 77.42M  | 6.50625G   | 6.583669G  | Inf       | 4    |




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


EBW

6625MHz

CF (Hz)  
6.625G  
Span (Hz)  
528M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.625G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 80.256M  | 6.584872G   | 6.665128G   | 77.352M | 6.586308G  | 6.663659G  | Inf       | 1    |
| 80.256M  | 6.584872G   | 6.665128G   | 77.365M | 6.586255G  | 6.66362G   | Inf       | 2    |
| 80.256M  | 6.584872G   | 6.665128G   | 77.32M  | 6.586287G  | 6.663607G  | Inf       | 3    |
| 80.256M  | 6.584872G   | 6.665128G   | 77.284M | 6.586315G  | 6.663598G  | Inf       | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


EBW

6705MHz

CF (Hz)  
6.705G  
Span (Hz)  
528M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.705G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 80.256M  | 6.664872G   | 6.745128G   | 77.405M | 6.666248G  | 6.743654G  | Inf       | 1    |
| 80.256M  | 6.664872G   | 6.745128G   | 77.374M | 6.666268G  | 6.743642G  | Inf       | 2    |
| 80.256M  | 6.664872G   | 6.745128G   | 77.341M | 6.666259G  | 6.7436G    | Inf       | 3    |
| 80.256M  | 6.664872G   | 6.745128G   | 77.313M | 6.666332G  | 6.743645G  | Inf       | 4    |




6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


EBW

6785MHz

CF (Hz)  
6.785G  
Span (Hz)  
528M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.785G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 80.256M  | 6.744872G   | 6.825128G   | 77.301M | 6.746255G  | 6.823556G  | Inf       | 1    |
| 80.256M  | 6.744872G   | 6.825128G   | 77.206M | 6.746328G  | 6.823534G  | Inf       | 2    |
| 80.256M  | 6.744872G   | 6.825128G   | 77.193M | 6.746322G  | 6.823515G  | Inf       | 3    |
| 80.256M  | 6.744872G   | 6.825128G   | 77.212M | 6.746321G  | 6.823533G  | Inf       | 4    |

6.525-6.875GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX


EBW

6865MHz Straddle 6.525-6.875GHz

CF (Hz)  
6.865G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.865G  
Span (Hz)  
240M  
RBW (Hz)  
1M  
VBW (Hz)  
3M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz) | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|---------|------------|------------|-----------|------|
| 80.28M   | 6.8248G     | 6.90508G    | 77.423M | 6.826246G  | 6.903669G  | Inf       | 1    |
| 80.28M   | 6.8248G     | 6.90508G    | 77.371M | 6.826237G  | 6.903609G  | Inf       | 2    |
| 80.28M   | 6.8248G     | 6.90508G    | 77.482M | 6.826224G  | 6.903706G  | Inf       | 3    |
| 80.28M   | 6.8248G     | 6.90508G    | 77.42M  | 6.826293G  | 6.903713G  | Inf       | 4    |



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

EBW


6945MHz



6.875-7.125GHz\_802.11be EHT80\_Nss1,(MCS0)\_4TX

EBW

7025MHz






5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

EBW


6025MHz



5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

EBW

6185MHz






5.925-6.425GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


EBW

6345MHz

CF (Hz)  
6.345G  
Span (Hz)  
1.056G  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.345G  
Span (Hz)  
480M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz)  | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|----------|------------|------------|-----------|------|
| 162.624M | 6.263688G   | 6.426312G   | 156.66M  | 6.26672G   | 6.423381G  | Inf       | 1    |
| 162.624M | 6.263688G   | 6.426312G   | 156.564M | 6.266753G  | 6.423317G  | Inf       | 2    |
| 162.624M | 6.263688G   | 6.426312G   | 156.553M | 6.26669G   | 6.423244G  | Inf       | 3    |
| 162.624M | 6.263688G   | 6.426312G   | 156.538M | 6.266706G  | 6.423243G  | Inf       | 4    |

6.425-6.525GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


EBW

6505MHz Straddle 6.425-6.525GHz

CF (Hz)  
6.505G  
Span (Hz)  
480M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.505G  
Span (Hz)  
480M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz)  | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|----------|------------|------------|-----------|------|
| 162.24M  | 6.42388G    | 6.58612G    | 156.646M | 6.42662G   | 6.583266G  | Inf       | 1    |
| 162.48M  | 6.42364G    | 6.58612G    | 156.618M | 6.426606G  | 6.583223G  | Inf       | 2    |
| 162.24M  | 6.42388G    | 6.58612G    | 156.662M | 6.426561G  | 6.583223G  | Inf       | 3    |
| 162.48M  | 6.42364G    | 6.58612G    | 156.525M | 6.426618G  | 6.583143G  | Inf       | 4    |



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

EBW


6665MHz



6.525-6.875GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX

EBW

6825MHz Straddle 6.525-6.875GHz






6.875-7.125GHz\_802.11be EHT160\_Nss1,(MCS0)\_4TX


EBW

6985MHz

CF (Hz)  
6.985G  
Span (Hz)  
1.056G  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.985G  
Span (Hz)  
480M  
RBW (Hz)  
2M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz)  | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|----------|------------|------------|-----------|------|
| 162.096M | 6.903688G   | 7.065784G   | 156.637M | 6.90652G   | 7.063157G  | Inf       | 1    |
| 162.096M | 6.903688G   | 7.065784G   | 156.346M | 6.90665G   | 7.062996G  | Inf       | 2    |
| 162.624M | 6.903688G   | 7.066312G   | 156.811M | 6.906658G  | 7.063469G  | Inf       | 3    |
| 162.096M | 6.903688G   | 7.065784G   | 156.576M | 6.906754G  | 7.06333G   | Inf       | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


EBW

6105MHz

CF (Hz)  
6.105G  
Span (Hz)  
2.112G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.105G  
Span (Hz)  
960M  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4

| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz)  | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|----------|------------|------------|-----------|------|
| 328.416M | 5.94132G    | 6.269736G   | 315.114M | 5.947644G  | 6.262758G  | Inf       | 1    |
| 329.472M | 5.940264G   | 6.269736G   | 315.461M | 5.947463G  | 6.262923G  | Inf       | 2    |
| 329.472M | 5.940264G   | 6.269736G   | 315.217M | 5.947375G  | 6.262592G  | Inf       | 3    |
| 328.416M | 5.94132G    | 6.269736G   | 314.376M | 5.948391G  | 6.262767G  | Inf       | 4    |




5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


EBW

6265MHz

CF (Hz)  
6.265G  
Span (Hz)  
2.112G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.265G  
Span (Hz)  
960M  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz)  | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|----------|------------|------------|-----------|------|
| 329.472M | 6.100264G   | 6.429736G   | 315.547M | 6.107048G  | 6.422595G  | Inf       | 1    |
| 328.416M | 6.10132G    | 6.429736G   | 315.743M | 6.107326G  | 6.423068G  | Inf       | 2    |
| 327.36M  | 6.10132G    | 6.42868G    | 315.851M | 6.10616G   | 6.422011G  | Inf       | 3    |
| 329.472M | 6.100264G   | 6.429736G   | 314.744M | 6.107351G  | 6.422094G  | Inf       | 4    |

5.925-6.425GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX


EBW

6425MHz Straddle 5.925-6.425GHz

CF (Hz)  
6.425G  
Span (Hz)  
2.112G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



CF (Hz)  
6.425G  
Span (Hz)  
2.112G  
RBW (Hz)  
5M  
VBW (Hz)  
10M  
Sweep Time (s)  
100m  
Detector Type  
Peak



Port 1  
Port 2  
Port 3  
Port 4


| 26dB(Hz) | Fl-26dB(Hz) | Fh-26dB(Hz) | OBW(Hz)  | Fl-OBW(Hz) | Fh-OBW(Hz) | Limit(Hz) | Port |
|----------|-------------|-------------|----------|------------|------------|-----------|------|
| 328.416M | 6.26132G    | 6.589736G   | 316.424M | 6.267253G  | 6.583676G  | Inf       | 1    |
| 328.416M | 6.26132G    | 6.589736G   | 316.484M | 6.266857G  | 6.583342G  | Inf       | 2    |
| 328.416M | 6.26132G    | 6.589736G   | 316.497M | 6.266882G  | 6.58338G   | Inf       | 3    |
| 328.416M | 6.26132G    | 6.589736G   | 316.007M | 6.267194G  | 6.583201G  | Inf       | 4    |



6.425-6.525GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

EBW


6585MHz Straddle 6.425-6.525GHz



6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

EBW

6745MHz Straddle 6.525-6.875GHz






6.525-6.875GHz\_802.11be EHT320\_Nss1,(MCS0)\_4TX

EBW

6905MHz Straddle 6.525-6.875GHz





**Non-beamforming mode**

**Summary**

| Mode                                  | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|---------------------------------------|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz                        | -                 | -               | -          | -        |
| 802.11a_Nss1,(6Mbps)_4TX              | 12.12             | 0.01629         | 15.44      | 0.03499  |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | 12.80             | 0.01905         | 16.12      | 0.04093  |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | 15.67             | 0.03690         | 18.99      | 0.07925  |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | 18.74             | 0.07482         | 22.06      | 0.16069  |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | 21.54             | 0.14256         | 24.86      | 0.30620  |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA | 23.79             | 0.23933         | 27.11      | 0.51404  |
| 6.425-6.525GHz                        | -                 | -               | -          | -        |
| 802.11a_Nss1,(6Mbps)_4TX              | 12.18             | 0.01652         | 14.45      | 0.02786  |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | 12.72             | 0.01871         | 14.99      | 0.03155  |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | 15.92             | 0.03908         | 18.19      | 0.06592  |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | 18.91             | 0.07780         | 21.18      | 0.13122  |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | 21.58             | 0.14388         | 23.85      | 0.24266  |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA | 23.67             | 0.23281         | 25.94      | 0.39264  |
| 6.525-6.875GHz                        | -                 | -               | -          | -        |
| 802.11a_Nss1,(6Mbps)_4TX              | 12.23             | 0.01671         | 15.37      | 0.03443  |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | 13.02             | 0.02004         | 16.16      | 0.04130  |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | 15.96             | 0.03945         | 19.10      | 0.08128  |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | 19.08             | 0.08091         | 22.22      | 0.16672  |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | 21.48             | 0.14060         | 24.62      | 0.28973  |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA | 24.00             | 0.25119         | 27.14      | 0.51761  |
| 6.875-7.125GHz                        | -                 | -               | -          | -        |
| 802.11a_Nss1,(6Mbps)_4TX              | 12.24             | 0.01675         | 14.52      | 0.02831  |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | 12.90             | 0.01950         | 15.18      | 0.03296  |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | 15.87             | 0.03864         | 18.15      | 0.06531  |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | 19.11             | 0.08147         | 21.39      | 0.13772  |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | 21.64             | 0.14588         | 23.92      | 0.24660  |



**Conducted Output Power(Average)**

**Appendix B**

**Result**

| Mode                                    | Result | DG<br>(dBi) | Port 1<br>(dBm) | Port 2<br>(dBm) | Port 3<br>(dBm) | Port 4<br>(dBm) | Total Power<br>(dBm) | Power Limit<br>(dBm) | EIRP<br>(dBm) | EIRP Limit<br>(dBm) |
|---|--------|-------------|-----------------|-----------------|-----------------|-----------------|----------------------|----------------------|---------------|---------------------|
| 802.11a_Nss1,(6Mbps)_4TX                | -      | -           | -               | -               | -               | -               | -                    | -                    | -             | -                   |
| 5955MHz                                 | Pass   | 3.32        | 5.59            | 5.52            | 5.61            | 5.46            | 11.57                | Inf                  | 14.89         | 30.00               |
| 6175MHz                                 | Pass   | 3.32        | 6.01            | 5.94            | 6.16            | 6.15            | 12.09                | Inf                  | 15.41         | 30.00               |
| 6415MHz                                 | Pass   | 3.32        | 5.74            | 6.55            | 6.36            | 5.68            | 12.12                | Inf                  | 15.44         | 30.00               |
| 6435MHz                                 | Pass   | 2.27        | 5.95            | 6.37            | 6.11            | 6.01            | 12.13                | Inf                  | 14.40         | 30.00               |
| 6475MHz                                 | Pass   | 2.27        | 5.67            | 6.27            | 6.19            | 5.37            | 11.91                | Inf                  | 14.18         | 30.00               |
| 6515MHz                                 | Pass   | 2.27        | 6.12            | 6.38            | 6.07            | 6.05            | 12.18                | Inf                  | 14.45         | 30.00               |
| 6535MHz                                 | Pass   | 3.14        | 6.24            | 6.21            | 6.17            | 6.12            | 12.21                | Inf                  | 15.35         | 30.00               |
| 6715MHz                                 | Pass   | 3.14        | 6.01            | 6.37            | 6.02            | 5.94            | 12.11                | Inf                  | 15.25         | 30.00               |
| 6855MHz                                 | Pass   | 3.14        | 5.75            | 6.49            | 6.28            | 5.81            | 12.11                | Inf                  | 15.25         | 30.00               |
| 6875MHz Straddle 6.525-6.875GHz         | Pass   | 3.14        | 5.98            | 6.14            | 6.55            | 6.16            | 12.23                | Inf                  | 15.37         | 30.00               |
| 6895MHz                                 | Pass   | 2.28        | 5.59            | 6.34            | 6.23            | 6.21            | 12.12                | Inf                  | 14.40         | 30.00               |
| 7015MHz                                 | Pass   | 2.28        | 6.52            | 6.44            | 6.02            | 5.85            | 12.24                | Inf                  | 14.52         | 30.00               |
| 7095MHz                                 | Pass   | 2.28        | 6.66            | 6.19            | 5.68            | 5.57            | 12.07                | Inf                  | 14.35         | 30.00               |
| 7115MHz                                 | Pass   | 2.28        | 6.55            | 5.64            | 5.82            | 5.75            | 11.98                | Inf                  | 14.26         | 30.00               |
| 802.11be<br>EHT20_Nss1,(MCS0)_4TX-OFDMA | -      | -           | -               | -               | -               | -               | -                    | -                    | -             | -                   |
| 5955MHz                                 | Pass   | 3.32        | 6.62            | 6.23            | 6.19            | 6.28            | 12.35                | Inf                  | 15.67         | 30.00               |
| 6175MHz                                 | Pass   | 3.32        | 6.88            | 6.69            | 6.62            | 6.93            | 12.80                | Inf                  | 16.12         | 30.00               |
| 6415MHz                                 | Pass   | 3.32        | 6.61            | 6.82            | 6.92            | 6.24            | 12.68                | Inf                  | 16.00         | 30.00               |
| 6435MHz                                 | Pass   | 2.27        | 6.44            | 6.94            | 6.71            | 6.56            | 12.69                | Inf                  | 14.96         | 30.00               |
| 6475MHz                                 | Pass   | 2.27        | 6.48            | 6.91            | 7.14            | 6.22            | 12.72                | Inf                  | 14.99         | 30.00               |
| 6515MHz                                 | Pass   | 2.27        | 6.58            | 6.74            | 6.78            | 6.52            | 12.68                | Inf                  | 14.95         | 30.00               |
| 6535MHz                                 | Pass   | 3.14        | 6.56            | 6.69            | 6.94            | 6.97            | 12.81                | Inf                  | 15.95         | 30.00               |
| 6715MHz                                 | Pass   | 3.14        | 6.52            | 6.51            | 6.32            | 6.31            | 12.44                | Inf                  | 15.58         | 30.00               |
| 6855MHz                                 | Pass   | 3.14        | 6.67            | 7.42            | 7.02            | 6.85            | 13.02                | Inf                  | 16.16         | 30.00               |
| 6875MHz Straddle 6.525-6.875GHz         | Pass   | 3.14        | 6.56            | 7.14            | 7.19            | 6.79            | 12.95                | Inf                  | 16.09         | 30.00               |
| 6895MHz                                 | Pass   | 2.28        | 6.47            | 7.08            | 7.29            | 6.62            | 12.90                | Inf                  | 15.18         | 30.00               |
| 7015MHz                                 | Pass   | 2.28        | 6.96            | 6.92            | 6.81            | 6.47            | 12.81                | Inf                  | 15.09         | 30.00               |
| 7095MHz                                 | Pass   | 2.28        | 7.05            | 6.44            | 6.48            | 6.11            | 12.55                | Inf                  | 14.83         | 30.00               |
| 7115MHz                                 | Pass   | 2.28        | 6.22            | 6.34            | 6.57            | 6.35            | 12.39                | Inf                  | 14.67         | 30.00               |
| 802.11be<br>EHT40_Nss1,(MCS0)_4TX-OFDMA | -      | -           | -               | -               | -               | -               | -                    | -                    | -             | -                   |
| 5965MHz                                 | Pass   | 3.32        | 9.51            | 9.12            | 9.15            | 9.13            | 15.25                | Inf                  | 18.57         | 30.00               |
| 6165MHz                                 | Pass   | 3.32        | 9.73            | 9.35            | 9.47            | 10.01           | 15.67                | Inf                  | 18.99         | 30.00               |
| 6405MHz                                 | Pass   | 3.32        | 9.23            | 9.33            | 9.48            | 9.07            | 15.30                | Inf                  | 18.62         | 30.00               |
| 6445MHz                                 | Pass   | 2.27        | 9.48            | 9.41            | 9.38            | 9.52            | 15.47                | Inf                  | 17.74         | 30.00               |
| 6485MHz                                 | Pass   | 2.27        | 9.52            | 10.03           | 10.02           | 9.41            | 15.77                | Inf                  | 18.04         | 30.00               |
| 6525MHz Straddle 6.425-6.525GHz         | Pass   | 2.27        | 9.73            | 9.95            | 10.03           | 9.87            | 15.92                | Inf                  | 18.19         | 30.00               |
| 6565MHz                                 | Pass   | 3.14        | 9.68            | 9.7             | 10.14           | 10.2            | 15.96                | Inf                  | 19.10         | 30.00               |
| 6725MHz                                 | Pass   | 3.14        | 9.17            | 9.85            | 9.42            | 9.25            | 15.45                | Inf                  | 18.59         | 30.00               |



**Conducted Output Power(Average)**

**Appendix B**

| Mode                                     | Result | DG<br>(dBi) | Port 1<br>(dBm) | Port 2<br>(dBm) | Port 3<br>(dBm) | Port 4<br>(dBm) | Total Power<br>(dBm) | Power Limit<br>(dBm) | EIRP<br>(dBm) | EIRP Limit<br>(dBm) |
|--|--------|-------------|-----------------|-----------------|-----------------|-----------------|----------------------|----------------------|---------------|---------------------|
| 6845MHz                                  | Pass   | 3.14        | 9.53            | 9.97            | 9.79            | 9.67            | 15.76                | Inf                  | 18.90         | 30.00               |
| 6885MHz Straddle 6.525-6.875GHz          | Pass   | 3.14        | 9.66            | 10.17           | 9.79            | 9.09            | 15.72                | Inf                  | 18.86         | 30.00               |
| 6925MHz                                  | Pass   | 2.28        | 9.55            | 10.08           | 9.84            | 9.83            | 15.85                | Inf                  | 18.13         | 30.00               |
| 7005MHz                                  | Pass   | 2.28        | 10.07           | 10.15           | 9.68            | 9.17            | 15.81                | Inf                  | 18.09         | 30.00               |
| 7085MHz                                  | Pass   | 2.28        | 10.46           | 9.94            | 9.83            | 9.06            | 15.87                | Inf                  | 18.15         | 30.00               |
| 802.11be<br>EHT80_Nss1,(MCS0)_4TX-OFDMA  | -      | -           | -               | -               | -               | -               | -                    | -                    | -             | -                   |
| 5985MHz                                  | Pass   | 3.32        | 12.12           | 12.43           | 11.95           | 12.49           | 18.27                | Inf                  | 21.59         | 30.00               |
| 6145MHz                                  | Pass   | 3.32        | 12.62           | 12.59           | 12.51           | 12.79           | 18.65                | Inf                  | 21.97         | 30.00               |
| 6385MHz                                  | Pass   | 3.32        | 12.6            | 12.87           | 13.06           | 12.31           | 18.74                | Inf                  | 22.06         | 30.00               |
| 6465MHz                                  | Pass   | 2.27        | 12.69           | 13.15           | 13.14           | 12.54           | 18.91                | Inf                  | 21.18         | 30.00               |
| 6545MHz Straddle 6.425-6.525GHz          | Pass   | 2.27        | 12.41           | 12.39           | 12.62           | 12.34           | 18.46                | Inf                  | 20.73         | 30.00               |
| 6625MHz                                  | Pass   | 3.14        | 13.05           | 13.24           | 12.62           | 12.46           | 18.87                | Inf                  | 22.01         | 30.00               |
| 6705MHz                                  | Pass   | 3.14        | 12.55           | 13.08           | 12.59           | 12.63           | 18.74                | Inf                  | 21.88         | 30.00               |
| 6785MHz                                  | Pass   | 3.14        | 12.83           | 13.07           | 12.91           | 12.84           | 18.93                | Inf                  | 22.07         | 30.00               |
| 6865MHz Straddle 6.525-6.875GHz          | Pass   | 3.14        | 13.08           | 13.31           | 13.32           | 12.48           | 19.08                | Inf                  | 22.22         | 30.00               |
| 6945MHz                                  | Pass   | 2.28        | 12.46           | 13.43           | 13.04           | 12.68           | 18.94                | Inf                  | 21.22         | 30.00               |
| 7025MHz                                  | Pass   | 2.28        | 13.36           | 13.29           | 12.85           | 12.84           | 19.11                | Inf                  | 21.39         | 30.00               |
| 802.11be<br>EHT160_Nss1,(MCS0)_4TX-OFDMA | -      | -           | -               | -               | -               | -               | -                    | -                    | -             | -                   |
| 6025MHz                                  | Pass   | 3.32        | 15.08           | 15.25           | 15.45           | 16.21           | 21.54                | Inf                  | 24.86         | 30.00               |
| 6185MHz                                  | Pass   | 3.32        | 15.45           | 15.54           | 15.44           | 15.59           | 21.53                | Inf                  | 24.85         | 30.00               |
| 6345MHz                                  | Pass   | 3.32        | 15.03           | 14.86           | 15.28           | 15.37           | 21.16                | Inf                  | 24.48         | 30.00               |
| 6505MHz Straddle 6.425-6.525GHz          | Pass   | 2.27        | 15.49           | 15.88           | 15.86           | 14.95           | 21.58                | Inf                  | 23.85         | 30.00               |
| 6665MHz                                  | Pass   | 3.14        | 15.17           | 15.79           | 15.18           | 15.16           | 21.35                | Inf                  | 24.49         | 30.00               |
| 6825MHz Straddle 6.525-6.875GHz          | Pass   | 3.14        | 15.38           | 15.67           | 15.42           | 15.37           | 21.48                | Inf                  | 24.62         | 30.00               |
| 6985MHz                                  | Pass   | 2.28        | 15.63           | 15.82           | 15.48           | 15.54           | 21.64                | Inf                  | 23.92         | 30.00               |
| 802.11be<br>EHT320_Nss1,(MCS0)_4TX-OFDMA | -      | -           | -               | -               | -               | -               | -                    | -                    | -             | -                   |
| 6105MHz                                  | Pass   | 3.32        | 17.74           | 18.05           | 17.64           | 17.35           | 23.72                | Inf                  | 27.04         | 30.00               |
| 6265MHz                                  | Pass   | 3.32        | 17.92           | 18.01           | 17.38           | 17.27           | 23.68                | Inf                  | 27.00         | 30.00               |
| 6425MHz Straddle 5.925-6.425GHz          | Pass   | 3.32        | 17.75           | 17.95           | 18.09           | 17.22           | 23.79                | Inf                  | 27.11         | 30.00               |
| 6585MHz Straddle 6.425-6.525GHz          | Pass   | 2.27        | 17.57           | 17.59           | 17.92           | 17.52           | 23.67                | Inf                  | 25.94         | 30.00               |
| 6745MHz Straddle 6.525-6.875GHz          | Pass   | 3.14        | 17.85           | 18.47           | 17.81           | 17.74           | 24.00                | Inf                  | 27.14         | 30.00               |
| 6905MHz Straddle 6.525-6.875GHz          | Pass   | 3.14        | 17.63           | 18.02           | 17.65           | 17.65           | 23.76                | Inf                  | 26.90         | 30.00               |

DG = Directional Gain; Port X = Port X output power



**Beamforming mode**

**Summary**

| Mode                                     | Total Power (dBm) | Total Power (W) | EIRP (dBm) | EIRP (W) |
|--|-------------------|-----------------|------------|----------|
| 5.925-6.425GHz                           | -                 | -               | -          | -        |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA  | 12.67             | 0.01849         | 18.30      | 0.06761  |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA  | 15.37             | 0.03443         | 21.00      | 0.12589  |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA  | 18.69             | 0.07396         | 24.32      | 0.27040  |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA | 21.50             | 0.14125         | 27.13      | 0.51642  |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX-OFDMA | 23.70             | 0.23442         | 29.33      | 0.85704  |
| 6.425-6.525GHz                           | -                 | -               | -          | -        |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA  | 12.69             | 0.01858         | 18.19      | 0.06592  |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA  | 15.79             | 0.03793         | 21.29      | 0.13459  |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA  | 18.75             | 0.07499         | 24.25      | 0.26607  |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA | 21.44             | 0.13932         | 26.94      | 0.49431  |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX-OFDMA | 23.44             | 0.22080         | 28.94      | 0.78343  |
| 6.525-6.875GHz                           | -                 | -               | -          | -        |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA  | 12.69             | 0.01858         | 18.14      | 0.06516  |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA  | 15.68             | 0.03698         | 21.13      | 0.12972  |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA  | 19.00             | 0.07943         | 24.45      | 0.27861  |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA | 21.44             | 0.13932         | 26.89      | 0.48865  |
| 802.11be EHT320-BF_Nss1,(MCS0)_4TX-OFDMA | 23.84             | 0.24210         | 29.29      | 0.84918  |
| 6.875-7.125GHz                           | -                 | -               | -          | -        |
| 802.11be EHT20-BF_Nss1,(MCS0)_4TX-OFDMA  | 12.65             | 0.01841         | 18.04      | 0.06368  |
| 802.11be EHT40-BF_Nss1,(MCS0)_4TX-OFDMA  | 15.81             | 0.03811         | 21.20      | 0.13183  |
| 802.11be EHT80-BF_Nss1,(MCS0)_4TX-OFDMA  | 18.87             | 0.07709         | 24.26      | 0.26669  |
| 802.11be EHT160-BF_Nss1,(MCS0)_4TX-OFDMA | 21.41             | 0.13836         | 26.80      | 0.47863  |



Result

| Mode                                       | Result | DG<br>(dBi) | Port 1<br>(dBm) | Port 2<br>(dBm) | Port 3<br>(dBm) | Port 4<br>(dBm) | Total<br>Power<br>(dBm) | Power<br>Limit<br>(dBm) | EIRP<br>(dBm) | EIRP<br>Limit<br>(dBm) |
|--|--------|-------------|-----------------|-----------------|-----------------|-----------------|-------------------------|-------------------------|---------------|------------------------|
| 802.11be<br>EHT20-BF_Nss1,(MCS0)_4TX-OFDMA | -      | -           | -               | -               | -               | -               | -                       | -                       | -             | -                      |
| 5955MHz                                    | Pass   | 5.63        | 6.23            | 5.75            | 6.26            | 6.61            | 12.24                   | Inf                     | 17.87         | 30.00                  |
| 6175MHz                                    | Pass   | 5.63        | 6.35            | 6.94            | 6.51            | 6.76            | 12.67                   | Inf                     | 18.30         | 30.00                  |
| 6415MHz                                    | Pass   | 5.63        | 6.71            | 6.54            | 6.95            | 6.28            | 12.65                   | Inf                     | 18.28         | 30.00                  |
| 6435MHz                                    | Pass   | 5.50        | 6.49            | 6.61            | 6.74            | 6.65            | 12.64                   | Inf                     | 18.14         | 30.00                  |
| 6475MHz                                    | Pass   | 5.50        | 6.72            | 6.44            | 7.02            | 6.46            | 12.69                   | Inf                     | 18.19         | 30.00                  |
| 6515MHz                                    | Pass   | 5.50        | 6.06            | 6.32            | 6.96            | 6.89            | 12.59                   | Inf                     | 18.09         | 30.00                  |
| 6535MHz                                    | Pass   | 5.45        | 6.34            | 6.31            | 6.88            | 6.63            | 12.57                   | Inf                     | 18.02         | 30.00                  |
| 6715MHz                                    | Pass   | 5.45        | 6.52            | 6.81            | 6.12            | 6.05            | 12.41                   | Inf                     | 17.86         | 30.00                  |
| 6855MHz                                    | Pass   | 5.45        | 6.63            | 6.74            | 6.92            | 6.38            | 12.69                   | Inf                     | 18.14         | 30.00                  |
| 6875MHz Straddle 6.525-6.875GHz            | Pass   | 5.45        | 6.02            | 6.91            | 6.86            | 6.33            | 12.57                   | Inf                     | 18.02         | 30.00                  |
| 6895MHz                                    | Pass   | 5.39        | 6.61            | 6.92            | 6.58            | 6.41            | 12.65                   | Inf                     | 18.04         | 30.00                  |
| 7015MHz                                    | Pass   | 5.39        | 6.84            | 6.94            | 6.03            | 6.45            | 12.60                   | Inf                     | 17.99         | 30.00                  |
| 7095MHz                                    | Pass   | 5.39        | 7.02            | 6.18            | 6.17            | 6.58            | 12.52                   | Inf                     | 17.91         | 30.00                  |
| 7115MHz                                    | Pass   | 5.39        | 6.65            | 5.94            | 5.82            | 6.32            | 12.22                   | Inf                     | 17.61         | 30.00                  |
| 802.11be<br>EHT40-BF_Nss1,(MCS0)_4TX-OFDMA | -      | -           | -               | -               | -               | -               | -                       | -                       | -             | -                      |
| 5965MHz                                    | Pass   | 5.63        | 9.21            | 9.18            | 8.84            | 9.42            | 15.19                   | Inf                     | 20.82         | 30.00                  |
| 6165MHz                                    | Pass   | 5.63        | 9.36            | 9.29            | 9.32            | 9.44            | 15.37                   | Inf                     | 21.00         | 30.00                  |
| 6405MHz                                    | Pass   | 5.63        | 9.34            | 9.15            | 9.64            | 8.82            | 15.27                   | Inf                     | 20.90         | 30.00                  |
| 6445MHz                                    | Pass   | 5.50        | 9.22            | 9.26            | 9.38            | 9.59            | 15.39                   | Inf                     | 20.89         | 30.00                  |
| 6485MHz                                    | Pass   | 5.50        | 9.48            | 9.74            | 9.82            | 9.58            | 15.68                   | Inf                     | 21.18         | 30.00                  |
| 6525MHz Straddle 6.425-6.525GHz            | Pass   | 5.50        | 9.67            | 9.65            | 10.02           | 9.74            | 15.79                   | Inf                     | 21.29         | 30.00                  |
| 6565MHz                                    | Pass   | 5.45        | 9.49            | 9.82            | 9.95            | 9.34            | 15.68                   | Inf                     | 21.13         | 30.00                  |
| 6725MHz                                    | Pass   | 5.45        | 9.16            | 9.55            | 8.76            | 8.84            | 15.11                   | Inf                     | 20.56         | 30.00                  |
| 6845MHz                                    | Pass   | 5.45        | 9.35            | 10.04           | 9.62            | 9.19            | 15.58                   | Inf                     | 21.03         | 30.00                  |
| 6885MHz Straddle 6.525-6.875GHz            | Pass   | 5.45        | 9.21            | 9.84            | 9.95            | 9.53            | 15.66                   | Inf                     | 21.11         | 30.00                  |
| 6925MHz                                    | Pass   | 5.39        | 9.62            | 9.89            | 9.93            | 9.42            | 15.74                   | Inf                     | 21.13         | 30.00                  |
| 7005MHz                                    | Pass   | 5.39        | 10.02           | 10.15           | 9.36            | 9.23            | 15.73                   | Inf                     | 21.12         | 30.00                  |
| 7085MHz                                    | Pass   | 5.39        | 10.36           | 9.85            | 9.39            | 9.48            | 15.81                   | Inf                     | 21.20         | 30.00                  |
| 802.11be<br>EHT80-BF_Nss1,(MCS0)_4TX-OFDMA | -      | -           | -               | -               | -               | -               | -                       | -                       | -             | -                      |
| 5985MHz                                    | Pass   | 5.63        | 11.85           | 11.91           | 11.78           | 12.35           | 18.00                   | Inf                     | 23.63         | 30.00                  |
| 6145MHz                                    | Pass   | 5.63        | 12.54           | 12.62           | 12.55           | 12.48           | 18.57                   | Inf                     | 24.20         | 30.00                  |
| 6385MHz                                    | Pass   | 5.63        | 12.85           | 12.51           | 12.84           | 12.46           | 18.69                   | Inf                     | 24.32         | 30.00                  |
| 6465MHz                                    | Pass   | 5.50        | 12.62           | 12.74           | 12.86           | 12.69           | 18.75                   | Inf                     | 24.25         | 30.00                  |
| 6545MHz Straddle 6.425-6.525GHz            | Pass   | 5.50        | 12.16           | 12.49           | 12.55           | 12.06           | 18.34                   | Inf                     | 23.84         | 30.00                  |
| 6625MHz                                    | Pass   | 5.45        | 12.92           | 13.16           | 12.74           | 12.51           | 18.86                   | Inf                     | 24.31         | 30.00                  |
| 6705MHz                                    | Pass   | 5.45        | 12.45           | 13.02           | 12.71           | 12.23           | 18.63                   | Inf                     | 24.08         | 30.00                  |
| 6785MHz                                    | Pass   | 5.45        | 12.78           | 12.95           | 12.63           | 12.54           | 18.75                   | Inf                     | 24.20         | 30.00                  |



**Conducted Output Power(Average)**

**Appendix B**

| Mode  | Result | DG<br>(dBi) | Port 1<br>(dBm) | Port 2<br>(dBm) | Port 3<br>(dBm) | Port 4<br>(dBm) | Total<br>Power<br>(dBm) | Power<br>Limit<br>(dBm) | EIRP<br>(dBm) | EIRP<br>Limit<br>(dBm) |
|---|--------|-------------|-----------------|-----------------|-----------------|-----------------|-------------------------|-------------------------|---------------|------------------------|
| 6865MHz Straddle 6.525-6.875GHz             | Pass   | 5.45        | 12.67           | 13.14           | 13.42           | 12.65           | 19.00                   | Inf                     | 24.45         | 30.00                  |
| 6945MHz                                     | Pass   | 5.39        | 12.94           | 13.25           | 12.69           | 12.49           | 18.87                   | Inf                     | 24.26         | 30.00                  |
| 7025MHz                                     | Pass   | 5.39        | 13.22           | 13.18           | 12.45           | 12.41           | 18.85                   | Inf                     | 24.24         | 30.00                  |
| 802.11be<br>EHT160-BF_Nss1,(MCS0)_4TX-OFDMA | -      | -           | -               | -               | -               | -               | -                       | -                       | -             | -                      |
| 6025MHz                                     | Pass   | 5.63        | 15.15           | 15.26           | 15.62           | 15.85           | 21.50                   | Inf                     | 27.13         | 30.00                  |
| 6185MHz                                     | Pass   | 5.63        | 15.26           | 15.48           | 15.22           | 15.45           | 21.37                   | Inf                     | 27.00         | 30.00                  |
| 6345MHz                                     | Pass   | 5.63        | 15.29           | 14.72           | 15.28           | 15.12           | 21.13                   | Inf                     | 26.76         | 30.00                  |
| 6505MHz Straddle 6.425-6.525GHz             | Pass   | 5.50        | 15.14           | 15.69           | 15.52           | 15.31           | 21.44                   | Inf                     | 26.94         | 30.00                  |
| 6665MHz                                     | Pass   | 5.45        | 15.21           | 15.32           | 14.78           | 14.85           | 21.07                   | Inf                     | 26.52         | 30.00                  |
| 6825MHz Straddle 6.525-6.875GHz             | Pass   | 5.45        | 15.28           | 15.39           | 15.54           | 15.46           | 21.44                   | Inf                     | 26.89         | 30.00                  |
| 6985MHz                                     | Pass   | 5.39        | 15.68           | 15.51           | 15.12           | 15.24           | 21.41                   | Inf                     | 26.80         | 30.00                  |
| 802.11be<br>EHT320-BF_Nss1,(MCS0)_4TX-OFDMA | -      | -           | -               | -               | -               | -               | -                       | -                       | -             | -                      |
| 6105MHz                                     | Pass   | 5.63        | 17.63           | 18.01           | 17.54           | 17.46           | 23.69                   | Inf                     | 29.32         | 30.00                  |
| 6265MHz                                     | Pass   | 5.63        | 17.54           | 17.75           | 17.02           | 17.11           | 23.39                   | Inf                     | 29.02         | 30.00                  |
| 6425MHz Straddle 5.925-6.425GHz             | Pass   | 5.63        | 17.56           | 17.82           | 18.01           | 17.29           | 23.70                   | Inf                     | 29.33         | 30.00                  |
| 6585MHz Straddle 6.425-6.525GHz             | Pass   | 5.50        | 17.02           | 17.65           | 17.59           | 17.41           | 23.44                   | Inf                     | 28.94         | 30.00                  |
| 6745MHz Straddle 6.525-6.875GHz             | Pass   | 5.45        | 17.61           | 18.25           | 17.68           | 17.72           | 23.84                   | Inf                     | 29.29         | 30.00                  |
| 6905MHz Straddle 6.525-6.875GHz             | Pass   | 5.45        | 17.38           | 17.95           | 17.54           | 17.41           | 23.60                   | Inf                     | 29.05         | 30.00                  |

DG = Directional Gain; Port X = Port X output power  
Refers to antenna document for DG Gain.



Summary

| Mode                                  | PD<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) |
|---------------------------------------|-----------------|----------------------|
| 5.925-6.425GHz                        | -               | -                    |
| 802.11a_Nss1,(6Mbps)_4TX              | -0.81           | 4.82                 |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | -0.95           | 4.68                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | -1.00           | 4.63                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | -0.92           | 4.71                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | -0.75           | 4.88                 |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA | -0.87           | 4.76                 |
| 6.425-6.525GHz                        | -               | -                    |
| 802.11a_Nss1,(6Mbps)_4TX              | -0.80           | 4.70                 |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | -0.63           | 4.87                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | -0.65           | 4.85                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | -0.67           | 4.83                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | -0.83           | 4.67                 |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA | -0.85           | 4.65                 |
| 6.525-6.875GHz                        | -               | -                    |
| 802.11a_Nss1,(6Mbps)_4TX              | -0.64           | 4.81                 |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | -0.59           | 4.86                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | -0.73           | 4.72                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | -0.57           | 4.88                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | -0.85           | 4.60                 |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA | -0.58           | 4.87                 |
| 6.875-7.125GHz                        | -               | -                    |
| 802.11a_Nss1,(6Mbps)_4TX              | -0.74           | 4.65                 |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA  | -0.74           | 4.65                 |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA  | -0.57           | 4.82                 |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  | -0.50           | 4.89                 |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA | -0.71           | 4.68                 |

RBW = 1MHz



Result

| Mode                                 | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | Port 3<br>(dBm/RBW) | Port 4<br>(dBm/RBW) | PD<br>(dBm/RBW) | PD Limit<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|--------------------------------------|--------|-------------|---------------------|---------------------|---------------------|---------------------|-----------------|-----------------------|----------------------|----------------------------|
| 802.11a_Nss1,(6Mbps)_4TX             |        |             |                     |                     |                     |                     |                 |                       |                      |                            |
| 5955MHz                              | Pass   | 5.63        | -6.91               | -6.99               | -7.02               | -6.87               | -1.04           | Inf                   | 4.59                 | 5.00                       |
| 6175MHz                              | Pass   | 5.63        | -6.31               | -6.64               | -6.42               | -6.45               | -0.88           | Inf                   | 4.75                 | 5.00                       |
| 6415MHz                              | Pass   | 5.63        | -6.90               | -6.26               | -6.24               | -7.27               | -0.81           | Inf                   | 4.82                 | 5.00                       |
| 6435MHz                              | Pass   | 5.50        | -6.92               | -6.38               | -6.79               | -6.89               | -0.86           | Inf                   | 4.64                 | 5.00                       |
| 6475MHz                              | Pass   | 5.50        | -7.08               | -6.11               | -6.44               | -7.10               | -0.87           | Inf                   | 4.63                 | 5.00                       |
| 6515MHz                              | Pass   | 5.50        | -6.80               | -6.59               | -6.65               | -6.64               | -0.80           | Inf                   | 4.70                 | 5.00                       |
| 6535MHz                              | Pass   | 5.45        | -6.60               | -6.51               | -6.70               | -6.56               | -0.90           | Inf                   | 4.55                 | 5.00                       |
| 6715MHz                              | Pass   | 5.45        | -6.78               | -6.04               | -6.57               | -6.88               | -0.64           | Inf                   | 4.81                 | 5.00                       |
| 6855MHz                              | Pass   | 5.45        | -6.80               | -6.16               | -6.13               | -6.37               | -0.72           | Inf                   | 4.73                 | 5.00                       |
| 6875MHz Straddle<br>6.525-6.875GHz   | Pass   | 5.45        | -6.72               | -5.99               | -6.36               | -6.66               | -0.74           | Inf                   | 4.71                 | 5.00                       |
| 6895MHz                              | Pass   | 5.39        | -7.39               | -6.11               | -6.14               | -6.87               | -0.74           | Inf                   | 4.65                 | 5.00                       |
| 7015MHz                              | Pass   | 5.39        | -6.47               | -6.62               | -6.59               | -7.01               | -0.84           | Inf                   | 4.55                 | 5.00                       |
| 7095MHz                              | Pass   | 5.39        | -6.02               | -6.23               | -6.47               | -7.21               | -0.86           | Inf                   | 4.53                 | 5.00                       |
| 7115MHz                              | Pass   | 5.39        | -6.10               | -7.31               | -6.09               | -7.24               | -0.83           | Inf                   | 4.56                 | 5.00                       |
| 802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA |        |             |                     |                     |                     |                     |                 |                       |                      |                            |
| 5955MHz                              | Pass   | 5.63        | -6.81               | -6.95               | -6.85               | -6.93               | -1.06           | Inf                   | 4.57                 | 5.00                       |
| 6175MHz                              | Pass   | 5.63        | -6.40               | -6.68               | -6.47               | -6.44               | -0.95           | Inf                   | 4.68                 | 5.00                       |
| 6415MHz                              | Pass   | 5.63        | -7.01               | -6.41               | -6.55               | -7.32               | -1.05           | Inf                   | 4.58                 | 5.00                       |
| 6435MHz                              | Pass   | 5.50        | -6.73               | -6.73               | -6.71               | -6.60               | -0.92           | Inf                   | 4.58                 | 5.00                       |
| 6475MHz                              | Pass   | 5.50        | -6.84               | -6.18               | -6.14               | -6.68               | -0.63           | Inf                   | 4.87                 | 5.00                       |
| 6515MHz                              | Pass   | 5.50        | -6.92               | -6.56               | -7.05               | -6.56               | -1.00           | Inf                   | 4.50                 | 5.00                       |
| 6535MHz                              | Pass   | 5.45        | -6.84               | -6.62               | -6.54               | -6.69               | -0.88           | Inf                   | 4.57                 | 5.00                       |
| 6715MHz                              | Pass   | 5.45        | -7.09               | -6.19               | -6.85               | -7.02               | -0.85           | Inf                   | 4.60                 | 5.00                       |
| 6855MHz                              | Pass   | 5.45        | -6.90               | -6.27               | -6.09               | -6.87               | -0.59           | Inf                   | 4.86                 | 5.00                       |
| 6875MHz Straddle<br>6.525-6.875GHz   | Pass   | 5.45        | -6.96               | -6.22               | -5.98               | -6.92               | -0.65           | Inf                   | 4.80                 | 5.00                       |
| 6895MHz                              | Pass   | 5.39        | -7.17               | -6.23               | -6.14               | -6.53               | -0.74           | Inf                   | 4.65                 | 5.00                       |
| 7015MHz                              | Pass   | 5.39        | -6.35               | -6.33               | -6.72               | -7.09               | -0.77           | Inf                   | 4.62                 | 5.00                       |
| 7095MHz                              | Pass   | 5.39        | -6.12               | -6.77               | -6.50               | -7.26               | -0.82           | Inf                   | 4.57                 | 5.00                       |
| 7115MHz                              | Pass   | 5.39        | -6.46               | -6.80               | -6.17               | -7.08               | -0.88           | Inf                   | 4.51                 | 5.00                       |
| 802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA |        |             |                     |                     |                     |                     |                 |                       |                      |                            |
| 5965MHz                              | Pass   | 5.63        | -6.83               | -6.87               | -6.80               | -6.91               | -1.02           | Inf                   | 4.61                 | 5.00                       |
| 6165MHz                              | Pass   | 5.63        | -6.83               | -6.85               | -6.76               | -6.77               | -1.00           | Inf                   | 4.63                 | 5.00                       |
| 6405MHz                              | Pass   | 5.63        | -6.86               | -6.29               | -6.50               | -7.59               | -1.03           | Inf                   | 4.60                 | 5.00                       |
| 6445MHz                              | Pass   | 5.50        | -6.70               | -6.65               | -6.65               | -6.76               | -0.88           | Inf                   | 4.62                 | 5.00                       |
| 6485MHz                              | Pass   | 5.50        | -6.64               | -6.47               | -6.54               | -6.64               | -0.78           | Inf                   | 4.72                 | 5.00                       |
| 6525MHz Straddle<br>6.425-6.525GHz   | Pass   | 5.50        | -6.53               | -6.36               | -6.41               | -6.43               | -0.65           | Inf                   | 4.85                 | 5.00                       |
| 6565MHz                              | Pass   | 5.45        | -6.94               | -6.91               | -6.05               | -6.33               | -0.73           | Inf                   | 4.72                 | 5.00                       |
| 6725MHz                              | Pass   | 5.45        | -7.19               | -6.06               | -6.58               | -7.05               | -0.91           | Inf                   | 4.54                 | 5.00                       |
| 6845MHz                              | Pass   | 5.45        | -7.22               | -6.33               | -6.34               | -6.75               | -0.84           | Inf                   | 4.61                 | 5.00                       |
| 6885MHz Straddle<br>6.525-6.875GHz   | Pass   | 5.45        | -7.26               | -6.75               | -6.18               | -7.37               | -0.93           | Inf                   | 4.52                 | 5.00                       |



| Mode                                  | Result | DG<br>(dBi) | Port 1<br>(dBm/RBW) | Port 2<br>(dBm/RBW) | Port 3<br>(dBm/RBW) | Port 4<br>(dBm/RBW) | PD<br>(dBm/RBW) | PD Limit<br>(dBm/RBW) | EIRP PD<br>(dBm/RBW) | EIRP PD Limit<br>(dBm/RBW) |
|---------------------------------------|--------|-------------|---------------------|---------------------|---------------------|---------------------|-----------------|-----------------------|----------------------|----------------------------|
| 6925MHz                               | Pass   | 5.39        | -6.87               | -6.34               | -6.07               | -6.65               | -0.74           | Inf                   | 4.65                 | 5.00                       |
| 7005MHz                               | Pass   | 5.39        | -6.39               | -6.24               | -6.59               | -6.97               | -0.76           | Inf                   | 4.63                 | 5.00                       |
| 7085MHz                               | Pass   | 5.39        | -5.92               | -5.87               | -5.92               | -7.25               | -0.57           | Inf                   | 4.82                 | 5.00                       |
| 802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA  |        |             |                     |                     |                     |                     |                 |                       |                      |                            |
| 5985MHz                               | Pass   | 5.63        | -7.06               | -6.80               | -7.20               | -6.27               | -1.01           | Inf                   | 4.62                 | 5.00                       |
| 6145MHz                               | Pass   | 5.63        | -6.63               | -6.65               | -6.99               | -6.57               | -0.92           | Inf                   | 4.71                 | 5.00                       |
| 6385MHz                               | Pass   | 5.63        | -6.48               | -6.51               | -6.64               | -7.19               | -0.92           | Inf                   | 4.71                 | 5.00                       |
| 6465MHz                               | Pass   | 5.50        | -6.58               | -5.79               | -6.36               | -6.74               | -0.67           | Inf                   | 4.83                 | 5.00                       |
| 6545MHz Straddle<br>6.425-6.525GHz    | Pass   | 5.50        | -6.78               | -7.05               | -6.57               | -6.78               | -0.94           | Inf                   | 4.56                 | 5.00                       |
| 6625MHz                               | Pass   | 5.45        | -6.89               | -5.90               | -6.87               | -7.03               | -0.76           | Inf                   | 4.69                 | 5.00                       |
| 6705MHz                               | Pass   | 5.45        | -7.03               | -6.08               | -6.83               | -6.92               | -0.90           | Inf                   | 4.55                 | 5.00                       |
| 6785MHz                               | Pass   | 5.45        | -6.60               | -6.14               | -6.29               | -6.78               | -0.57           | Inf                   | 4.88                 | 5.00                       |
| 6865MHz Straddle<br>6.525-6.875GHz    | Pass   | 5.45        | -6.78               | -6.08               | -6.19               | -7.23               | -0.65           | Inf                   | 4.80                 | 5.00                       |
| 6945MHz                               | Pass   | 5.39        | -6.32               | -5.52               | -6.27               | -6.84               | -0.50           | Inf                   | 4.89                 | 5.00                       |
| 7025MHz                               | Pass   | 5.39        | -6.11               | -6.04               | -6.30               | -6.59               | -0.57           | Inf                   | 4.82                 | 5.00                       |
| 802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA |        |             |                     |                     |                     |                     |                 |                       |                      |                            |
| 6025MHz                               | Pass   | 5.63        | -7.13               | -6.73               | -6.58               | -5.69               | -0.82           | Inf                   | 4.81                 | 5.00                       |
| 6185MHz                               | Pass   | 5.63        | -6.42               | -6.01               | -6.64               | -6.50               | -0.75           | Inf                   | 4.88                 | 5.00                       |
| 6345MHz                               | Pass   | 5.63        | -7.04               | -6.52               | -7.06               | -6.58               | -1.07           | Inf                   | 4.56                 | 5.00                       |
| 6505MHz Straddle<br>6.425-6.525GHz    | Pass   | 5.50        | -6.89               | -6.49               | -6.35               | -7.07               | -0.83           | Inf                   | 4.67                 | 5.00                       |
| 6665MHz                               | Pass   | 5.45        | -6.91               | -6.34               | -6.73               | -6.87               | -0.85           | Inf                   | 4.60                 | 5.00                       |
| 6825MHz Straddle<br>6.525-6.875GHz    | Pass   | 5.45        | -7.10               | -6.21               | -6.43               | -6.95               | -0.95           | Inf                   | 4.50                 | 5.00                       |
| 6985MHz                               | Pass   | 5.39        | -6.50               | -6.03               | -6.24               | -6.43               | -0.71           | Inf                   | 4.68                 | 5.00                       |
| 802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA |        |             |                     |                     |                     |                     |                 |                       |                      |                            |
| 6105MHz                               | Pass   | 5.63        | -6.56               | -6.31               | -6.68               | -6.95               | -1.02           | Inf                   | 4.61                 | 5.00                       |
| 6265MHz                               | Pass   | 5.63        | -6.57               | -5.94               | -6.94               | -7.21               | -0.93           | Inf                   | 4.70                 | 5.00                       |
| 6425MHz Straddle<br>5.925-6.425GHz    | Pass   | 5.63        | -6.84               | -6.10               | -6.24               | -7.30               | -0.87           | Inf                   | 4.76                 | 5.00                       |
| 6585MHz Straddle<br>6.425-6.525GHz    | Pass   | 5.50        | -6.69               | -6.82               | -6.33               | -6.75               | -0.85           | Inf                   | 4.65                 | 5.00                       |
| 6745MHz Straddle<br>6.525-6.875GHz    | Pass   | 5.45        | -6.46               | -5.89               | -6.24               | -6.53               | -0.58           | Inf                   | 4.87                 | 5.00                       |
| 6905MHz Straddle<br>6.525-6.875GHz    | Pass   | 5.45        | -7.17               | -6.15               | -6.55               | -6.94               | -0.86           | Inf                   | 4.59                 | 5.00                       |

DG = Directional Gain; RBW = 1MHz

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

Refers to antenna document for DG Gain.

