




Modulation	be EHT160-OFDMA	Test Freq. (MHz)	6985						
Polarization	Vertical-Peak Value								
<p>Test By :Roger Lu Temperature(°C):23 Humidity(%):65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7129.97	61.05	88.20	-27.15	55.84	5.21	Peak	381	11



Modulation	be EHT160-OFDMA	Test Freq. (MHz)	6985
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7127.69	47.55	68.20	-20.65	42.36	5.19	Average	381	11



Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6105
Polarization	Horizontal-Peak Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5923.00	62.05	88.20	-26.15	60.88	1.17	Peak	229	281



Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6105
Polarization	Horizontal-Average Value		

Test By : Roger Lu Temperature(°C): 23 Humidity(%): 65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5922.50	50.02	68.20	-18.18	48.85	1.17	Average	229	281




Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6105						
Polarization	Vertical-Peak Value								
<p>Test By : Roger Lu Temperature(°C): 23 Humidity(%): 65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High cm	Turn Table deg
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m			
1	5903.00	59.06	88.20	-29.14	57.89	1.17	Peak	385	2



Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6105
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	5923.00	47.77	68.20	-20.43	46.60	1.17	Average	385	2



Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6905
Polarization	Horizontal-Peak Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65




	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7147.00	64.60	88.20	-23.60	59.34	5.26	Peak	368	309



Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6905
Polarization	Horizontal-Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7135.50	54.47	68.20	-13.73	49.25	5.22	Average	368	309




Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6905						
Polarization	Vertical-Peak Value								
<p>Test By : Roger Lu Temperature(°C): 23 Humidity(%): 65</p>									
	Freq.	Emission level	Limit	Margin	SA reading	Factor	Remark	ANT High	Turn Table
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m		cm	deg
1	7153.00	62.57	88.20	-25.63	57.28	5.29	Peak	---	---



Modulation	be EHT320-OFDMA	Test Freq. (MHz)	6905
Polarization	Vertical -Average Value		

Test By :Roger Lu Temperature(°C):23 Humidity(%):65



	Freq. MHz	Emission level dBuV/m	Limit dBuV/m	Margin dB	SA reading dBuV	Factor dB/m	Remark	ANT High cm	Turn Table deg
1	7154.00	50.72	68.20	-17.48	45.42	5.30	Average	---	---



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	5.96119G	-12.57	5.9888G	-61.98	-52.57	-9.41	2
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	Pass	6.40631G	-12.48	6.4616G	-61.35	-52.48	-8.87	4
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	Pass	6.39301G	-8.75	6.5026G	-57.26	-48.75	-8.51	4
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	Pass	6.34904G	-5.94	6.507G	-54.19	-45.94	-8.25	4
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	Pass	6.36978G	-2.35	6.0986G	-50.30	-42.35	-7.95	2
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	Pass	6.2362G	1.00	6.1002G	-22.74	-19.01	-3.73	3
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.47G	-11.97	6.5093G	-61.19	-51.97	-9.22	4
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	Pass	6.48119G	-11.92	6.5088G	-60.86	-51.92	-8.94	1
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	Pass	6.43381G	-8.95	6.5094G	-57.23	-48.95	-8.28	4
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	Pass	6.57857G	-5.56	6.4198G	-54.38	-45.56	-8.82	4
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	Pass	6.5082G	-2.99	6.2474G	-50.59	-42.99	-7.60	4
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	Pass	6.6537G	1.57	6.073G	-44.04	-38.43	-5.61	3
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	6.8703G	-12.89	6.92G	-60.60	-52.89	-7.71	4
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	Pass	6.8775G	-12.65	6.9119G	-60.61	-52.65	-7.96	4
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	Pass	6.85119G	-8.93	6.938G	-56.48	-48.93	-7.55	4
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	Pass	6.89417G	-5.69	7.0094G	-52.84	-45.69	-7.15	4
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	Pass	6.70016G	-3.21	6.985G	-49.79	-43.21	-6.58	4
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	Pass	6.929G	1.34	6.3962G	-43.32	-38.66	-4.66	4
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	7.0181G	-12.33	6.9764G	-60.25	-52.33	-7.92	4
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	Pass	7.0125G	-12.53	6.9772G	-60.17	-52.53	-7.64	4
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	Pass	7.09779G	-8.51	7.0086G	-56.03	-48.51	-7.52	3
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	Pass	7.06256G	-5.41	7.2218G	-53.49	-45.41	-8.08	3
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	Pass	6.97941G	-2.56	7.3826G	-49.96	-42.56	-7.40	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96059G	-12.13	5.9892G	-62.01	-52.13	-9.88	1
5955MHz	Pass	5.96119G	-12.57	5.9888G	-61.98	-52.57	-9.41	2
5955MHz	Pass	5.954G	-12.22	5.9858G	-62.05	-52.22	-9.83	3
5955MHz	Pass	5.96219G	-12.44	6.0014G	-62.03	-52.44	-9.59	4
6175MHz	Pass	6.18119G	-11.18	6.2056G	-61.78	-51.18	-10.60	1
6175MHz	Pass	6.1709G	-11.07	6.2079G	-61.93	-51.07	-10.86	2
6175MHz	Pass	6.18029G	-11.38	6.2193G	-61.64	-51.38	-10.26	3
6175MHz	Pass	6.1765G	-11.59	6.2109G	-61.87	-51.59	-10.28	4
6415MHz	Pass	6.42219G	-11.54	6.4532G	-61.22	-51.54	-9.68	1
6415MHz	Pass	6.4103G	-11.24	6.463G	-61.37	-51.24	-10.13	2
6415MHz	Pass	6.4162G	-11.23	6.4592G	-61.26	-51.23	-10.03	3
6415MHz	Pass	6.40751G	-11.91	6.4487G	-61.39	-51.91	-9.48	4
6435MHz	Pass	6.44279G	-11.78	6.4765G	-61.34	-51.78	-9.56	1
6435MHz	Pass	6.4318G	-11.02	6.484G	-61.28	-51.02	-10.26	2
6435MHz	Pass	6.4362G	-11.32	6.4752G	-61.23	-51.32	-9.91	3
6435MHz	Pass	6.42751G	-11.49	6.4655G	-61.30	-51.49	-9.81	4
6475MHz	Pass	6.48179G	-11.62	6.5075G	-61.09	-51.62	-9.47	1
6475MHz	Pass	6.48279G	-11.06	6.5047G	-61.06	-51.06	-10.00	2
6475MHz	Pass	6.48219G	-11.34	6.5068G	-61.00	-51.34	-9.66	3
6475MHz	Pass	6.47G	-11.97	6.5093G	-61.19	-51.97	-9.22	4
6515MHz	Pass	6.52249G	-11.68	6.487G	-61.33	-51.68	-9.65	1
6515MHz	Pass	6.5128G	-11.56	6.4753G	-61.26	-51.56	-9.70	2
6515MHz	Pass	6.519G	-11.55	6.4764G	-61.32	-51.55	-9.77	3
6515MHz	Pass	6.50741G	-11.93	6.4852G	-61.23	-51.93	-9.30	4
6535MHz	Pass	6.5359G	-11.72	6.4871G	-61.19	-51.72	-9.47	1
6535MHz	Pass	6.54209G	-11.95	6.5055G	-61.12	-51.95	-9.17	2
6535MHz	Pass	6.5315G	-11.85	6.5072G	-61.20	-51.85	-9.35	3
6535MHz	Pass	6.5362G	-11.50	6.5041G	-61.13	-51.50	-9.63	4
6715MHz	Pass	6.7162G	-12.25	6.7465G	-62.26	-52.25	-10.01	1
6715MHz	Pass	6.72059G	-11.78	6.7591G	-62.20	-51.78	-10.42	2
6715MHz	Pass	6.72279G	-11.60	6.7542G	-62.20	-51.60	-10.60	3
6715MHz	Pass	6.7193G	-12.20	6.7487G	-62.25	-52.20	-10.05	4
6855MHz	Pass	6.86029G	-12.31	6.8934G	-60.72	-52.31	-8.41	1
6855MHz	Pass	6.84841G	-11.95	6.9048G	-60.73	-51.95	-8.78	2
6855MHz	Pass	6.8559G	-11.78	6.9024G	-60.64	-51.78	-8.86	3
6855MHz	Pass	6.8537G	-12.82	6.9033G	-60.73	-52.82	-7.91	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.8759G	-12.58	6.9242G	-60.64	-52.58	-8.06	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.8756G	-12.07	6.9146G	-60.54	-52.07	-8.47	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.86741G	-11.94	6.9177G	-60.44	-51.94	-8.50	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8703G	-12.89	6.92G	-60.60	-52.89	-7.71	4
6895MHz	Pass	6.8937G	-12.23	6.9388G	-60.47	-52.23	-8.24	1
6895MHz	Pass	6.8969G	-11.83	6.9384G	-60.42	-51.83	-8.59	2
6895MHz	Pass	6.88871G	-11.86	6.9237G	-60.48	-51.86	-8.62	3
6895MHz	Pass	6.90119G	-12.55	6.9385G	-60.50	-52.55	-7.95	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
7015MHz	Pass	7.00811G	-11.28	6.9779G	-60.21	-51.28	-8.93	1
7015MHz	Pass	7.0162G	-11.76	6.9842G	-60.08	-51.76	-8.32	2
7015MHz	Pass	7.00991G	-12.19	6.9821G	-60.28	-52.19	-8.09	3
7015MHz	Pass	7.0181G	-12.33	6.9764G	-60.25	-52.33	-7.92	4
7095MHz	Pass	7.0912G	-11.17	7.1351G	-61.00	-51.17	-9.83	1
7095MHz	Pass	7.0928G	-12.25	7.142G	-60.98	-52.25	-8.73	2
7095MHz	Pass	7.08811G	-12.08	7.1442G	-60.85	-52.08	-8.77	3
7095MHz	Pass	7.10059G	-12.38	7.1313G	-60.95	-52.38	-8.57	4
7115MHz	Pass	7.12029G	-11.32	7.1596G	-60.65	-51.32	-9.33	1
7115MHz	Pass	7.10841G	-12.13	7.1648G	-60.65	-52.13	-8.52	2
7115MHz	Pass	7.1137G	-12.45	7.1622G	-60.70	-52.45	-8.25	3
7115MHz	Pass	7.12149G	-12.18	7.1643G	-60.62	-52.18	-8.44	4
802.11be EHT20_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96299G	-11.77	5.9929G	-62.12	-51.77	-10.35	1
5955MHz	Pass	5.96199G	-12.32	5.9858G	-61.93	-52.32	-9.61	2
5955MHz	Pass	5.96339G	-11.83	5.9983G	-62.02	-51.83	-10.19	3
5955MHz	Pass	5.96179G	-12.12	5.9908G	-62.05	-52.12	-9.93	4
6175MHz	Pass	6.16971G	-11.77	6.2162G	-61.92	-51.77	-10.15	1
6175MHz	Pass	6.18249G	-11.34	6.2084G	-61.82	-51.34	-10.48	2
6175MHz	Pass	6.1763G	-11.32	6.2085G	-61.93	-51.32	-10.61	3
6175MHz	Pass	6.1786G	-11.79	6.2113G	-61.90	-51.79	-10.11	4
6415MHz	Pass	6.4199G	-11.67	6.4544G	-61.22	-51.67	-9.55	1
6415MHz	Pass	6.42269G	-11.57	6.4564G	-61.25	-51.57	-9.68	2
6415MHz	Pass	6.40741G	-11.80	6.4631G	-61.29	-51.80	-9.49	3
6415MHz	Pass	6.40631G	-12.48	6.4616G	-61.35	-52.48	-8.87	4
6435MHz	Pass	6.44129G	-12.19	6.4849G	-61.27	-52.19	-9.08	1
6435MHz	Pass	6.4362G	-11.69	6.4827G	-61.38	-51.69	-9.69	2
6435MHz	Pass	6.4396G	-11.93	6.4833G	-61.31	-51.93	-9.38	3
6435MHz	Pass	6.4375G	-12.29	6.4698G	-61.27	-52.29	-8.98	4
6475MHz	Pass	6.48119G	-11.92	6.5088G	-60.86	-51.92	-8.94	1
6475MHz	Pass	6.46871G	-11.44	6.5081G	-61.06	-51.44	-9.62	2
6475MHz	Pass	6.48209G	-11.40	6.5066G	-61.20	-51.40	-9.80	3
6475MHz	Pass	6.4796G	-12.13	6.5087G	-61.19	-52.13	-9.06	4
6515MHz	Pass	6.50881G	-12.10	6.4776G	-61.31	-52.10	-9.21	1
6515MHz	Pass	6.5135G	-12.16	6.4797G	-61.30	-52.16	-9.14	2
6515MHz	Pass	6.50741G	-11.81	6.4852G	-61.33	-51.81	-9.52	3
6515MHz	Pass	6.5199G	-12.36	6.4705G	-61.35	-52.36	-8.99	4
6535MHz	Pass	6.54119G	-11.98	6.5011G	-61.16	-51.98	-9.18	1
6535MHz	Pass	6.5395G	-12.32	6.5018G	-61.18	-52.32	-8.86	2
6535MHz	Pass	6.5359G	-11.99	6.4888G	-61.17	-51.99	-9.18	3
6535MHz	Pass	6.52611G	-12.17	6.5044G	-61.17	-52.17	-9.00	4
6715MHz	Pass	6.70671G	-12.48	6.7506G	-62.20	-52.48	-9.72	1
6715MHz	Pass	6.7198G	-11.92	6.7512G	-62.28	-51.92	-10.36	2
6715MHz	Pass	6.7163G	-12.17	6.7649G	-62.07	-52.17	-9.90	3
6715MHz	Pass	6.70891G	-12.73	6.7558G	-62.17	-52.73	-9.44	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6855MHz	Pass	6.8519G	-12.35	6.9023G	-60.81	-52.35	-8.46	1
6855MHz	Pass	6.8599G	-11.64	6.8987G	-60.90	-51.64	-9.26	2
6855MHz	Pass	6.86139G	-11.59	6.894G	-60.72	-51.59	-9.13	3
6855MHz	Pass	6.859G	-11.85	6.8914G	-60.86	-51.85	-9.01	4
6875MHz Straddle 6.525-6.875GHz	Pass	6.86591G	-12.04	6.9123G	-60.46	-52.04	-8.42	1
6875MHz Straddle 6.525-6.875GHz	Pass	6.86721G	-11.57	6.9213G	-60.63	-51.57	-9.06	2
6875MHz Straddle 6.525-6.875GHz	Pass	6.8726G	-11.59	6.9163G	-60.63	-51.59	-9.04	3
6875MHz Straddle 6.525-6.875GHz	Pass	6.8775G	-12.65	6.9119G	-60.61	-52.65	-7.96	4
6895MHz	Pass	6.88691G	-12.47	6.9297G	-60.50	-52.47	-8.03	1
6895MHz	Pass	6.8946G	-11.93	6.9303G	-60.44	-51.93	-8.51	2
6895MHz	Pass	6.8987G	-11.42	6.9383G	-60.36	-51.42	-8.94	3
6895MHz	Pass	6.90339G	-12.41	6.9393G	-60.36	-52.41	-7.95	4
7015MHz	Pass	7.00791G	-11.54	6.9776G	-60.26	-51.54	-8.72	1
7015MHz	Pass	7.00881G	-11.97	6.9751G	-60.23	-51.97	-8.26	2
7015MHz	Pass	7.02009G	-12.20	6.9826G	-60.22	-52.20	-8.02	3
7015MHz	Pass	7.0125G	-12.53	6.9772G	-60.17	-52.53	-7.64	4
7095MHz	Pass	7.0921G	-11.61	7.1414G	-60.88	-51.61	-9.27	1
7095MHz	Pass	7.0901G	-12.55	7.1415G	-60.93	-52.55	-8.38	2
7095MHz	Pass	7.09G	-12.69	7.1443G	-60.93	-52.69	-8.24	3
7095MHz	Pass	7.0998G	-12.66	7.1306G	-61.03	-52.66	-8.37	4
7115MHz	Pass	7.10711G	-11.60	7.1582G	-60.72	-51.60	-9.12	1
7115MHz	Pass	7.10771G	-12.66	7.1476G	-60.75	-52.66	-8.09	2
7115MHz	Pass	7.10781G	-12.45	7.1639G	-60.72	-52.45	-8.27	3
7115MHz	Pass	7.10721G	-12.40	7.1623G	-60.70	-52.40	-8.30	4
802.11be EHT40_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-
5965MHz	Pass	5.98058G	-8.42	6.0262G	-57.84	-48.42	-9.42	1
5965MHz	Pass	5.97939G	-8.70	6.0374G	-58.04	-48.70	-9.34	2
5965MHz	Pass	5.98098G	-8.59	6.0582G	-58.08	-48.59	-9.49	3
5965MHz	Pass	5.97919G	-8.61	6.0298G	-58.02	-48.61	-9.41	4
6165MHz	Pass	6.17839G	-8.09	6.2602G	-57.91	-48.09	-9.82	1
6165MHz	Pass	6.18158G	-7.92	6.2518G	-57.99	-47.92	-10.07	2
6165MHz	Pass	6.17479G	-8.00	6.242G	-57.82	-48.00	-9.82	3
6165MHz	Pass	6.14962G	-8.64	6.2302G	-57.82	-48.64	-9.18	4
6405MHz	Pass	6.4026G	-8.15	6.4934G	-57.30	-48.15	-9.15	1
6405MHz	Pass	6.39521G	-7.71	6.4974G	-57.26	-47.71	-9.55	2
6405MHz	Pass	6.39961G	-8.14	6.4882G	-57.17	-48.14	-9.03	3
6405MHz	Pass	6.39301G	-8.75	6.5026G	-57.26	-48.75	-8.51	4
6445MHz	Pass	6.45859G	-8.55	6.5056G	-57.25	-48.55	-8.70	1
6445MHz	Pass	6.42862G	-8.16	6.506G	-57.14	-48.16	-8.98	2
6445MHz	Pass	6.45239G	-8.42	6.5046G	-57.17	-48.42	-8.75	3
6445MHz	Pass	6.43381G	-8.95	6.5094G	-57.23	-48.95	-8.28	4
6485MHz	Pass	6.4898G	-8.18	6.4202G	-57.47	-48.18	-9.29	1
6485MHz	Pass	6.50278G	-7.74	6.418G	-57.44	-47.74	-9.70	2
6485MHz	Pass	6.4824G	-8.19	6.4232G	-57.45	-48.19	-9.26	3
6485MHz	Pass	6.49519G	-8.38	6.4082G	-57.49	-48.38	-9.11	4




Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6525MHz Straddle 6.425-6.525GHz	Pass	6.54238G	-7.98	6.4646G	-57.30	-47.98	-9.32	1
6525MHz Straddle 6.425-6.525GHz	Pass	6.53999G	-7.71	6.4624G	-57.35	-47.71	-9.64	2
6525MHz Straddle 6.425-6.525GHz	Pass	6.53959G	-7.57	6.4628G	-57.30	-47.57	-9.73	3
6525MHz Straddle 6.425-6.525GHz	Pass	6.5278G	-7.85	6.4614G	-57.23	-47.85	-9.38	4
6565MHz	Pass	6.57899G	-8.38	6.4972G	-57.33	-48.38	-8.95	1
6565MHz	Pass	6.567G	-8.36	6.5012G	-57.30	-48.36	-8.94	2
6565MHz	Pass	6.5686G	-7.94	6.5012G	-57.29	-47.94	-9.35	3
6565MHz	Pass	6.57379G	-7.95	6.5022G	-57.20	-47.95	-9.25	4
6725MHz	Pass	6.71781G	-8.85	6.8236G	-57.71	-48.85	-8.86	1
6725MHz	Pass	6.73G	-7.93	6.8136G	-57.70	-47.93	-9.77	2
6725MHz	Pass	6.71861G	-8.68	6.8222G	-57.73	-48.68	-9.05	3
6725MHz	Pass	6.71361G	-9.08	6.8164G	-57.70	-49.08	-8.62	4
6845MHz	Pass	6.85379G	-8.30	6.937G	-56.44	-48.30	-8.14	1
6845MHz	Pass	6.83221G	-7.76	6.9384G	-56.43	-47.76	-8.67	2
6845MHz	Pass	6.86118G	-8.06	6.9056G	-56.50	-48.06	-8.44	3
6845MHz	Pass	6.85119G	-8.93	6.938G	-56.48	-48.93	-7.55	4
6885MHz Straddle 6.525-6.875GHz	Pass	6.89359G	-8.60	6.9518G	-56.15	-48.60	-7.55	1
6885MHz Straddle 6.525-6.875GHz	Pass	6.87641G	-7.90	6.961G	-56.19	-47.90	-8.29	2
6885MHz Straddle 6.525-6.875GHz	Pass	6.89759G	-7.63	6.9836G	-56.20	-47.63	-8.57	3
6885MHz Straddle 6.525-6.875GHz	Pass	6.89519G	-8.54	6.9802G	-56.18	-48.54	-7.64	4
6925MHz	Pass	6.9288G	-8.11	6.9904G	-56.16	-48.11	-8.05	1
6925MHz	Pass	6.94258G	-7.84	7.0008G	-56.09	-47.84	-8.25	2
6925MHz	Pass	6.91121G	-7.90	7.0028G	-56.05	-47.90	-8.15	3
6925MHz	Pass	6.93379G	-8.53	7.005G	-56.08	-48.53	-7.55	4
7005MHz	Pass	6.99081G	-7.68	6.9372G	-56.54	-47.68	-8.86	1
7005MHz	Pass	7.01879G	-7.64	6.942G	-56.29	-47.64	-8.65	2
7005MHz	Pass	7.0066G	-7.49	6.944G	-56.48	-47.49	-8.99	3
7005MHz	Pass	7.02078G	-8.74	6.9414G	-56.49	-48.74	-7.75	4
7085MHz	Pass	7.07461G	-7.41	7.005G	-55.96	-47.41	-8.55	1
7085MHz	Pass	7.07001G	-8.16	7.0068G	-56.01	-48.16	-7.85	2
7085MHz	Pass	7.09779G	-8.51	7.0086G	-56.03	-48.51	-7.52	3
7085MHz	Pass	7.0824G	-8.14	7.001G	-56.18	-48.14	-8.04	4
802.11be EHT80_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-
5985MHz	Pass	6.01977G	-5.70	6.109G	-55.03	-45.70	-9.33	1
5985MHz	Pass	6.02016G	-5.70	6.1826G	-55.07	-45.70	-9.37	2
5985MHz	Pass	6.00738G	-6.12	6.1262G	-54.96	-46.12	-8.84	3
5985MHz	Pass	6.02296G	-5.60	6.1746G	-55.07	-45.60	-9.47	4
6145MHz	Pass	6.17697G	-5.15	6.305G	-54.60	-45.15	-9.45	1
6145MHz	Pass	6.18056G	-4.92	6.3426G	-54.69	-44.92	-9.77	2
6145MHz	Pass	6.12942G	-5.09	6.2694G	-54.71	-45.09	-9.62	3
6145MHz	Pass	6.17377G	-5.50	6.3238G	-54.64	-45.50	-9.14	4
6385MHz	Pass	6.42256G	-5.28	6.5054G	-54.17	-45.28	-8.89	1
6385MHz	Pass	6.42016G	-4.79	6.5062G	-54.23	-44.79	-9.44	2
6385MHz	Pass	6.40898G	-5.09	6.5074G	-54.16	-45.09	-9.07	3
6385MHz	Pass	6.34904G	-5.94	6.507G	-54.19	-45.94	-8.25	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6465MHz	Pass	6.48858G	-5.45	6.3046G	-54.40	-45.45	-8.95	1
6465MHz	Pass	6.44262G	-5.15	6.341G	-54.08	-45.15	-8.93	2
6465MHz	Pass	6.50216G	-5.02	6.3362G	-54.02	-45.02	-9.00	3
6465MHz	Pass	6.47979G	-5.39	6.3418G	-54.50	-45.39	-9.11	4
6545MHz Straddle 6.425-6.525GHz	Pass	6.57737G	-5.39	6.385G	-54.23	-45.39	-8.84	1
6545MHz Straddle 6.425-6.525GHz	Pass	6.57017G	-5.05	6.4238G	-54.11	-45.05	-9.06	2
6545MHz Straddle 6.425-6.525GHz	Pass	6.57377G	-5.10	6.4158G	-54.08	-45.10	-8.98	3
6545MHz Straddle 6.425-6.525GHz	Pass	6.57857G	-5.56	6.4198G	-54.38	-45.56	-8.82	4
6625MHz	Pass	6.65057G	-4.83	6.5026G	-53.84	-44.83	-9.01	1
6625MHz	Pass	6.59783G	-4.83	6.503G	-53.76	-44.83	-8.93	2
6625MHz	Pass	6.65257G	-4.90	6.4994G	-53.86	-44.90	-8.96	3
6625MHz	Pass	6.64978G	-5.17	6.5006G	-53.98	-45.17	-8.81	4
6705MHz	Pass	6.69061G	-5.61	6.9046G	-53.77	-45.61	-8.16	1
6705MHz	Pass	6.73177G	-5.05	6.9038G	-53.61	-45.05	-8.56	2
6705MHz	Pass	6.74256G	-5.50	6.8982G	-53.61	-45.50	-8.11	3
6705MHz	Pass	6.74296G	-5.75	6.899G	-53.64	-45.75	-7.89	4
6785MHz	Pass	6.76262G	-5.16	6.9842G	-53.12	-45.16	-7.96	1
6785MHz	Pass	6.82256G	-4.63	6.9806G	-52.92	-44.63	-8.29	2
6785MHz	Pass	6.82256G	-4.70	6.979G	-52.97	-44.70	-8.27	3
6785MHz	Pass	6.76982G	-5.18	6.973G	-53.02	-45.18	-7.84	4
6865MHz Straddle 6.525-6.875GHz	Pass	6.89217G	-5.16	6.9946G	-53.01	-45.16	-7.85	1
6865MHz Straddle 6.525-6.875GHz	Pass	6.83023G	-4.40	6.9854G	-53.00	-44.39	-8.61	2
6865MHz Straddle 6.525-6.875GHz	Pass	6.89417G	-4.79	6.999G	-52.88	-44.79	-8.09	3
6865MHz Straddle 6.525-6.875GHz	Pass	6.89417G	-5.69	7.0094G	-52.84	-45.69	-7.15	4
6945MHz	Pass	6.91863G	-4.95	7.145G	-54.02	-44.95	-9.07	1
6945MHz	Pass	6.97857G	-4.80	7.1366G	-54.16	-44.80	-9.36	2
6945MHz	Pass	6.92142G	-4.80	7.1394G	-54.09	-44.80	-9.29	3
6945MHz	Pass	6.93621G	-5.20	7.1442G	-54.00	-45.20	-8.80	4
7025MHz	Pass	6.99743G	-5.29	7.2094G	-53.57	-45.29	-8.28	1
7025MHz	Pass	6.99143G	-4.74	7.2078G	-53.56	-44.74	-8.82	2
7025MHz	Pass	7.06256G	-5.41	7.2218G	-53.49	-45.41	-8.08	3
7025MHz	Pass	7.01981G	-5.49	7.2182G	-53.59	-45.49	-8.10	4
802.11be EHT160_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-
6025MHz	Pass	6.09293G	-3.03	6.2946G	-51.44	-43.03	-8.41	1
6025MHz	Pass	6.09373G	-2.33	6.2802G	-51.43	-42.33	-9.10	2
6025MHz	Pass	6.07615G	-2.47	6.273G	-51.28	-42.47	-8.81	3
6025MHz	Pass	6.029G	-1.72	6.2994G	-50.97	-41.72	-9.25	4
6185MHz	Pass	6.25133G	-2.14	6.5066G	-50.86	-42.14	-8.72	1
6185MHz	Pass	6.23775G	-1.89	6.5066G	-50.92	-41.89	-9.03	2
6185MHz	Pass	6.23695G	-2.24	6.5002G	-50.94	-42.24	-8.70	3
6185MHz	Pass	6.23055G	-2.35	6.5026G	-50.85	-42.35	-8.50	4
6345MHz	Pass	6.42172G	-2.66	6.0994G	-50.74	-42.66	-8.08	1
6345MHz	Pass	6.36978G	-2.35	6.0986G	-50.30	-42.35	-7.95	2
6345MHz	Pass	6.26988G	-2.31	6.0954G	-50.32	-42.31	-8.01	3
6345MHz	Pass	6.36818G	-2.60	6.101G	-50.97	-42.60	-8.37	4



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6505MHz Straddle 6.425-6.525GHz	Pass	6.57773G	-2.21	6.2586G	-50.32	-42.21	-8.11	1
6505MHz Straddle 6.425-6.525GHz	Pass	6.53777G	-2.14	6.2586G	-50.15	-42.14	-8.01	2
6505MHz Straddle 6.425-6.525GHz	Pass	6.49701G	-2.16	6.253G	-50.25	-42.16	-8.09	3
6505MHz Straddle 6.425-6.525GHz	Pass	6.5082G	-2.99	6.2474G	-50.59	-42.99	-7.60	4
6665MHz	Pass	6.68978G	-2.62	6.9994G	-49.63	-42.62	-7.01	1
6665MHz	Pass	6.71055G	-2.79	7.009G	-49.69	-42.79	-6.90	2
6665MHz	Pass	6.70256G	-3.07	7.0026G	-49.69	-43.07	-6.62	3
6665MHz	Pass	6.70016G	-3.21	6.985G	-49.79	-43.21	-6.58	4
6825MHz Straddle 6.525-6.875GHz	Pass	6.74828G	-2.73	7.2218G	-50.20	-42.73	-7.47	1
6825MHz Straddle 6.525-6.875GHz	Pass	6.81221G	-2.09	7.2058G	-50.29	-42.09	-8.20	2
6825MHz Straddle 6.525-6.875GHz	Pass	6.87135G	-2.37	7.2122G	-50.24	-42.37	-7.87	3
6825MHz Straddle 6.525-6.875GHz	Pass	6.90172G	-2.59	6.501G	-49.94	-42.59	-7.35	4
6985MHz	Pass	6.94824G	-2.19	7.3746G	-49.98	-42.19	-7.79	1
6985MHz	Pass	6.97941G	-2.56	7.3826G	-49.96	-42.56	-7.40	2
6985MHz	Pass	6.9898G	-1.98	7.2322G	-49.99	-41.98	-8.01	3
6985MHz	Pass	7.03695G	-2.44	7.373G	-50.00	-42.44	-7.56	4
802.11be EHT320_Nss1,(MCS0)_4TX-OFDMA	-	-	-	-	-	-	-	-
6105MHz	Pass	6.137G	1.43	6.8986G	-46.29	-38.57	-7.72	1
6105MHz	Pass	6.1146G	1.88	6.9034G	-46.21	-38.12	-8.09	2
6105MHz	Pass	6.113G	1.59	6.9034G	-46.30	-38.41	-7.89	3
6105MHz	Pass	6.121G	1.11	6.9018G	-46.36	-38.89	-7.47	4
6265MHz	Pass	6.2714G	1.96	6.9818G	-45.13	-38.04	-7.09	1
6265MHz	Pass	6.289G	1.89	6.9914G	-45.16	-38.11	-7.05	2
6265MHz	Pass	6.2362G	1.00	6.1002G	-22.74	-19.01	-3.73	3
6265MHz	Pass	6.281G	1.03	6.9994G	-45.47	-38.97	-6.50	4
6425MHz Straddle 5.925-6.425GHz	Pass	6.4586G	1.73	6.9914G	-44.81	-38.27	-6.54	1
6425MHz Straddle 5.925-6.425GHz	Pass	6.4394G	1.76	6.993G	-45.01	-38.24	-6.77	2
6425MHz Straddle 5.925-6.425GHz	Pass	6.457G	1.60	6.9946G	-44.00	-38.40	-5.60	3
6425MHz Straddle 5.925-6.425GHz	Pass	6.377G	0.78	6.9962G	-45.07	-39.22	-5.85	4
6585MHz Straddle 6.425-6.525GHz	Pass	6.6521G	1.56	6.0762G	-44.58	-38.44	-6.14	1
6585MHz Straddle 6.425-6.525GHz	Pass	6.6489G	1.32	6.0282G	-44.31	-38.68	-5.63	2
6585MHz Straddle 6.425-6.525GHz	Pass	6.6537G	1.57	6.073G	-44.04	-38.43	-5.61	3
6585MHz Straddle 6.425-6.525GHz	Pass	6.6537G	1.34	6.065G	-44.77	-38.66	-6.11	4
6745MHz Straddle 6.525-6.875GHz	Pass	6.753G	1.71	6.2522G	-43.98	-38.29	-5.69	1
6745MHz Straddle 6.525-6.875GHz	Pass	6.7562G	2.27	6.2298G	-43.52	-37.73	-5.79	2
6745MHz Straddle 6.525-6.875GHz	Pass	6.7578G	1.62	6.2314G	-43.79	-38.38	-5.41	3
6745MHz Straddle 6.525-6.875GHz	Pass	6.7802G	1.56	6.2314G	-43.97	-38.44	-5.53	4
6905MHz Straddle 6.525-6.875GHz	Pass	6.9114G	1.22	6.3898G	-43.66	-38.78	-4.88	1
6905MHz Straddle 6.525-6.875GHz	Pass	6.9114G	2.22	6.3882G	-43.50	-37.78	-5.72	2
6905MHz Straddle 6.525-6.875GHz	Pass	6.9194G	1.25	6.393G	-43.46	-38.75	-4.71	3
6905MHz Straddle 6.525-6.875GHz	Pass	6.929G	1.34	6.3962G	-43.32	-38.66	-4.66	4







6.425-6.525GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6515MHz_TX

CF (Hz)
6.515G

Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m


Detector Type
RMS

Port 1

Port 2

Port 3

Port 4



6.525-6.875GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6715MHz_TX

CF (Hz)

6.715G

Span (Hz)

100M

RBW (Hz)

200k

VBW (Hz)


1M

Sweep Time (s)

20m

Detector Type

RMS



Port 1 

Port 2 

Port 3 

Port 4 





6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

6895MHz_TX

CF (Hz)
6.895G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8937G	-12.23	6.9388G	-60.47	-52.23	-8.24	1
6.8969G	-11.83	6.9384G	-60.42	-51.83	-8.59	2
6.88871G	-11.86	6.9237G	-60.48	-51.86	-8.62	3
6.90119G	-12.55	6.9385G	-60.50	-52.55	-7.95	4

6.875-7.125GHz_802.11a_Nss1,(6Mbps)_4TX

MASK

7015MHz_TX

CF (Hz)
7.015G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00811G	-11.28	6.9779G	-60.21	-51.28	-8.93	1
7.0162G	-11.76	6.9842G	-60.08	-51.76	-8.32	2
7.00991G	-12.19	6.9821G	-60.28	-52.19	-8.09	3
7.0181G	-12.33	6.9764G	-60.25	-52.33	-7.92	4









6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6475MHz_TX

CF (Hz)
6.475G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48119G	-11.92	6.5088G	-60.86	-51.92	-8.94	1
6.46871G	-11.44	6.5081G	-61.06	-51.44	-9.62	2
6.48209G	-11.40	6.5066G	-61.20	-51.40	-9.80	3
6.4796G	-12.13	6.5087G	-61.19	-52.13	-9.06	4

6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_4TX

MASK

6515MHz_TX

CF (Hz)
6.515G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
20m

Detector Type
RMS



Port 1



Port 2

Port 3


Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50881G	-12.10	6.4776G	-61.31	-52.10	-9.21	1
6.5135G	-12.16	6.4797G	-61.30	-52.16	-9.14	2
6.50741G	-11.81	6.4852G	-61.33	-51.81	-9.52	3
6.5199G	-12.36	6.4705G	-61.35	-52.36	-8.99	4











5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6165MHz_TX

CF (Hz)
6.165G

Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS

Port 1

Port 2

Port 3

Port 4



5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4026G	-8.15	6.4934G	-57.30	-48.15	-9.15	1
6.39521G	-7.71	6.4974G	-57.26	-47.71	-9.55	2
6.39961G	-8.14	6.4882G	-57.17	-48.14	-9.03	3
6.39301G	-8.75	6.5026G	-57.26	-48.75	-8.51	4

6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6445MHz_TX

CF (Hz)
6.445G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS




Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45859G	-8.55	6.5056G	-57.25	-48.55	-8.70	1
6.42862G	-8.16	6.506G	-57.14	-48.16	-8.98	2
6.45239G	-8.42	6.5046G	-57.17	-48.42	-8.75	3
6.43381G	-8.95	6.5094G	-57.23	-48.95	-8.28	4





6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57899G	-8.38	6.4972G	-57.33	-48.38	-8.95	1
6.567G	-8.36	6.5012G	-57.30	-48.36	-8.94	2
6.5686G	-7.94	6.5012G	-57.29	-47.94	-9.35	3
6.57379G	-7.95	6.5022G	-57.20	-47.95	-9.25	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6725MHz_TX

CF (Hz)
6.725G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.71781G	-8.85	6.8236G	-57.71	-48.85	-8.86	1
6.73G	-7.93	6.8136G	-57.70	-47.93	-9.77	2
6.71861G	-8.68	6.8222G	-57.73	-48.68	-9.05	3
6.71361G	-9.08	6.8164G	-57.70	-49.08	-8.62	4



6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

CF (Hz)
6.845G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85379G	-8.30	6.937G	-56.44	-48.30	-8.14	1
6.83221G	-7.76	6.9384G	-56.43	-47.76	-8.67	2
6.86118G	-8.06	6.9056G	-56.50	-48.06	-8.44	3
6.85119G	-8.93	6.938G	-56.48	-48.93	-7.55	4

6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TX

CF (Hz)
6.885G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89359G	-8.60	6.9518G	-56.15	-48.60	-7.55	1
6.87641G	-7.90	6.961G	-56.19	-47.90	-8.29	2
6.89759G	-7.63	6.9836G	-56.20	-47.63	-8.57	3
6.89519G	-8.54	6.9802G	-56.18	-48.54	-7.64	4



6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

6925MHz_TX

CF (Hz)
6.925G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9288G	-8.11	6.9904G	-56.16	-48.11	-8.05	1
6.94258G	-7.84	7.0008G	-56.09	-47.84	-8.25	2
6.91121G	-7.90	7.0028G	-56.05	-47.90	-8.15	3
6.93379G	-8.53	7.005G	-56.08	-48.53	-7.55	4

6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_4TX

MASK

7005MHz_TX

CF (Hz)
7.005G


Span (Hz)
200M

RBW (Hz)
500k

VBW (Hz)
2M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99081G	-7.68	6.9372G	-56.54	-47.68	-8.86	1
7.01879G	-7.64	6.942G	-56.29	-47.64	-8.65	2
7.0066G	-7.49	6.944G	-56.48	-47.49	-8.99	3
7.02078G	-8.74	6.9414G	-56.49	-48.74	-7.75	4





5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

CF (Hz)
6.385G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.42256G	-5.28	6.5054G	-54.17	-45.28	-8.89	1
6.42016G	-4.79	6.5062G	-54.23	-44.79	-9.44	2
6.40898G	-5.09	6.5074G	-54.16	-45.09	-9.07	3
6.34904G	-5.94	6.507G	-54.19	-45.94	-8.25	4



6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6465MHz_TX

CF (Hz)
6.465G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48858G	-5.45	6.3046G	-54.40	-45.45	-8.95	1
6.44262G	-5.15	6.341G	-54.08	-45.15	-8.93	2
6.50216G	-5.02	6.3362G	-54.02	-45.02	-9.00	3
6.47979G	-5.39	6.3418G	-54.50	-45.39	-9.11	4

6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TX

CF (Hz)
6.545G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS



Port 1



Port 2


Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57737G	-5.39	6.385G	-54.23	-45.39	-8.84	1
6.57017G	-5.05	6.4238G	-54.11	-45.05	-9.06	2
6.57377G	-5.10	6.4158G	-54.08	-45.10	-8.98	3
6.57857G	-5.56	6.4198G	-54.38	-45.56	-8.82	4







6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_4TX

MASK

7025MHz_TX

CF (Hz)
7.025G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
20m

Detector Type
RMS






Port 1 



Port 2 

Port 3 

Port 4 




















Frequency: 6475 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-6.76	-6.50	-6.45	-7.05
T20°CVmin	-7.11	-6.65	-7.14	-7.24
T40°CVnom	-10.89	-10.84	-10.72	-10.84
T30°CVnom	-10.59	-10.87	-10.67	-9.98
T20°CVnom	-8.29	-7.59	-7.99	-8.06
T10°CVnom	-5.38	-4.95	-5.24	-5.29
T0°CVnom	-4.09	-4.01	-3.99	-3.75
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 50		Tmin [°C]: -30	

Frequency: 7015 MHz	Frequency Drift (ppm)			
Temperature (°C)	0 minute	2 minutes	5 minutes	10 minutes
T20°CVmax	-6.49	-6.24	-6.53	-6.53
T20°CVmin	-6.70	-6.64	-6.75	-6.47
T40°CVnom	-9.92	-9.88	-10.10	-9.94
T30°CVnom	-9.43	-8.79	-9.31	-9.70
T20°CVnom	-7.78	-7.26	-7.94	-8.02
T10°CVnom	-4.59	-4.39	-4.70	-4.66
T0°CVnom	-3.54	-3.16	-3.03	-3.58
Vnom [V]: 120	Vmax [V]: 138		Vmin [V]: 102	
Tnom [°C]: 20	Tmax [°C]: 50		Tmin [°C]: -30	

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain With path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT20	5	6195	6194	-69.06	1.32	-70.38	-62	Ceased
				-72.56	1.32	-73.88	-62	Minimal
				-89.06	1.32	-90.38	-62	Normal
	6	6475	6474	-69.12	2.04	-71.16	-62	Ceased
				-72.12	2.04	-74.16	-62	Minimal
				-89.12	2.04	-91.16	-62	Normal
	7	6695	6694	-67.66	2.26	-69.92	-62	Ceased
				-69.66	2.26	-71.92	-62	Minimal
				-87.66	2.26	-89.92	-62	Normal
	8	6995	6994	-69.2	1.94	-71.14	-62	Ceased
				-71.2	1.94	-73.14	-62	Minimal
				-89.2	1.94	-91.14	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Antenna gain with path Loss (dBi)	Adjusted Power (dBm)	Detection limit (dBm)	EUT Tx Status
be EHT320	5	6185	6110	-70.1	1.32	-71.42	-62	Ceased
		6105	6100	-74.1	1.32	-75.42	-62	Minimal
		6505	6110	-91.1	1.32	-92.42	-62	Normal
	5 / 6 / 7	6505	6430	-69.59	1.32	-70.91	-62	Ceased
		6425	6580	-74.09	1.32	-75.41	-62	Minimal
		6665	6430	-89.59	1.32	-90.91	-62	Normal
	7 / 8	6985	6910	-68.95	1.94	-70.89	-62	Ceased
		6905	6900	-70.95	1.94	-72.89	-62	Minimal
		0	6910	-88.95	1.94	-90.89	-62	Normal

Note: Adjusted Power = Injected AWGN Power (dBm) – Antenna Gain (dBi) + Path Loss (dB)



Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)
be EHT20	5	6195	6194	-69.06	-70.38	V	V	V	V	V	V	V	V	V	V	100	90
	6	6475	6474	-69.12	-71.16	V	V	V	V	V	V	V	V	V	V	100	90
	7	6695	6694	-67.66	-69.92	V	V	V	V	V	V	V	V	X	V	90	90
	8	6995	6994	-69.2	-71.14	V	V	V	V	V	V	V	V	V	V	100	90

Mode	UNII Band	Center Frequency (MHz)	Incumbent Frequency (MHz)	Injected (AWGN) Power (dBm)	Adjusted Power (dBm)	1	2	3	4	5	6	7	8	9	10	Detection Probability (%)	Limit (%)	
be EHT320	5	6105	5950	-71.05	-72.37	V	V	V	V	V	V	V	X	V	V	90	90	
			6100	-70.1	-71.42	V	V	V	V	V	V	V	V	V	V	V	100	90
			6260	-70.94	-72.26	V	V	V	V	V	V	V	V	V	V	V	100	90
	5 / 6 / 7	6425	6270	-70.92	-72.24	V	V	V	V	V	V	V	V	X	V	V	90	90
			6420	-71.05	-72.37	V	V	V	V	V	V	X	V	V	V	90	90	
			6580	-69.59	-70.91	V	V	V	V	V	V	V	V	V	V	V	100	90
	7 / 8	6905	6750	-70.24	-72.18	V	V	V	V	V	V	V	V	V	V	V	100	90
			6900	-68.95	-70.89	V	V	V	V	V	V	V	V	X	V	V	90	90
			7060	-68.98	-70.92	V	V	V	V	V	V	V	V	V	X	V	90	90

Test plot of Incumbent signal

BW: 20 MHz / Frequency: 6194 MHz




BW: 20 MHz / Frequency: 6474 MHz



BW: 20 MHz / Frequency: 6694 MHz




BW: 20 MHz / Frequency: 6994 MHz




BW: 320 MHz / Frequency: 5950 MHz




BW: 320 MHz / Frequency: 6100 MHz




BW: 320 MHz / Frequency: 6260 MHz




BW: 320 MHz / Frequency: 6270 MHz




BW: 320 MHz / Frequency: 6420 MHz




BW: 320 MHz / Frequency: 6580 MHz




BW: 320 MHz / Frequency: 6750 MHz



BW: 320 MHz / Frequency: 6900 MHz




BW: 320 MHz / Frequency: 7060 MHz



Test plot of Contention Based Protocol EUT Normal transmission

BW: 20 MHz / Frequency: 6194 MHz



BW: 20 MHz / Frequency: 6474 MHz

